

Hannu Kautiainen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7557052/publications.pdf>

Version: 2024-02-01

322
papers

4,282
citations

186265
28
h-index

206112
48
g-index

325
all docs

325
docs citations

325
times ranked

6740
citing authors

#	ARTICLE	IF	CITATIONS
1	Response to: "Correspondence on "Non-surgical and surgical treatments for rotator cuff disease: a pragmatic randomised clinical trial with 2-year follow-up after initial rehabilitation" by Randelli et al. Annals of the Rheumatic Diseases, 2023, 82, e103-e103.	0.9	0
2	Secular trends in functional abilities, health and psychological well-being among community-dwelling 75- to 95-year-old cohorts over three decades in Helsinki, Finland. Scandinavian Journal of Public Health, 2022, 50, 524-531.	2.3	6
3	Oral hygiene and health-related quality of life in institutionalized older people. European Geriatric Medicine, 2022, 13, 213-220.	2.8	18
4	Isthmic Spondylolisthesis is Associated with Less Revisions for Adjacent Segment Disease After Lumbar Spine Fusion Than Degenerative Spinal Conditions. Spine, 2022, 47, 303-308.	2.0	3
5	Opioid use frequency in early axial spondyloarthritis in Finland—A pharmacoepidemic register study. Joint Bone Spine, 2022, 89, 105302.	1.6	2
6	Headache and quality of life in Finnish female municipal employees. Scandinavian Journal of Pain, 2022, 22, 457-463.	1.3	0
7	Comparison Between Arthroscopic and Histological International Cartilage Repair Society Scoring Systems in Porcine Cartilage Repair Model. Cartilage, 2022, 13, 194760352110692.	2.7	0
8	Diurnal Preference Contributes to Maximal UVB Sensitivity by the Hour of the Day in Human Skin In Vivo. Journal of Investigative Dermatology, 2022, 142, 2289-2291.e5.	0.7	0
9	Work incapacity among family caregivers: a record linkage study. Journal of Epidemiology and Community Health, 2022, 76, 580-585.	3.7	1
10	Usage of drugs for cardiovascular diseases is increased in systemic lupus erythematosus (SLE) patients already before diagnosis of SLE. Clinical and Experimental Rheumatology, 2022, 40, 39-43.	0.8	0
11	Low incidence of clinically relevant bleeding complications after fast-track arthroplasty: a register study of 8,511 arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 2022, 93, 348-354.	3.3	2
12	A longitudinal study of restless legs symptoms among patients with depression. Nordic Journal of Psychiatry, 2022, 76, 584-590.	1.3	3
13	Female Psychopathy and Mortality. Frontiers in Psychiatry, 2022, 13, 831410.	2.6	0
14	Transition to adult care in Finnish adolescents with juvenile idiopathic arthritis. Scandinavian Journal of Rheumatology, 2022, 51, 490-494.	1.1	4
15	Health-related quality of life in patients with chronic orofacial pain compared with other chronic pain patients. Clinical and Experimental Dental Research, 2022, , .	1.9	2
16	The Relationship between Dietary Habits and Work Engagement among Female Finnish Municipal Employees. Nutrients, 2022, 14, 1267.	4.1	3
17	COVID-19 pandemic and mortality in nursing homes across USA and Europe up to October 2021. European Geriatric Medicine, 2022, 13, 705-709.	2.8	25
18	Cost-effectiveness of an educational intervention to reduce potentially inappropriate medication. Age and Ageing, 2022, 51, .	1.6	0

#	ARTICLE	IF	CITATIONS
19	Non-melancholic depressive symptoms are associated with above average fat mass index in the Helsinki birth cohort study. <i>Scientific Reports</i> , 2022, 12, 6987.	3.3	1
20	Abdominal pain in Finnish young adults with juvenile idiopathic arthritis. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 1189-1194.	1.5	2
21	Effects of a 12-month home-based exercise program on functioning after hip fracture – Secondary analyses of an RCT. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2561-2570.	2.6	6
22	Criminal Behavior in the Four Years Preceding Diagnosis of Neurocognitive Disorder: A Nationwide Register Study in Finland. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 657-665.	1.2	10
23	Chondral and Osteochondritis Dissecans Lesions Treated by Autologous Chondrocytes Implantation: A Mid- to Long-Term Nonrandomized Comparison. <i>Cartilage</i> , 2021, 13, 1105S-1112S.	2.7	3
24	Neuropsychological outcome of cognitive training in mild to moderate dementia: A randomized controlled trial. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 935-953.	1.6	1
25	Monetary value of informal caregiving in dementia from a societal perspective. <i>Age and Ageing</i> , 2021, 50, 861-867.	1.6	5
26	Initiating disease-modifying anti-rheumatic drugs rapidly reduces purchases of analgesic drugs in juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 28-33.	1.1	3
27	Effects of Home-Based Physical Exercise on Days at Home and Cost-Effectiveness in Pre-Frail and Frail Persons: Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 773-779.	2.5	11
28	Fibromyalgia is often connected with disability pension: a very long-term follow-up study in Finland. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 167-168.	1.1	1
29	Reply to the Letter “Coffee consumption and extreme longevity: a risk assessment”. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 201-201.	2.9	0
30	Antibodies to malondialdehyde-acetaldehyde modified low-density lipoprotein in patients with newly diagnosed inflammatory joint disease. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 113-117.	1.1	2
31	Induction of remission in female rheumatoid arthritis patients is associated with stabilization of myocardial abnormalities: a prospective cardiac magnetic resonance follow-up study. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 104-112.	1.1	1
32	Physical activity and ability to meet different work requirements among adult working men with or without current depressive symptoms. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 451-458.	2.3	1
33	Skin Autofluorescence in Young Adult Offspring of Women with Type 1 Diabetes: A Cross-Sectional Case-Control Study. <i>Diabetes Therapy</i> , 2021, 12, 669-677.	2.5	0
34	Higher carotid-radial pulse wave velocity is associated with non-melancholic depressive symptoms in men – findings from Helsinki Birth Cohort Study. <i>Annals of Medicine</i> , 2021, 53, 531-540.	3.8	5
35	Mortality in SLE patients compared with population controls in Finland in years 2000–2015. <i>Rheumatology</i> , 2021, 60, 4238-4244.	1.9	9
36	Impact of gestational diabetes mellitus on the duration of breastfeeding in primiparous women: an observational cohort study. <i>International Breastfeeding Journal</i> , 2021, 16, 19.	2.6	6

#	ARTICLE	IF	CITATIONS
37	Maternal use of sedative drugs and its effects on pregnancy outcomes: a Finnish birth cohort study. <i>Scientific Reports</i> , 2021, 11, 4467.	3.3	4
38	Associations of perceived poor societal treatment among the oldest-old. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104318.	3.0	2
39	Use of antidepressants among Finnish family caregivers: a nationwide register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 2209-2216.	3.1	4
40	Comment on: Decrease of anticholinergic drug use in nursing home residents in the United States. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2033-2035.	2.6	1
41	Advanced glycation end products measured by skin autofluorescence are associated with melancholic depressive symptoms – Findings from Helsinki Birth Cohort Study. <i>Journal of Psychosomatic Research</i> , 2021, 145, 110488.	2.6	6
42	Oral Health and Frailty Among Older Long-Term Care Residents in Finland. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2394-2395.	2.5	3
43	Glucose regulation and pain in older people – The Helsinki Birth Cohort Study. <i>Primary Care Diabetes</i> , 2021, 15, 561-566.	1.8	1
44	Temporal trends in nutrition intake among older long-term care residents. <i>Clinical Nutrition</i> , 2021, 40, 3793-3797.	5.0	0
45	Effect of 12-Month Supervised, Home-Based Physical Exercise on Functioning Among Persons With Signs of Frailty: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2283-2290.	0.9	12
46	Psychiatric disorders in incident patients with juvenile idiopathic arthritis - a case-control cohort study. <i>Pediatric Rheumatology</i> , 2021, 19, 105.	2.1	14
47	Randomized controlled study of the impact of a participatory patient care plan among primary care patients with common chronic diseases: a one-year follow-up study. <i>BMC Health Services Research</i> , 2021, 21, 715.	2.2	4
48	The Association between Healthy Diet and Burnout Symptoms among Finnish Municipal Employees. <i>Nutrients</i> , 2021, 13, 2393.	4.1	11
49	Symptom burden in community-dwelling older people: temporal trends in the Helsinki Aging Study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3065-3071.	2.9	1
50	Being moved by listening to unfamiliar sad music induces reward-related hormonal changes in empathic listeners. <i>Annals of the New York Academy of Sciences</i> , 2021, 1502, 121-131.	3.8	11
51	Body surface area may explain sex differences in findings from the oral glucose tolerance test among subjects with normal glucose tolerance. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2678-2684.	2.6	5
52	Effects of Staff Training on Nursing Home Residents' End-Of-Life Care: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1699-1705.e1.	2.5	8
53	Prevalence of Musculoskeletal Pain and Analgesic Treatment Among Community-Dwelling Older Adults: Changes from 1999 to 2019. <i>Drugs and Aging</i> , 2021, 38, 931-937.	2.7	14
54	Relationship between Fried's frailty phenotype and oral frailty in long-term care residents. <i>Age and Ageing</i> , 2021, 50, 2133-2139.	1.6	19

#	ARTICLE	IF	CITATIONS
55	Both lean and fat body mass associate with blood pressure. <i>European Journal of Internal Medicine</i> , 2021, 91, 40-44.	2.2	19
56	Prevalence of and Risk Factors for Back Pain Among Young Male Conscripts During Compulsory Finnish Military Service. <i>Military Medicine</i> , 2021, , .	0.8	0
57	Effects of Home-Based Physical Exercise on Days at Home, Health Care Utilization, and Functional Independence Among Patients With Hip Fractures: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1692-1699.	0.9	4
58	Long-term health-related quality of life of breast cancer survivors remains impaired compared to the age-matched general population especially in young women. Results from the prospective controlled BREX exercise study. <i>Breast</i> , 2021, 59, 110-116.	2.2	17
59	Training Staff in Long-Term Care Facilitiesâ€™ Effects on Residentsâ€™ Symptoms, Psychological Well-Being, and Proxy Satisfaction. <i>Journal of Pain and Symptom Management</i> , 2021, 62, e4-e12.	1.2	4
60	A high lean body mass is not protecting from type 2 diabetes in the presence of a high body fat mass. <i>Diabetes and Metabolism</i> , 2021, 47, 101219.	2.9	12
61	Biomechanical Changes of Repair Tissue after Autologous Chondrocyte Implantation at Long-Term Follow-Up. <i>Cartilage</i> , 2021, 13, 1085S-1091S.	2.7	9
62	Associations of neck muscle strength and cervical spine mobility with future neck pain and disability: a prospective 16-year study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 911.	1.9	4
63	Does baseline leisure-time physical activity level predict future depressive symptoms or physical activity among depressive patients? Findings from a Finnish five-year cohort study. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 356-361.	1.3	1
64	The relationship between health-related quality of life and melancholic depressive symptoms is modified by brain insulin receptor gene network. <i>Scientific Reports</i> , 2021, 11, 21588.	3.3	5
65	Influence of Depressive Symptoms on the Outcome of Lumbar Spine Fusionâ€™ A 5-year Follow-up Study. <i>Spine</i> , 2021, 46, 408-412.	2.0	6
66	Measuring functional outcome in upper extremity soft tissue sarcoma: Validation of the Toronto Extremity Salvage Score and the QuickDASH patient-reported outcome instruments. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, , .	1.0	0
67	Usage of drugs for cardiovascular diseases is increased in systemic lupus erythematosus (SLE) patients already before diagnosis of SLE. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0
68	Oral disease burden of dentate older adults living in long-term care facilities: FINORAL study. <i>BMC Oral Health</i> , 2021, 21, 624.	2.3	7
69	The Effects of Preventive Home Visits on Older Peopleâ€™s Use of Health Care and Social Services and Related Costs. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1586-1593.	3.6	9
70	Reliability and Validity of The Finnish Version of The Boston Carpal Tunnel Questionnaire among Surgically Treated Carpal Tunnel Syndrome Patients. <i>Scandinavian Journal of Surgery</i> , 2020, 109, 343-350.	2.6	11
71	Major cardiovascular disease (CVD) risk factors in midlife and extreme longevity. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 299-304.	2.9	13
72	Assessment of Cartilage Repair Quality With the International Cartilage Repair Society Score and the Oswestry Arthroscopy Score. <i>Journal of Orthopaedic Research</i> , 2020, 38, 555-562.	2.3	24

#	ARTICLE	IF	CITATIONS
73	Trends towards more active introduction of drug therapy, emphasizing methotrexate and biologic agents, for juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2020, 39, 263-268.	2.2	3
74	Temporal Trends in the Use of Anticholinergic Drugs Among Older People Living in Long-Term Care Facilities in Helsinki. <i>Drugs and Aging</i> , 2020, 37, 27-34.	2.7	15
75	Effect of Protein Supplementation on Physical Performance in Older People With Sarcopenia—A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 226-232.e1.	2.5	27
76	Impact of sunshine on the risk of gestational diabetes mellitus in primiparous women. <i>International Journal of Circumpolar Health</i> , 2020, 79, 1703882.	1.2	3
77	Non-melancholic depressive symptoms increase risk for incident cardiovascular disease: A prospective study in a primary care population at risk for cardiovascular disease and type 2 diabetes. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109887.	2.6	13
78	Cervical Spine Involvement among Patients with Rheumatoid Arthritis Treated Actively with Treat-to-target Strategy: 10-year Results of the NEO-RACo Study. <i>Journal of Rheumatology</i> , 2020, 47, 1160-1164.	2.0	12
79	Factor analysis identifies three separate symptom clusters in idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2020, 6, 00347-2020.	2.6	6
80	Relationship between patient activation measurement and self-rated health in patients with chronic diseases. <i>BMC Family Practice</i> , 2020, 21, 225.	2.9	25
81	Response to Malt's Letter to the Editor. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110140.	2.6	0
82	Lean body mass is not beneficial, but may be detrimental for glucose tolerance — Splitting body mass index according to body composition. <i>Primary Care Diabetes</i> , 2020, 14, 747-752.	1.8	4
83	Age-dependency in mortality of family caregivers: a nationwide register-based study. <i>Aging Clinical and Experimental Research</i> , 2020, 33, 1971-1980.	2.9	4
84	<p>The Impact of Self-Reported Recurrent Headache on Absenteeism and Presenteeism at Work Among Finnish Municipal Female Employees</p>, <i>Journal of Pain Research</i> , 2020, Volume 13, 2135-2142.	2.0	6
85	Use of pain relieving drugs in community-dwelling older people with and without type 2 diabetes. <i>Primary Care Diabetes</i> , 2020, 14, 736-740.	1.8	0
86	Neuropsychiatric Symptoms as Predictors of Falls in Long-Term Care Residents With Cognitive Impairment. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1243-1248.	2.5	5
87	Impact of smoking on gestational diabetes mellitus and offspring birthweight in primiparous women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1632-1639.	2.8	11
88	The impact of educational attainment on the occurrence of gestational diabetes mellitus in two successive pregnancies of Finnish primiparous women: a population-based cohort study. <i>Acta Diabetologica</i> , 2020, 57, 1035-1042.	2.5	6
89	First-year drug therapy of new-onset rheumatoid and undifferentiated arthritis: a nationwide register-based study. <i>BMC Rheumatology</i> , 2020, 4, 34.	1.6	2
90	Changes in prevalence of loneliness over time in institutional settings, and associated factors. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104043.	3.0	8

#	ARTICLE	IF	CITATIONS
91	Association of rheumatoid arthritis disease activity and antibodies to periodontal bacteria with serum lipoprotein profile in drug naive patients. <i>Annals of Medicine</i> , 2020, 52, 32-42.	3.8	5
92	Physical Activity and Telomeres in Old Age: A Longitudinal 10-Year Follow-Up Study. <i>Gerontology</i> , 2020, 66, 315-322.	2.8	8
93	The influence of restless legs symptoms on musculoskeletal pain in depression. <i>Scandinavian Journal of Pain</i> , 2020, 20, 603-610.	1.3	0
94	Health-related Quality of Life of Breast Cancer Survivors Attending an Exercise Intervention Study: A Five-year Follow-up. <i>In Vivo</i> , 2020, 34, 667-674.	1.3	15
95	Oral glucose tolerance test results in early pregnancy: A Finnish population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2020, 162, 108077.	2.8	17
96	Kidney function and nephrotoxic drug use among older home-dwelling persons with or without diabetes in Finland. <i>BMC Nephrology</i> , 2020, 21, 11.	1.8	5
97	Effects of progressive aquatic resistance training on symptoms and quality of life in women with knee osteoarthritis: A secondary analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1064-1072.	2.9	14
98	Opioid Use among Patients with Early Inflammatory Arthritides Compared to the General Population. <i>Journal of Rheumatology</i> , 2020, 47, 1285-1292.	2.0	3
99	The short-term effect of dark chocolate flavanols on cognition in older adults: A randomized controlled trial (FlaSeCo). <i>Experimental Gerontology</i> , 2020, 136, 110933.	2.8	14
100	Relationship of non-melancholic and melancholic depressive symptoms with all-cause mortality: A prospective study in a primary care population. <i>Journal of Psychosomatic Research</i> , 2020, 133, 110107.	2.6	7
101	SAT0488â€¦ETANERCEPT CONCENTRATION IN PATIENTS WITH JUVENILE IDIOPATHIC ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1200-1201.	0.9	1
102	Impaired glucose regulation, depressive symptoms, and health-related quality of life. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001568.	2.8	8
103	Type D personality and metabolic syndrome among Finnish female municipal workers. <i>BMC Women's Health</i> , 2020, 20, 202.	2.0	4
104	Age-dependency in mortality of Finnish family caregivers: a nationwide register-based study. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
105	The profiles of health care utilization among a non-depressed population and patients with depressive symptoms with and without clinical depression. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 312-318.	1.5	18
106	Beliefs and attitudes towards lifestyle change and risks in primary care â€œ a community-based study. <i>BMC Public Health</i> , 2019, 19, 1049.	2.9	19
107	Severity of both neuropsychiatric symptoms and dementia is associated with quality of life in nursing home residents. <i>European Geriatric Medicine</i> , 2019, 10, 793-800.	2.8	4
108	Use of opioids during pregnancy and effects of pregnancy outcomes. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1239-1245.	1.9	8

#	ARTICLE	IF	CITATIONS
109	Training nursing home staff to improve residents' end-of-life care: design and baseline findings from a randomized controlled trial. <i>European Geriatric Medicine</i> , 2019, 10, 649-657.	2.8	5
110	Body surface area and glucose tolerance – The smaller the person, the greater the 2-hour plasma glucose. <i>Diabetes Research and Clinical Practice</i> , 2019, 157, 107877.	2.8	12
111	Leisure time physical activity and its relation to psychiatric comorbidities in depression. Findings from Finnish Depression and Metabolic Syndrome in Adults (FDMSA) study. <i>Journal of Affective Disorders</i> , 2019, 259, 150-153.	4.1	8
112	Narrow-band ultraviolet B (NB UV-B) exposures improve mood in healthy individuals differently depending on chronotype. <i>Chronobiology International</i> , 2019, 36, 1570-1580.	2.0	6
113	Oral Health in Women with a History of High Gestational Diabetes Risk. <i>Dentistry Journal</i> , 2019, 7, 92.	2.3	5
114	Telomere length and physical performance among older people – The Helsinki Birth Cohort Study. <i>Mechanisms of Ageing and Development</i> , 2019, 183, 111145.	4.6	6
115	Relationships of leisure-time physical activity and work ability between different occupational physical demands in adult working men. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 739-746.	2.3	23
116	Clinically relevant drug-drug interactions and the risk for drug adverse effects among home-dwelling older persons with and without type 2 diabetes. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 735-741.	1.5	6
117	Change in physical activity and health-related quality of life in old age – A 10-year follow-up study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1797-1804.	2.9	11
118	The role of psychosocial risk factors in the burden of headache. <i>Journal of Pain Research</i> , 2019, Volume 12, 1733-1741.	2.0	9
119	Pain interference and associated factors in young adults with juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 408-414.	1.1	9
120	Narrowband ultraviolet B phototherapy improves quality of life of psoriasis and atopic dermatitis patients up to 3 months: Results from an observational multicenter study. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 332-338.	1.5	20
121	Increased [³ H]quisqualic acid binding density in the dorsal striatum and anterior insula of alcoholics: A post-mortem whole-hemisphere autoradiography study. <i>Psychiatry Research - Neuroimaging</i> , 2019, 287, 63-69.	1.8	8
122	Fourteen-Year Trends in the Use of Psychotropic Medications, Opioids, and Other Sedatives Among Institutionalized Older People in Helsinki, Finland. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 305-311.	2.5	27
123	Use of Anticholinergic Drugs According to Various Criteria and Their Association With Psychological Well-Being and Mortality in Long-Term Care Facilities. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1156-1162.	2.5	7
124	Regular physical exercise before entering military service may protect young adult men from fatigue fractures. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 126.	1.9	18
125	Change in Prescribing for Secondary Prevention of Stroke and Coronary Heart Disease in Finnish Nursing Homes and Assisted Living Facilities. <i>Drugs and Aging</i> , 2019, 36, 571-579.	2.7	6
126	Older persons with signs of frailty in a home-based physical exercise intervention: baseline characteristics of an RCT. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1419-1427.	2.9	6

#	ARTICLE	IF	CITATIONS
127	Increased interleukin-6 and C-reactive protein levels after instrumented lumbar spine fusion in older patients. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901982640.	1.0	8
128	Work careers in adults separated temporarily from their parents in childhood during World War II. <i>Journal of Psychosomatic Research</i> , 2019, 118, 63-68.	2.6	1
129	FRI0372â€¦DMARD TREATMENT AND OPIOID USE IN EARLY SPONDYLOARTHRITIS IN FINLAND. , 2019, , .		0
130	THU0542â€¦THE PSYCHIATRIC DISORDERS IN CHILDHOOD, ADOLESCENCE AND YOUNG ADULTS WITH JUVENILE IDIOPATHIC ARTHRITIS PATIENTS IN FINLAND. , 2019, , .		0
131	FRI0233â€¦MORTALITY IN SLE PATIENTS COMPARED TO POPULATION CONTROLS IN FINLAND IN YEARS 2000â€¦2015. , 2019, , .		1
132	The impact of maternal weight in pregnancy on glucose metabolism in non-diabetic offspring in late adulthood. <i>Diabetes Research and Clinical Practice</i> , 2019, 158, 107926.	2.8	1
133	Burden of Oral Symptoms and Its Associations With Nutrition, Well-Being, and Survival Among Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 537-543.	2.5	29
134	Cancer Patients' Symptom Burden and Health-related Quality of Life (HRQoL) at Tertiary Cancer Center from 2006 to 2013: A Cross-sectional Study. <i>Anticancer Research</i> , 2019, 39, 271-277.	1.1	36
135	Risk severity moderated effectiveness of pain treatment in adolescents. <i>Scandinavian Journal of Pain</i> , 2019, 19, 287-298.	1.3	3
136	Treatment of telangiectasia on the cheeks with a compact yellow (585â€¦nm) semiconductor laser and a green (532â€¦nm) KTP laser: a randomized doubleâ€¦blinded splitâ€¦face trial. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 223-229.	2.1	9
137	Tanning dependence and seasonal affective disorder are frequent among sunbathers but are not associated. <i>Psychiatry Research</i> , 2019, 272, 387-391.	3.3	3
138	Impact of maternal height and gestational diabetes mellitus on offspring birthweight. <i>Diabetes Research and Clinical Practice</i> , 2019, 148, 110-118.	2.8	3
139	Impact of maternal income on the risk of gestational diabetes mellitus in primiparous women. <i>Diabetic Medicine</i> , 2019, 36, 214-220.	2.3	14
140	Anticholinergic drug use and its association with self-reported symptoms among older persons with and without diabetes. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 229-235.	1.5	3
141	Incidence and Risk Factors of Foot and Ankle Disorders in Male Finnish Conscripts. <i>Military Medicine</i> , 2019, 184, e352-e358.	0.8	3
142	Long-term clinical and radiographic outcomes and patient satisfaction after adult spinal deformity correction. <i>Scandinavian Journal of Surgery</i> , 2019, 108, 343-351.	2.6	23
143	Early Targeted Combination Treatment With Conventional Synthetic Diseaseâ€¦Modifying Antirheumatic Drugs and Longâ€¦Term Outcomes in Rheumatoid Arthritis: Tenâ€¦Year Followâ€¦Up Results of a Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2019, 71, 1450-1458.	3.4	4
144	Risk of preterm birth in primiparous women with exposure to antidepressant medication before pregnancy and/or during pregnancy â€¦ impact of body mass index. <i>Annals of Medicine</i> , 2019, 51, 51-57.	3.8	5

#	ARTICLE	IF	CITATIONS
145	Increasing incidence and shifting profile of idiopathic inflammatory rheumatic diseases in adults during this millennium. <i>Clinical Rheumatology</i> , 2019, 38, 555-562.	2.2	20
146	Disability and health-related quality of life are associated with restricted social participation in young adults with juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 105-113.	1.1	16
147	The mortality rate and causes of death among juvenile idiopathic arthritis patients in Finland. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 508-511.	0.8	0
148	The effect of pre-pregnancy lifestyle counselling on food intakes and association between food intakes and gestational diabetes in high-risk women: results from a randomised controlled trial. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 301-305.	2.5	9
149	Work-loss years among people diagnosed with diabetes: a reappraisal from a life course perspective. <i>Acta Diabetologica</i> , 2018, 55, 485-491.	2.5	13
150	Statin Treatment Is Associated With a Neutral Effect on Health-Related Quality of Life Among Community-Dwelling Octogenarian Men: The Helsinki Businessmen Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1418-1423.	3.6	13
151	Health-related quality of life as a predictor of mortality in heterogeneous samples of older adults. <i>European Geriatric Medicine</i> , 2018, 9, 227-234.	2.8	9
152	Short primiparous women are at an increased risk for gestational diabetes mellitus. <i>Public Health</i> , 2018, 156, 101-108.	2.9	6
153	The gap between behavioral risk status and willingness to change behavior among healthcare professionals. <i>Perspectives in Public Health</i> , 2018, 138, 311-315.	1.6	6
154	Association of midlife value priorities with health-related quality of life, frailty and mortality among older men: a 26-year follow-up of the Helsinki Businessmen Study (HBS). <i>Quality of Life Research</i> , 2018, 27, 1269-1275.	3.1	2
155	Effects of Cognitive Training on Cognition and Quality of Life of Older Persons with Dementia. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 664-670.	2.6	20
156	Use of Anticholinergic Drugs and its Relationship With Psychological Well-Being and Mortality in Long-Term Care Facilities in Helsinki. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 511-515.	2.5	15
157	High burden of adverse events is associated with reduced remission rates in early rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2018, 37, 1689-1694.	2.2	8
158	Pulsed electromagnetic field therapy in the treatment of pain and other symptoms in fibromyalgia: A randomized controlled study. <i>Bioelectromagnetics</i> , 2018, 39, 405-413.	1.6	14
159	Impact of early systemic lupus erythematosus on work disability—results from the Finnish nationwide register 2000–2007. <i>Clinical Rheumatology</i> , 2018, 37, 1413-1416.	2.2	5
160	Pain and self-rated health in older people with and without type 2 diabetes. <i>European Geriatric Medicine</i> , 2018, 9, 127-131.	2.8	5
161	A randomized lifestyle intervention preventing gestational diabetes: effects on self-rated health from pregnancy to postpartum. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2018, 39, 1-6.	2.1	3
162	Reliability and validity of the Finnish version of the prosthesis evaluation questionnaire. <i>Disability and Rehabilitation</i> , 2018, 40, 2081-2087.	1.8	4

#	ARTICLE	IF	CITATIONS
163	Psychopathy and Mortality. <i>Journal of Forensic Sciences</i> , 2018, 63, 474-477.	1.6	13
164	Reliability and validity of the Finnish version of the Visual Analogue Scale Foot and Ankle (VAS-FA). <i>Foot and Ankle Surgery</i> , 2018, 24, 474-480.	1.7	14
165	Prevalence of restless legs symptoms according to depressive symptoms and depression type: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 51-56.	1.3	15
166	Circadian Time Effects on NB-LUVB-Induced Erythema in Human Skin In Vivo. <i>Journal of Investigative Dermatology</i> , 2018, 138, 464-467.	0.7	26
167	Gestational diabetes in primiparous women—impact of age and adiposity: a register-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 187-194.	2.8	32
168	Relations between subdomains of physical activity, sedentary lifestyle, and quality of life in young adult men. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1389-1396.	2.9	27
169	Relationship between physical activity and physical performance in later life in different birth weight groups. <i>Journal of Developmental Origins of Health and Disease</i> , 2018, 9, 95-101.	1.4	2
170	Spinopelvic Changes Based on the Simplified SRS-Schwab Adult Spinal Deformity Classification. <i>Spine</i> , 2018, 43, 497-502.	2.0	27
171	OP0215...Time-related trends in opioid purchases among patients with early inflammatory arthritides. , 2018, , .		0
172	Comorbid opioid use is undertreated among forensic patients with schizophrenia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2018, 13, 39.	2.2	8
173	Marked deterioration in the quality of life of patients with idiopathic pulmonary fibrosis during the last two years of life. <i>BMC Pulmonary Medicine</i> , 2018, 18, 172.	2.0	38
174	Effect of Exercise on Drug-Related Falls Among Persons with Alzheimer's Disease: A Secondary Analysis of the FINALEX Study. <i>Drugs and Aging</i> , 2018, 35, 1017-1023.	2.7	11
175	Effects of 12-month home-based physiotherapy on duration of living at home and functional capacity among older persons with signs of frailty or with a recent hip fracture - protocol of a randomized controlled trial (HIPFRA study). <i>BMC Geriatrics</i> , 2018, 18, 232.	2.7	19
176	Prolonged, widespread, disabling musculoskeletal pain of adolescents among referrals to the Pediatric Rheumatology Outpatient Clinic from the PÄijÄt-HÄme Hospital District in southern Finland. <i>Scandinavian Journal of Pain</i> , 2018, 18, 621-628.	1.3	1
177	Relationship of Neuropsychiatric Symptoms with Falls in Alzheimer's Disease — Does Exercise Modify the Risk?. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2377-2381.	2.6	17
178	Elevation of tumor necrosis factor alpha levels is associated with restless legs symptoms in clinically depressed patients. <i>Journal of Psychosomatic Research</i> , 2018, 115, 1-5.	2.6	5
179	Prevention of gestational diabetes with a prepregnancy lifestyle intervention — findings from a randomized controlled trial. <i>International Journal of Women's Health</i> , 2018, Volume 10, 493-501.	2.6	29
180	Effect of a lifestyle intervention during pregnancy—findings from the Finnish gestational diabetes prevention trial (RADIEL). <i>Journal of Perinatology</i> , 2018, 38, 1157-1164.	2.0	21

#	ARTICLE	IF	CITATIONS
181	Frequent pain in older people with and without diabetes – Finnish community based study. BMC Geriatrics, 2018, 18, 73.	2.7	13
182	THU0583 – Pain interference associated factors in a cohort of Finnish young adults with juvenile idiopathic arthritis. , 2018, , .		0
183	Occupational physical heaviness and sitting as predictors of mortality: a 26-year follow-up. European Journal of Public Health, 2018, 28, .	0.3	0
184	Occupational physical heaviness and sitting as predictors of mortality: a 26-year follow-up. European Journal of Public Health, 2018, 28, .	0.3	0
185	Objectively measured physical activity and physical performance in old age. Age and Ageing, 2017, 46, 232-237.	1.6	33
186	Musculoskeletal Pain in Melancholic and Atypical Depression. Pain Medicine, 2017, 18, pnw202.	1.9	8
187	The nationwide register-based prevalence of intellectual disability during childhood and adolescence. Journal of Intellectual Disability Research, 2017, 61, 802-809.	2.0	13
188	Association between diet quality measured by the Healthy Food Intake Index and later risk of gestational diabetes – a secondary analysis of the RADIEL trial. European Journal of Clinical Nutrition, 2017, 71, 555-557.	2.9	7
189	Ideal cardiovascular health and psychosocial risk factors among Finnish female municipal workers. Scandinavian Journal of Public Health, 2017, 45, 50-56.	2.3	21
190	Cognitive Training Interventions for Patients with Alzheimer's Disease: A Systematic Review. Journal of Alzheimer's Disease, 2017, 56, 1349-1372.	2.6	60
191	Costs of diabetes medication among male former elite athletes in later life. Acta Diabetologica, 2017, 54, 335-341.	2.5	4
192	Perceived Financial Satisfaction, Health Related Quality of Life and depressive Symptoms in Early Pregnancy. Maternal and Child Health Journal, 2017, 21, 1493-1499.	1.5	10
193	Effects of high intensity resistance aquatic training on body composition and walking speed in women with mild knee osteoarthritis: a 4-month RCT with 12-month follow-up. Osteoarthritis and Cartilage, 2017, 25, 1238-1246.	1.3	60
194	Baseline JAK phosphorylation profile of peripheral blood leukocytes, studied by whole blood phosphospecific flow cytometry, is associated with 1-year treatment response in early rheumatoid arthritis. Arthritis Research and Therapy, 2017, 19, 75.	3.5	13
195	Adult height and glucose tolerance: a reappraisal of the importance of body mass index. Diabetic Medicine, 2017, 34, 1129-1135.	2.3	13
196	The shorter the person, the higher the blood pressure. Journal of Hypertension, 2017, 35, 1170-1177.	0.5	24
197	Physical restraints and associations with neuropsychiatric symptoms and personal characteristics in residential care: a cross-sectional study. International Journal of Geriatric Psychiatry, 2017, 32, 1418-1424.	2.7	5
198	Validation of EQ-5D and 15D in the assessment of health-related quality of life in chronic pain. Pain, 2017, 158, 1577-1585.	4.2	51

#	ARTICLE	IF	CITATIONS
199	Is improvement in the Healthy Food Intake Index (HFII) related to a lower risk for gestational diabetes?. <i>British Journal of Nutrition</i> , 2017, 117, 1103-1109.	2.3	3
200	Patient-reported outcomes as predictors of remission in early rheumatoid arthritis patients treated with tight control treat-to-target approach. <i>Rheumatology International</i> , 2017, 37, 825-830.	3.0	9
201	Three out of four disease-modifying anti-rheumatic drug-naïve rheumatoid arthritis patients meet 28-joint Disease Activity Score remission at 12 months: results from the FIN-ERA cohort. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 425-431.	1.1	13
202	Self-Reported Mental Health Problems Among Adults Born Preterm: A Meta-analysis. <i>Pediatrics</i> , 2017, 139, .	2.1	104
203	Body size at birth and coronary heart disease-related hospital care in adult men – findings from the Helsinki Birth Cohort Study. <i>Annals of Medicine</i> , 2017, 49, 126-133.	3.8	1
204	High Intake of Nonmilk Extrinsic Sugars Is Associated With Protein and Micronutrient Dilution in Home-Dwelling and Institutionalized Older People. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 301-305.	2.5	3
205	Effect of progressive high-impact exercise on femoral neck structural strength in postmenopausal women with mild knee osteoarthritis: a 12-month RCT. <i>Osteoporosis International</i> , 2017, 28, 1323-1333.	3.1	18
206	Impaired Akt Phosphorylation in Monocytes of Patients with Rheumatoid Arthritis. <i>Scandinavian Journal of Immunology</i> , 2017, 85, 155-161.	2.7	7
207	Relationship of musculoskeletal pain and well-being at work – Does pain matter?. <i>Scandinavian Journal of Pain</i> , 2017, 15, 38-43.	1.3	24
208	How Do Community-Dwelling Persons with Alzheimer Disease Fall Falls in the FINALEX Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017, 7, 195-203.	1.3	13
209	Health-related quality of life in metabolically healthy obese individuals. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 499-500.	1.8	1
210	Immunoscore in mismatch repair-proficient and -deficient colon cancer. <i>Journal of Pathology: Clinical Research</i> , 2017, 3, 203-213.	3.0	62
211	The effect of cryotherapy on total antioxidative capacity in patients with active seropositive rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1481-1487.	3.0	29
212	Glycemic control and health-related quality of life among older home-dwelling primary care patients with diabetes. <i>Primary Care Diabetes</i> , 2017, 11, 577-582.	1.8	18
213	Incidence of inflammatory joint diseases in Finland: results from a population-based epidemiological study. <i>Rheumatology International</i> , 2017, 37, 1693-1700.	3.0	9
214	The Association of Ambient Temperature and Violent Crime. <i>Scientific Reports</i> , 2017, 7, 6543.	3.3	81
215	The effect of vernal solar UV radiation on serum 25-hydroxyvitamin D concentration depends on the baseline level: observations from a high latitude in Finland. <i>International Journal of Circumpolar Health</i> , 2017, 76, 1272790.	1.2	7
216	Relationship of Blood Pressure and Erectile Dysfunction in Men Without Previously Diagnosed Hypertension. <i>Journal of Sexual Medicine</i> , 2017, 14, 1336-1341.	0.6	7

#	ARTICLE	IF	CITATIONS
217	“The Burden of Pregnancy”, heavier for the heaviest? The changes in Health Related Quality of Life (<scp>HRQ</scp>ol) assessed by the 15D instrument during pregnancy and postpartum in different body mass index groups: a longitudinal survey. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2017, 96, 352-358.	2.8	18
218	Higher serum phenylalanine concentration is associated with more rapid telomere shortening in men. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 144-150.	4.7	10
219	mMRC dyspnoea scale indicates impaired quality of life and increased pain in patients with idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2017, 3, 00084-2017.	2.6	62
220	THU0515“...Disability and lower quality of life is associated with socioeconomic passivity in young adults with juvenile idiopathic arthritis. , 2017, , .		0
221	THU0163“...The association between inflammatory joint disorders and coronary heart disease: nationwide register study in 50 444 patients. , 2017, , .		0
222	OP0024“...Drug trough levels and antidrug antibodies in nonselected ankylosing spondylitis patients using self-injected antitnf drugs. , 2017, , .		0
223	Glycoprotein YKL-40: A potential biomarker of disease activity in rheumatoid arthritis during intensive treatment with csDMARDs and infliximab. Evidence from the randomised controlled NEO-RACo trial. <i>PLoS ONE</i> , 2017, 12, e0183294.	2.5	30
224	Incidence and risk factors of exercise-related knee disorders in young adult men. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 340.	1.9	12
225	Changes in disability, self-rated health, comorbidities and psychological wellbeing in community-dwelling 75“95-year-old cohorts over two decades in Helsinki. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 279-285.	1.5	18
226	Incidence and predictive factors of spinal cord stimulation treatment after lumbar spine surgery. <i>Journal of Pain Research</i> , 2017, Volume 10, 2405-2411.	2.0	11
227	HIGH INTAKE OF NON-MILK EXTRINSIC SUGARS IS ASSOCIATED WITH POOR NUTRIENT INTAKES IN OLDER PEOPLE. <i>Innovation in Aging</i> , 2017, 1, 215-216.	0.1	0
228	The effects of health counseling and exercise training on self-rated health and well-being in middle-aged men: a randomized trial. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017, 57, 916-922.	0.7	2
229	CHILDHOOD ADVERSITIES AND HOME ATMOSPHERE AS DETERMINANTS OF DISABILITY AND UNEMPLOYMENT PENSION. <i>Innovation in Aging</i> , 2017, 1, 801-801.	0.1	0
230	Profile of initial drug therapy in paediatric systemic lupus erythematosus in Finland, 2000-2007. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 352.	0.8	0
231	STAT6 and STAT1 Pathway Activation in Circulating Lymphocytes and Monocytes as Predictor of Treatment Response in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0167975.	2.5	15
232	Being Moved by Unfamiliar Sad Music Is Associated with High Empathy. <i>Frontiers in Psychology</i> , 2016, 7, 1176.	2.1	81
233	Effects of Self“Management Groups for People with Dementia and Their Spouses“Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 752-760.	2.6	79
234	Antipsychotic drug use and associations with neuropsychiatric symptoms in persons with impaired cognition: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 621-625.	1.3	7

#	ARTICLE	IF	CITATIONS
235	Increased short- and long-term mortality in 8146 hospitalised peptic ulcer patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 234-245.	3.7	20
236	Symptoms suggestive of cow's milk allergy in infancy and pediatric inflammatory bowel disease. <i>Pediatric Allergy and Immunology</i> , 2016, 27, 361-367.	2.6	19
237	Longterm Work Productivity Costs Due to Absenteeism and Permanent Work Disability in Patients with Early Rheumatoid Arthritis: A Nationwide Register Study of 7831 Patients. <i>Journal of Rheumatology</i> , 2016, 43, 2101-2105.	2.0	14
238	Physical Activity Improves Borderline Ankle-Brachial Index Values in a Cardiovascular Risk Population. <i>Annals of Vascular Surgery</i> , 2016, 32, 50-56.	0.9	5
239	Efficacy of progressive aquatic resistance training for tibiofemoral cartilage in postmenopausal women with mild knee osteoarthritis: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1708-1717.	1.3	53
240	Interaction between rs10830963 polymorphism in MTNR1B and lifestyle intervention on occurrence of gestational diabetes. <i>Diabetologia</i> , 2016, 59, 1655-1658.	6.3	41
241	The prevalence of intellectual disability among 1-year cohorts of Finnish elderly as determined with the multiple register method. <i>Journal of Intellectual and Developmental Disability</i> , 2016, 41, 267-271.	1.6	3
242	Can Vascular Calcification be Associated with Warfarin Treatment?. <i>Clinical Therapeutics</i> , 2016, 38, e25.	2.5	0
243	Increased mortality after lower extremity fractures in patients <65 years of age. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 622-625.	3.3	26
244	Letter: risk factor and mortality of peptic ulcer disease – authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 425-425.	3.7	0
245	Effects of Exercise on Cognition: The Finnish Alzheimer Disease Exercise Trial: A Randomized, Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 731-738.	2.6	100
246	High proportions of older people with normal nutritional status have poor protein intake and low diet quality. <i>Archives of Gerontology and Geriatrics</i> , 2016, 67, 40-45.	3.0	30
247	THU0160...Excellent Outcomes Sustained Even in Long-Term When Targeted Treatment with A Combination of Traditional DMARDs Is Used in Early Rheumatoid Arthritis. The 10-Year Follow-Up Results of A Randomized Clinical Trial, The NEO-RACO Trial. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 240.2-241.	0.9	0
248	FRI0560...The Increase in The Nationwide Incidence of Inflammatory Rheumatic Diseases in Finland during This Millennium:. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 643.3-644.	0.9	0
249	Healthy Food Intake Index (HFII) – Validity and reproducibility in a gestational-diabetes-risk population. <i>BMC Public Health</i> , 2016, 16, 680.	2.9	18
250	Increased steroid hormone dehydroepiandrosterone and pregnenolone levels in post-mortem brain samples of alcoholics. <i>Alcohol</i> , 2016, 52, 63-70.	1.7	10
251	Obesity has an impact on outcome in lumbar disc surgery. <i>Scandinavian Journal of Pain</i> , 2016, 10, 85-89.	1.3	8
252	Depressive symptoms are associated with poor outcome for lumbar spine surgery. <i>Scandinavian Journal of Pain</i> , 2016, 12, 13-17.	1.3	10

#	ARTICLE	IF	CITATIONS
253	Laparoscopic Wide Mesocolic Excision and Central Vascular Ligation for Carcinoma of the Colon. <i>Scandinavian Journal of Surgery</i> , 2016, 105, 228-234.	2.6	9
254	Altering a computerized laboratory test order form rationalizes ordering of laboratory tests in primary care physicians. <i>International Journal of Medical Informatics</i> , 2016, 86, 49-53.	3.3	17
255	Day-care laparoscopic cholecystectomy with diathermy hook versus fundus-first ultrasonic dissection: a randomized study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 3867-3872.	2.4	8
256	Burden of Potentially Harmful Medications and the Association With Quality of Life and Mortality Among Institutionalized Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 276.e9-276.e14.	2.5	19
257	Drugs used in incident systemic lupus erythematosus " results from the Finnish nationwide register 2000"2007. <i>Lupus</i> , 2016, 25, 666-670.	1.6	8
258	Heterogeneity of maternal characteristics and impact on gestational diabetes (GDM) risk" Implications for universal GDM screening?. <i>Annals of Medicine</i> , 2016, 48, 52-58.	3.8	22
259	Self-rated health in patients with rheumatoid arthritis is associated with health-related quality of life but not with clinical variables. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 288-293.	1.1	6
260	The effect of dietary counselling on food intakes in pregnant women at risk for gestational diabetes: a secondary analysis of a randomised controlled trial RADIEL. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 912-917.	2.9	13
261	Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). <i>Diabetes Care</i> , 2016, 39, 24-30.	8.6	330
262	Opioid abuse and hospitalization rates in patients with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 128-132.	1.3	3
263	Paid expenditures and productivity costs associated with permanent disability pensions in patients with spinal disorders: Nationwide Finnish Register-based Study, 1990"2010. <i>European Spine Journal</i> , 2016, 25, 275-281.	2.2	4
264	Short stature in men is associated with subclinical peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2016, 45, 486-490.	1.4	0
265	Is long-term radiographic joint damage different between men and women? Prospective longitudinal data analysis of four early RA cohorts with greater than 15 years follow-up. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 641-5.	0.8	4
266	Intra-articular glucocorticoid injections should not be neglected in the remission targeted treatment of early rheumatoid arthritis: a post hoc analysis from the NEO-RACo trial. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 1038-1044.	0.8	5
267	Nutrient intake of pregnant women at high risk of gestational diabetes. <i>Food and Nutrition Research</i> , 2015, 59, 26676.	2.6	19
268	SAT0154" A 6-Month Induction Treatment with Infliximab Added on Intensive Combination Therapy with Conventional Dmards and Low-Dose Prednisolone Saves Work Productivity Loss During the First Treatment Year in Patients with Early Rheumatoid Arthritis: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 707.2-708.	0.9	0
269	AB0362" Depressive Symptoms and the Risk of Work Disability in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1014.2-1014.	0.9	0
270	THU0119" Impact of Neglecting Intra-Articular Glucocorticoid-Injections in Remission Targeted Treatment of Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 237.2-237.	0.9	2

#	ARTICLE	IF	CITATIONS
271	Decreased [^3H]naloxone Binding in the Dentate Gyrus of Cloninger Type 1 Anxiety-Prone Alcoholics: A Postmortem Whole-Hemisphere Autoradiography Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1352-1359.	2.4	7
272	The Relationship between Thyroid Function and Depressive Symptoms—the FIN-D2D Population-Based Study. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2015, 8, CMED.S24111.	1.9	11
273	AB0299—Patient Reported Outcomes Correlated with the Concentrations of 3-Hydroxybutyrate but not Lactate in Patients with Early Untreated Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 993.2-993.	0.9	0
274	FR10032—Patient Reported Outcomes Correlated with the Concentrations of Glycoprotein Acetyls in Patients with Early Untreated Rheumatoid Arthritis: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 430.1-430.	0.9	1
275	Constitutive STAT3 Phosphorylation in Circulating CD4+ T Lymphocytes Associates with Disease Activity and Treatment Response in Recent-Onset Rheumatoid Arthritis. <i>PLoS ONE</i> , 2015, 10, e0137385.	2.5	24
276	AB0237—Patient Reported General Health Associated with Amino Acid Metabolism in Patients with Early Untreated Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 970.3-971.	0.9	0
277	Lower [^3H]Citalopram Binding in Brain Areas Related to Social Cognition in Alcoholics. <i>Alcohol and Alcoholism</i> , 2015, 50, 46-50.	1.6	6
278	Comparison of laparoscopic and open colonic resection within fast-track and traditional perioperative care pathways: clinical outcomes and in-hospital costs. <i>Scandinavian Journal of Surgery</i> , 2015, 104, 211-218.	2.6	15
279	Nurse Education to Reduce Harmful Medication Use in Assisted Living Facilities: Effects of a Randomized Controlled Trial on Falls and Cognition. <i>Drugs and Aging</i> , 2015, 32, 947-955.	2.7	15
280	Results of lumbar spine surgery: A postal survey. <i>Scandinavian Journal of Pain</i> , 2015, 6, 9-13.	1.3	5
281	Increased Metabotropic Glutamate 2/3 Receptor Binding in the Perigenual Anterior Cingulate Cortex of Cloninger Type 2 Alcoholics: A Whole-Hemisphere Autoradiography Study. <i>Alcohol and Alcoholism</i> , 2015, 50, 62-67.	1.6	12
282	Increased mortality after upper extremity fracture requiring inpatient care. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 533-557.	3.3	32
283	Low protein and micronutrient intakes in heterogeneous older population samples. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 464-471.	3.0	24
284	Associations of physical activity with self-rated health and well-being in middle-aged Finnish men. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 190-196.	2.3	11
285	[^3H]Ifenprodil binding in post-mortem brains of Cloninger type 1 and 2 alcoholics: A whole-hemisphere autoradiography study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 197-201.	1.8	6
286	Decreasing cholesterol levels in the community — lifestyle change with statin?. <i>BMC Family Practice</i> , 2015, 16, 29.	2.9	6
287	A cross-sectional study of antenatal depressive symptoms in women at high risk for gestational diabetes mellitus. <i>Journal of Psychosomatic Research</i> , 2015, 79, 646-650.	2.6	8
288	Psychotropic drugs and homicide: A prospective cohort study from Finland. <i>World Psychiatry</i> , 2015, 14, 245-247.	10.4	13

#	ARTICLE	IF	CITATIONS
289	Patients with resistant hypertension have more peripheral arterial disease than other uncontrolled hypertensives. <i>Journal of Human Hypertension</i> , 2015, 29, 46-49.	2.2	3
290	Association between suicidal behaviour and impaired glucose metabolism in depressive disorders. <i>BMC Psychiatry</i> , 2015, 15, 163.	2.6	68
291	Impact of physicians' adherence to treat-to-target strategy on outcomes in early rheumatoid arthritis in the NEO-RACo trial. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 449-455.	1.1	18
292	Does adding a 12-month exercise programme to usual care after a rotator cuff repair effect disability and quality of life at 12 months? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2015, 29, 447-456.	2.2	9
293	No increased cardiovascular mortality among early rheumatoid arthritis patients: a nationwide register study in 2000-2008. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 391-8.	0.8	21
294	Pulse pressure and subclinical peripheral artery disease. <i>Journal of Human Hypertension</i> , 2014, 28, 242-245.	2.2	11
295	Failure in Longterm Treatment is Rare in Actively Treated Patients with Rheumatoid Arthritis, But May Be Predicted by High Health Assessment Score at Baseline and by Residual Disease Activity at 3 and 6 Months: The 5-year Followup Results of the Randomized Clinical NEO-RACo Trial. <i>Journal of Rheumatology</i> , 2014, 41, 2379-2385.	2.0	6
296	Paroxetine Markedly Increases Plasma Concentrations of Ophthalmic Timolol; CYP2D6 Inhibitors May Increase the Risk of Cardiovascular Adverse Effects of 0.5% Timolol Eye Drops. <i>Drug Metabolism and Disposition</i> , 2014, 42, 2068-2076.	3.3	9
297	Education to Reduce Potentially Harmful Medication Use Among Residents of Assisted Living Facilities: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 892-898.	2.5	82
298	Long-Term Work Productivity Costs Among Subjects With Early Rheumatoid Arthritis - A Nationwide Analysis Based on 7,831 Subjects' Sickness Absence Days and Income. <i>Value in Health</i> , 2014, 17, A383.	0.3	0
299	Mortality and causes of death among incident cases of systemic lupus erythematosus in Finland 2000-2008. <i>Lupus</i> , 2014, 23, 1430-1434.	1.6	29
300	Targeted treatment with a combination of traditional DMARDs produces excellent clinical and radiographic long-term outcomes in early rheumatoid arthritis regardless of initial infliximab. The 5-year follow-up results of a randomised clinical trial, the NEO-RACo trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1954-1961.	0.9	40
301	Association of Modic changes with health-related quality of life among patients referred to spine surgery. <i>Scandinavian Journal of Pain</i> , 2014, 5, 36-40.	1.3	5
302	Feasibility and baseline findings of an educational intervention in a randomized trial to optimize drug treatment among residents in assisted living facilities. <i>European Geriatric Medicine</i> , 2014, 5, 195-199.	2.8	1
303	Test-retest reliability and comparability of paper and computer questionnaires for the Finnish version of the Tampa Scale of Kinesiophobia. <i>Physiotherapy</i> , 2014, 100, 356-362.	0.4	23
304	AB0491...Treatment of Incident Sle, Results from the Finnish Nationwide Register 2000-2007. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 969.3-969.	0.9	0
305	AB1038...Metabolic Syndrome in Patients with Newly Diagnosed Inflammatory Joint Diseases. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1143.3-1143.	0.9	0
306	AB1037...Adipokines in Patients with Newly Diagnosed Inflammatory Joint Diseases. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1143.2-1143.	0.9	0

#	ARTICLE	IF	CITATIONS
307	FRI0203â€¦Mortality and Causes of Death among Incident Cases of SLE in Finland 2000-2008. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 456.2-456.	0.9	0
308	OP0065â€¦Initial Infliximab is not Cost-Effective in Otherwise Actively Treated Early Rheumatoid Arthritis. the 2-Year Follow-Up Results of the Randomized Clinical Neo-Raco Trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 85.1-85.	0.9	0
309	FRI0061â€¦The Concomitance of Inflammatory Bowel Disease with Incident Rheumatoid Arthritis and Ankylosing Spondylitis in Finland. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 403.3-404.	0.9	1
310	Screening for cardiovascular risk factors and self-rated health in a community setting: a cross-sectional study in Finland. <i>British Journal of General Practice</i> , 2014, 64, e611-e615.	1.4	14
311	THU0524â€¦Antidepressant use among Persons with Recent-Onset Rheumatoid Arthritis: A Nationwide Register-Based Study in Finland. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A341.2-A341.	0.9	0
312	SAT0028â€¦Strict Acr-Remission within 6 Months Predicts Sustained Long-Term Very Low Disease Activity in Actively Treated Rheumatoid Arthritis Patients, 5-Year Results of the Neo-Raco Trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A589.1-A589.	0.9	0
313	FRI0092â€¦Disease activity at three months is an excellent predictor of long-term treatment failure in actively treated rheumatoid arthritis patients, 5-year results of the neo-raco trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A400.2-A401.	0.9	0
314	SAT0027â€¦Targeted Treatment and Combination Dmard Therapy are Additively Important for Maintaining Work Ability in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A588.3-A589.	0.9	0
315	FRI0533â€¦Marked differences in occurrence of co-existing diseases at the time of diagnosis of various inflammatory rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A555.1-A555.	0.9	0
316	SAT0026â€¦Targeted Treatment and Combination Dmard Therapy are Additively Important for Reaching Remission in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A588.2-A588.	0.9	0
317	OP0147â€¦Targeted treatment with combination DMARDs produces excellent clinical and radiographic long-term outcomes in early rheumatoid arthritis regardless of initial infliximab. The 5-year follow-up results of the neo-raco trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 103.2-103.	0.9	4
318	Social isolation, social activity and loneliness as survival indicators in old age; a nationwide survey with a 7-year follow-up. <i>European Geriatric Medicine</i> , 2012, 3, 18-22.	2.8	87
319	Prevalence of metabolic syndrome in subjects with melancholic and non-melancholic depressive symptoms. A Finnish population-based study. <i>Journal of Affective Disorders</i> , 2012, 136, 543-549.	4.1	40
320	Association between folate intake and melancholic depressive symptoms. A Finnish population-based study. <i>Journal of Affective Disorders</i> , 2012, 138, 473-478.	4.1	12
321	Effects of psychosocial group rehabilitation on social functioning, loneliness and well-being of lonely, older people: randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2009, 65, 297-305.	3.3	144
322	Charnley total hip arthroplasty in ankylosing spondylitis: Survivorship analysis of 76 patients followed for 8-28 years. <i>Acta Orthopaedica</i> , 2001, 72, 233-236.	1.4	32