

Stephen A Bremner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7559321/publications.pdf>

Version: 2024-02-01

115
papers

3,798
citations

109321

35
h-index

138484

58
g-index

122
all docs

122
docs citations

122
times ranked

5541
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between ambient air pollution and birth weight in Sao Paulo, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 11-17.	3.7	199
2	Factors associated with mental disorders in long-settled war refugees: refugees from the former Yugoslavia in Germany, Italy and the UK. <i>British Journal of Psychiatry</i> , 2012, 200, 216-223.	2.8	197
3	Particulate matter and daily mortality and hospital admissions in the west midlands conurbation of the United Kingdom: associations with fine and coarse particles, black smoke and sulphate. <i>Occupational and Environmental Medicine</i> , 2001, 58, 504-510.	2.8	190
4	Outdoor air pollution and respiratory health in patients with COPD. <i>Thorax</i> , 2011, 66, 591-596.	5.6	181
5	Percutaneous tibial nerve stimulation versus sham electrical stimulation for the treatment of faecal incontinence in adults (CONFIDeNT): a double-blind, multicentre, pragmatic, parallel-group, randomised controlled trial. <i>Lancet</i> , The, 2015, 386, 1640-1648.	13.7	149
6	Short-Term Associations between Emergency Hospital Admissions for Respiratory and Cardiovascular Disease and Outdoor Air Pollution in London. <i>Archives of Environmental Health</i> , 1999, 54, 398-411.	0.4	130
7	Short-term associations between outdoor air pollution and visits to accident and emergency departments in London for respiratory complaints. <i>European Respiratory Journal</i> , 1999, 13, 257-265.	6.7	127
8	Effectiveness and Cost-Effectiveness of Dialectical Behaviour Therapy for Self-Harming Patients with Personality Disorder: A Pragmatic Randomised Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 356-365.	8.8	121
9	Association between Air Pollution and Daily Consultations with General Practitioners for Allergic Rhinitis in London, United Kingdom. <i>American Journal of Epidemiology</i> , 2001, 153, 704-714.	3.4	112
10	Association between Gc genotype and susceptibility to TB is dependent on vitamin D status. <i>European Respiratory Journal</i> , 2010, 35, 1106-1112.	6.7	110
11	Exercise for depression in elderly residents of care homes: a cluster-randomised controlled trial. <i>Lancet</i> , The, 2013, 382, 41-49.	13.7	108
12	Short-term associations between outdoor air pollution and mortality in London 1992-4. <i>Occupational and Environmental Medicine</i> , 1999, 56, 237-244.	2.8	94
13	Effectiveness of financial incentives to improve adherence to maintenance treatment with antipsychotics: cluster randomised controlled trial. <i>BMJ</i> , The, 2013, 347, f5847-f5847.	6.0	90
14	Impact of London's low emission zone on air quality and children's respiratory health: a sequential annual cross-sectional study. <i>Lancet Public Health</i> , The, 2019, 4, e28-e40.	10.0	79
15	Randomized clinical trial of sacral <i>versus</i> percutaneous tibial nerve stimulation in patients with faecal incontinence. <i>British Journal of Surgery</i> , 2015, 102, 349-358.	0.3	77
16	Review: Can we identify how programmes aimed at promoting self-management in musculoskeletal pain work and who benefits? A systematic review of subgroup analysis within RCTs. <i>European Journal of Pain</i> , 2011, 15, 775.e1-11.	2.8	75
17	Predicting dementia from primary care records: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0194735.	2.5	70
18	Coerced Hospital Admission and Symptom Change—A Prospective Observational Multi-Centre Study. <i>PLoS ONE</i> , 2011, 6, e28191.	2.5	68

#	ARTICLE	IF	CITATIONS
19	Training to enhance psychiatrist communication with patients with psychosis (TEMPO): cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016, 209, 517-524.	2.8	64
20	Shared understanding in psychiatristâ€“patient communication: Association with treatment adherence in schizophrenia. <i>Patient Education and Counseling</i> , 2013, 93, 73-79.	2.2	60
21	Increased risk of type I errors in cluster randomised trials with small or medium numbers of clusters: a review, reanalysis, and simulation study. <i>Trials</i> , 2016, 17, 438.	1.6	59
22	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. <i>Lancet Psychiatry</i> , 2016, 3, 1129-1137.	7.4	58
23	Method of Blood Pressure Measurement in Neonates and Infants: A Systematic Review and Analysis. <i>Journal of Pediatrics</i> , 2020, 221, 23-31.e5.	1.8	53
24	Patient safety indicators for England from hospital administrative data: case-control analysis and comparison with US data. <i>BMJ: British Medical Journal</i> , 2008, 337, a1702-a1702.	2.3	52
25	Original article: Infections presenting for clinical care in early life and later risk of hay fever in two UK birth cohorts. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 274-283.	5.7	49
26	Self-management support for moderate-to-severe chronic obstructive pulmonary disease: a pilot randomised controlled trial. <i>British Journal of General Practice</i> , 2012, 62, e687-e695.	1.4	48
27	Effectiveness of group body psychotherapy for negative symptoms of schizophrenia: Multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2016, 209, 54-61.	2.8	47
28	Early-life exposure to antibacterials and the subsequent development of hayfever in childhood in the UK: case-control studies using the General Practice Research Database and the Doctors' Independent Network. <i>Clinical and Experimental Allergy</i> , 2003, 33, 1518-1525.	2.9	44
29	Developing a large electronic primary care database (Doctorsâ€™ Independent Network) for research. <i>International Journal of Medical Informatics</i> , 2004, 73, 443-453.	3.3	44
30	Timing of routine immunisations and subsequent hay fever risk. <i>Archives of Disease in Childhood</i> , 2005, 90, 567-573.	1.9	41
31	Exercise for depression in care home residents: a randomised controlled trial with cost-effectiveness analysis (OPERA). <i>Health Technology Assessment</i> , 2013, 17, 1-281.	2.8	41
32	A review of the use of covariates in cluster randomized trials uncovers marked discrepancies between guidance and practice. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 603-609.	5.0	39
33	Trauma and suicidality in war affected communities. <i>European Psychiatry</i> , 2013, 28, 514-520.	0.2	37
34	Promotion of rapid testing for HIV in primary care (RHIVA2): a cluster-randomised controlled trial. <i>Lancet HIV</i> , 2015, 2, e229-e235.	4.7	37
35	Randomised clinical trial: palliative long-term abdominal drains vs large-volume paracentesis in refractory ascites due to cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 107-122.	3.7	37
36	Acute effects of winter air pollution on respiratory function in schoolchildren in southern England. <i>Occupational and Environmental Medicine</i> , 2003, 60, 82-89.	2.8	35

#	ARTICLE	IF	CITATIONS
37	Psychological Symptoms as Long-Term Consequences of War Experiences. <i>Psychopathology</i> , 2013, 46, 45-54.	1.5	34
38	Effects of Air Pollution and the Introduction of the London Low Emission Zone on the Prevalence of Respiratory and Allergic Symptoms in Schoolchildren in East London: A Sequential Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0109121.	2.5	34
39	Implications of the problem orientated medical record (POMR) for research using electronic GP databases: a comparison of the Doctors Independent Network Database (DIN) and the General Practice Research Database (GPRD). <i>BMC Family Practice</i> , 2003, 4, 14.	2.9	28
40	Feasibility of a randomised controlled trial to evaluate home-based virtual reality therapy in children with cerebral palsy. <i>Disability and Rehabilitation</i> , 2021, 43, 85-97.	1.8	27
41	Men who have sex with men who do not access sexual health clinics nor disclose sexual orientation are unlikely to receive the HPV vaccine in the UK. <i>Vaccine</i> , 2018, 36, 5065-5070.	3.8	24
42	Course of post-traumatic stress disorder following war in the Balkans: 1-year follow-up study. <i>Psychological Medicine</i> , 2013, 43, 1837-1847.	4.5	20
43	Symptoms Associated with Victimization in Patients with Schizophrenia and Related Disorders. <i>PLoS ONE</i> , 2013, 8, e58142.	2.5	20
44	Clinical effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia: a multicentre randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-100.	2.8	20
45	Prevalence and impact of chronic widespread pain in the Bangladeshi and White populations of Tower Hamlets, East London. <i>Clinical Rheumatology</i> , 2013, 32, 1375-1382.	2.2	18
46	Financial incentives to improve adherence to antipsychotic maintenance medication in non-adherent patients: a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-122.	2.8	18
47	Randomised open-label trial comparing intravenous iron and an erythropoiesis-stimulating agent versus oral iron to treat preoperative anaemia in cardiac surgery (INITIATE trial). <i>British Journal of Anaesthesia</i> , 2022, 128, 796-805.	3.4	18
48	Prescribing in general practice for people with coronary heart disease; equity by age, sex, ethnic group and deprivation. <i>Ethnicity and Health</i> , 2011, 16, 107-123.	2.5	17
49	Double-blind randomised controlled trial of percutaneous tibial nerve stimulation versus sham electrical stimulation in the treatment of faecal incontinence: CONTROL of Faecal Incontinence using Distal Neuromodulation (the CONFIDeNT trial). <i>Health Technology Assessment</i> , 2015, 19, 1-164.	2.8	17
50	Vaccinations, infections and antibacterials in the first grass pollen season of life and risk of later hayfever. <i>Clinical and Experimental Allergy</i> , 2007, 37, 512-517.	2.9	16
51	Cascade diagrams for depicting complex interventions in randomised trials. <i>BMJ</i> , The, 2013, 347, f6681-f6681.	6.0	16
52	Protocol for a Prospective (P) study to develop a model to stratify the risk (RI) of medication (M) related harm in hospitalized elderly (E) patients in the UK (The PRIME study). <i>BMC Geriatrics</i> , 2016, 16, 22.	2.7	16
53	Effectiveness and cost-effectiveness of a novel, group self-management course for adults with chronic musculoskeletal pain: study protocol for a multicentre, randomised controlled trial (COPERS). <i>BMJ Open</i> , 2013, 3, e002492.	1.9	15
54	Cost-Effectiveness of Financial Incentives to Promote Adherence to Depot Antipsychotic Medication: Economic Evaluation of a Cluster-Randomised Controlled Trial. <i>PLoS ONE</i> , 2015, 10, e0138816.	2.5	15

#	ARTICLE	IF	CITATIONS
55	Effect of an Education Programme for South Asians with Asthma and Their Clinicians: A Cluster Randomised Controlled Trial (OEDIPIUS). <i>PLoS ONE</i> , 2016, 11, e0158783.	2.5	15
56	Peer support for discharge from inpatient to community mental health services. <i>Medicine (United Kingdom)</i> , 2017, 96, e0158783.	1.0	15
57	A cross-sectional study to evaluate depression and quality of life among patients with lymphoedema due to podoconiosis, lymphatic filariasis and leprosy. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 983-994.	1.8	14
58	Palliative Long-Term Abdominal Drains Versus Large Volume Paracentesis in Refractory Ascites Due to Cirrhosis (REDUCe Study): Qualitative Outcomes. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 312-325.e2.	1.2	13
59	EnDPoINT: protocol for an implementation research study to integrate a holistic package of physical health, mental health and psychosocial care for podoconiosis, lymphatic filariasis and leprosy into routine health services in Ethiopia. <i>BMJ Open</i> , 2020, 10, e037675.	1.9	13
60	Nanoflow-Nanospray Mass Spectrometry Metabolomics Reveals Disruption of the Urinary Metabolite Profiles of HIV-Positive Patients on Combination Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 74, e45-e53.	2.1	12
61	Can the Use of Bayesian Analysis Methods Correct for Incompleteness in Electronic Health Records Diagnosis Data? Development of a Novel Method Using Simulated and Real-Life Clinical Data. <i>Frontiers in Public Health</i> , 2020, 8, 54.	2.7	12
62	How psychiatrists should introduce themselves in the first consultation: an experimental study. <i>British Journal of Psychiatry</i> , 2013, 202, 459-462.	2.8	11
63	Can doctors identify older patients at risk of medication harm following hospital discharge? A multicentre prospective study in the UK. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2344-2351.	2.4	11
64	Impact of Asthma on Educational Attainment in a Socioeconomically Deprived Population: A Study Linking Health, Education and Social Care Datasets. <i>PLoS ONE</i> , 2012, 7, e43977.	2.5	11
65	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial. <i>Lancet Psychiatry</i> , 2022, 9, 125-136.	7.4	11
66	Health equity audits in general practice: a strategy to reduce health inequalities. <i>Primary Health Care Research and Development</i> , 2014, 15, 80-95.	1.2	10
67	Palliative long-term abdominal drains versus repeated drainage in individuals with untreatable ascites due to advanced cirrhosis: study protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2018, 19, 401.	1.6	10
68	Determining the accuracy of zero-flux and ingestible thermometers in the peri-operative setting. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 1113-1118.	1.6	10
69	A protocol paper: community engagement interventions for cardiovascular disease prevention in socially disadvantaged populations in the UK: an implementation research study. <i>Global Health Research and Policy</i> , 2020, 5, 12.	3.6	10
70	A comparative study of the effect of the Time for Dementia programme on medical students. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1011-1019.	2.7	10
71	The Effect of Financial Incentives on Adherence to Antipsychotic Depot Medication. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1029-e1034.	2.2	10
72	Discontinuing financial incentives for adherence to antipsychotic depot medication: long-term outcomes of a cluster randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e011673.	1.9	9

#	ARTICLE	IF	CITATIONS
73	Individuals with filaggrin-related eczema and asthma have increased long-term medication and hospital admission costs. <i>British Journal of Dermatology</i> , 2018, 179, 717-723.	1.5	9
74	Antenatal and perinatal factors influencing neonatal blood pressure: a systematic review. <i>Journal of Perinatology</i> , 2021, 41, 2317-2329.	2.0	9
75	Inpatient mental healthcare in England and Wales: patterns in NHS and independent healthcare providers. <i>Journal of the Royal Society of Medicine</i> , 2008, 101, 544-551.	2.0	8
76	Point-of-care HIV testing in primary care and early detection of HIV (RHIVA2): a cluster randomised controlled trial. <i>Lancet, The</i> , 2013, 382, S7.	13.7	7
77	Reducing Implant Infection in Orthopaedics (RIIO): a pilot study for a randomised controlled trial comparing the influence of forced air versus resistive fabric warming technologies on postoperative infection rates following orthopaedic implant surgery in adults. <i>Trials</i> , 2018, 19, 640.	1.6	7
78	Protocol for a phase IV, open-label feasibility study investigating non-invasive markers of hepatic fibrosis in people living with HIV-1 and non-alcoholic fatty liver disease randomised to receiving optimised background therapy (OBT) plus maraviroc or OBT alone. <i>BMJ Open</i> , 2020, 10, e035596.	1.9	7
79	Podoconiosis, trichomatous trichiasis and cataract in northern Ethiopia: A comparative cross sectional study. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005388.	3.0	7
80	Economic assessment of a community-based care package for people with lower limb disorder caused by lymphatic filariasis, podoconiosis and leprosy in Ethiopia. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 1021-1034.	1.8	7
81	Chronic liver disease in homeless individuals and performance of non-invasive liver fibrosis and injury markers: VALID study. <i>Liver International</i> , 2022, 42, 628-639.	3.9	7
82	Are symptoms of insomnia in primary care associated with subsequent onset of dementia? A matched retrospective case-control study. <i>Aging and Mental Health</i> , 2020, 24, 1466-1471.	2.8	6
83	A phase IV randomised, open-label pilot study to evaluate switching from protease-inhibitor based regimen to Bictegravir/Emtricitabine/Tenofovir Alafenamide single tablet regimen in Integrase inhibitor-naïve, virologically suppressed HIV-1 infected adults harbouring drug resistance mutations (PIBIK study): study protocol for a randomised trial. <i>BMC Infectious Diseases</i> , 2020, 20, 524.	2.9	6
84	Filaggrin gene defects are associated with eczema, wheeze, and nasal disease during infancy: Prospective study. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 681-682.	2.9	6
85	Knowledge, attitudes and practices of health professionals towards people living with lymphoedema caused by lymphatic filariasis, podoconiosis and leprosy in northern Ethiopia. <i>International Health</i> , 2022, 14, 530-536.	2.0	6
86	Therapeutic potential and ownership of commercially available consoles in children with cerebral palsy. <i>British Journal of Occupational Therapy</i> , 2017, 80, 108-116.	0.9	5
87	Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). <i>Trials</i> , 2020, 21, 302.	1.6	5
88	The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 272.	1.6	5
89	Increasing access to cognitive-behavioural therapy for patients with psychosis by evaluating the feasibility of a randomised controlled trial of brief, targeted cognitive-behavioural therapy for distressing voices delivered by assistant psychologists: the GiVE2 trial. <i>BJPsych Open</i> , 2021, 7, .	0.7	5
90	Excess mortality among people with podoconiosis: secondary analysis of two Ethiopian cohorts. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 1035-1037.	1.8	5

#	ARTICLE	IF	CITATIONS
91	Effect of a Community-Based Holistic Care Package on Physical and Psychosocial Outcomes in People with Lower Limb Disorder Caused by Lymphatic Filariasis, Podoconiosis, and Leprosy in Ethiopia: Results from the EnDPoINT Pilot Cohort Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 107, 624-631.	1.4	5
92	Coping with Persistent Pain, Effectiveness Research into Self-management (COPERS): statistical analysis plan for a randomised controlled trial. <i>Trials</i> , 2014, 15, 59.	1.6	4
93	A randomised controlled trial of a telephone administered brief HIV risk reduction intervention amongst men who have sex with men prescribed post-exposure prophylaxis for HIV after sexual exposure in the UK: Project PEPSE. <i>PLoS ONE</i> , 2019, 14, e0216855.	2.5	4
94	Characterising older adults' risk of harm from blood-pressure lowering medications: a sub-analysis from the PRIME study. <i>Age and Ageing</i> , 2022, 51, .	1.6	4
95	Caring for Caregivers (C4C): study protocol for a pilot feasibility randomised control trial of Positive Written Disclosure for older adult caregivers of people with psychosis. <i>Pilot and Feasibility Studies</i> , 2017, 3, 63.	1.2	3
96	Positive Outcomes: Validity, reliability and responsiveness of a novel person-centred outcome measure for people with HIV. <i>HIV Medicine</i> , 2022, 23, 673-683.	2.2	3
97	882 Randomised Mixed Methods Trial of Sacral and Percutaneous Tibial Nerve Stimulation for Faecal Incontinence. <i>Gastroenterology</i> , 2014, 146, S-154.	1.3	2
98	Deriving a clinical prediction rule to target sexual healthcare to women attending British General Practices. <i>Preventive Medicine</i> , 2018, 112, 185-192.	3.4	2
99	Clinicians have several therapeutic relationships and patients only one: The effect on their assessments of relationships. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1722.	2.1	2
100	An FCER2 polymorphism is associated with increased oral leukotriene receptor antagonists and allergic rhinitis prescribing. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1089-1092.	2.9	2
101	How can we optimise inhaled beta2 agonist dose as a "reliever" medicine for wheezy pre-school children? Study protocol for a randomised controlled trial. <i>Trials</i> , 2016, 17, 541.	1.6	1
102	PTU-021...Long-term palliative abdominal drains vs large-volume paracentesis in cirrhosis-related refractory ascites: multi-centre feasibility RCT (REDUCe). , 2019, , .		1
103	Cambridge Cognitive Examination and Hachinski Ischemic Score as predictors of MRI confirmed pathology in dementia: A cross-sectional study. <i>International Journal of Clinical Practice</i> , 2020, 74, e13446.	1.7	1
104	OO25...Behavioural factors associated with HPV vaccine acceptability amongst men who have sex with men in the United Kingdom. <i>Sexually Transmitted Infections</i> , 2016, 92, A9.3-A10.	1.9	0
105	PO117...Regional efficacy of fingolimod in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, A42.4-A43.	1.9	0
106	P324...How do the psychosocial characteristics of women attending sexual health services differ from those attending primary care?. , 2019, , .		0
107	PTU-020...REDUCe study: multi-centre feasibility RCT in cirrhosis-related palliative refractory ascites. participant reported outcomes. , 2019, , .		0
108	An ecological study of publicly funded elective hip arthroplasties in Brazil and Scotland: do access inequalities reinforce the inverse care law?. <i>JRSM Open</i> , 2020, 11, 205427042092077.	0.5	0

#	ARTICLE	IF	CITATIONS
109	Editorial: palliative long-term abdominal drains in refractory ascites—a step in the right direction, but not the complete solution. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 723-724.	3.7	0
110	Performance of a tool to identify different types of self-reported sexual risk among women attending a contraception and sexual health clinic: results of a cross-sectional survey. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 117-128.	1.7	0
111	Statistical analysis plan for the Early Youth Engagement in first episode psychosis (EYE-2) study: a pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 732.	1.6	0
112	Methodological Issues of using Placebos in Interventions Based on Digital Technology. <i>Journal of Mobile Technology in Medicine</i> , 2017, 6, 56-63.	0.5	0
113	Homozygosity for the FCER2 gene is associated with an increased use of leukotriene receptor antagonists. , 2017, , .		0
114	Mortality and readmission rates of patients discharged in-hours and out-of-hours from a British ICU over a 3-year period. <i>Scientific Reports</i> , 2022, 12, 6659.	3.3	0
115	Reducing New Chlamydia Infection Among Young Men by Promoting Correct and Consistent Condom Use: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e35729.	1.0	0