

Stephen A Bremner

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7559321/publications.pdf>

Version: 2024-02-01

115
papers

3,798
citations

109321

35
h-index

138484

58
g-index

122
all docs

122
docs citations

122
times ranked

5541
citing authors

#	ARTICLE	IF	CITATIONS
1	Knowledge, attitudes and practices of health professionals towards people living with lymphoedema caused by lymphatic filariasis, podoconiosis and leprosy in northern Ethiopia. <i>International Health</i> , 2022, 14, 530-536.	2.0	6
2	Chronic liver disease in homeless individuals and performance of non-invasive liver fibrosis and injury markers: VALID study. <i>Liver International</i> , 2022, 42, 628-639.	3.9	7
3	Positive Outcomes: Validity, reliability and responsiveness of a novel person-centred outcome measure for people with HIV. <i>HIV Medicine</i> , 2022, 23, 673-683.	2.2	3
4	Peer support for discharge from inpatient mental health care versus care as usual in England (ENRICH): a parallel, two-group, individually randomised controlled trial. <i>Lancet Psychiatry</i> , 2022, 9, 125-136.	7.4	11
5	Randomised open-label trial comparing intravenous iron and an erythropoiesis-stimulating agent versus oral iron to treat preoperative anaemia in cardiac surgery (INITIATE trial). <i>British Journal of Anaesthesia</i> , 2022, 128, 796-805.	3.4	18
6	Characterising older adults' risk of harm from blood-pressure lowering medications: a sub-analysis from the PRIME study. <i>Age and Ageing</i> , 2022, 51, .	1.6	4
7	Mortality and readmission rates of patients discharged in-hours and out-of-hours from a British ICU over a 3-year period. <i>Scientific Reports</i> , 2022, 12, 6659.	3.3	0
8	Reducing New Chlamydia Infection Among Young Men by Promoting Correct and Consistent Condom Use: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e35729.	1.0	0
9	Effect of a Community-Based Holistic Care Package on Physical and Psychosocial Outcomes in People with Lower Limb Disorder Caused by Lymphatic Filariasis, Podoconiosis, and Leprosy in Ethiopia: Results from the EnDPoINT Pilot Cohort Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 107, 624-631.	1.4	5
10	Performance of a tool to identify different types of self-reported sexual risk among women attending a contraception and sexual health clinic: results of a cross-sectional survey. <i>BMJ Sexual and Reproductive Health</i> , 2021, 47, 117-128.	1.7	0
11	Feasibility of a randomised controlled trial to evaluate home-based virtual reality therapy in children with cerebral palsy. <i>Disability and Rehabilitation</i> , 2021, 43, 85-97.	1.8	27
12	A comparative study of the effect of the Time for Dementia programme on medical students. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1011-1019.	2.7	10
13	The Early Youth Engagement in first episode psychosis (EYE-2) study: pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 272.	1.6	5
14	An <i>FCER2</i> polymorphism is associated with increased oral leukotriene receptor antagonists and allergic rhinitis prescribing. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1089-1092.	2.9	2
15	Increasing access to cognitive-behavioural therapy for patients with psychosis by evaluating the feasibility of a randomised controlled trial of brief, targeted cognitive-behavioural therapy for distressing voices delivered by assistant psychologists: the GiVE2 trial. <i>BJPsych Open</i> , 2021, 7, .	0.7	5
16	Palliative Long-Term Abdominal Drains Versus Large Volume Paracentesis in Refractory Ascites Due to Cirrhosis (REDUCe Study): Qualitative Outcomes. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 312-325.e2.	1.2	13
17	Antenatal and perinatal factors influencing neonatal blood pressure: a systematic review. <i>Journal of Perinatology</i> , 2021, 41, 2317-2329.	2.0	9
18	Statistical analysis plan for the Early Youth Engagement in first episode psychosis (EYE-2) study: a pragmatic cluster randomised controlled trial of implementation, effectiveness and cost-effectiveness of a team-based motivational engagement intervention to improve engagement. <i>Trials</i> , 2021, 22, 732.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Are symptoms of insomnia in primary care associated with subsequent onset of dementia? A matched retrospective case-control study. <i>Aging and Mental Health</i> , 2020, 24, 1466-1471.	2.8	6
20	Cambridge Cognitive Examination and Hachinski Ischemic Score as predictors of MRI confirmed pathology in dementia: A cross-sectional study. <i>International Journal of Clinical Practice</i> , 2020, 74, e13446.	1.7	1
21	A phase IV randomised, open-label pilot study to evaluate switching from protease-inhibitor based regimen to Bictegravir/Emtricitabine/Tenofovir Alafenamide single tablet regimen in Integrase inhibitor-naïve, virologically suppressed HIV-1 infected adults harbouring drug resistance mutations (PIBIK study): study protocol for a randomised trial. <i>BMC Infectious Diseases</i> , 2020, 20, 524.	2.9	6
22	An ecological study of publicly funded elective hip arthroplasties in Brazil and Scotland: do access inequalities reinforce the inverse care law?. <i>JRSM Open</i> , 2020, 11, 205427042092077.	0.5	0
23	Editorial: palliative long-term abdominal drains in refractory ascites—a step in the right direction, but not the complete solution. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 723-724.	3.7	0
24	Randomised clinical trial: palliative long-term abdominal drains vs large-volume paracentesis in refractory ascites due to cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 107-122.	3.7	37
25	A protocol paper: community engagement interventions for cardiovascular disease prevention in socially disadvantaged populations in the UK: an implementation research study. <i>Global Health Research and Policy</i> , 2020, 5, 12.	3.6	10
26	Can the Use of Bayesian Analysis Methods Correct for Incompleteness in Electronic Health Records Diagnosis Data? Development of a Novel Method Using Simulated and Real-Life Clinical Data. <i>Frontiers in Public Health</i> , 2020, 8, 54.	2.7	12
27	Protocol for a phase IV, open-label feasibility study investigating non-invasive markers of hepatic fibrosis in people living with HIV-1 and non-alcoholic fatty liver disease randomised to receiving optimised background therapy (OBT) plus maraviroc or OBT alone. <i>BMJ Open</i> , 2020, 10, e035596.	1.9	7
28	Filaggrin gene defects are associated with eczema, wheeze, and nasal disease during infancy: Prospective study. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 681-682.	2.9	6
29	Peer support for discharge from inpatient to community mental health services. <i>Medicine (United Kingdom)</i> 2020; 99(15):e0216855. <small>1.0 15</small>	1.0	15
30	Increasing access to CBT for psychosis patients: a feasibility, randomised controlled trial evaluating brief, targeted CBT for distressing voices delivered by assistant psychologists (GiVE2). <i>Trials</i> , 2020, 21, 302.	1.6	5
31	Method of Blood Pressure Measurement in Neonates and Infants: A Systematic Review and Analysis. <i>Journal of Pediatrics</i> , 2020, 221, 23-31.e5.	1.8	53
32	Excess mortality among people with podoconiosis: secondary analysis of two Ethiopian cohorts. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 1035-1037.	1.8	5
33	EnDPoINT: protocol for an implementation research study to integrate a holistic package of physical health, mental health and psychosocial care for podoconiosis, lymphatic filariasis and leprosy into routine health services in Ethiopia. <i>BMJ Open</i> , 2020, 10, e037675.	1.9	13
34	Economic assessment of a community-based care package for people with lower limb disorder caused by lymphatic filariasis, podoconiosis and leprosy in Ethiopia. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 1021-1034.	1.8	7
35	A cross-sectional study to evaluate depression and quality of life among patients with lymphoedema due to podoconiosis, lymphatic filariasis and leprosy. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 983-994.	1.8	14
36	A randomised controlled trial of a telephone administered brief HIV risk reduction intervention amongst men who have sex with men prescribed post-exposure prophylaxis for HIV after sexual exposure in the UK: Project PEPSE. <i>PLoS ONE</i> , 2019, 14, e0216855.	2.5	4

#	ARTICLE	IF	CITATIONS
37	P324â€¦How do the psychosocial characteristics of women attending sexual health services differ from those attending primary care?. , 2019, , .		0
38	PTU-021â€¦Long-term palliative abdominal drains vs large-volume paracentesis in cirrhosis-related refractory ascites: multi-centre feasibility RCT (REDUCe). , 2019, , .		1
39	PTU-020â€¦REDUCe study: multi-centre feasibility RCT in cirrhosis-related palliative refractory ascites. participant reported outcomes. , 2019, , .		0
40	Impact of London's low emission zone on air quality and children's respiratory health: a sequential annual cross-sectional study. <i>Lancet Public Health</i> , The, 2019, 4, e28-e40.	10.0	79
41	Determining the accuracy of zero-flux and ingestible thermometers in the peri-operative setting. <i>Journal of Clinical Monitoring and Computing</i> , 2019, 33, 1113-1118.	1.6	10
42	Reducing Implant Infection in Orthopaedics (RIIiO): a pilot study for a randomised controlled trial comparing the influence of forced air versus resistive fabric warming technologies on postoperative infection rates following orthopaedic implant surgery in adults. <i>Trials</i> , 2018, 19, 640.	1.6	7
43	Individuals with filaggrin-related eczema and asthma have increased long-term medication and hospital admission costs. <i>British Journal of Dermatology</i> , 2018, 179, 717-723.	1.5	9
44	Palliative long-term abdominal drains versus repeated drainage in individuals with untreatable ascites due to advanced cirrhosis: study protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2018, 19, 401.	1.6	10
45	Men who have sex with men who do not access sexual health clinics nor disclose sexual orientation are unlikely to receive the HPV vaccine in the UK. <i>Vaccine</i> , 2018, 36, 5065-5070.	3.8	24
46	Can doctors identify older patients at risk of medication harm following hospital discharge? A multicentre prospective study in the UK. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 2344-2351.	2.4	11
47	Deriving a clinical prediction rule to target sexual healthcare to women attending British General Practices. <i>Preventive Medicine</i> , 2018, 112, 185-192.	3.4	2
48	Clinicians have several therapeutic relationships and patients only one: The effect on their assessments of relationships. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1722.	2.1	2
49	Predicting dementia from primary care records: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0194735.	2.5	70
50	Therapeutic potential and ownership of commercially available consoles in children with cerebral palsy. <i>British Journal of Occupational Therapy</i> , 2017, 80, 108-116.	0.9	5
51	Nanoflow-Nanospray Mass Spectrometry Metabolomics Reveals Disruption of the Urinary Metabolite Profiles of HIV-Positive Patients on Combination Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017, 74, e45-e53.	2.1	12
52	PO117â€¦Regional efficacy of fingolimod in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, A42.4-A43.	1.9	0
53	Caring for Caregivers (C4C): study protocol for a pilot feasibility randomised control trial of Positive Written Disclosure for older adult caregivers of people with psychosis. <i>Pilot and Feasibility Studies</i> , 2017, 3, 63.	1.2	3
54	Podoconiosis, trichomatous trichiasis and cataract in northern Ethiopia: A comparative cross sectional study. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005388.	3.0	7

#	ARTICLE	IF	CITATIONS
55	Methodological Issues of using Placebos in Interventions Based on Digital Technology. Journal of Mobile Technology in Medicine, 2017, 6, 56-63.	0.5	0
56	Homozygosity for the FCER2 gene is associated with an increased use of leukotriene receptor antagonists. , 2017, , .		0
57	Effect of an Education Programme for South Asians with Asthma and Their Clinicians: A Cluster Randomised Controlled Trial (OEDIPUS). PLoS ONE, 2016, 11, e0158783.	2.5	15
58	Training to enhance psychiatrist communication with patients with psychosis (TEMPO): cluster randomised controlled trial. British Journal of Psychiatry, 2016, 209, 517-524.	2.8	64
59	Discontinuing financial incentives for adherence to antipsychotic depot medication: long-term outcomes of a cluster randomised controlled trial. BMJ Open, 2016, 6, e011673.	1.9	9
60	How can we optimise inhaled beta2 agonist dose as a "reliever" medicine for wheezy pre-school children? Study protocol for a randomised controlled trial. Trials, 2016, 17, 541.	1.6	1
61	Effectiveness of group body psychotherapy for negative symptoms of schizophrenia: Multicentre randomised controlled trial. British Journal of Psychiatry, 2016, 209, 54-61.	2.8	47
62	Quality of life, autonomy, satisfaction, and costs associated with mental health supported accommodation services in England: a national survey. Lancet Psychiatry, the, 2016, 3, 1129-1137.	7.4	58
63	O025...Behavioural factors associated with HPV vaccine acceptability amongst men who have sex with men in the United Kingdom. Sexually Transmitted Infections, 2016, 92, A9.3-A10.	1.9	0
64	Increased risk of type I errors in cluster randomised trials with small or medium numbers of clusters: a review, reanalysis, and simulation study. Trials, 2016, 17, 438.	1.6	59
65	Protocol for a Prospective (P) study to develop a model to stratify the risk (RI) of medication (M) related harm in hospitalized elderly (E) patients in the UK (The PRIME study). BMC Geriatrics, 2016, 16, 22.	2.7	16
66	Clinical effectiveness and cost-effectiveness of body psychotherapy in the treatment of negative symptoms of schizophrenia: a multicentre randomised controlled trial. Health Technology Assessment, 2016, 20, 1-100.	2.8	20
67	Financial incentives to improve adherence to antipsychotic maintenance medication in non-adherent patients: a cluster randomised controlled trial. Health Technology Assessment, 2016, 20, 1-122.	2.8	18
68	Effects of Air Pollution and the Introduction of the London Low Emission Zone on the Prevalence of Respiratory and Allergic Symptoms in Schoolchildren in East London: A Sequential Cross-Sectional Study. PLoS ONE, 2015, 10, e0109121.	2.5	34
69	Cost-Effectiveness of Financial Incentives to Promote Adherence to Depot Antipsychotic Medication: Economic Evaluation of a Cluster-Randomised Controlled Trial. PLoS ONE, 2015, 10, e0138816.	2.5	15
70	Randomized clinical trial of sacral versus percutaneous tibial nerve stimulation in patients with faecal incontinence. British Journal of Surgery, 2015, 102, 349-358.	0.3	77
71	A review of the use of covariates in cluster randomized trials uncovers marked discrepancies between guidance and practice. Journal of Clinical Epidemiology, 2015, 68, 603-609.	5.0	39
72	Promotion of rapid testing for HIV in primary care (RHIVA2): a cluster-randomised controlled trial. Lancet HIV, the, 2015, 2, e229-e235.	4.7	37

#	ARTICLE	IF	CITATIONS
73	Percutaneous tibial nerve stimulation versus sham electrical stimulation for the treatment of faecal incontinence in adults (CONFIDeNT): a double-blind, multicentre, pragmatic, parallel-group, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 1640-1648.	13.7	149
74	Double-blind randomised controlled trial of percutaneous tibial nerve stimulation versus sham electrical stimulation in the treatment of faecal incontinence: CONTROL of Faecal Incontinence using Distal Neuromodulation (the CONFIDeNT trial). <i>Health Technology Assessment</i> , 2015, 19, 1-164.	2.8	17
75	The Effect of Financial Incentives on Adherence to Antipsychotic Depot Medication. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1029-e1034.	2.2	10
76	Health equity audits in general practice: a strategy to reduce health inequalities. <i>Primary Health Care Research and Development</i> , 2014, 15, 80-95.	1.2	10
77	Coping with Persistent Pain, Effectiveness Research into Self-management (COPERS): statistical analysis plan for a randomised controlled trial. <i>Trials</i> , 2014, 15, 59.	1.6	4
78	882 Randomised Mixed Methods Trial of Sacral and Percutaneous Tibial Nerve Stimulation for Faecal Incontinence. <i>Gastroenterology</i> , 2014, 146, S-154.	1.3	2
79	Point-of-care HIV testing in primary care and early detection of HIV (RHIVA2): a cluster randomised controlled trial. <i>Lancet, The</i> , 2013, 382, S7.	13.7	7
80	Prevalence and impact of chronic widespread pain in the Bangladeshi and White populations of Tower Hamlets, East London. <i>Clinical Rheumatology</i> , 2013, 32, 1375-1382.	2.2	18
81	Shared understanding in psychiatrist-patient communication: Association with treatment adherence in schizophrenia. <i>Patient Education and Counseling</i> , 2013, 93, 73-79.	2.2	60
82	Trauma and suicidality in war affected communities. <i>European Psychiatry</i> , 2013, 28, 514-520.	0.2	37
83	Exercise for depression in elderly residents of care homes: a cluster-randomised controlled trial. <i>Lancet, The</i> , 2013, 382, 41-49.	13.7	108
84	Cascade diagrams for depicting complex interventions in randomised trials. <i>BMJ, The</i> , 2013, 347, f6681-f6681.	6.0	16
85	Effectiveness and cost-effectiveness of a novel, group self-management course for adults with chronic musculoskeletal pain: study protocol for a multicentre, randomised controlled trial (COPERS). <i>BMJ Open</i> , 2013, 3, e002492.	1.9	15
86	Effectiveness of financial incentives to improve adherence to maintenance treatment with antipsychotics: cluster randomised controlled trial. <i>BMJ, The</i> , 2013, 347, f5847-f5847.	6.0	90
87	Psychological Symptoms as Long-Term Consequences of War Experiences. <i>Psychopathology</i> , 2013, 46, 45-54.	1.5	34
88	Course of post-traumatic stress disorder following war in the Balkans: 1-year follow-up study. <i>Psychological Medicine</i> , 2013, 43, 1837-1847.	4.5	20
89	How psychiatrists should introduce themselves in the first consultation: an experimental study. <i>British Journal of Psychiatry</i> , 2013, 202, 459-462.	2.8	11
90	Symptoms Associated with Victimization in Patients with Schizophrenia and Related Disorders. <i>PLoS ONE</i> , 2013, 8, e58142.	2.5	20

#	ARTICLE	IF	CITATIONS
91	Exercise for depression in care home residents: a randomised controlled trial with cost-effectiveness analysis (OPERA). <i>Health Technology Assessment</i> , 2013, 17, 1-281.	2.8	41
92	Effectiveness and Cost-Effectiveness of Dialectical Behaviour Therapy for Self-Harming Patients with Personality Disorder: A Pragmatic Randomised Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2012, 81, 356-365.	8.8	121
93	Factors associated with mental disorders in long-settled war refugees: refugees from the former Yugoslavia in Germany, Italy and the UK. <i>British Journal of Psychiatry</i> , 2012, 200, 216-223.	2.8	197
94	Self-management support for moderate-to-severe chronic obstructive pulmonary disease: a pilot randomised controlled trial. <i>British Journal of General Practice</i> , 2012, 62, e687-e695.	1.4	48
95	Impact of Asthma on Educational Attainment in a Socioeconomically Deprived Population: A Study Linking Health, Education and Social Care Datasets. <i>PLoS ONE</i> , 2012, 7, e43977.	2.5	11
96	Prescribing in general practice for people with coronary heart disease; equity by age, sex, ethnic group and deprivation. <i>Ethnicity and Health</i> , 2011, 16, 107-123.	2.5	17
97	Review: Can we identify how programmes aimed at promoting self-management in musculoskeletal pain work and who benefits? A systematic review of subgroup analysis within RCTs. <i>European Journal of Pain</i> , 2011, 15, 775.e1-11.	2.8	75
98	Coerced Hospital Admission and Symptom Change—A Prospective Observational Multi-Centre Study. <i>PLoS ONE</i> , 2011, 6, e28191.	2.5	68
99	Outdoor air pollution and respiratory health in patients with COPD. <i>Thorax</i> , 2011, 66, 591-596.	5.6	181
100	Association between Gc genotype and susceptibility to TB is dependent on vitamin D status. <i>European Respiratory Journal</i> , 2010, 35, 1106-1112.	6.7	110
101	Original article: Infections presenting for clinical care in early life and later risk of hay fever in two UK birth cohorts. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008, 63, 274-283.	5.7	49
102	Inpatient mental healthcare in England and Wales: patterns in NHS and independent healthcare providers. <i>Journal of the Royal Society of Medicine</i> , 2008, 101, 544-551.	2.0	8
103	Patient safety indicators for England from hospital administrative data: case-control analysis and comparison with US data. <i>BMJ: British Medical Journal</i> , 2008, 337, a1702-a1702.	2.3	52
104	Vaccinations, infections and antibacterials in the first grass pollen season of life and risk of later hayfever. <i>Clinical and Experimental Allergy</i> , 2007, 37, 512-517.	2.9	16
105	Timing of routine immunisations and subsequent hay fever risk. <i>Archives of Disease in Childhood</i> , 2005, 90, 567-573.	1.9	41
106	Association between ambient air pollution and birth weight in Sao Paulo, Brazil. <i>Journal of Epidemiology and Community Health</i> , 2004, 58, 11-17.	3.7	199
107	Developing a large electronic primary care database (Doctors™ Independent Network) for research. <i>International Journal of Medical Informatics</i> , 2004, 73, 443-453.	3.3	44
108	Implications of the problem orientated medical record (POMR) for research using electronic GP databases: a comparison of the Doctors Independent Network Database (DIN) and the General Practice Research Database (GPRD). <i>BMC Family Practice</i> , 2003, 4, 14.	2.9	28

#	ARTICLE	IF	CITATIONS
109	Early-life exposure to antibacterials and the subsequent development of hayfever in childhood in the UK: case-control studies using the General Practice Research Database and the Doctors' Independent Network. <i>Clinical and Experimental Allergy</i> , 2003, 33, 1518-1525.	2.9	44
110	Acute effects of winter air pollution on respiratory function in schoolchildren in southern England. <i>Occupational and Environmental Medicine</i> , 2003, 60, 82-89.	2.8	35
111	Association between Air Pollution and Daily Consultations with General Practitioners for Allergic Rhinitis in London, United Kingdom. <i>American Journal of Epidemiology</i> , 2001, 153, 704-714.	3.4	112
112	Particulate matter and daily mortality and hospital admissions in the west midlands conurbation of the United Kingdom: associations with fine and coarse particles, black smoke and sulphate. <i>Occupational and Environmental Medicine</i> , 2001, 58, 504-510.	2.8	190
113	Short-term associations between outdoor air pollution and mortality in London 1992-4. <i>Occupational and Environmental Medicine</i> , 1999, 56, 237-244.	2.8	94
114	Short-Term Associations between Emergency Hospital Admissions for Respiratory and Cardiovascular Disease and Outdoor Air Pollution in London. <i>Archives of Environmental Health</i> , 1999, 54, 398-411.	0.4	130
115	Short-term associations between outdoor air pollution and visits to accident and emergency departments in London for respiratory complaints. <i>European Respiratory Journal</i> , 1999, 13, 257-265.	6.7	127