

Erik Johnsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7560190/publications.pdf>

Version: 2024-02-01

73
papers

1,266
citations

361413

20
h-index

395702

33
g-index

74
all docs

74
docs citations

74
times ranked

2294
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 1479-1488.	4.5	6
2	Neural Activation in the Ventromedial Prefrontal Cortex Precedes Conscious Experience of Being in or out of a Transient Hallucinatory State. <i>Schizophrenia Bulletin</i> , 2023, 49, S58-S67.	4.3	7
3	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	4.3	10
4	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	4.1	33
5	Association between C-reactive protein levels and antipsychotic treatment during 12 months follow-up period after acute psychosis. <i>Schizophrenia Research</i> , 2022, 241, 174-183.	2.0	3
6	Quality of clinical management of cardiometabolic risk factors in patients with severe mental illness in a specialist mental health care setting. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 602-609.	1.3	5
7	Akathisia and atypical antipsychotics: relation to suicidality, agitation and depression in a clinical trial. <i>Acta Neuropsychiatrica</i> , 2022, 34, 282-288.	2.1	2
8	Trajectories of response in schizophrenia-spectrum disorders: A one-year prospective cohort study of antipsychotic effectiveness. <i>World Journal of Psychiatry</i> , 2022, 12, 521-532.	2.7	1
9	Negative valence of hallucinatory voices as predictor of cortical glutamatergic metabolite levels in schizophrenia patients. <i>Brain and Behavior</i> , 2022, 12, e32446.	2.2	3
10	Turnover of IPS employment specialists: Rates and predictors. <i>Journal of Vocational Rehabilitation</i> , 2022, 57, 23-32.	0.9	2
11	Mapping psychotic-like experiences: Results from an online survey. <i>Scandinavian Journal of Psychology</i> , 2021, 62, 237-248.	1.5	11
12	Pragmatic antipsychotics trial "caution in interpretation" Authors' reply. <i>Lancet Psychiatry</i> , 2021, 8, 101.	7.4	1
13	Glutamate- and GABA-Modulated Connectivity in Auditory Hallucinations: A Combined Resting State fMRI and MR Spectroscopy Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 643564.	2.6	7
14	The Influence of Substance Use on Side Effects of Olanzapine, Quetiapine, Risperidone, and Ziprasidone in Psychosis. <i>Substance Use and Misuse</i> , 2021, 56, 1880-1891.	1.4	0
15	Sex differences in antipsychotic efficacy and side effects in schizophrenia spectrum disorder: results from the BeSt InTro study. <i>NPJ Schizophrenia</i> , 2021, 7, 39.	3.6	35
16	Mortality and non-use of antipsychotic drugs after acute admission in schizophrenia: A prospective total-cohort study. <i>Schizophrenia Research</i> , 2021, 235, 29-35.	2.0	12
17	Cognitive change and antipsychotic medications: Results from a pragmatic rater-blind RCT. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100204.	1.3	2
18	White Matter Microstructural Differences between Hallucinating and Non-Hallucinating Schizophrenia Spectrum Patients. <i>Diagnostics</i> , 2021, 11, 139.	2.6	6

#	ARTICLE	IF	CITATIONS
19	The association between cytokines and psychomotor speed in a spectrum of psychotic disorders: A longitudinal study. <i>Brain, Behavior, & Immunity - Health</i> , 2021, 18, 100392.	2.5	6
20	Intra-Regional Glu-GABA vs Inter-Regional Glu-Glu Imbalance: A 1H-MRS Study of the Neurochemistry of Auditory Verbal Hallucinations in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 633-642.	4.3	23
21	T16. SCHIZOPHRENIA SPECTRUM DISORDER: DEPRESSION TRAJECTORIES AND IMMUNE MARKERS. <i>Schizophrenia Bulletin</i> , 2020, 46, S237-S237.	4.3	0
22	T206. ANTIPSYCHOTIC EFFECTIVENESS FOCUSING ON INSIGHT. <i>Schizophrenia Bulletin</i> , 2020, 46, S310-S311.	4.3	0
23	M41. TRAJECTORIES AND PREDICTORS OF OUTCOME IN SCHIZOPHRENIA: THE BENEFICIAL ROLE OF AMISULPRIDE. <i>Schizophrenia Bulletin</i> , 2020, 46, S149-S150.	4.3	0
24	M47. AKATHISIA AND ATYPICAL ANTIPSYCHOTICS: EXPLORING ASSOCIATIONS TO SUICIDALITY AND AGITATION. <i>Schizophrenia Bulletin</i> , 2020, 46, S151-S152.	4.3	2
25	M140. WHAT HAPPENS IN THE BRAIN A FEW SECONDS BEFORE THE ONSET AND OFFSET OF AN HALLUCINATORY EPISODE?. <i>Schizophrenia Bulletin</i> , 2020, 46, S188-S189.	4.3	0
26	M146. NEUROCHEMICAL MODULATION OF AUDITORY CORTEX FUNCTIONAL CONNECTIVITY IN PATIENTS WITH AUDITORY VERBAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2020, 46, S191-S191.	4.3	0
27	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 1095-1103.	1.5	28
28	Amisulpride, aripiprazole, and olanzapine in patients with schizophrenia-spectrum disorders (BeSt) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	7.4	36
29	Hallucinating schizophrenia patients have longer left arcuate fasciculus fiber tracks: a DTI tractography study. <i>Psychiatry Research - Neuroimaging</i> , 2020, 302, 111088.	1.8	9
30	Different response patterns in hallucinations and delusions to antipsychotic treatment. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 497-504.	1.3	3
31	Elderly patients with no previous psychiatric history: suicidality and other factors relating to psychiatric acute admissions. <i>BJPsych Open</i> , 2020, 6, e63.	0.7	1
32	Dynamic Functional Connectivity Patterns in Schizophrenia and the Relationship With Hallucinations. <i>Frontiers in Psychiatry</i> , 2020, 11, 227.	2.6	36
33	T134. THE ROLE OF THE DEFAULT MODE NETWORK IN SCHIZOPHRENIA AND AUDITORY VERBAL HALLUCINATIONS " AN INVESTIGATION OF DYNAMIC FMRI RESTING STATE CONNECTIVITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S281-S282.	4.3	1
34	Predictors of treatment satisfaction in antipsychotic-naïve and previously medicated patients with acute-phase psychosis. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 349-356.	1.3	3
35	Supported accommodation for people with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 211-218.	1.3	3
36	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. <i>Frontiers in Psychiatry</i> , 2019, 10, 695.	2.6	13

#	ARTICLE	IF	CITATIONS
37	S2. CHILDHOOD TRAUMA SUBTYPES IN RELATION TO COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S306-S306.	4.3	0
38	The influence of substance use on the effectiveness of antipsychotic medication: a prospective, pragmatic study. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 281-287.	1.3	6
39	Trends in utilization and dosing of antipsychotic drugs in Scandinavia: Comparison of 2006 and 2016. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 1598-1606.	2.4	38
40	Associations between C-reactive protein levels and cognition during the first 6 months after acute psychosis. <i>Acta Neuropsychiatrica</i> , 2019, 31, 36-45.	2.1	15
41	Childhood trauma in schizophrenia spectrum disorders as compared to substance abuse disorders. <i>Psychiatry Research</i> , 2018, 261, 481-487.	3.3	20
42	The Beliefs about Voices Questionnaire " Revised: A factor structure from 450 participants. <i>Psychiatry Research</i> , 2018, 259, 95-103.	3.3	19
43	S57. TREATMENT SATISFACTION IN ACUTE PHASE PSYCHOSIS: COMPARISON BETWEEN ANTIPSYCHOTIC NAÏVE AND PREVIOUSLY MEDICATED PATIENTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S346-S346.	4.3	0
44	S87. THE INITIAL CHANGE IN THE SERUM LEVEL OF C-REACTIVE PROTEIN IN ACUTE PSYCHOSIS IS ASSOCIATED WITH COGNITIVE PERFORMANCE IN LATER PHASES. <i>Schizophrenia Bulletin</i> , 2018, 44, S358-S359.	4.3	0
45	S3. CHILDHOOD TRALIMA AND COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS: EFFECT OF FREQUENCY AND TYPE OF CHILDHOOD TRAUMA. <i>Schizophrenia Bulletin</i> , 2018, 44, S324-S325.	4.3	0
46	Efficacy of different types of cognitive enhancers for patients with schizophrenia: a meta-analysis. <i>NPJ Schizophrenia</i> , 2018, 4, 22.	3.6	53
47	F108. PSYCHOTIC EXPERIENCES IN A NORWEGIAN SAMPLE - TENTATIVE RESULTS OF A QUESTIONNAIRE VALIDATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S261-S262.	4.3	0
48	Constructing the Immune Signature of Schizophrenia for Clinical Use and Research; An Integrative Review Translating Descriptives Into Diagnostics. <i>Frontiers in Psychiatry</i> , 2018, 9, 753.	2.6	58
49	The serum level of C-reactive protein (CRP) is associated with cognitive performance in acute phase psychosis. <i>BMC Psychiatry</i> , 2016, 16, 60.	2.6	54
50	Patient satisfaction after acute admission for psychosis. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 321-328.	1.3	23
51	Cannabis use is associated with 3 years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N = 1119). <i>Schizophrenia Research</i> , 2016, 170, 217-221.	2.0	47
52	The Course of Neurocognitive Changes in Acute Psychosis: Relation to Symptomatic Improvement. <i>PLoS ONE</i> , 2016, 11, e0167390.	2.5	18
53	Influence of different second generation antipsychotics on the QTc interval: A pragmatic study. <i>World Journal of Psychiatry</i> , 2016, 6, 442.	2.7	11
54	Borderline Personality Disorder and Posttraumatic Stress Disorder at Psychiatric Discharge Predict General Hospital Admission for Self-Harm. <i>Journal of Traumatic Stress</i> , 2015, 28, 556-562.	1.8	14

#	ARTICLE	IF	CITATIONS
55	Glutamate as a mediating transmitter for auditory hallucinations in schizophrenia: A 1H MRS study. <i>Schizophrenia Research</i> , 2015, 161, 252-260.	2.0	55
56	A Critical Review of Pro-Cognitive Drug Targets in Psychosis: Convergence on Myelination and Inflammation. <i>Frontiers in Psychiatry</i> , 2014, 5, 11.	2.6	35
57	Cognitive changes in patients with acute phase psychosis—Effects of illicit drug use. <i>Psychiatry Research</i> , 2014, 220, 818-824.	3.3	9
58	The Cannabis Pathway to Non-Affective Psychosis may Reflect Less Neurobiological Vulnerability. <i>Frontiers in Psychiatry</i> , 2014, 5, 159.	2.6	30
59	Impact of glutamate levels on neuronal response and cognitive abilities in schizophrenia. <i>NeuroImage: Clinical</i> , 2014, 4, 576-584.	2.7	53
60	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.7	152
61	Time to discontinuation of antipsychotic drugs in a schizophrenia cohort: influence of current treatment strategies. <i>Therapeutic Advances in Psychopharmacology</i> , 2014, 4, 228-239.	2.7	18
62	The influence of glutamatergic antagonism on motor variability, and comparison to findings in schizophrenia patients. <i>Acta Neuropsychiatrica</i> , 2013, 25, 105-112.	2.1	6
63	Hallucinations in acutely admitted patients with psychosis, and effectiveness of risperidone, olanzapine, quetiapine, and ziprasidone: a pragmatic, randomized study. <i>BMC Psychiatry</i> , 2013, 13, 241.	2.6	10
64	QTc Prolongation in Patients Acutely Admitted to Hospital for Psychosis and Treated with Second Generation Antipsychotics. <i>Schizophrenia Research and Treatment</i> , 2013, 2013, 1-7.	1.5	7
65	Neuropsychopharmacology of auditory hallucinations: insights from pharmacological functional MRI and perspectives for future research. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 23-36.	2.8	9
66	Drug treatment developments in schizophrenia and bipolar mania: latest evidence and clinical usefulness. <i>Therapeutic Advances in Chronic Disease</i> , 2012, 3, 287-300.	2.5	11
67	Sexual Dysfunction and Hyperprolactinemia in Male Psychotic Inpatients: A Cross-Sectional Study. <i>Advances in Urology</i> , 2011, 2011, 1-6.	1.3	11
68	Cardiovascular risk in patients admitted for psychosis compared with findings from a population-based study. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 192-202.	1.3	7
69	Review: metabolic side effects of second-generation antipsychotics. <i>Evidence-Based Mental Health</i> , 2011, 14, 47-47.	4.5	3
70	Effectiveness of second-generation antipsychotics: a naturalistic, randomized comparison of olanzapine, quetiapine, risperidone, and ziprasidone. <i>BMC Psychiatry</i> , 2010, 10, 26.	2.6	53
71	Review: second generation antipsychotics are a heterogeneous drug class. <i>Evidence-Based Mental Health</i> , 2009, 12, 90-90.	4.5	1
72	Effectiveness of second generation antipsychotics: A systematic review of randomized trials. <i>BMC Psychiatry</i> , 2008, 8, 31.	2.6	67

#	ARTICLE	IF	CITATIONS
73	Antipsychotic-Induced Hyperprolactinemia. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 686-690.	1.4	41