
## **Kirstine Amris**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7560217/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds. Pain, 2010, 151, 664-669.  | 4.2 | 71        |
| 2  | Assessment of Pressure-Pain Thresholds and Central Sensitization of Pain in Lateral Epicondylalgia.<br>Pain Medicine, 2013, 14, 297-304.  | 1.9 | 59        |
| 3  | Observation-based assessment of functional ability in patients with chronic widespread pain: A cross-sectional study. Pain, 2011, 152, 2470-2476.   | 4.2 | 54        |
| 4  | Association of different levels of depressive symptoms with symptomatology, overall disease severity, and quality of life in women with fibromyalgia. Quality of Life Research, 2015, 24, 2951-2957.  | 3.1 | 41        |
| 5  | The adaptation of a <scp>D</scp> anish version of the <scp>P</scp> ain<br><scp>S</scp> elfa€ <scp>E</scp> fficacy <scp>Q</scp> uestionnaire: reliability and construct validity in a<br>population of patients with fibromyalgia in <scp>D</scp> enmark. Scandinavian Journal of Caring<br>Sciences, 2016, 30, 202-210. | 2.1 | 38        |
| 6  | Pain Mechanisms and Ultrasonic Inflammatory Activity as Prognostic Factors in Patients With<br>Psoriatic Arthritis: A Prospective Cohort Study. Arthritis Care and Research, 2019, 71, 798-810.   | 3.4 | 35        |
| 7  | Performance-based assessment of activities of daily living (ADL) ability among women with chronic widespread pain. Pain, 2010, 150, 535-541.  | 4.2 | 34        |
| 8  | Association of Physical Fitness With Fibromyalgia Severity in Women: The al-Ãndalus Project. Archives<br>of Physical Medicine and Rehabilitation, 2015, 96, 1599-1605.  | 0.9 | 34        |
| 9  | EULAR recommendations for management of fibromyalgia. Annals of the Rheumatic Diseases, 2017, 76, e54-e54.  | 0.9 | 33        |
| 10 | Interdisciplinary rehabilitation of patients with chronic widespread pain: Primary endpoint of the randomized, nonblinded, parallel-group IMPROvE trial. Pain, 2014, 155, 1356-1364.  | 4.2 | 31        |
| 11 | Pain from torture. Pain, 2007, 133, 5-8.  | 4.2 | 29        |
| 12 | Muscle fatigue in fibromyalgia is in the brain, not in the muscles: a case–control study of perceived versus objective muscle fatigue. Annals of the Rheumatic Diseases, 2013, 72, 963-966.   | 0.9 | 29        |
| 13 | Managing chronic pain in survivors of torture. Pain Management, 2015, 5, 5-12.  | 1.5 | 24        |
| 14 | Relationship Between Fatigue and Inflammation, Disease Duration, and Chronic Pain in Psoriatic<br>Arthritis: An Observational DANBIO Registry Study. Journal of Rheumatology, 2020, 47, 548-552.  | 2.0 | 24        |
| 15 | Association of Physical Fitness with Depression in Women with Fibromyalgia. Pain Medicine, 2016, 17, 1542-1552.   | 1.9 | 23        |
| 16 | Psychometric properties of the painDETECT questionnaire in rheumatoid arthritis, psoriatic arthritis<br>and spondyloarthritis: Rasch analysis and test-retest reliability. Health and Quality of Life Outcomes,<br>2017, 15, 110.   | 2.4 | 23        |
| 17 | A Longitudinal Study of Changes in Asylum Seekers Ability Regarding Activities of Daily Living During<br>Their Stay in the Asylum Center. Journal of Immigrant and Minority Health, 2015, 17, 852-859.  | 1.6 | 22        |
| 18 | Low-Dose Naltrexone for the Treatment of Fibromyalgia: Investigation of Dose–Response<br>Relationships. Pain Medicine, 2020, 21, 2253-2261.   | 1.9 | 18        |

KIRSTINE AMRIS

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Interventions for treating persistent pain in survivors of torture. The Cochrane Library, 2019, 2019, CD012051.   | 2.8 | 17        |
| 20 | Can the painDETECT Questionnaire score and MRI help predict treatment outcome in rheumatoid<br>arthritis: protocol for the Frederiksberg hospital's Rheumatoid Arthritis, pain assessment and<br>Medical Evaluation (FRAME-cohort) study. BMJ Open, 2014, 4, e006058.                         | 1.9 | 16        |
| 21 | The validity of self-rating depression scales in patients with chronic widespread pain: a Rasch analysis of the Major Depression Inventory. Scandinavian Journal of Rheumatology, 2016, 45, 236-246.  | 1.1 | 14        |
| 22 | Long-term consequences of falanga torturewhat do we know and what do we need to know?.<br>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19,<br>33-40.  | 0.1 | 14        |
| 23 | Treatment of persistent pain from torture: review and commentary. Medicine, Conflict and Survival, 2017, 33, 60-81.   | 0.9 | 13        |
| 24 | The course of pain hypersensitivity according to painDETECT in patients with rheumatoid arthritis initiating treatment: results from the prospective FRAME-cohort study. Arthritis Research and Therapy, 2018, 20, 105.   | 3.5 | 13        |
| 25 | Pain from torture: assessment and management. Pain Reports, 2019, 4, e794.  | 2.7 | 13        |
| 26 | Comorbidities, pain and fatigue in psoriatic arthritis, psoriasis and healthy controls: a clinical cohort study. Rheumatology, 2021, 60, 3289-3300.   | 1.9 | 13        |
| 27 | Factors influencing observed and self-reported functional ability in women with chronic widespread pain: A cross-sectional study. Journal of Rehabilitation Medicine, 2014, 46, 1014-1021.  | 1.1 | 12        |
| 28 | The Relationship between Mechanical Hyperalgesia Assessed by Manual Tender Point Examination and<br>Disease Severity in Patients with Chronic Widespread Pain: A Cross-Sectional Study. International<br>Journal of Rheumatology, 2014, 2014, 1-13.   | 1.6 | 12        |
| 29 | Satisfaction with daily occupations amongst asylum seekers in Denmark. Scandinavian Journal of<br>Occupational Therapy, 2015, 22, 207-215.  | 1.7 | 12        |
| 30 | Agreement between touch-screen and paper-based patient-reported outcomes for patients with<br>fibromyalgia: a randomized cross-over reproducibility study. Scandinavian Journal of Rheumatology,<br>2015, 44, 503-510.  | 1.1 | 11        |
| 31 | Pain mechanisms and ultrasonic inflammatory activity as prognostic factors in patients with psoriatic arthritis: protocol for a prospective, exploratory cohort study. BMJ Open, 2016, 6, e010650.  | 1.9 | 11        |
| 32 | How can groupâ€based multidisciplinary rehabilitation for patients with fibromyalgia influence<br>patients' selfâ€efficacy and ability to cope with their illness: a grounded theory approach. Journal of<br>Clinical Nursing, 2017, 26, 931-945.   | 3.0 | 10        |
| 33 | Improving activities of daily living ability in women with fibromyalgia: An exploratory,<br>quasi-randomized, phase-two study, IMPROvE trial. Journal of Rehabilitation Medicine, 2017, 49, 241-250.  | 1.1 | 10        |
| 34 | Temporal summation of pain and ultrasound Doppler activity as predictors of treatment response in patients with rheumatoid arthritis: protocol for the Frederiksberg hospitals Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. BMJ Open, 2014, 4, e004313. | 1.9 | 9         |
| 35 | Low-dose naltrexone for the treatment of fibromyalgia: protocol for a double-blind, randomized, placebo-controlled trial. Trials, 2021, 22, 804.  | 1.6 | 9         |
| 36 | Are the changes in observed functioning after multi-disciplinary rehabilitation of patients with<br>fibromyalgia associated with changes in pain self-efficacy?. Disability and Rehabilitation, 2017, 39,<br>1744-1752.   | 1.8 | 8         |

KIRSTINE AMRIS

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Differences in ability to perform activities of daily living among women with fibromyalgia: A cross-sectional study. Journal of Rehabilitation Medicine, 2015, 47, 941-947.  | 1.1 | 7         |
| 38 | Predictors of improvement in observed functional ability in patients with fibromyalgia as an outcome of rehabilitation. Journal of Rehabilitation Medicine, 2016, 48, 65-71.   | 1.1 | 7         |
| 39 | Ineffective ADL skills in women with fibromyalgia: a cross-sectional study. Scandinavian Journal of<br>Occupational Therapy, 2016, 23, 391-397.  | 1.7 | 7         |
| 40 | The benefit of adding a physiotherapy or occupational therapy intervention programme to a standardized group-based interdisciplinary rehabilitation programme for patients with chronic widespread pain: a randomized active-controlled non-blinded trial. Clinical Rehabilitation, 2019, 33, 1367-1381. | 2.2 | 7         |
| 41 | Most Trial Eligibility Criteria and Patient Baseline Characteristics Do Not Modify Treatment Effect in<br>Trials Using Targeted Therapies for Rheumatoid Arthritis: A Meta-Epidemiological Study. PLoS ONE,<br>2015, 10, e0136982.   | 2.5 | 7         |
| 42 | Vascular response to ischemia in the feet of falanga torture victims and normal controls–color and spectral Doppler findings. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 12-8.   | 0.1 | 7         |
| 43 | Diagnostic accuracy of heel pad palpation – A phantom study. Journal of Clinical Forensic and Legal<br>Medicine, 2008, 15, 437-442.  | 1.0 | 6         |
| 44 | How widespread should pain be to be defined as widespread?. Pain, 2016, 157, 1831-1832.  | 4.2 | 5         |
| 45 | Biopsychosocial Rehabilitation for Inflammatory Arthritis and Osteoarthritis Patients: A Systematic<br>Review and Metaâ€Analysis of Randomized Trials. Arthritis Care and Research, 2023, 75, 423-436.   | 3.4 | 5         |
| 46 | Producing medico-legal evidence: documentation of torture versus the Saudi Arabian state of denial.<br>Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2007, 17,<br>181-95.   | 0.1 | 3         |
| 47 | The diagnostic value of clinical examination after falangaa pilot validation study. Torture: Quarterly<br>Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 5-11.  | 0.1 | 3         |
| 48 | Activity of Daily Living Performance amongst Danish Asylum Seekers: A cross-sectional study. Torture:<br>Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2014, 24, 16.   | 0.1 | 1         |
| 49 | Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia:<br>protocol for a cohort study. BMJ Open, 2021, 11, e052919.   | 1.9 | 1         |
| 50 | Response to "Letter to the Editor―and comment on: "Self-reported somatosensory symptoms of<br>neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and<br>pressure-pain thresholds―by Amris et al. [Pain;151:664–669]. Pain, 2011, 152, 1685-1686.             | 4.2 | 0         |
| 51 | Weighted Empirical and Euclidean Likelihood Covariate Adjustment. Open Statistics, 2021, 2, 113-138.   | 0.5 | 0         |
| 52 | Clinical performance diagnosing alleged exposure to falangaa phantom study. Torture: Quarterly<br>Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 19-26.   | 0.1 | 0         |