## **Kirstine Amris**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7560217/publications.pdf

Version: 2024-02-01

		471509	526287
52	913	17	27
papers	citations	h-index	g-index
59	59	59	1197
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Biopsychosocial Rehabilitation for Inflammatory Arthritis and Osteoarthritis Patients: A Systematic Review and Metaâ€Analysis of Randomized Trials. Arthritis Care and Research, 2023, 75, 423-436.	3.4	5
2	Comorbidities, pain and fatigue in psoriatic arthritis, psoriasis and healthy controls: a clinical cohort study. Rheumatology, 2021, 60, 3289-3300.	1.9	13
3	Low-dose naltrexone for the treatment of fibromyalgia: protocol for a double-blind, randomized, placebo-controlled trial. Trials, 2021, 22, 804.	1.6	9
4	Weighted Empirical and Euclidean Likelihood Covariate Adjustment. Open Statistics, 2021, 2, 113-138.	0.5	0
5	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study. BMJ Open, 2021, 11, e052919.	1.9	1
6	Relationship Between Fatigue and Inflammation, Disease Duration, and Chronic Pain in Psoriatic Arthritis: An Observational DANBIO Registry Study. Journal of Rheumatology, 2020, 47, 548-552.	2.0	24
7	Low-Dose Naltrexone for the Treatment of Fibromyalgia: Investigation of Dose–Response Relationships. Pain Medicine, 2020, 21, 2253-2261.	1.9	18
8	Interventions for treating persistent pain in survivors of torture. The Cochrane Library, 2019, 2019, CD012051.	2.8	17
9	Pain Mechanisms and Ultrasonic Inflammatory Activity as Prognostic Factors in Patients With Psoriatic Arthritis: A Prospective Cohort Study. Arthritis Care and Research, 2019, 71, 798-810.	3.4	35
10	The benefit of adding a physiotherapy or occupational therapy intervention programme to a standardized group-based interdisciplinary rehabilitation programme for patients with chronic widespread pain: a randomized active-controlled non-blinded trial. Clinical Rehabilitation, 2019, 33, 1367-1381.	2.2	7
11	Pain from torture: assessment and management. Pain Reports, 2019, 4, e794.	2.7	13
12	The course of pain hypersensitivity according to painDETECT in patients with rheumatoid arthritis initiating treatment: results from the prospective FRAME-cohort study. Arthritis Research and Therapy, 2018, 20, 105.	<b>3.</b> 5	13
13	EULAR recommendations for management of fibromyalgia. Annals of the Rheumatic Diseases, 2017, 76, e54-e54.	0.9	33
14	Psychometric properties of the painDETECT questionnaire in rheumatoid arthritis, psoriatic arthritis and spondyloarthritis: Rasch analysis and test-retest reliability. Health and Quality of Life Outcomes, 2017, 15, 110.	2.4	23
15	Treatment of persistent pain from torture: review and commentary. Medicine, Conflict and Survival, 2017, 33, 60-81.	0.9	13
16	How can groupâ€based multidisciplinary rehabilitation for patients with fibromyalgia influence patients' selfâ€efficacy and ability to cope with their illness: a grounded theory approach. Journal of Clinical Nursing, 2017, 26, 931-945.	3.0	10
17	Are the changes in observed functioning after multi-disciplinary rehabilitation of patients with fibromyalgia associated with changes in pain self-efficacy?. Disability and Rehabilitation, 2017, 39, 1744-1752.	1.8	8
18	Improving activities of daily living ability in women with fibromyalgia: An exploratory, quasi-randomized, phase-two study, IMPROvE trial. Journal of Rehabilitation Medicine, 2017, 49, 241-250.	1.1	10

#	Article	IF	CITATIONS
19	Predictors of improvement in observed functional ability in patients with fibromyalgia as an outcome of rehabilitation. Journal of Rehabilitation Medicine, 2016, 48, 65-71.	1.1	7
20	The validity of self-rating depression scales in patients with chronic widespread pain: a Rasch analysis of the Major Depression Inventory. Scandinavian Journal of Rheumatology, 2016, 45, 236-246.	1.1	14
21	The adaptation of a <scp>D</scp> anish version of the <scp>P</scp> ain <scp>S</scp> elfâ€ <scp>E</scp> fficacy <scp>Q</scp> uestionnaire: reliability and construct validity in a population of patients with fibromyalgia in <scp>D</scp> enmark. Scandinavian Journal of Caring Sciences, 2016, 30, 202-210.	2.1	38
22	Pain mechanisms and ultrasonic inflammatory activity as prognostic factors in patients with psoriatic arthritis: protocol for a prospective, exploratory cohort study. BMJ Open, 2016, 6, e010650.	1.9	11
23	How widespread should pain be to be defined as widespread?. Pain, 2016, 157, 1831-1832.	4.2	5
24	Association of Physical Fitness with Depression in Women with Fibromyalgia. Pain Medicine, 2016, 17, 1542-1552.	1.9	23
25	Ineffective ADL skills in women with fibromyalgia: a cross-sectional study. Scandinavian Journal of Occupational Therapy, 2016, 23, 391-397.	1.7	7
26	Managing chronic pain in survivors of torture. Pain Management, 2015, 5, 5-12.	1.5	24
27	Differences in ability to perform activities of daily living among women with fibromyalgia: A cross-sectional study. Journal of Rehabilitation Medicine, 2015, 47, 941-947.	1.1	7
28	Satisfaction with daily occupations amongst asylum seekers in Denmark. Scandinavian Journal of Occupational Therapy, 2015, 22, 207-215.	1.7	12
29	Association of Physical Fitness With Fibromyalgia Severity in Women: The al-Ãndalus Project. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1599-1605.	0.9	34
30	Association of different levels of depressive symptoms with symptomatology, overall disease severity, and quality of life in women with fibromyalgia. Quality of Life Research, 2015, 24, 2951-2957.	3.1	41
31	Agreement between touch-screen and paper-based patient-reported outcomes for patients with fibromyalgia: a randomized cross-over reproducibility study. Scandinavian Journal of Rheumatology, 2015, 44, 503-510.	1.1	11
32	A Longitudinal Study of Changes in Asylum Seekers Ability Regarding Activities of Daily Living During Their Stay in the Asylum Center. Journal of Immigrant and Minority Health, 2015, 17, 852-859.	1.6	22
33	Most Trial Eligibility Criteria and Patient Baseline Characteristics Do Not Modify Treatment Effect in Trials Using Targeted Therapies for Rheumatoid Arthritis: A Meta-Epidemiological Study. PLoS ONE, 2015, 10, e0136982.	<b>2.</b> 5	7
34	Factors influencing observed and self-reported functional ability in women with chronic widespread pain: A cross-sectional study. Journal of Rehabilitation Medicine, 2014, 46, 1014-1021.	1.1	12
35	The Relationship between Mechanical Hyperalgesia Assessed by Manual Tender Point Examination and Disease Severity in Patients with Chronic Widespread Pain: A Cross-Sectional Study. International Journal of Rheumatology, 2014, 2014, 1-13.	1.6	12
36	Temporal summation of pain and ultrasound Doppler activity as predictors of treatment response in patients with rheumatoid arthritis: protocol for the Frederiksberg hospitals Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. BMJ Open, 2014, 4, e004313.	1.9	9

3

#	Article	IF	Citations
37	Interdisciplinary rehabilitation of patients with chronic widespread pain: Primary endpoint of the randomized, nonblinded, parallel-group IMPROvE trial. Pain, 2014, 155, 1356-1364.	4.2	31
38	Can the painDETECT Questionnaire score and MRI help predict treatment outcome in rheumatoid arthritis: protocol for the Frederiksberg hospital's Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. BMJ Open, 2014, 4, e006058.	1.9	16
39	Activity of Daily Living Performance amongst Danish Asylum Seekers: A cross-sectional study. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2014, 24, 16.	0.1	1
40	Assessment of Pressure-Pain Thresholds and Central Sensitization of Pain in Lateral Epicondylalgia. Pain Medicine, 2013, 14, 297-304.	1.9	59
41	Muscle fatigue in fibromyalgia is in the brain, not in the muscles: a case–control study of perceived versus objective muscle fatigue. Annals of the Rheumatic Diseases, 2013, 72, 963-966.	0.9	29
42	Response to "Letter to the Editor―and comment on: "Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds―by Amris et al. [Pain;151:664–669]. Pain, 2011, 152, 1685-1686.	4.2	0
43	Observation-based assessment of functional ability in patients with chronic widespread pain: A cross-sectional study. Pain, 2011, 152, 2470-2476.	4.2	54
44	Performance-based assessment of activities of daily living (ADL) ability among women with chronic widespread pain. Pain, 2010, 150, 535-541.	4.2	34
45	Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds. Pain, 2010, 151, 664-669.	4.2	71
46	The diagnostic value of clinical examination after falangaa pilot validation study. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 5-11.	0.1	3
47	Vascular response to ischemia in the feet of falanga torture victims and normal controlscolor and spectral Doppler findings. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 12-8.	0.1	7
48	Clinical performance diagnosing alleged exposure to falangaa phantom study. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 19-26.	0.1	O
49	Long-term consequences of falanga torture-what do we know and what do we need to know?. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2009, 19, 33-40.	0.1	14
50	Diagnostic accuracy of heel pad palpation – A phantom study. Journal of Clinical Forensic and Legal Medicine, 2008, 15, 437-442.	1.0	6
51	Pain from torture. Pain, 2007, 133, 5-8.	4.2	29
52	Producing medico-legal evidence: documentation of torture versus the Saudi Arabian state of denial. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2007, 17, 181-95.	0.1	3