

Neil Pendleton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7561086/publications.pdf>

Version: 2024-02-01

251
papers

17,510
citations

22132

59
h-index

18633

119
g-index

266
all docs

266
docs citations

266
times ranked

22386
citing authors

#	ARTICLE	IF	CITATIONS
1	Does the association between cognition and education differ between older adults with gradual or rapid trajectories of cognitive decline?. <i>Aging, Neuropsychology, and Cognition</i> , 2022, 29, 666-686.	0.7	2
2	Social care costs for community-dwelling older people living with frailty. <i>Health and Social Care in the Community</i> , 2022, 30, .	0.7	7
3	The effect of season of birth on brain epigenome-wide DNA methylation of older adults. <i>Journal of Developmental Origins of Health and Disease</i> , 2022, 13, 367-377.	0.7	2
4	Polygenic prediction of educational attainment within and between families from genome-wide association analyses in 3 million individuals. <i>Nature Genetics</i> , 2022, 54, 437-449.	9.4	215
5	Associations between chronotype and employment status in a longitudinal study of an elderly population. <i>Chronobiology International</i> , 2022, 39, 1118-1131.	0.9	2
6	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study.. <i>Physiology and Behavior</i> , 2022, 252, 113825.	1.0	2
7	Implementation of a frailty screening programme and Geriatric Assessment Service in a nephrology centre: a quality improvement project. <i>Journal of Nephrology</i> , 2021, 34, 1215-1224.	0.9	21
8	Healthcare system performance and socioeconomic inequalities in hearing and visual impairments in 17 European countries. <i>European Journal of Public Health</i> , 2021, 31, 79-86.	0.1	4
9	Mid to late-life scores of depression in the cognitively healthy are associated with cognitive status and Alzheimer's disease pathology at death. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 713-721.	1.3	10
10	The longitudinal relationship between loneliness, social isolation, and frailty in older adults in England: a prospective analysis. <i>The Lancet Healthy Longevity</i> , 2021, 2, e70-e77.	2.0	62
11	Analysis of human total antibody repertoires in TIF1 β autoantibody positive dermatomyositis. <i>Communications Biology</i> , 2021, 4, 419.	2.0	9
12	Superior Frontal Gyru TOMM40-APOE Locus DNA Methylation in Alzheimer's Disease. <i>Journal of Alzheimer's Disease Reports</i> , 2021, 5, 275-282.	1.2	4
13	Early life factors and COVID-19 infection in England: A prospective analysis of UK Biobank participants. <i>Early Human Development</i> , 2021, 155, 105326.	0.8	12
14	Identifying nootropic drug targets via large-scale cognitive GWAS and transcriptomics. <i>Neuropsychopharmacology</i> , 2021, 46, 1788-1801.	2.8	12
15	Early changes in visuospatial episodic memory can help distinguish primary age-related tauopathy from Alzheimer's disease. <i>Neuropathology and Applied Neurobiology</i> , 2021, 47, 1114-1116.	1.8	6
16	Home-based exercise for people living with frailty and chronic kidney disease: A mixed-methods pilot randomised controlled trial. <i>PLoS ONE</i> , 2021, 16, e0251652.	1.1	17
17	Associations Between Self-Reported Sensory Impairment and Risk of Cognitive Decline and Impairment in the Health and Retirement Study Cohort. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 1230-1242.	2.4	82
18	Frailty is independently associated with worse health-related quality of life in chronic kidney disease: a secondary analysis of the Frailty Assessment in Chronic Kidney Disease study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 85-94.	1.4	39

#	ARTICLE	IF	CITATIONS
19	Longitudinal sleep efficiency in the elderly and its association with health. <i>Journal of Sleep Research</i> , 2020, 29, e12898.	1.7	19
20	A Comparative Study of Pathological Outcomes in The University of Manchester Longitudinal Study of Cognition in Normal Healthy Old Age and Brains for Dementia Research Cohorts. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 619-632.	1.2	6
21	Normative Estimates and Agreement Between 2 Measures of Health-Related Quality of Life in Older People With Frailty: Findings From the Community Ageing Research 75+ Cohort. <i>Value in Health</i> , 2020, 23, 1056-1062.	0.1	7
22	The Contribution of Vascular Pathology Toward Cognitive Impairment in Older Individuals with Intermediate Braak Stage Tau Pathology. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1005-1015.	1.2	5
23	Influence of APOE Genotype on Mortality and Cognitive Impairment. <i>Journal of Alzheimer's Disease Reports</i> , 2020, 4, 281-286.	1.2	8
24	Influence of APOE genotype in primary age-related tauopathy. <i>Acta Neuropathologica Communications</i> , 2020, 8, 215.	2.4	13
25	Regulation of interleukin 6 by a polymorphic CpG within the frontal cortex in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2020, 92, 75-81.	1.5	9
26	Interactions between season of birth, chronological age and genetic polymorphisms in determining later-life chronotype. <i>Mechanisms of Ageing and Development</i> , 2020, 188, 111253.	2.2	5
27	Seasonality and season of birth effect in the UK Biobank cohort. <i>American Journal of Human Biology</i> , 2020, 32, e23417.	0.8	11
28	The EX-FRAIL CKD trial: a study protocol for a pilot randomised controlled trial of a home-based EXercise programme for pre-frail and FRAIL, older adults with Chronic Kidney Disease. <i>BMJ Open</i> , 2020, 10, e035344.	0.8	11
29	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. <i>PLoS ONE</i> , 2020, 15, e0234623.	1.1	8
30	Epigenetic Regulation of BMAL1 with Sleep Disturbances and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1783-1792.	1.2	7
31	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. , 2020, 15, e0234623.		0
32	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. , 2020, 15, e0234623.		0
33	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. , 2020, 15, e0234623.		0
34	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. , 2020, 15, e0234623.		0
35	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. , 2020, 15, e0234623.		0
36	Trajectories of recall memory as predictive of hearing impairment: A longitudinal cohort study. , 2020, 15, e0234623.		0

#	ARTICLE	IF	CITATIONS
37	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. <i>American Journal of Human Genetics</i> , 2019, 105, 334-350.	2.6	86
38	Longitudinal change of sleep timing: association between chronotype and longevity in older adults. <i>Chronobiology International</i> , 2019, 36, 1285-1300.	0.9	45
39	Hearing Impairment, Loneliness, Social Isolation, and Cognitive Function: Longitudinal Analysis Using English Longitudinal Study on Ageing. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1348-1356.	0.6	109
40	Metabolic dysregulation in vitamin B12 and carnitine shuttle energy mechanisms associate with human frailty. <i>Nature Communications</i> , 2019, 10, 5027.	5.8	70
41	Dysregulation of BDNF in Prefrontal Cortex in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 1089-1097.	1.2	20
42	Genetic influences on the variability of response to repetitive transcranial magnetic stimulation in human pharyngeal motor cortex. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13612.	1.6	12
43	No association between head injury with loss of consciousness and Alzheimer disease pathology—Findings from the University of Manchester Longitudinal Study of Cognition in Normal Healthy Old Age. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1262-1266.	1.3	4
44	Genome-wide association analyses of risk tolerance and risky behaviors in over 1 million individuals identify hundreds of loci and shared genetic influences. <i>Nature Genetics</i> , 2019, 51, 245-257.	9.4	536
45	Diagnostic Accuracy of Frailty Screening Methods in Advanced Chronic Kidney Disease. <i>Nephron</i> , 2019, 141, 147-155.	0.9	41
46	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 701-709.	1.8	28
47	Scores Obtained from a Simple Cognitive Test of Visuospatial Episodic Memory Performed Decades before Death Are Associated with the Ultimate Presence of Alzheimer Disease Pathology. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 79-90.	0.7	9
48	Longitudinal Relationship Between Hearing Aid Use and Cognitive Function in Older Americans. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1130-1136.	1.3	167
49	Urinary incontinence and sexual health in a population sample of older people. <i>BJU International</i> , 2018, 122, 300-308.	1.3	11
50	Frailty and chronic kidney disease: current evidence and continuing uncertainties. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 236-245.	1.4	130
51	Visual and hearing impairments are associated with cognitive decline in older people. <i>Age and Ageing</i> , 2018, 47, 575-581.	0.7	98
52	Genome-wide scan of depressive symptomatology in two representative cohorts in the United States and the United Kingdom. <i>Journal of Psychiatric Research</i> , 2018, 100, 63-70.	1.5	3
53	Elevated luteinizing hormone despite normal testosterone levels in older men—natural history, risk factors and clinical features. <i>Clinical Endocrinology</i> , 2018, 88, 479-490.	1.2	26
54	Dysregulation of C-X-C motif ligand 10 during aging and association with cognitive performance. <i>Neurobiology of Aging</i> , 2018, 63, 54-64.	1.5	47

#	ARTICLE	IF	CITATIONS
55	Older people with hip fracture transferred to intermediate care: outcomes in an integrated health and social care model. <i>Future Healthcare Journal</i> , 2018, 5, 58-63.	0.6	4
56	Frailty Index associates with GRIN2B in two representative samples from the United States and the United Kingdom. <i>PLoS ONE</i> , 2018, 13, e0207824.	1.1	10
57	Resilience to cognitive impairment in the oldest-old: design of the EMIF-AD 90+ study. <i>BMC Geriatrics</i> , 2018, 18, 289.	1.1	25
58	An application of Bayesian measurement invariance to modelling cognition over time in the English Longitudinal Study of Ageing. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1749.	1.1	4
59	Cataract surgery and age-related cognitive decline: A 13-year follow-up of the English Longitudinal Study of Ageing. <i>PLoS ONE</i> , 2018, 13, e0204833.	1.1	35
60	The EMIF-AD PreclinAD study: study design and baseline cohort overview. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 75.	3.0	48
61	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. <i>Nature Communications</i> , 2018, 9, 2098.	5.8	484
62	Patterns and severity of vascular amyloid in Alzheimer's disease associated with duplications and missense mutations in APP gene, Down syndrome and sporadic Alzheimer's disease. <i>Acta Neuropathologica</i> , 2018, 136, 569-587.	3.9	47
63	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. <i>Clinical Endocrinology</i> , 2018, 89, 459-469.	1.2	44
64	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. <i>Nature Genetics</i> , 2018, 50, 912-919.	9.4	893
65	Multi-Trait Analysis of GWAS and Biological Insights Into Cognition: A Response to Hill (2018). <i>Twin Research and Human Genetics</i> , 2018, 21, 394-397.	0.3	3
66	Pathological Correlates of Cognitive Impairment in The University of Manchester Longitudinal Study of Cognition in Normal Healthy Old Age. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 483-496.	1.2	22
67	Dementia across local districts in England 2014 to 2015. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1127-1131.	1.3	3
68	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. <i>European Journal of Nutrition</i> , 2017, 56, 2093-2103.	1.8	13
69	GWAS meta-analysis reveals novel loci and genetic correlates for general cognitive function: a report from the COGENT consortium. <i>Molecular Psychiatry</i> , 2017, 22, 336-345.	4.1	194
70	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 662-671.	0.6	16
71	Genome-wide association meta-analysis of 78,308 individuals identifies new loci and genes influencing human intelligence. <i>Nature Genetics</i> , 2017, 49, 1107-1112.	9.4	425
72	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2798-2806.	1.8	19

#	ARTICLE	IF	CITATIONS
73	Trajectories of general cognition and dementia in English older population: An exploration. <i>European Geriatric Medicine</i> , 2017, 8, 454-459.	1.2	14
74	Genome-wide meta-analysis associates HLA-DQA1/DRB1 and LPA and lifestyle factors with human longevity. <i>Nature Communications</i> , 2017, 8, 910.	5.8	118
75	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. <i>Cell Reports</i> , 2017, 21, 2597-2613.	2.9	103
76	Changes in prevalence of obesity and high waist circumference over four years across European regions: the European male ageing study (EMAS). <i>Endocrine</i> , 2017, 55, 456-469.	1.1	21
77	Genetic variants specific to aging-related verbal memory: Insights from GWASs in a population-based cohort. <i>PLoS ONE</i> , 2017, 12, e0182448.	1.1	28
78	Interactions Between Depression and Lower Urinary Tract Symptoms: The Role of Adverse Life Events and Inflammatory Mechanisms. Results From the European Male Ageing Study. <i>Psychosomatic Medicine</i> , 2016, 78, 758-769.	1.3	13
79	A role for HLA-DQB1*1101 and DRB1*0801 in cognitive ability and its decline with age. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 209-214.	1.1	1
80	Comparison of hypertension healthcare outcomes among older people in the USA and England. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 264-270.	2.0	9
81	Frailty and bone health in European men. <i>Age and Ageing</i> , 2016, 46, 635-641.	0.7	19
82	Progesterone therapy for the treatment of non-cancer cachexia: a systematic review. <i>BMJ Supportive and Palliative Care</i> , 2016, 6, 276-286.	0.8	12
83	Genetic determinants of swallowing impairment, recovery and responsiveness to treatment. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2016, 4, 249-256.	0.3	5
84	Tu1256 Exploring the Association Between Genetic Polymorphisms and Swallowing Motor Cortex Excitability Induced by Repetitive Transcranial Magnetic Stimulation: Is Response Predicted by Genetic Predisposition?. <i>Gastroenterology</i> , 2016, 150, S859.	0.6	0
85	Genome-wide association study identifies 74 loci associated with educational attainment. <i>Nature</i> , 2016, 533, 539-542.	13.7	1,204
86	The androgen receptor gene CAG repeat length in relation to 4-year changes in androgen-sensitive endpoints in community-dwelling older European men. <i>European Journal of Endocrinology</i> , 2016, 175, 583-593.	1.9	11
87	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016, 85, 891-901.	1.2	31
88	Genetic variants linked to education predict longevity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13366-13371.	3.3	110
89	16 INNOVATION ON THE ORTHOPAEDIC UNIT: EVALUATION OF A NEW ORTHOGERIATRIC SERVICE. <i>Age and Ageing</i> , 2016, 45, i4-i4.	0.7	0
90	A Longitudinal Study of Symptoms of Oropharyngeal Dysphagia in an Elderly Community-Dwelling Population. <i>Dysphagia</i> , 2016, 31, 560-566.	1.0	34

#	ARTICLE	IF	CITATIONS
91	Tu1255 Variable Responsivity in the Human Pharyngeal Motor Cortex Following Excitatory/Inhibitory Non-Invasive Brain Stimulation Paradigms. <i>Gastroenterology</i> , 2016, 150, S859.	0.6	0
92	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 32.	0.8	25
93	Lower bone turnover and relative bone deficits in men with metabolic syndrome: a matter of insulin sensitivity? The European Male Ageing Study. <i>Osteoporosis International</i> , 2016, 27, 3227-3237.	1.3	29
94	Sexual Health and Well-being Among Older Men and Women in England: Findings from the English Longitudinal Study of Ageing. <i>Archives of Sexual Behavior</i> , 2016, 45, 133-144.	1.2	255
95	Sexual Health and Positive Subjective Well-Being in Partnered Older Men and Women. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2016, 71, 698-710.	2.4	64
96	The relationship between psychological distress and multiple tender points across the adult lifespan. <i>Archives of Gerontology and Geriatrics</i> , 2016, 63, 102-107.	1.4	11
97	A TOMM40 poly-T variant modulates gene expression and is associated with vocabulary ability and decline in nonpathologic aging. <i>Neurobiology of Aging</i> , 2016, 39, 217.e1-217.e7.	1.5	34
98	Physical activity in older age: perspectives for healthy ageing and frailty. <i>Biogerontology</i> , 2016, 17, 567-580.	2.0	767
99	Examining non-syndromic autosomal recessive intellectual disability (NS-ARID) genes for an enriched association with intelligence differences. <i>Intelligence</i> , 2016, 54, 80-89.	1.6	10
100	Chronic widespread pain is associated with worsening frailty in European men. <i>Age and Ageing</i> , 2016, 45, 268-274.	0.7	63
101	Genome-wide autozygosity is associated with lower general cognitive ability. <i>Molecular Psychiatry</i> , 2016, 21, 837-843.	4.1	62
102	Proinflammatory genotype is associated with the frailty phenotype in the English Longitudinal Study of Ageing. <i>Ageing Clinical and Experimental Research</i> , 2016, 28, 413-421.	1.4	27
103	No association between apolipoprotein E or N and Acetyltransferase 2 gene polymorphisms and age-related hearing loss. <i>Laryngoscope</i> , 2015, 125, E33-8.	1.1	12
104	Independent evidence for an association between general cognitive ability and a genetic locus for educational attainment. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015, 168, 363-373.	1.1	25
105	A novel association between COMT and BDNF gene polymorphisms and likelihood of symptomatic dysphagia in older people. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1223-1231.	1.6	7
106	Associations Between Sex Steroids and the Development of Metabolic Syndrome: A Longitudinal Study in European Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1396-1404.	1.8	97
107	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). <i>Age and Ageing</i> , 2015, 44, 801-807.	0.7	4
108	Genetic variant of Interleukin-18 gene is associated with the Frailty Index in the English Longitudinal Study of Ageing. <i>Age and Ageing</i> , 2015, 44, 938-942.	0.7	33

#	ARTICLE	IF	CITATIONS
109	Genetic determinants of swallowing impairments among community dwelling older population. <i>Experimental Gerontology</i> , 2015, 69, 196-201.	1.2	7
110	Erectile dysfunction and phosphodiesterase type 5 inhibitor use: associations with sexual activities, function and satisfaction in a population sample of older men. <i>International Journal of Impotence Research</i> , 2015, 27, 146-151.	1.0	17
111	Associations of obesity with socioeconomic and lifestyle factors in middle-aged and elderly men: European Male Aging Study (EMAS). <i>European Journal of Endocrinology</i> , 2015, 172, 59-67.	1.9	17
112	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3172-3182.	1.8	118
113	Homozygosity in the ApoE 4 polymorphism is associated with dysphagic symptoms in older adults. <i>Ecological Management and Restoration</i> , 2015, 28, 97-103.	0.2	10
114	Polygenic Risk for Alzheimer's Disease is not Associated with Cognitive Ability or Cognitive Aging in Non-Demented Older People. <i>Journal of Alzheimer's Disease</i> , 2014, 39, 565-574.	1.2	63
115	Androgen Receptor Polymorphism-Dependent Variation in Prostate-Specific Antigen Concentrations of European Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2048-2056.	1.1	8
116	Human cognitive ability is influenced by genetic variation in components of postsynaptic signalling complexes assembled by NMDA receptors and MAGUK proteins. <i>Translational Psychiatry</i> , 2014, 4, e341-e341.	2.4	63
117	Low Prolactin Is Associated with Sexual Dysfunction and Psychological or Metabolic Disturbances in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). <i>Journal of Sexual Medicine</i> , 2014, 11, 240-253.	0.3	63
118	Predicting cognitive ability in ageing cohorts using Type 2 diabetes genetic risk. <i>Diabetic Medicine</i> , 2014, 31, 714-720.	1.2	13
119	A genome-wide association study implicates the APOE locus in nonpathological cognitive ageing. <i>Molecular Psychiatry</i> , 2014, 19, 76-87.	4.1	142
120	Late-Onset Hypogonadism and Mortality in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 1357-1366.	1.8	184
121	Molecular genetic evidence for overlap between general cognitive ability and risk for schizophrenia: a report from the Cognitive Genomics consortium (COGENT). <i>Molecular Psychiatry</i> , 2014, 19, 168-174.	4.1	178
122	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014, 43, 528-535.	0.7	19
123	<sc>GWAS</sc>-based pathway analysis differentiates between fluid and crystallized intelligence. <i>Genes, Brain and Behavior</i> , 2014, 13, 663-674.	1.1	27
124	Outcomes Following Hip Fracture Surgery: A 2-Year Prospective Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 838-844.	0.6	19
125	Functional Gene Group Analysis Indicates No Role for Heterotrimeric G Proteins in Cognitive Ability. <i>PLoS ONE</i> , 2014, 9, e91690.	1.1	3
126	Analysing Censored Longitudinal Data with Non-Ignorable Missing Values: Depression in Older Age. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2013, 176, 415-430.	0.6	2

#	ARTICLE	IF	CITATIONS
127	The ability of three different models of frailty to predict all-cause mortality: Results from the European Male Aging Study (EMAS). <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 360-368.	1.4	121
128	Active Vitamin D (1,25-Dihydroxyvitamin D) and Bone Health in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 995-1005.	1.8	61
129	Epidemiological evidence against a role for C-reactive protein causing leptin resistance. <i>European Journal of Endocrinology</i> , 2013, 168, 101-106.	1.9	5
130	Anabolic Steroid Induced Hypogonadism in Young Men. <i>Journal of Urology</i> , 2013, 190, 2200-2205.	0.2	100
131	Age-associated changes in hypothalamic-pituitary-testicular function in middle-aged and older men are modified by weight change and lifestyle factors: longitudinal results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2013, 168, 445-455.	1.9	316
132	Comparisons of Immunoassay and Mass Spectrometry Measurements of Serum Estradiol Levels and Their Influence on Clinical Association Studies in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1097-E1102.	1.8	58
133	Frailty and Sexual Health in Older European Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 837-844.	1.7	32
134	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 427-436.	0.5	112
135	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. <i>Age and Ageing</i> , 2013, 42, 352-359.	0.7	74
136	Cohort Profile: The European Male Ageing Study. <i>International Journal of Epidemiology</i> , 2013, 42, 391-401.	0.9	41
137	FRAILTY IS ASSOCIATED WITH IMPAIRED QUALITY OF LIFE AND FALLS IN MIDDLE-AGED AND OLDER EUROPEAN MEN. <i>Journal of Frailty & Aging</i> , 2013, 2, 1-7.	0.8	11
138	Evolutionary conserved longevity genes and human cognitive abilities in elderly cohorts. <i>European Journal of Human Genetics</i> , 2012, 20, 341-347.	1.4	24
139	Characteristics of Androgen Deficiency in Late-Onset Hypogonadism: Results from the European Male Ageing Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1508-1516.	1.8	258
140	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. <i>European Journal of Endocrinology</i> , 2012, 166, 983-991.	1.9	169
141	Proposing a cardiac model for vascular dementia. <i>British Journal of Nursing</i> , 2012, 21, 1124-1124.	0.3	2
142	Common SNPs explain some of the variation in the personality dimensions of neuroticism and extraversion. <i>Translational Psychiatry</i> , 2012, 2, e102-e102.	2.4	156
143	Association of hypogonadism with vitamin D status: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2012, 166, 77-85.	1.9	166
144	The Non-Synonymous SNP, R1150W, in <i>SCN9A</i> is Not Associated with Chronic Widespread Pain Susceptibility. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-72.	1.0	16

#	ARTICLE	IF	CITATIONS
145	Genetic Copy Number Variation and General Cognitive Ability. PLoS ONE, 2012, 7, e37385.	1.1	21
146	Genome-wide association uncovers shared genetic effects among personality traits and mood states. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 684-695.	1.1	112
147	The role of <i>ECE1</i> variants in cognitive ability in old age and Alzheimer's disease risk. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 696-709.	1.1	11
148	Thyroid hormones and male sexual function. Journal of Developmental and Physical Disabilities, 2012, 35, 668-679.	3.6	58
149	Effects of gene copy number variants on personality and mood in ageing cohorts. Personality and Individual Differences, 2012, 53, 393-397.	1.6	6
150	Outcomes Following Hip Fracture Surgery. American Journal of Geriatric Psychiatry, 2012, , 1.	0.6	0
151	Genome-wide association studies establish that human intelligence is highly heritable and polygenic. Molecular Psychiatry, 2011, 16, 996-1005.	4.1	571
152	Val66Met in Brain-Derived Neurotrophic Factor Affects Stimulus-Induced Plasticity in the Human Pharyngeal Motor Cortex. Gastroenterology, 2011, 141, 827-836.e3.	0.6	32
153	Lower vitamin D levels are associated with depression among community-dwelling European men. Journal of Psychopharmacology, 2011, 25, 1320-1328.	2.0	99
154	Analytic Hierarchy Process (AHP) for Examining Healthcare Professionals' Assessments of Risk Factors. Methods of Information in Medicine, 2011, 50, 435-444.	0.7	85
155	Characterisation and Carriage Ratio of Clostridium difficile Strains Isolated from a Community-Dwelling Elderly Population in the United Kingdom. PLoS ONE, 2011, 6, e22804.	1.1	58
156	Polymorphisms in Genes Involved in the NF- κ B Signalling Pathway Are Associated with Bone Mineral Density, Geometry and Turnover in Men. PLoS ONE, 2011, 6, e28031.	1.1	19
157	Prevalence and symptom profiling of oropharyngeal dysphagia in a community dwelling of an elderly population: a self-reporting questionnaire survey. Ecological Management and Restoration, 2011, 24, 476-480.	0.2	187
158	Frailty in Relation to Variations in Hormone Levels of the Hypothalamic-Pituitary-Testicular Axis in Older Men: Results From the European Male Aging Study. Journal of the American Geriatrics Society, 2011, 59, 814-821.	1.3	52
159	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. Pain, 2011, 152, 1495-1501.	2.0	24
160	Treatment and prevention of depression after surgery for hip fracture in older people: Cost-effectiveness analysis. Journal of Affective Disorders, 2011, 128, 211-219.	2.0	27
161	Granular expression of prolyl-peptidyl isomerase PIN1 is a constant and specific feature of Alzheimer's disease pathology and is independent of tau, A β and TDP-43 pathology. Acta Neuropathologica, 2011, 121, 635-649.	3.9	20
162	Influence of age and sex steroids on bone density and geometry in middle-aged and elderly European men. Osteoporosis International, 2011, 22, 1513-1523.	1.3	46

#	ARTICLE	IF	CITATIONS
163	Influence of Insulin-Like Growth Factor Binding Protein (IGFBP)-1 and IGFBP-3 on Bone Health: Results from the European Male Ageing Study. <i>Calcified Tissue International</i> , 2011, 88, 503-510.	1.5	22
164	Influence of Polymorphisms in the RANKL/RANK/OPG Signaling Pathway on Volumetric Bone Mineral Density and Bone Geometry at the Forearm in Men. <i>Calcified Tissue International</i> , 2011, 89, 446-455.	1.5	16
165	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. <i>BMC Medical Genetics</i> , 2011, 12, 19.	2.1	10
166	The Relationships between Sex Hormones and Sexual Function in Middle-Aged and Older European Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1577-E1587.	1.8	103
167	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2011, 38, 370-377.	1.0	16
168	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). <i>European Journal of Endocrinology</i> , 2011, 165, 977-986.	1.9	28
169	Terminal Pathologies Affect Rates of Decline to Different Extents and Age Accelerates the Effects of Terminal Pathology on Cognitive Decline. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011, 66B, 325-334.	2.4	9
170	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2011, 164, 1003-1011.	1.9	90
171	Does cementing the femoral component increase the risk of peri-operative mortality for patients having replacement surgery for a fracture of the neck of femur?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1405-1410.	3.4	53
172	The ESR1 (6q25) Locus Is Associated with Calcaneal Ultrasound Parameters and Radial Volumetric Bone Mineral Density in European Men. <i>PLoS ONE</i> , 2011, 6, e22037.	1.1	9
173	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. <i>Calcified Tissue International</i> , 2010, 86, 211-219.	1.5	24
174	Gonadal sex steroid status and bone health in middle-aged and elderly European men. <i>Osteoporosis International</i> , 2010, 21, 1331-1339.	1.3	37
175	Chronic widespread pain is associated with slower cognitive processing speed in middle-aged and older European men. <i>Pain</i> , 2010, 151, 30-36.	2.0	92
176	Age-Related Changes in General and Sexual Health in Middle-Aged and Older Men: Results from the European Male Ageing Study (EMAS). <i>Journal of Sexual Medicine</i> , 2010, 7, 1362-1380.	0.3	377
177	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1830-1838.	3.1	55
178	Association of cognitive performance with the metabolic syndrome and with glycaemia in middle-aged and older European men: the European Male Ageing Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 668-676.	1.7	47
179	Clinical correlates of cerebral white matter hyperintensities in cognitively normal older adults. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, 127-131.	1.4	14
180	Developing a self-reported comorbidity index to predict mortality of community-dwelling older adults. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, e63-e67.	1.4	4

#	ARTICLE	IF	CITATIONS
181	Characteristics of Secondary, Primary, and Compensated Hypogonadism in Aging Men: Evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1810-1818.	1.8	481
182	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2010, 162, 1155-1164.	1.9	25
183	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1448-1452.	0.5	86
184	Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1898-1908.	1.8	37
185	M1282 The BDNF Polymorphism Val66met Predicts Stimulus Driven Plasticity in the Human Swallowing Motor System. <i>Gastroenterology</i> , 2010, 138, S-371.	0.6	0
186	Identification of Late-Onset Hypogonadism in Middle-Aged and Elderly Men. <i>New England Journal of Medicine</i> , 2010, 363, 123-135.	13.9	1,274
187	Investigation of a functional quinone oxidoreductase (NQO2) polymorphism and cognitive decline. <i>Neurobiology of Aging</i> , 2010, 31, 351-352.	1.5	14
188	WEB-BASED SYSTEM FOR ASSESSING RISK FACTORS FOR FALLS IN COMMUNITY-DWELLING ELDERLY PEOPLE USING THE ANALYTIC HIERARCHY PROCESS. <i>International Journal of the Analytic Hierarchy Process</i> , 2010, 2, .	0.2	12
189	Influence of lifestyle factors on quantitative heel ultrasound measurements in middle-aged and elderly men. <i>Calcified Tissue International</i> , 2010, 86, 211-9.	1.5	2
190	Increased Estrogen Rather Than Decreased Androgen Action Is Associated with Longer Androgen Receptor CAG Repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 277-284.	1.8	125
191	Investigating the determinants of international differences in the prevalence of chronic widespread pain: evidence from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 690-695.	0.5	41
192	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009, 36, 2523-2530.	1.0	3
193	Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. <i>European Journal of Endocrinology</i> , 2009, 161, 947-954.	1.9	99
194	The association between different cognitive domains and age in a multi-centre study of middle-aged and older European men. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1257-1266.	1.3	10
195	No Association Between Cholinergic Muscarinic Receptor 2 (CHRM2) Genetic Variation and Cognitive Abilities in Three Independent Samples. <i>Behavior Genetics</i> , 2009, 39, 513-523.	1.4	10
196	The European Male Ageing Study (EMAS): design, methods and recruitment. <i>Journal of Developmental and Physical Disabilities</i> , 2009, 32, 11-24.	3.6	137
197	Activational effects of sex hormones on cognition in men. <i>Clinical Endocrinology</i> , 2009, 71, 607-623.	1.2	28
198	Variation in the dysbindin gene and normal cognitive function in three independent population samples. <i>Genes, Brain and Behavior</i> , 2009, 8, 218-227.	1.1	47

#	ARTICLE	IF	CITATIONS
199	Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). <i>Journal of Bone and Mineral Research</i> , 2009, 24, 314-323.	3.1	21
200	Association between 25-hydroxyvitamin D levels and cognitive performance in middle-aged and older European men. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 722-729.	0.9	130
201	Polymorphisms spanning the 5'ON exon and promoter of the estrogen receptor β (ER β) gene (ESR2) are associated with venous ulceration. <i>Clinical Genetics</i> , 2008, 73, 55-61.	1.0	35
202	Brain-derived neurotrophic factor polymorphism Val66Met influences cognitive abilities in the elderly. <i>Genes, Brain and Behavior</i> , 2008, 7, 411-417.	1.1	167
203	Additive effect of BDNF and REST polymorphisms is associated with improved general cognitive ability. <i>Genes, Brain and Behavior</i> , 2008, 7, 714-719.	1.1	27
204	Assessment of Sexual Health in Aging Men in Europe: Development and Validation of the European Male Ageing Study Sexual Function Questionnaire. <i>Journal of Sexual Medicine</i> , 2008, 5, 1374-1385.	0.3	80
205	Genetic aspects in the gender-specific aging of men. <i>Journal of Men's Health</i> , 2008, 5, A3-A3.	0.1	0
206	The impact of psychological factors in recovery following surgery for hip fracture. <i>Disability and Rehabilitation</i> , 2008, 30, 716-722.	0.9	38
207	Age-associated losses of brain volume predict longitudinal cognitive declines over 8 to 20 years.. <i>Neuropsychology</i> , 2008, 22, 3-9.	1.0	19
208	Apolipoprotein E ϵ 4 Allele Frequency and Age at Onset of Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 60-66.	0.7	56
209	Perceptions of Risk and Prevention of Dementia in the Healthy Elderly. <i>Dementia and Geriatric Cognitive Disorders</i> , 2007, 23, 368-371.	0.7	54
210	White matter lesions account for all age-related declines in speed but not in intelligence.. <i>Neuropsychology</i> , 2007, 21, 363-370.	1.0	85
211	Effects of global atrophy, white matter lesions, and cerebral blood flow on age-related changes in speed, memory, intelligence, vocabulary, and frontal function.. <i>Neuropsychology</i> , 2007, 21, 684-695.	1.0	41
212	Type 2 Diabetes Whole-Genome Association Study in Four Populations: The DiaGen Consortium. <i>American Journal of Human Genetics</i> , 2007, 81, 338-345.	2.6	172
213	Predictors of Incident Depression After Hip Fracture Surgery. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 807-814.	0.6	41
214	Treatment and Prevention of Depression After Surgery for Hip Fracture in Older People: Randomized, Controlled Trials. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 75-80.	1.3	62
215	Losses in gross brain volume and cerebral blood flow account for age-related differences in speed but not in fluid intelligence.. <i>Neuropsychology</i> , 2006, 20, 549-557.	1.0	45
216	Fear of falling more important than pain and depression for functional recovery after surgery for hip fracture in older people. <i>Psychological Medicine</i> , 2006, 36, 1635-1645.	2.7	99

#	ARTICLE	IF	CITATIONS
217	Influence and interactions of cathepsin D, HLA-DRB1 and APOE on cognitive abilities in an older non-demented population. <i>Genes, Brain and Behavior</i> , 2006, 5, 23-31.	1.1	22
218	Balance marks cognitive changes in old age because it reflects global brain atrophy and cerebro-arterial blood-flow. <i>Neuropsychologia</i> , 2006, 44, 1978-1983.	0.7	16
219	Genetic associations between cathepsin D exon 2 C->T polymorphism and Alzheimer's disease, and pathological correlations with genotype. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 515-517.	0.9	33
220	The apolipoprotein E ϵ 4 allele selectively increases the risk of frontotemporal lobar degeneration in males. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 154-158.	0.9	38
221	Apolipoprotein E ϵ 4 Allele Frequency in Vascular Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 22, 15-19.	0.7	45
222	Relationship between self-reported prevalence of diabetes mellitus using the Cornell Medical Index (CMI) and prevalence determined by glycosylated hemoglobin (HbA1c) in an elderly community-dwelling population. <i>Archives of Gerontology and Geriatrics</i> , 2005, 41, 289-296.	1.4	10
223	Influence of serotonin transporter gene polymorphisms on cognitive decline and cognitive abilities in a nondemented elderly population. <i>Molecular Psychiatry</i> , 2005, 10, 1133-1139.	4.1	43
224	The dinucleotide (CA) repeat polymorphism of estrogen receptor beta but not the dinucleotide (TA) repeat polymorphism of estrogen receptor alpha is associated with venous ulceration. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2005, 97, 266-270.	1.2	33
225	The University of Manchester Longitudinal Study of Cognition in Normal Healthy Old Age, 1983 through 2003. <i>Aging, Neuropsychology, and Cognition</i> , 2004, 11, 245-279.	0.7	107
226	Concordance of Cornell medical index self-reports to structured clinical assessment for the identification of physical health status. <i>Archives of Gerontology and Geriatrics</i> , 2004, 38, 261-269.	1.4	20
227	Cathepsin D exon 2 polymorphism associated with general intelligence in a healthy older population. <i>Molecular Psychiatry</i> , 2003, 8, 14-18.	4.1	42
228	Effects of death within 11 years on cognitive performance in old age.. <i>Psychology and Aging</i> , 2002, 17, 468-481.	1.4	34
229	Apolipoprotein E genotype does not predict decline in intelligence in healthy older adults. <i>Neuroscience Letters</i> , 2002, 324, 74-76.	1.0	43
230	Predictors of outcome following hip fracture. Admission time predicts length of stay and in-hospital mortality. <i>Injury</i> , 2002, 33, 1-6.	0.7	106
231	Effects of death within 11 years on cognitive performance in old age.. <i>Psychology and Aging</i> , 2002, 17, 468-481.	1.4	10
232	Clinical features of dementia associated with apolipoprotein ϵ 4: discrimination with a neural network genetic algorithm. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 77-81.	1.3	9
233	Prognostic value of vascularity and vascular endothelial growth factor expression in non-small cell lung cancer. <i>Journal of Clinical Pathology</i> , 2001, 54, 116-120.	1.0	39
234	Opinions of Elderly People on Treatment for End-Stage Renal Disease. <i>Gerontology</i> , 1999, 45, 156-159.	1.4	46

#	ARTICLE	IF	CITATIONS
235	A study of infection in elderly nursing/ residential home and community-based residents. Journal of Hospital Infection, 1999, 43, 123-129.	1.4	16
236	Assessment of vascularity in histological sections: effects of methodology and value as an index of angiogenesis in breast tumours. The Histochemical Journal, 1998, 30, 849-856.	0.6	58
237	Heterogeneity in microvascular density in lung tumours: comparison with normal bronchus. British Journal of Cancer, 1998, 77, 946-951.	2.9	29
238	Prediction of hemorrhagic blood loss with a genetic algorithm neural network. Journal of Applied Physiology, 1998, 84, 357-361.	1.2	13
239	HIGH TECHNOLOGY MEDICAL INTERVENTIONS: WHAT DO OLDER PEOPLE WANT?. Journal of the American Geriatrics Society, 1997, 45, 1409-1411.	1.3	2
240	Relationship between vascularity, age and survival in non-small-cell lung cancer. British Journal of Cancer, 1997, 76, 1367-1375.	2.9	60
241	Comparison of a genetic algorithm neural network with logistic regression for predicting outcome after surgery for patients with nonsmall cell lung carcinoma. , 1997, 79, 1338-1342.		76
242	Biphasic effect of thrombospondin-1 (TSP-1) in the regulation of angiogenesis in human breast carcinoma. Biochemical Society Transactions, 1996, 24, 368S-368S.	1.6	10
243	EXPRESSION OF MARKERS OF DIFFERENTIATION IN NORMAL BRONCHIAL EPITHELIUM AND BRONCHIAL DYSPLASIA. , 1996, 178, 146-150.		23
244	'Tumour volume' as a predictor of survival after resection of non-small-cell lung cancer (NSCLC). British Journal of Cancer, 1996, 74, 456-459.	2.9	24
245	The relationship between aging and disease. Reviews in Clinical Gerontology, 1995, 5, 125-141.	0.5	10
246	Simple cytokeratins in the serum of patients with lung cancer: Relationship to cell death. European Journal of Cancer, 1994, 30, 93-96.	1.3	26
247	p53 expression in normal and dysplastic bronchial epithelium and in lung carcinomas. British Journal of Cancer, 1994, 70, 297-303.	2.9	51
248	A Six-Drug Regimen (Mapeco) for Intermediate or High-Grade Non-Hodgkin's Lymphoma. Acta Oncologica, 1994, 33, 513-518.	0.8	0
249	Expression of proliferating cell nuclear antigen (PCNA) in dysplasia of the bronchial epithelium. Journal of Pathology, 1993, 170, 169-172.	2.1	38
250	Bacterial colonisation of humidifier attachments on oxygen concentrators prescribed for long term oxygen therapy: a district review.. Thorax, 1991, 46, 257-258.	2.7	10
251	Characteristics and predictors of primary hypogonadism in ageing men: longitudinal data from the European Male Ageing Study. Endocrine Abstracts, 0, , .	0.0	0