

# Ishan Barman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7563880/publications.pdf>

Version: 2024-02-01

117  
papers

4,813  
citations

94269

37  
h-index

106150

65  
g-index

125  
all docs

125  
docs citations

125  
times ranked

5382  
citing authors

#	ARTICLE	IF	CITATIONS
1	Facile Algae-Derived Route to Biogenic Silver Nanoparticles: Synthesis, Antibacterial, and Photocatalytic Properties. <i>Langmuir</i> , 2015, 31, 11605-11612.	1.6	479
2	Engineering tailored nanoparticles with microbes: <i>quo vadis</i>?. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2016, 8, 316-330.	3.3	389
3	Leveraging the Attributes of <i>Mucor hiemalis</i> -Derived Silver Nanoparticles for a Synergistic Broad-Spectrum Antimicrobial Platform. <i>Frontiers in Microbiology</i> , 2016, 7, 1984.	1.5	269
4	Noninvasive Monitoring of Blood Glucose with Raman Spectroscopy. <i>Accounts of Chemical Research</i> , 2017, 50, 264-272.	7.6	180
5	Furin-mediated intracellular self-assembly of olsalazine nanoparticles for enhanced magnetic resonance imaging and tumour therapy. <i>Nature Materials</i> , 2019, 18, 1376-1383.	13.3	164
6	Raman Spectroscopy Provides a Powerful Diagnostic Tool for Accurate Determination of Albumin Glycation. <i>PLoS ONE</i> , 2012, 7, e32406.	1.1	141
7	Raman Spectroscopy-Based Sensitive and Specific Detection of Glycated Hemoglobin. <i>Analytical Chemistry</i> , 2012, 84, 2474-2482.	3.2	118
8	Incorporation of Support Vector Machines in the LIBS Toolbox for Sensitive and Robust Classification Amidst Unexpected Sample and System Variability. <i>Analytical Chemistry</i> , 2012, 84, 2686-2694.	3.2	116
9	Laser-induced breakdown spectroscopy-based investigation and classification of pharmaceutical tablets using multivariate chemometric analysis. <i>Talanta</i> , 2011, 87, 53-59.	2.9	112
10	Multiplexed detection of serological cancer markers with plasmon-enhanced Raman spectro-immunoassay. <i>Chemical Science</i> , 2015, 6, 3906-3914.	3.7	96
11	Combined confocal Raman and quantitative phase microscopy system for biomedical diagnosis. <i>Biomedical Optics Express</i> , 2011, 2, 2484.	1.5	85
12	Application of Raman Spectroscopy to Identify Microcalcifications and Underlying Breast Lesions at Stereotactic Core Needle Biopsy. <i>Cancer Research</i> , 2013, 73, 3206-3215.	0.4	82
13	Development of Robust Calibration Models Using Support Vector Machines for Spectroscopic Monitoring of Blood Glucose. <i>Analytical Chemistry</i> , 2010, 82, 9719-9726.	3.2	76
14	Shedding Light on the Extinctionâ€Enhancement Duality in Gold Nanostarâ€Enhanced Raman Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 14115-14119.	7.2	74
15	Polyindole/cadmium sulphide nanocomposite based turn-on, multi-ion fluorescence sensor for detection of Cr <sup>3+</sup> , Fe <sup>3+</sup> and Sn <sup>2+</sup> ions. <i>Sensors and Actuators B: Chemical</i> , 2018, 269, 195-202.	4.0	72
16	A Fluorescence and Surface-Enhanced Raman Spectroscopic Dual-Modal Aptasensor for Sensitive Detection of Cyanotoxins. <i>ACS Sensors</i> , 2020, 5, 1419-1426.	4.0	72
17	Mechanical Trap Surfaceâ€Enhanced Raman Spectroscopy for Threeâ€Dimensional Surface Molecular Imaging of Single Live Cells. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 3822-3826.	7.2	71
18	Investigation of the specificity of Raman spectroscopy in non-invasive blood glucose measurements. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2871-2880.	1.9	69

#	ARTICLE	IF	CITATIONS
19	Accurate Spectroscopic Calibration for Noninvasive Glucose Monitoring by Modeling the Physiological Glucose Dynamics. <i>Analytical Chemistry</i> , 2010, 82, 6104-6114.	3.2	57
20	Turbidity-Corrected Raman Spectroscopy for Blood Analyte Detection. <i>Analytical Chemistry</i> , 2009, 81, 4233-4240.	3.2	53
21	Less is more: Avoiding the LIBS dimensionality curse through judicious feature selection for explosive detection. <i>Scientific Reports</i> , 2015, 5, 13169.	1.6	53
22	Label-Free Raman Spectroscopy Reveals Signatures of Radiation Resistance in the Tumor Microenvironment. <i>Cancer Research</i> , 2019, 79, 2054-2064.	0.4	53
23	Portable Optical Fiber Probe-Based Spectroscopic Scanner for Rapid Cancer Diagnosis: A New Tool for Intraoperative Margin Assessment. <i>PLoS ONE</i> , 2012, 7, e30887.	1.1	52
24	Label-Free Raman Spectroscopy Detects Stromal Adaptations in Premetastatic Lungs Primed by Breast Cancer. <i>Cancer Research</i> , 2017, 77, 247-256.	0.4	52
25	Selective sampling using confocal Raman spectroscopy provides enhanced specificity for urinary bladder cancer diagnosis. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 404, 3091-3099.	1.9	50
26	Self-Folding Hybrid Graphene Skin for 3D Biosensing. <i>Nano Letters</i> , 2019, 19, 1409-1417.	4.5	49
27	Label-Free Spectroscopic SARS-CoV-2 Detection on Versatile Nanoimprinted Substrates. <i>Nano Letters</i> , 2022, 22, 3620-3627.	4.5	46
28	Investigation of Noise-Induced Instabilities in Quantitative Biological Spectroscopy and Its Implications for Noninvasive Glucose Monitoring. <i>Analytical Chemistry</i> , 2012, 84, 8149-8156.	3.2	44
29	Emerging trends in optical sensing of glycemic markers for diabetes monitoring. <i>TrAC - Trends in Analytical Chemistry</i> , 2015, 64, 100-108.	5.8	44
30	Ultrasensitive Detection of Hepatotoxic Microcystin Production from Cyanobacteria Using Surface-Enhanced Raman Scattering Immunosensor. <i>ACS Sensors</i> , 2019, 4, 1203-1210.	4.0	44
31	Diagnostic power of diffuse reflectance spectroscopy for targeted detection of breast lesions with microcalcifications. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 471-476.	3.3	43
32	Advancing Raman spectroscopy from research to clinic: Translational potential and challenges. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 260, 119957.	2.0	43
33	Wavelength selection-based nonlinear calibration for transcutaneous blood glucose sensing using Raman spectroscopy. <i>Journal of Biomedical Optics</i> , 2011, 16, 087009.	1.4	42
34	Ultrahigh affinity Raman probe for targeted live cell imaging of prostate cancer. <i>Chemical Science</i> , 2016, 7, 6779-6785.	3.7	42
35	Identification of post-consumer plastics using laser-induced breakdown spectroscopy. <i>Polymer Testing</i> , 2019, 76, 101-108.	2.3	42
36	Organ-specific isogenic metastatic breast cancer cell lines exhibit distinct Raman spectral signatures and metabolomes. <i>Oncotarget</i> , 2017, 8, 20266-20287.	0.8	41

#	ARTICLE	IF	CITATIONS
37	Pursuing shell-isolated nanoparticle-enhanced Raman spectroscopy (SHINERS) for concomitant detection of breast lesions and microcalcifications. <i>Nanoscale</i> , 2015, 7, 16960-16968.	2.8	38
38	Spectroscopic approach for dynamic bioanalyte tracking with minimal concentration information. <i>Scientific Reports</i> , 2014, 4, 7013.	1.6	38
39	A novel non-imaging optics based Raman spectroscopy device for transdermal blood analyte measurement. <i>AIP Advances</i> , 2011, 1, 32175.	0.6	34
40	Rapid and accurate determination of tissue optical properties using least-squares support vector machines. <i>Biomedical Optics Express</i> , 2011, 2, 592.	1.5	33
41	Cancer cells display increased migration and deformability in pace with metastatic progression. <i>FASEB Journal</i> , 2020, 34, 9307-9315.	0.2	33
42	Furin-Mediated Self-Assembly of Olsalazine Nanoparticles for Targeted Raman Imaging of Tumors. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3923-3927.	7.2	32
43	Development and comparative assessment of Raman spectroscopic classification algorithms for lesion discrimination in stereotactic breast biopsies with microcalcifications. <i>Journal of Biophotonics</i> , 2013, 6, 371-381.	1.1	31
44	Raman spectroscopic sensing of carbonate intercalation in breast microcalcifications at stereotactic biopsy. <i>Scientific Reports</i> , 2015, 5, 9907.	1.6	31
45	Rapid Identification of Biotherapeutics with Label-Free Raman Spectroscopy. <i>Analytical Chemistry</i> , 2016, 88, 4361-4368.	3.2	31
46	Effect of photobleaching on calibration model development in biological Raman spectroscopy. <i>Journal of Biomedical Optics</i> , 2011, 16, 011004.	1.4	30
47	Discerning the differential molecular pathology of proliferative middle ear lesions using Raman spectroscopy. <i>Scientific Reports</i> , 2015, 5, 13305.	1.6	30
48	Raman Enhancement of Blood Constituent Proteins Using Graphene. <i>ACS Photonics</i> , 2018, 5, 2978-2982.	3.2	29
49	Revealing the trehalose mediated inhibition of protein aggregation through lysozyme-silver nanoparticle interaction. <i>Soft Matter</i> , 2015, 11, 7241-7249.	1.2	28
50	Rapid, Label-Free Optical Spectroscopy Platform for Diagnosis of Heparin-Induced Thrombocytopenia. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 5972-5978.	7.2	27
51	A Programmable DNA-Silicification-Based Nanocavity for Single-Molecule Plasmonic Sensing. <i>Advanced Materials</i> , 2021, 33, e2005133.	11.1	27
52	Anatomy of noise in quantitative biological Raman spectroscopy. <i>Bioanalysis</i> , 2014, 6, 411-421.	0.6	26
53	Integration of protein tethering in a rapid and label-free SERS screening platform for drugs of abuse. <i>Chemical Communications</i> , 2016, 52, 9016-9019.	2.2	26
54	Exploring Morphological and Biochemical Linkages in Fungal Growth with Label-Free Light Sheet Microscopy and Raman Spectroscopy. <i>ChemPhysChem</i> , 2017, 18, 72-78.	1.0	26

#	ARTICLE	IF	CITATIONS
55	Raman spectroscopy provides a powerful, rapid diagnostic tool for the detection of tuberculous meningitis in <i>ex vivo</i> cerebrospinal fluid samples. <i>Journal of Biophotonics</i> , 2013, 6, 567-572.	1.1	25
56	Label-free Raman spectroscopy provides early determination and precise localization of breast cancer-colonized bone alterations. <i>Chemical Science</i> , 2018, 9, 743-753.	3.7	25
57	Rapid, quantitative determination of aggregation and particle formation for antibody drug conjugate therapeutics with label-free Raman spectroscopy. <i>Analytica Chimica Acta</i> , 2019, 1081, 138-145.	2.6	24
58	Coarse Raman and optical diffraction tomographic imaging enable label-free phenotyping of isogenic breast cancer cells of varying metastatic potential. <i>Biosensors and Bioelectronics</i> , 2021, 175, 112863.	5.3	24
59	Silver-Coated Disordered Silicon Nanowires Provide Highly Sensitive Label-Free Glycated Albumin Detection through Molecular Trapping and Plasmonic Hotspot Formation. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001110.	3.9	23
60	Multiwavelength Fluorescence Oscope for Video-Rate Chemical Imaging of Middle Ear Pathology. <i>Analytical Chemistry</i> , 2014, 86, 10454-10460.	3.2	22
61	Noninvasive Detection of Inflammatory Changes in White Adipose Tissue by Label-Free Raman Spectroscopy. <i>Analytical Chemistry</i> , 2016, 88, 2140-2148.	3.2	22
62	Mapping the genetic basis of breast microcalcifications and their role in metastasis. <i>Scientific Reports</i> , 2018, 8, 11067.	1.6	22
63	Reagent-Free and Rapid Assessment of T Cell Activation State Using Diffraction Phase Microscopy and Deep Learning. <i>Analytical Chemistry</i> , 2019, 91, 3405-3411.	3.2	22
64	Toward the Development of Raman Spectroscopy as a Nonperturbative Online Monitoring Tool for Gasoline Adulteration. <i>Analytical Chemistry</i> , 2013, 85, 1846-1851.	3.2	21
65	Multi-color reflectance imaging of middle ear pathology in vivo. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 3277-3283.	1.9	21
66	Composite-Scattering Plasmonic Nanoprobes for Label-Free, Quantitative Biomolecular Sensing. <i>Small</i> , 2019, 15, e1901165.	5.2	21
67	Identification and Staging of B-Cell Acute Lymphoblastic Leukemia Using Quantitative Phase Imaging and Machine Learning. <i>ACS Sensors</i> , 2020, 5, 3281-3289.	4.0	21
68	Analysis of a new combined stretch and pressure sensor for internal nodule palpation. <i>Sensors and Actuators A: Physical</i> , 2006, 125, 210-216.	2.0	20
69	Optical sectioning using single-plane illumination Raman imaging. <i>Journal of Raman Spectroscopy</i> , 2010, 41, 1099-1101.	1.2	19
70	Mechanical Trap Surface-Enhanced Raman Spectroscopy for Three-Dimensional Surface Molecular Imaging of Single Live Cells. <i>Angewandte Chemie</i> , 2017, 129, 3880-3884.	1.6	19
71	Raman and quantitative phase imaging allow morpho-molecular recognition of malignancy and stages of B-cell acute lymphoblastic leukemia. <i>Biosensors and Bioelectronics</i> , 2021, 190, 113403.	5.3	19
72	Precision of Raman Spectroscopy Measurements in Detection of Microcalcifications in Breast Needle Biopsies. <i>Analytical Chemistry</i> , 2012, 84, 6715-6722.	3.2	16

#	ARTICLE	IF	CITATIONS
73	Non-Gated Laser Induced Breakdown Spectroscopy Provides a Powerful Segmentation Tool on Concomitant Treatment of Characteristic and Continuum Emission. PLoS ONE, 2014, 9, e103546.	1.1	16
74	Label-free characterization of ultra violet-radiation-induced changes in skin fibroblasts with Raman spectroscopy and quantitative phase microscopy. Scientific Reports, 2017, 7, 10829.	1.6	15
75	Leveraging coffeeâ€ring effect on plasmonic paper substrate for sensitive analyte detection using Raman spectroscopy. Journal of Raman Spectroscopy, 2018, 49, 1552-1558.	1.2	15
76	Integration of diffraction phase microscopy and Raman imaging for labelâ€free morphoâ€molecular assessment of live cells. Journal of Biophotonics, 2019, 12, e201800291.	1.1	15
77	Nanotheranostic Probe Built on Methylene Blue Loaded Cucurbituril [8] and Gold Nanorod: Targeted Phototherapy in Combination with SERS Imaging on Breast Cancer Cells. Journal of Physical Chemistry B, 2021, 125, 13415-13424.	1.2	15
78	Real-time fingerprinting of structural isomers using laser induced breakdown spectroscopy. Analyst, The, 2016, 141, 3077-3083.	1.7	14
79	An impediment to random walk: trehalose microenvironment drives preferential endocytic uptake of plasmonic nanoparticles. Chemical Science, 2016, 7, 3730-3736.	3.7	14
80	Differential diagnosis of otitis media with effusion using labelâ€free Raman spectroscopy: A pilot study. Journal of Biophotonics, 2018, 11, e201700259.	1.1	14
81	A Dualâ€Modal Singleâ€Antibody Plasmonic Spectroâ€Immunoassay for Detection of Small Molecules. Small, 2022, 18, e2200090.	5.2	14
82	Optical properties of symmetry-breaking tetrahedral nanoparticles. Nanoscale, 2020, 12, 832-842.	2.8	13
83	Raman Spectroscopy and Machine Learning Reveals Early Tumor Microenvironmental Changes Induced by Immunotherapy. Cancer Research, 2021, 81, 5745-5755.	0.4	13
84	Objective identification of dental abnormalities with multispectral fluorescence imaging. Journal of Biophotonics, 2017, 10, 1279-1286.	1.1	12
85	Raman spectroscopy with a 1064-nm wavelength laser as a potential molecular tool for prostate cancer diagnosis: a pilot study. Journal of Biomedical Optics, 2018, 23, 1.	1.4	12
86	Surfaceâ€enhanced Raman scattering: An emerging tool for sensing cellular function. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2022, 14, e1802.	3.3	12
87	Towards rational design and optimization of near-field enhancement and spectral tunability of hybrid core-shell plasmonic nanoprobos. Scientific Reports, 2019, 9, 16071.	1.6	11
88	Utilizing pulse dynamics for non-invasive Raman spectroscopy of blood analytes. Biosensors and Bioelectronics, 2021, 180, 113115.	5.3	11
89	Vibrational spectroscopy for decoding cancer microbiota interactions: Current evidence and future perspective. Seminars in Cancer Biology, 2022, 86, 743-752.	4.3	11
90	Shedding Light on the Trehaloseâ€Enabled Mucopermeation of Nanoparticles with Labelâ€Free Raman Spectroscopy. Small, 2019, 15, e1901679.	5.2	10

#	ARTICLE	IF	CITATIONS
91	Silver-coated silicon nanowire platform discriminates genomic DNA from normal and malignant human epithelial cells using label-free Raman spectroscopy. <i>Materials Science and Engineering C</i> , 2021, 122, 111951.	3.8	10
92	Spectroscopy-Assisted Label-Free Molecular Analysis of Live Cell Surface with Vertically Aligned Plasmonic Nanopillars. <i>Small</i> , 2021, 17, 2100161.	5.2	10
93	Painting and heating: A nonconventional, scalable route to sensitive biomolecular analysis with plasmon-enhanced spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2017, 48, 1365-1374.	1.2	8
94	Noise in biological Raman spectroscopy. , 2015, , .		7
95	Label-free spectrochemical probe for determination of hemoglobin glycation in clinical blood samples. <i>Journal of Biophotonics</i> , 2018, 11, e201700397.	1.1	7
96	Laser induced breakdown spectroscopy with machine learning reveals lithium-induced electrolyte imbalance in the kidneys. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 194, 113805.	1.4	7
97	A facile and real-time spectroscopic method for biofluid analysis in point-of-care diagnostics. <i>Bioanalysis</i> , 2013, 5, 1853-1861.	0.6	6
98	Plexcitonic Quasi-Bound States in the Continuum. <i>Small</i> , 2021, 17, 2102596.	5.2	6
99	Raman Spectroscopy for the Diagnosis of Intratubular Triamterene Crystallization. <i>Kidney International Reports</i> , 2018, 3, 997-1003.	0.4	5
100	Lithium from breast milk inhibits thyroid iodine uptake and hormone production, which are remedied by maternal iodine supplementation. <i>Bipolar Disorders</i> , 2021, 23, 615-625.	1.1	5
101	Label-Free Vibrational and Quantitative Phase Microscopy Reveals Remarkable Pathogen-Induced Morphomolecular Divergence in Tumor-Derived Cells. <i>ACS Sensors</i> , 2022, 7, 1495-1505.	4.0	5
102	Emerging trends in biomedical imaging and disease diagnosis using Raman spectroscopy. , 2020, , 623-652.		4
103	Furin-Mediated Self-Assembly of Olsalazine Nanoparticles for Targeted Raman Imaging of Tumors. <i>Angewandte Chemie</i> , 2021, 133, 3969-3973.	1.6	4
104	Decoding Live Cell Interactions with Multi-Nanoparticle Systems: Differential Implications for Uptake, Trafficking, and Gene Regulation. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 33659-33666.	4.0	3
105	Rapid, Label-free Optical Spectroscopy Platform for Diagnosis of Heparin-Induced Thrombocytopenia. <i>Angewandte Chemie</i> , 2020, 132, 6028-6034.	1.6	3
106	Nanowire Assisted Mechanotyping of Cellular Metastatic Potential. <i>Advanced Functional Materials</i> , 2021, 31, 2101638.	7.8	3
107	Molecular Radiative Energy Shifts under Strong Oscillating Fields. <i>Small</i> , 2021, 17, 2007244.	5.2	2
108	Titelbild: Furin-Mediated Self-Assembly of Olsalazine Nanoparticles for Targeted Raman Imaging of Tumors ( <i>Angew. Chem.</i> 8/2021). <i>Angewandte Chemie</i> , 2021, 133, 3869-3869.	1.6	2

#	ARTICLE	IF	CITATIONS
109	Role of Aqueous-Phase Calcination in Synthesis of Ultra-Stable Dye-Embedded Fluorescent Nanoparticles for Cellular Probing. <i>Applied Spectroscopy</i> , 2021, 75, 1012-1021.	1.2	2
110	Robust Spectroscopic Calibration for Transcutaneous Glucose Monitoring by Modeling of Diffusion Kinetics. , 2010, , .		1
111	Feasibility study of a Raman spectroscopic route to drug detection. , 2017, , .		1
112	Frontispiece: Mechanical Trap Surface-Enhanced Raman Spectroscopy for Three-Dimensional Surface Molecular Imaging of Single Live Cells. <i>Angewandte Chemie - International Edition</i> , 2017, 56, .	7.2	1
113	Drop-coating deposition surface-enhanced Raman spectroscopy on silver substrates for biofluid analysis. , 2019, , .		1
114	Label-Free Morpho-Molecular Imaging for Studying the Differential Interaction of Black Phosphorus with Tumor Cells. <i>Nanomaterials</i> , 2022, 12, 1994.	1.9	1
115	Transcutaneous Measurement of Blood Analyte Concentration Using Raman Spectroscopy. , 2008, , .		0
116	Frontispiz: Mechanical Trap Surface-Enhanced Raman Spectroscopy for Three-Dimensional Surface Molecular Imaging of Single Live Cells. <i>Angewandte Chemie</i> , 2017, 129, .	1.6	0
117	Controlled Nanoscale Cracking of Graphene Ribbons by Polymer Shrinkage. <i>ACS Applied Nano Materials</i> , 2021, 4, 1529-1539.	2.4	0