
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7564909/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | In vivo evidence that erythropoietin protects neurons from ischemic damage. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 4635-4640. | 3.3 | 904 |
| 2 | Effect of pore size on bone ingrowth into porous titanium implants fabricated by additive manufacturing: An in vivo experiment. Materials Science and Engineering C, 2016, 59, 690-701. | 3.8 | 629 |
| 3 | Bone lengthening in rabbits by callus distraction. The role of periosteum and endosteum. Journal of Bone and Joint Surgery: British Volume, 1988, 70-B, 543-549. | 3.4 | 335 |
| 4 | Neofunction of ACVR1 in fibrodysplasia ossificans progressiva. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 15438-15443. | 3.3 | 252 |
| 5 | Postoperative Alignment and ROM Affect Patient Satisfaction After TKA. Clinical Orthopaedics and Related Research, 2013, 471, 127-133. | 0.7 | 250 |
| 6 | Effect of Indirect Neural Decompression Through Oblique Lateral Interbody Fusion for Degenerative Lumbar Disease. Spine, 2015, 40, E175-E182. | 1.0 | 230 |
| 7 | Generation of Scaffoldless Hyaline Cartilaginous Tissue from Human iPSCs. Stem Cell Reports, 2015, 4, 404-418. | 2.3 | 224 |
| 8 | Comprehensive microRNA Analysis Identifies miR-24 and miR-125a-5p as Plasma Biomarkers for Rheumatoid Arthritis. PLoS ONE, 2013, 8, e69118. | 1.1 | 148 |
| 9 | Anatomic variations should be considered in total knee arthroplasty. Journal of Orthopaedic Science, 2000, 5, 232-237. | 0.5 | 147 |
| 10 | Quantifying the natural history of biofilm formation in vivo during the establishment of chronic implantâ€associated <i>Staphylococcus aureus</i> osteomyelitis in mice to identify critical pathogen and host factors. Journal of Orthopaedic Research, 2015, 33, 1311-1319. | 1.2 | 147 |
| 11 | CXCR4 and VEGF expression in the primary site and the metastatic site of human osteosarcoma: analysis within a group of patients, all of whom developed lung metastasis. Modern Pathology, 2006, 19, 738-745. | 2.9 | 141 |
| 12 | Reliability of the anteroposterior axis and the posterior condylar axis for determining rotational alignment of the femoral component in total knee arthroplasty**An Abstract of this paper was presented at the 70th Annual Meeting of the Japanese Orthopaedic Association at Sapporo, held in June 1997. Journal of Orthopaedic Science, 1998, 3, 194-198. | 0.5 | 130 |
| 13 | Asymmetry of mediolateral laxity of the normal knee. Journal of Orthopaedic Science, 2006, 11, 264-266. | 0.5 | 128 |
| 14 | Acetabular Retroversion in Developmental Dysplasia of the Hip. Journal of Bone and Joint Surgery - Series A, 2010, 92, 895-903. | 1.4 | 127 |
| 15 | Anatomical analysis of the femoral condyle in normal and osteoarthritic knees. Journal of Orthopaedic Research, 2004, 22, 104-109. | 1.2 | 123 |
| 16 | Patellofemoral joint after total knee arthroplasty. Journal of Arthroplasty, 1997, 12, 790-797. | 1.5 | 114 |
| 17 | Posterior tibial slope in the normal and varus knee. The American Journal of Knee Surgery, 1999, 12, 165-8. | 0.2 | 110 |
| 18 | Periosteal cells are a major source of soft callus in bone fracture. Journal of Bone and Mineral Metabolism, 2013, 31, 390-398. | 1.3 | 109 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Kinematic alignment produces near-normal knee motion but increases contact stress after total knee arthroplasty: A case study on a single implant design. Knee, 2015, 22, 206-212. | 0.8 | 106 |
| 20 | Long-term care insurance and integrated care for the aged in Japan. International Journal of Integrated Care, 2001, 1, e28. | 0.1 | 106 |
| 21 | Effect of femoral and tibial component position on patellar tracking following total knee arthroplasty: 10-year follow-up of Miller-Galante I knees. The American Journal of Knee Surgery, 2001, 14, 152-6. | 0.2 | 102 |
| 22 | MicroRNAâ€451 Downâ€Regulates Neutrophil Chemotaxis via p38 MAPK. Arthritis and Rheumatology, 2014, 66, 549-559. | 2.9 | 101 |
| 23 | The evaluation of post-operative alignment in total knee replacement using a CT-based navigation system. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1025-1031. | 3.4 | 100 |
| 24 | The efficacy of a scaffold-free Bio 3D conduit developed from human fibroblasts on peripheral nerve regeneration in a rat sciatic nerve model. PLoS ONE, 2017, 12, e0171448. | 1.1 | 100 |
| 25 | Inhibition of miR-92a Enhances Fracture Healing via Promoting Angiogenesis in a Model of Stabilized Fracture in Young Mice. Journal of Bone and Mineral Research, 2014, 29, 316-326. | 3.1 | 97 |
| 26 | ?-catenin nuclear expression correlates with cyclin D1 overexpression in sporadic desmoid tumours. Journal of Pathology, 2001, 195, 222-228. | 2.1 | 88 |
| 27 | Detection of T cell responses to a ubiquitous cellular protein in autoimmune disease. Science, 2014, 346, 363-368. | 6.0 | 86 |
| 28 | Downregulation and forced expression of EWS-Fli1 fusion gene results in changes in the expression of G1regulatory genes. British Journal of Cancer, 2001, 84, 768-775. | 2.9 | 84 |
| 29 | Contact stress at the post-cam mechanism in posterior-stabilised total knee arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 483-488. | 3.4 | 82 |
| 30 | Contact stress analysis in meniscal bearing total knee arthroplasty. Journal of Arthroplasty, 1998, 13, 699-706. | 1.5 | 80 |
| 31 | Combined landscape of single-nucleotide variants and copy number alterations in clonal hematopoiesis. Nature Medicine, 2021, 27, 1239-1249. | 15.2 | 78 |
| 32 | Possible Involvement of the Vascular Endothelial Growth Factor-Flt-1-Focal Adhesion Kinase Pathway in Chemotaxis and the Cell Proliferation of Osteoclast Precursor Cells in Arthritic Joints. Journal of Immunology, 2002, 168, 5824-5831. | 0.4 | 77 |
| 33 | Femoral anteversion is correlated with acetabular version and coverage in Asian women with anterior and global deficient subgroups of hip dysplasia: a CT study. Skeletal Radiology, 2012, 41, 1411-1418. | 1.2 | 77 |
| 34 | Changes in knee alignment after total knee arthroplasty. Journal of Arthroplasty, 1999, 14, 566-570. | 1.5 | 75 |
| 35 | Medial rather than lateral knee instability correlates with inferior patient satisfaction and knee function after total knee arthroplasty. Knee, 2017, 24, 1478-1484. | 0.8 | 74 |
| 36 | Medial Torsion of the Tibia in Japanese Patients With Osteoarthritis of the Knee. Clinical Orthopaedics and Related Research, 2003, 408, 218-224. | 0.7 | 73 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Distinct Human CD4+ T Cell Subset That Secretes CXCL13 in Rheumatoid Synovium. Arthritis and Rheumatism, 2013, 65, 3063-3072. | 6.7 | 73 |
| 38 | Correlations between patient satisfaction and ability to perform daily activities after total knee arthroplasty: why aren't patients satisfied?. Journal of Orthopaedic Science, 2015, 20, 87-92. | 0.5 | 73 |
| 39 | Low-grade fibromyxoid sarcoma versus low-grade myxofibrosarcoma in the extremities and trunk. A comparison of clinicopathological and immunohistochemical features. Histopathology, 2004, 45, 29-38. | 1.6 | 72 |
| 40 | Arthroscopic Resection of the Discoid Lateral Meniscus: Long-term Follow-up for 16 Years. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2006, 22, 967-971. | 1.3 | 72 |
| 41 | Minimally Invasive versus Standard Approach in Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2007, 463, 144-150. | 0.7 | 72 |
| 42 | The O-C2 angle established at occipito-cervical fusion dictates the patient's destiny in terms of postoperative dyspnea and/or dysphagia. European Spine Journal, 2014, 23, 328-336. | 1.0 | 71 |
| 43 | Femoral Condyle Geometry in the Normal and Varus Knee. Clinical Orthopaedics and Related Research, 1998, 349, 183-188. | 0.7 | 70 |
| 44 | Lateral Soft Tissue Laxity Increases but Medial Laxity Does Not Contract With Varus Deformity in Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2013, 471, 1334-1342. | 0.7 | 70 |
| 45 | Factors affecting patellar tracking after total knee arthroplasty. Journal of Arthroplasty, 2002, 17, 942-947. | 1.5 | 68 |
| 46 | Frequent alteration ofp16INK4a/p14ARF andp53 pathways in the round cell component of myxoid/round cell liposarcoma:p53 gene alterations and reduced p14ARF expression both correlate with poor prognosis. Journal of Pathology, 2005, 207, 410-421. | 2.1 | 68 |
| 47 | Mevastatin reduces cartilage degradation in rabbit experimental osteoarthritis through inhibition of synovial inflammation. Osteoarthritis and Cartilage, 2009, 17, 235-243. | 0.6 | 68 |
| 48 | Malrotated tibial component increases medial collateral ligament tension in total knee arthroplasty. Journal of Orthopaedic Research, 2014, 32, 1658-1666. | 1.2 | 68 |
| 49 | Bioactivity of sol–gel-derived TiO2 coating on polyetheretherketone: In vitro and in vivo studies. Acta Biomaterialia, 2016, 35, 305-317. | 4.1 | 68 |
| 50 | Primitive Neuroectodermal Tumor and Extraskeletal Ewing Sarcoma Arising Primarily Around the Spinal Column. Spine, 2003, 28, E408-E412. | 1.0 | 66 |
| 51 | The effects of kinematically aligned total knee arthroplasty on stress at the medial tibia. Bone and Joint Research, 2017, 6, 43-51. | 1.3 | 66 |
| 52 | MCP/CCR2 Signaling Is Essential for Recruitment of Mesenchymal Progenitor Cells during the Early Phase of Fracture Healing. PLoS ONE, 2014, 9, e104954. | 1.1 | 66 |
| 53 | Quantitative Assessment of Rotatory Instability after Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2009, 37, 909-916. | 1.9 | 65 |
| 54 | TGFâ€Ĵ² induces the differentiation of human CXCL13â€producing CD4 ⁺ TÂcells. European Journal of Immunology, 2016, 46, 360-371. | 1.6 | 65 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Internal Rotation of Femoral Component Affects Functional Activities After TKA—Survey With The 2011 Knee Society Score. Journal of Arthroplasty, 2014, 29, 2319-2323. | 1.5 | 64 |
| 56 | Knee Stability in Posterior Cruciate Ligament Retaining Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 1999, 366, 169-173. | 0.7 | 63 |
| 57 | Upsizing the femoral component increases patellofemoral contact force in total knee replacement. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 56-61. | 3.4 | 63 |
| 58 | Human Sox4 facilitates the development of CXCL13-producing helper T cells in inflammatory environments. Nature Communications, 2018, 9, 3762. | 5.8 | 62 |
| 59 | The anatomy of the coracohumeral ligament and its relation to the subscapularis muscle. Journal of Shoulder and Elbow Surgery, 2014, 23, 1575-1581. | 1.2 | 61 |
| 60 | Strontium and magnesium ions released from bioactive titanium metal promote early bone bonding in a rabbit implant model. Acta Biomaterialia, 2017, 63, 383-392. | 4.1 | 58 |
| 61 | In vitro bone-like nodules generated from patient-derived iPSCs recapitulate pathological bone phenotypes. Nature Biomedical Engineering, 2019, 3, 558-570. | 11.6 | 57 |
| 62 | Small GTP-binding Protein, Rho, Both Increased and Decreased Cellular Motility, Activation of Matrix Metalloproteinase 2 and Invasion of Human Osteosarcoma Cells. Japanese Journal of Cancer Research, 2001, 92, 429-438. | 1.7 | 56 |
| 63 | Analysis of the Flexion Gap on In Vivo Knee Kinematics Using Fluoroscopy. Journal of Arthroplasty, 2015, 30, 1237-1242. | 1.5 | 56 |
| 64 | New Suture Method for Radial Tears of the Meniscus. American Journal of Sports Medicine, 2012, 40, 414-418. | 1.9 | 55 |
| 65 | Mutant IDH1 Dysregulates the Differentiation of Mesenchymal Stem Cells in Association with Gene-Specific Histone Modifications to Cartilage- and Bone-Related Genes. PLoS ONE, 2015, 10, e0131998. | 1.1 | 55 |
| 66 | Intraoperative medial joint laxity in flexion decreases patient satisfaction after total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 1143-1150. | 1.3 | 55 |
| 67 | Prognostic Significance of <i>p14ARF</i> , <i>p15INK4b</i> , and <i>p16INK4a</i> Inactivation in Malignant Peripheral Nerve Sheath Tumors. Clinical Cancer Research, 2011, 17, 3771-3782. | 3.2 | 53 |
| 68 | Knee pain during activities of daily living and its relationship with physical activity in patients with early and severe knee osteoarthritis. Clinical Rheumatology, 2016, 35, 2307-2316. | 1.0 | 53 |
| 69 | APC mutations in synovial sarcoma. Journal of Pathology, 2002, 196, 445-449. | 2.1 | 52 |
| 70 | Discordance and accordance between patient's and physician's assessments in rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2014, 43, 291-295. | 0.6 | 52 |
| 71 | Cross-cultural adaptation and validation of the Japanese version of the new Knee Society Scoring System for osteoarthritic knee with total knee arthroplasty. Journal of Orthopaedic Science, 2015, 20, 849-853. | 0.5 | 52 |
| 72 | E-cadherin mutation and Snail overexpression as alternative mechanisms of E-cadherin inactivation in synovial sarcoma. Oncogene, 2004, 23, 8629-8638. | 2.6 | 51 |

5

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of Total Knee Arthroplasty Implant Position on Flexion Angle Before Implant-Bone Impingement. Journal of Arthroplasty, 2011, 26, 721-727. | 1.5 | 51 |
| 74 | The Akt/mammalian target of rapamycin pathway is activated and associated with adverse prognosis in soft tissue leiomyosarcomas. Cancer, 2012, 118, 1637-1648. | 2.0 | 51 |
| 75 | Arthroscopic Hip Surgery in the Elite Athlete: Comparison of Female and Male Competitive Athletes. American Journal of Sports Medicine, 2017, 45, 1730-1739. | 1.9 | 50 |
| 76 | Importance of the lateral anatomic tibial slope as a guide to the tibial cut in total knee arthroplasty in Japanese patients. Journal of Orthopaedic Science, 2005, 10, 42-47. | 0.5 | 49 |
| 77 | Adult T Cell Leukemia-like Disease Experimentally Induced in Rabbits. Japanese Journal of Cancer Research, 1988, 79, 335-341. | 1.7 | 48 |
| 78 | Secondary malignant giant-cell tumour of bone: molecular abnormalities of p53 and H-ras gene correlated with malignant transformation. Histopathology, 2001, 39, 629-637. | 1.6 | 48 |
| 79 | Vertebral Endplate Cyst as a Predictor of Nonunion After Lumbar Interbody Fusion. Spine, 2016, 41, E1216-E1222. | 1.0 | 48 |
| 80 | Effect of tibial component alignment on knee kinematics and ligament tension in medial unicompartmental knee arthroplasty. Bone and Joint Research, 2019, 8, 126-135. | 1.3 | 48 |
| 81 | Possible Association Between Higher β-Catenin mRNA Expression and Mutated β-Catenin in Sporadic Desmoid Tumors: Real-Time Semiquantitative Assay by TaqMan Polymerase Chain Reaction. Laboratory Investigation, 2002, 82, 97-103. | 1.7 | 47 |
| 82 | Psychological health is associated with knee pain and physical function in patients with knee osteoarthritis: an exploratory cross-sectional study. BMC Psychology, 2018, 6, 19. | 0.9 | 47 |
| 83 | E-Cadherin Gene Mutations Frequently Occur in Synovial Sarcoma as a Determinant of Histological Features. American Journal of Pathology, 2001, 159, 2117-2124. | 1.9 | 46 |
| 84 | Flexion Contracture Persists If the Contracture is More Than 15° at 3 Months After Total Knee Arthroplasty. Journal of Arthroplasty, 2011, 26, 639-643. | 1.5 | 46 |
| 85 | Quadriceps strength affects patient satisfaction after total knee arthroplasty. Journal of Orthopaedic Science, 2016, 21, 38-43. | 0.5 | 46 |
| 86 | Indirect decompression via oblique lateral interbody fusion for severe degenerative lumbar spinal stenosis: a comparative study with direct decompression transforaminal/posterior lumbar interbody fusion. Spine Journal, 2021, 21, 963-971. | 0.6 | 46 |
| 87 | Preoperative Prediction of Ambulatory Status at 6 Months After Total Hip Arthroplasty. Physical Therapy, 2013, 93, 88-93. | 1.1 | 45 |
| 88 | Patellar Tracking and Patellofemoral Geometry in Deep Knee Flexion. Clinical Orthopaedics and Related Research, 2002, 394, 161-168. | 0.7 | 44 |
| 89 | Classification of osteonecrosis of the femoral head. Bone and Joint Research, 2019, 8, 451-458. | 1.3 | 44 |
| 90 | The accuracy of image-guided knee replacement based on computed tomography. Journal of Bone and Joint Surgery: British Volume, 2004, 86-B, 366-371. | 3.4 | 43 |

6

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Comparison of Rotatory Stability After Anterior Cruciate Ligament Reconstruction Between Single-Bundle and Double-Bundle Techniques. American Journal of Sports Medicine, 2011, 39, 1470-1477. | 1.9 | 43 |
| 92 | A pilot study of regenerative therapy using controlled release of recombinant human fibroblast growth factor for patients with pre-collapse osteonecrosis of the femoral head. International Orthopaedics, 2016, 40, 1747-1754. | 0.9 | 43 |
| 93 | Multiple intramuscular metastases 15 years after radical nephrectomy in a patient with stage IV renal cell carcinoma. Journal of Orthopaedic Science, 2001, 6, 189-192. | 0.5 | 42 |
| 94 | Tibial shaft axis does not always serve as a correct coronal landmark in total knee arthroplasty for varus knees. Journal of Arthroplasty, 2003, 18, 56-62. | 1.5 | 42 |
| 95 | Kinematic analysis of kneeling in cruciateâ€retaining and posteriorâ€stabilized total knee arthroplasties. Journal of Orthopaedic Research, 2008, 26, 435-442. | 1.2 | 42 |
| 96 | Osteoinduction on Acid and Heat Treated Porous Ti Metal Samples in Canine Muscle. PLoS ONE, 2014, 9, e88366. | 1.1 | 42 |
| 97 | Anterior border of the tibia as a landmark for extramedullary alignment guide in total knee arthroplasty for varus knees. Journal of Orthopaedic Research, 2011, 29, 919-924. | 1.2 | 41 |
| 98 | Articular cartilage of the posterior condyle can affect rotational alignment in total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 1463-1469. | 2.3 | 41 |
| 99 | Long-Term Durability of Ceramic Tri-Condylar Knee Implants: A Minimum 15-Year Follow-Up. Journal of Arthroplasty, 2017, 32, 1874-1879. | 1.5 | 40 |
| 100 | The Effect of Ankle Rotation on Cutting of the Tibia in Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2006, 88, 2632-2636. | 1.4 | 39 |
| 101 | Clinical application of injectable growth factor for bone regeneration: a systematic review. Inflammation and Regeneration, 2019, 39, 20. | 1.5 | 39 |
| 102 | Developing a novel custom cutting guide for curved peri-acetabular osteotomy. International Orthopaedics, 2013, 37, 1033-1038. | 0.9 | 38 |
| 103 | Extension gap needs more than 1-mm laxity after implantation to avoid post-operative flexion contracture in total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 3174-3180. | 2.3 | 38 |
| 104 | Bioactive treatment promotes osteoblast differentiation on titanium materials fabricated by selective laser melting technology. Dental Materials Journal, 2016, 35, 118-125. | 0.8 | 38 |
| 105 | Chemokine receptor <i>CXCR4</i> expression is correlated with <i>VEGF</i> expression and poor survival in softâ€tissue sarcoma. International Journal of Cancer, 2009, 124, 1852-1859. | 2.3 | 37 |
| 106 | Enlarged post-operative posterior condyle tightens extension gap in total knee arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1210-1216. | 3.4 | 37 |
| 107 | Clinical results of open synovectomy for treatment of diffuse pigmented villonodular synovitis of the knee: Case series and review of literature. Knee, 2012, 19, 684-687. | 0.8 | 37 |
| 108 | Clinical Phenotype Classifications Based on Static Varus Alignment and Varus Thrust in Japanese Patients With Medial Knee Osteoarthritis. Arthritis and Rheumatology, 2015, 67, 2354-2362. | 2.9 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Diffuse idiopathic skeletal hyperostosis (DISH) is a risk factor for further surgery in short-segment lumbar interbody fusion. European Spine Journal, 2015, 24, 2514-2519. | 1.0 | 37 |
| 110 | Is there a distinct pattern to the acetabular labrum and articular cartilage damage in the non-dysplastic hip with instability?. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 84-93. | 2.3 | 37 |
| 111 | Elderly onset of early rheumatoid arthritis is a risk factor for bone erosions, refractory to treatment: KURAMA cohort. International Journal of Rheumatic Diseases, 2019, 22, 1084-1093. | 0.9 | 37 |
| 112 | Tibial tubercle malposition in patellar joint instability: A computed tomography study in full extension and at 30Ű flexion. Acta Orthopaedica, 2000, 71, 286-291. | 1.4 | 36 |
| 113 | Mobile-bearing prosthesis did not improve mid-term clinical results of total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 1311-1316. | 2.3 | 36 |
| 114 | Is the Bone-bonding Ability of a Cementless Total Hip Prosthesis Enhanced by Alkaline and Heat Treatments?. Clinical Orthopaedics and Related Research, 2013, 471, 3847-3855. | 0.7 | 36 |
| 115 | Medial sixth of the patellar tendon at the tibial attachment is useful for the anterior reference in rotational alignment of the tibial component. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 1070-1075. | 2.3 | 36 |
| 116 | Reference values for the locomotive syndrome risk test quantifying mobility of 8681 adults aged 20–89 years: A cross-sectional nationwide study in Japan. Journal of Orthopaedic Science, 2020, 25, 1084-1092. | 0.5 | 36 |
| 117 | Altered expression of cell cycle regulators in myxofibrosarcoma, with special emphasis on their prognostic implications. Human Pathology, 2003, 34, 1035-1042. | 1.1 | 35 |
| 118 | Reduction of Atlantoaxial Subluxation Causes Airway Stenosis. Spine, 2013, 38, E513-E520. | 1.0 | 35 |
| 119 | Bone bonding ability of a chemically and thermally treated low elastic modulus Ti alloy: gum metal. Journal of Materials Science: Materials in Medicine, 2014, 25, 635-643. | 1.7 | 35 |
| 120 | The KSS 2011 Reflects Symptoms, Physical Activities, and Radiographic Grades in a Japanese Population. Clinical Orthopaedics and Related Research, 2015, 473, 70-75. | 0.7 | 35 |
| 121 | The Effect of Varus Tilt on Contact Stresses in Total Knee Arthroplasty: A Biomechanical Study. Orthopedics, 1999, 22, 303-307. | 0.5 | 35 |
| 122 | Five-year evolution of a telangiectatic osteosarcoma initially managed as an aneurysmal bone cyst. Skeletal Radiology, 2005, 34, 290-294. | 1.2 | 34 |
| 123 | How exactly can computer simulation predict the kinematics and contact status after TKA? Examination in individualized models. Clinical Biomechanics, 2016, 39, 65-70. | 0.5 | 34 |
| 124 | In vivo and in vitro bioactivity of a "precursor of apatite―treatment on polyetheretherketone. Acta Biomaterialia, 2019, 91, 48-59. | 4.1 | 34 |
| 125 | Evaluation of impingement of the anterior tibial post during gait in a posteriorly-stabilised total knee replacement. Journal of Bone and Joint Surgery: British Volume, 2008, 90-B, 1180-1185. | 3.4 | 33 |
| 126 | Three-dimensional Analysis of Computed Tomography–Based Navigation System for Total Knee Arthroplasty. Journal of Arthroplasty, 2009, 24, 1103-1110. | 1.5 | 33 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The coronal alignment after medial unicompartmental knee arthroplasty can be predicted: usefulness of full-length valgus stress radiography for evaluating correctability. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 3142-3149. | 2.3 | 33 |
| 128 | Seasonality of Preterm Births in Japan. International Journal of Epidemiology, 1992, 21, 91-100. | 0.9 | 32 |
| 129 | Threeâ€dimensional knee joint kinematics during golf swing and stationary cycling after total knee arthroplasty. Journal of Orthopaedic Research, 2008, 26, 1556-1561. | 1.2 | 31 |
| 130 | Contact Stress Analysis of the Conforming Post-Cam Mechanism in Posterior-Stabilized Total Knee Arthroplasty. Journal of Arthroplasty, 2008, 23, 736-743. | 1.5 | 31 |
| 131 | Human Câ€reactive protein enhances thrombus formation after neointimal balloon injury in transgenic rabbits. Journal of Thrombosis and Haemostasis, 2011, 9, 201-208. | 1.9 | 30 |
| 132 | Patient-Specific Computer Model of Dynamic Squatting After Total Knee Arthroplasty. Journal of Arthroplasty, 2015, 30, 870-874. | 1.5 | 30 |
| 133 | Knee stability in meniscal bearing total knee arthroplasty. Journal of Arthroplasty, 1999, 14, 82-90. | 1.5 | 29 |
| 134 | PTEN/MMAC1 gene mutation is a rare event in soft tissue sarcomas without specific balanced translocations. International Journal of Cancer, 2003, 104, 175-178. | 2.3 | 29 |
| 135 | High-dose antibiotic infusion for infected knee prosthesis without implant removal. Journal of Orthopaedic Science, 2010, 15, 470-476. | 0.5 | 29 |
| 136 | Clinical outcome for patients with dedifferentiated chondrosarcoma: a report of 9 cases at a single institute. Journal of Orthopaedic Surgery and Research, 2012, 7, 38. | 0.9 | 29 |
| 137 | Risk factors for implant removal after spinal surgical site infection. European Spine Journal, 2018, 27, 2481-2490. | 1.0 | 29 |
| 138 | Hip-Spine Syndrome: Acetabular Anteversion Angle Is Associated with Anterior Pelvic Tilt and Lumbar Hyperlordosis in Patients with Acetabular Dysplasia. JBJS Open Access, 2019, 4, e0025. | 0.8 | 29 |
| 139 | Knee Kinematics of Posterior Cruciate Ligament Sacrificed Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 1997, 341, 257???266. | 0.7 | 28 |
| 140 | Changes in anteroposterior stability following total knee arthroplasty. Journal of Orthopaedic Science, 2003, 8, 526-531. | 0.5 | 28 |
| 141 | Sagittal Cutting Error Changes Femoral Anteroposterior Sizing in Total Knee Arthroplasty. Clinical Orthopaedics and Related Research, 2012, 470, 3560-3565. | 0.7 | 28 |
| 142 | In vivo experimental study of anterior cervical fusion using bioactive polyetheretherketone in a canine model. PLoS ONE, 2017, 12, e0184495. | 1.1 | 28 |
| 143 | Chromosomal aberrations and microsatellite instability of malignant peripheral nerve sheath tumors: a study of 10 tumors from nine patients. Cancer Genetics and Cytogenetics, 2006, 165, 98-105. | 1.0 | 27 |
| 144 | A Nerve Conduit Containing a Vascular Bundle and Implanted with Bone Marrow Stromal Cells and Decellularized Allogenic Nerve Matrix. Cell Transplantation, 2017, 26, 215-228. | 1.2 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Clinical efficacy of preoperative 3D planning for reducing surgical errors during openâ€wedge high tibial osteotomy. Journal of Orthopaedic Research, 2019, 37, 898-907. | 1.2 | 27 |
| 146 | Age-related changes in kinematics of the knee joint during deep squat. Knee, 2012, 19, 208-212. | 0.8 | 26 |
| 147 | Osteoinductive potential of highly purified porous β-TCP in mice. Journal of Materials Science: Materials in Medicine, 2015, 26, 132. | 1.7 | 26 |
| 148 | Effects of Lumbar Stiffness After Lumbar Fusion Surgery on Activities of Daily Living. Spine, 2016, 41, 719-727. | 1.0 | 26 |
| 149 | Clinical Impact of Coexisting Patellofemoral Osteoarthritis in Japanese Patients With Medial Knee Osteoarthritis. Arthritis Care and Research, 2016, 68, 493-501. | 1.5 | 26 |
| 150 | Health systems strengthening to arrest the global disability burden: empirical development of prioritised components for a global strategy for improving musculoskeletal health. BMJ Global Health, 2021, 6, e006045. | 2.0 | 26 |
| 151 | Joint-preserving regenerative therapy for patients with early-stage osteonecrosis of the femoral head. Inflammation and Regeneration, 2016, 36, 4. | 1.5 | 25 |
| 152 | Seasonality of mean birth weight and mean gestational period in Japan. Human Biology, 1993, 65, 481-501. | 0.4 | 25 |
| 153 | Relationship between the tibial anteroposterior axis and the surgical epicondylar axis in varus and valgus knees. Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 2077-2081. | 2.3 | 24 |
| 154 | Cutting Error of the Distal Femur in Total Knee Arthroplasty by Use of a Navigation System. Journal of Arthroplasty, 2012, 27, 1119-1122. | 1.5 | 24 |
| 155 | Osteoconduction of porous Ti metal enhanced by acid and heat treatments. Journal of Materials Science: Materials in Medicine, 2013, 24, 1707-1715. | 1.7 | 24 |
| 156 | Tibial Rotational Alignment Was Significantly Improved by Use of a CT-Navigated Control Device in Total Knee Arthroplasty. Journal of Arthroplasty, 2014, 29, 2352-2356. | 1.5 | 24 |
| 157 | Minimum 10-Year Wear Analysis of Highly Cross-Linked Polyethylene in Cementless Total Hip Arthroplasty. Journal of Arthroplasty, 2015, 30, 2224-2226. | 1.5 | 24 |
| 158 | Ligament balancing in total knee arthroplasty—Medial stabilizing technique. Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 2015, 2, 108-113. | 0.4 | 24 |
| 159 | Prevalence and Location of Neuropathic Pain in Lumbar Spinal Disorders. Spine, 2016, 41, 1224-1231. | 1.0 | 24 |
| 160 | Spatiotemporal gait characteristic changes with gait training using the hybrid assistive limb for chronic stroke patients. Gait and Posture, 2019, 71, 205-210. | 0.6 | 24 |
| 161 | Geographic differences in seasonal variation of mean birth weight in Japan. Human Biology, 1995, 67, 641-56. | 0.4 | 24 |
| 162 | The effect of varus tilt on contact stresses in total knee arthroplasty: a biomechanical study. Orthopedics, 1999, 22, 303-7. | 0.5 | 24 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 163 | High-dose chemotherapy and autologous peripheral blood stem-cell transfusion after conventional chemotherapy for patients with high-risk Ewing's tumors. Journal of Orthopaedic Science, 2002, 7, 477-482. | 0.5 | 23 |
| 164 | A Comparison of Rotational Landmarks in the Distal Femur and the Tibial Shaft. Clinical Orthopaedics and Related Research, 2003, 414, 183-188. | 0.7 | 23 |
| 165 | Rehabilitation Program After Mesenchymal Stromal Cell Transplantation Augmented by Vascularized Bone Grafts for Idiopathic Osteonecrosis of the Femoral Head: A Preliminary Study. Archives of Physical Medicine and Rehabilitation, 2015, 96, 532-539. | 0.5 | 23 |
| 166 | Association of Varus Thrust With Pain and Stiffness and Activities of Daily Living in Patients With Medial Knee Osteoarthritis. Physical Therapy, 2016, 96, 167-175. | 1.1 | 23 |
| 167 | Association of bilateral flat feet with knee pain and disability in patients with knee osteoarthritis: A crossâ€sectional study. Journal of Orthopaedic Research, 2017, 35, 2490-2498. | 1.2 | 23 |
| 168 | Genome-wide Association Study of Idiopathic Osteonecrosis of the Femoral Head. Scientific Reports, 2017, 7, 15035. | 1.6 | 23 |
| 169 | The minimum clinically important difference for the Japanese version of the new Knee Society Score (2011KSS) after total knee arthroplasty. Journal of Orthopaedic Science, 2019, 24, 1053-1057. | 0.5 | 23 |
| 170 | Effect of the severity of acute graft-versus-host disease on physical function after allogeneic hematopoietic stem cell transplantation. Supportive Care in Cancer, 2020, 28, 3189-3196. | 1.0 | 23 |
| 171 | The Oblique Posterior Femoral Condylar Radiographic View Following Total Knee Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2004, 86, 47-50. | 1.4 | 23 |
| 172 | Indirect decompression with lateral interbody fusion for severe degenerative lumbar spinal stenosis: minimum 1-year MRI follow-up. Journal of Neurosurgery: Spine, 2020, 33, 27-34. | 0.9 | 23 |
| 173 | Geographical Differences and Time Trends in the Seasonality of Birth in Japan. International Journal of Epidemiology, 1994, 23, 107-118. | 0.9 | 22 |
| 174 | Metastasis to the gluteus maximus muscle from renal cell carcinoma with special emphasis on MRI features. World Journal of Surgical Oncology, 2007, 5, 88. | 0.8 | 22 |
| 175 | Clinical outcome following surgical intervention for a solitary bone cyst: emphasis on treatment by curettage and steroid injection. Journal of Orthopaedic Science, 2010, 15, 553-559. | 0.5 | 22 |
| 176 | TNFα, PDGF, and TGFβ synergistically induce synovial lining hyperplasia via inducible PI3Kδ. Modern Rheumatology, 2015, 25, 72-78. | 0.9 | 22 |
| 177 | Preoperative assessment of the ureter with dual-phase contrast-enhanced computed tomography for lateral lumbar interbody fusion procedures. Journal of Orthopaedic Science, 2017, 22, 420-424. | 0.5 | 22 |
| 178 | H-ras Oncogene Mutation in Dedifferentiated Chondrosarcoma: Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Analysis. Modern Pathology, 2001, 14, 343-349. | 2.9 | 21 |
| 179 | Anteroposterior Stability in Posterior Cruciate Ligament–Retaining Total Knee Arthroplasty. Journal of Arthroplasty, 2006, 21, 592-598. | 1.5 | 21 |
| 180 | Total knee arthroplasty following failed high tibial osteotomy: mid-term comparison of posterior cruciate-retaining versus posterior stabilized prosthesis. Knee Surgery, Sports Traumatology, Arthroscopy, 2009, 17, 795-799. | 2.3 | 21 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Contact Stress at the Anterior Aspect of the Tibial Post in Posterior-Stabilized Total Knee Replacement. Journal of Bone and Joint Surgery - Series A, 2010, 92, 1765-1773. | 1.4 | 21 |
| 182 | Chronic Expanding Hematoma in the Extremities: A Clinical Problem of Adhesion to the Surrounding Tissues. BioMed Research International, 2017, 2017, 1-5. | 0.9 | 21 |
| 183 | Analysis of the Factors Affecting Lumbar Segmental Lordosis After Lateral Lumbar Interbody Fusion. Spine, 2020, 45, E839-E846. | 1.0 | 21 |
| 184 | Prevalence and predictive factors of difficult-to-treat rheumatoid arthritis: the KURAMA cohort. Immunological Medicine, 2022, 45, 35-44. | 1.4 | 21 |
| 185 | Antioxidants inhibit TNFalpha-induced motility and invasion of human osteosarcoma cells: possible involvement of NFkappaB activation. Clinical and Experimental Metastasis, 2000, 18, 121-129. | 1.7 | 20 |
| 186 | Comparison between alkali heat treatment and sprayed hydroxyapatite coating on thermallyâ€sprayed rough Ti surface in rabbit model: Effects on boneâ€bonding ability and osteoconductivity. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2015, 103, 1069-1081. | 1.6 | 20 |
| 187 | Knee Pain and Low Back Pain Additively Disturb Sleep in the General Population: A Cross-Sectional Analysis of the Nagahama Study. PLoS ONE, 2015, 10, e0140058. | 1.1 | 20 |
| 188 | Preoperative gluteus medius muscle atrophy as a predictor of walking ability after total hip arthroplasty. Physical Therapy Research, 2016, 19, 8-12. | 0.3 | 20 |
| 189 | The dural repair using the combination of polyglycolic acid mesh and fibrin glue and postoperative management in spine surgery. Journal of Orthopaedic Science, 2016, 21, 586-590. | 0.5 | 20 |
| 190 | Hip external rotator exercise contributes to improving physical functions in the early stage after total hip arthroplasty using an anterolateral approach: a randomized controlled trial. Disability and Rehabilitation, 2016, 38, 2178-2183. | 0.9 | 20 |
| 191 | A multi-center study of reoperations within 30Âdays of spine surgery. European Spine Journal, 2016, 25, 828-835. | 1.0 | 20 |
| 192 | Distinct biomarkers for different bones in osteoporosis with rheumatoid arthritis. Arthritis Research and Therapy, 2019, 21, 174. | 1.6 | 20 |
| 193 | Classical target coronal alignment in high tibial osteotomy demonstrates validity in terms of knee kinematics and kinetics in a computer model. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 1568-1578. | 2.3 | 20 |
| 194 | Desmoplastic fibroblastoma (collagenous fibroma) with a specific breakpoint of 11q12. Histopathology, 2007, 51, 859-860. | 1.6 | 19 |
| 195 | Is the Medial Wall of the Intercondylar Notch Useful for Tibial Rotational Reference in Unicompartmental Knee Arthroplasty?. Clinical Orthopaedics and Related Research, 2012, 470, 1177-1184. | 0.7 | 19 |
| 196 | Increased circulating adiponectin is an independent disease activity marker in patients with rheumatoid arthritis: AÂcross-sectional study using the KURAMA database. PLoS ONE, 2020, 15, e0229998. | 1.1 | 19 |
| 197 | Anteroposterior weight-bearing radiography of the knee with both knees in semiflexion, using new equipment. Journal of Orthopaedic Science, 2001, 6, 475-480. | 0.5 | 18 |
| 198 | Nuclear β-catenin correlates with cyclin D1 expression in spindle and pleomorphic sarcomas but not in synovial sarcoma. Human Pathology, 2006, 37, 689-697. | 1.1 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | The Importance of Bony Impingement in Restricting Flexion After Total Knee Arthroplasty. Journal of Arthroplasty, 2012, 27, 1710-1716. | 1.5 | 18 |
| 200 | Rotatory laxity evaluation of the knee using modified Slocum's test in open magnetic resonance imaging. Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 679-685. | 2.3 | 18 |
| 201 | Phosphorylation of signal transducer and activator of transcription 3 in soft tissue leiomyosarcoma is associated with a better prognosis. International Journal of Cancer, 2013, 132, 109-115. | 2.3 | 18 |
| 202 | Compensation by nonoperated joints in the lower limbs during walking after endoprosthetic knee replacement following bone tumor resection. Clinical Biomechanics, 2013, 28, 898-903. | 0.5 | 18 |
| 203 | Clinical and radiological features of spinal extradural arachnoid cysts: Valve-like mechanism involving the nerve root fiber as a possible cause of cyst expansion. Journal of Orthopaedic Science, 2018, 23, 464-469. | 0.5 | 18 |
| 204 | Occipital and external acoustic meatus to axis angle as a predictor of the oropharyngeal space in healthy volunteers: a novel parameter for craniocervical junction alignment. Spine Journal, 2018, 18, 811-817. | 0.6 | 18 |
| 205 | Accuracy of image-free navigation for severely deformed knees. Knee Surgery, Sports Traumatology, Arthroscopy, 2010, 18, 763-768. | 2.3 | 17 |
| 206 | Changes in patellar alignment after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 99-104. | 2.3 | 17 |
| 207 | Improved design decreases wear in total knee arthroplasty with varus malalignment. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 2635-2640. | 2.3 | 17 |
| 208 | The effect of walking speed on gait kinematics and kinetics after endoprosthetic knee replacement following bone tumor resection. Gait and Posture, 2014, 40, 622-627. | 0.6 | 17 |
| 209 | Bridging a 30 mm defect in the canine ulnar nerve using vesselâ€containing conduits with implantation of bone marrow stromal cells. Microsurgery, 2016, 36, 316-324. | 0.6 | 17 |
| 210 | Utility of a custom screw insertion guide and a full-scale, color-coded 3D plaster model for guiding safe surgical exposure and screw insertion during spine revision surgery. Journal of Neurosurgery: Spine, 2016, 25, 94-102. | 0.9 | 17 |
| 211 | No condylar lift-off occurs because of excessive lateral soft tissue laxity in neutrally aligned total knee arthroplasty: a computer simulation study. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 2517-2524. | 2.3 | 17 |
| 212 | No differences in patient-reported outcomes between medial pivot insert and symmetrical insert in total knee arthroplasty: A randomized analysis. Knee, 2018, 25, 1254-1261. | 0.8 | 17 |
| 213 | Control of articular synovitis for bone and cartilage regeneration in rheumatoid arthritis. Inflammation and Regeneration, 2018, 38, 7. | 1.5 | 17 |
| 214 | Biofilm Producing <i>Staphylococcus epidermidis</i> (RP62A Strain) Inhibits Osseous Integration Without Osteolysis and Histopathology in a Murine Septic Implant Model. Journal of Orthopaedic Research, 2020, 38, 852-860. | 1.2 | 17 |
| 215 | Femoral shaft bowing influences the correction angle for high tibial osteotomy. Journal of Orthopaedic Science, 2007, 12, 214-218. | 0.5 | 16 |
| 216 | Posterior tibial slope and femoral sizing affect posterior cruciate ligament tension in posterior cruciate-retaining total knee arthroplasty. Clinical Biomechanics, 2015, 30, 676-681. | 0.5 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Spontaneous anterior arch fracture of the atlas following C1 laminectomy without fusion: A report of three cases and finite element analysis. Journal of Orthopaedic Science, 2016, 21, 306-315. | 0.5 | 16 |
| 218 | Incidence and Risk Factors of Anterior Arch Fracture of the Atlas Following C1 Laminectomy Without Fusion. Spine, 2018, 43, 667-674. | 1.0 | 16 |
| 219 | Intraoperative physiological lateral laxity in extension and flexion for varus knees did not affect short-term clinical outcomes and patient satisfaction. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3888-3898. | 2.3 | 16 |
| 220 | Analysis of factors associated with birth weight Japanese Journal of Hygiene, 1990, 45, 752-761. | 0.6 | 15 |
| 221 | Bizarre parosteal osteochondromatous proliferation with an inversion of chromosome 7. Skeletal Radiology, 2011, 40, 1487-1490. | 1.2 | 15 |
| 222 | Evaluation of bioactivity of alkali- and heat-treated titanium using fluorescent mouse osteoblasts. Journal of Bone and Mineral Metabolism, 2014, 32, 660-670. | 1.3 | 15 |
| 223 | Underhang of the tibial component increases tibial bone resorption after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 1270-1279. | 2.3 | 15 |
| 224 | <i>In vitro</i> study of antibacterial and osteogenic activity of titanium metal releasing strontium and silver ions. Journal of Biomaterials Applications, 2021, 35, 670-680. | 1.2 | 15 |
| 225 | In vivo study of the early bone-bonding ability of Ti meshes formed with calcium titanate via chemical treatments. Journal of Materials Science: Materials in Medicine, 2015, 26, 271. | 1.7 | 14 |
| 226 | The Dimensions of the Scapula Glenoid in Japanese Rotator Cuff Tear Patients. Clinics in Orthopedic Surgery, 2017, 9, 207. | 0.8 | 14 |
| 227 | Medial tilting of the joint line in posterior stabilized total knee arthroplasty increases contact force and stress. Clinical Biomechanics, 2018, 53, 54-59. | 0.5 | 14 |
| 228 | Induced pluripotent stem cellâ€derived mesenchymal stem cells prolong hind limb survival in a rat vascularized composite allotransplantation model. Microsurgery, 2019, 39, 737-747. | 0.6 | 14 |
| 229 | Number of Levels of Spinal Fusion Associated with the Rate of Joint-Space Narrowing in the Hip. Journal of Bone and Joint Surgery - Series A, 2021, 103, 953-960. | 1.4 | 14 |
| 230 | H-rasOncogene Mutation in Dedifferentiated Liposarcoma. American Journal of Clinical Pathology, 2001, 115, 235-242. | 0.4 | 13 |
| 231 | Adventitial Cystic Disease of the Popliteal Vein: Report of a Case. Surgery Today, 2006, 36, 1098-1100. | 0.7 | 13 |
| 232 | Dedifferentiated liposarcoma with leukocytosis. A case report of G-CSF-producing soft-tissue tumors, possible association with undifferentiated liposarcoma lineage. World Journal of Surgical Oncology, 2007, 5, 131. | 0.8 | 13 |
| 233 | Role of the VEGF-Flt-1-FAK pathway in the pathogenesis of osteoclastic bone destruction of giant cell tumors of bone. Journal of Orthopaedic Surgery and Research, 2010, 5, 85. | 0.9 | 13 |
| 234 | Anatomical study for SLAP lesion repair. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 435-441. | 2.3 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Accuracy of Proximal Tibial Bone Cut Using Anterior Border of Tibia as Bony Landmark in Total Knee Arthroplasty. Journal of Arthroplasty, 2015, 30, 2121-2124. | 1.5 | 13 |
| 236 | Modified Mostardi approach with ultra-high-molecular-weight polyethylene tape for total hip arthroplasty provides a good rate of union of osteotomized fragments. Journal of Orthopaedic Science, 2015, 20, 633-641. | 0.5 | 13 |
| 237 | Influence of Posterior Cruciate Ligament Tension on Knee Kinematics and Kinetics. Journal of Knee Surgery, 2016, 29, 684-689. | 0.9 | 13 |
| 238 | Superior-inferior position of patellar component affects patellofemoral kinematics and contact forces in computer simulation. Clinical Biomechanics, 2017, 45, 19-24. | 0.5 | 13 |
| 239 | Vascularized Bone Graft to the Lunate Combined WithÂTemporary Scaphocapitate Fixation for TreatmentÂof Stage III Kienböck Disease: A Report of the Results, a Minimum of 2 Years After Surgery. Journal of Hand Surgery, 2018, 43, 773.e1-773.e7. | 0.7 | 13 |
| 240 | How precisely does ultrasonographic evaluation reflect the histological status of the articular cartilage of the knee joint?. Journal of Orthopaedics, 2018, 15, 636-640. | 0.6 | 13 |
| 241 | Low back pain precedes the development of new knee pain in the elderly population; a novel predictive score from a longitudinal cohort study. Arthritis Research and Therapy, 2019, 21, 98. | 1.6 | 13 |
| 242 | Relative antigenicity of components in vascularized composite allotransplants: An experimental study of microRNAs expression in rat hind limb transplantation model. Microsurgery, 2019, 39, 340-348. | 0.6 | 13 |
| 243 | A scaffoldâ€free Bio 3D nerve conduit for repair of a 10â€mm peripheral nerve defect in the rats. Microsurgery, 2020, 40, 207-216. | 0.6 | 13 |
| 244 | Posterior Displacement of the Tibia Increases in Deep Flexion of the Knee. Clinical Orthopaedics and Related Research, 2010, 468, 1107-1114. | 0.7 | 12 |
| 245 | Ultrasound Can Detect Macroscopically Undetectable Changes in Osteoarthritis Reflecting the Superficial Histological and Biochemical Degeneration: Ex Vivo Study of Rabbit and Human Cartilage. PLoS ONE, 2014, 9, e89484. | 1.1 | 12 |
| 246 | Factors associated with ambulatory status 6 months after total hip arthroplasty. Physiotherapy, 2014, 100, 263-267. | 0.2 | 12 |
| 247 | Mid- and long-term results of femoral component revision using the cement-in-cement technique: Average 10.8-year follow-up study. Journal of Orthopaedic Science, 2016, 21, 810-814. | 0.5 | 12 |
| 248 | Periarticular osteoporosis of the forearm correlated with joint destruction and functional impairment in patients with rheumatoid arthritis. Osteoporosis International, 2016, 27, 691-701. | 1.3 | 12 |
| 249 | Relationship Between Pedometer-Based Physical Activity and Physical Function in Patients With Osteoarthritis of the Knee: A Cross-Sectional Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1382-1388.e4. | 0.5 | 12 |
| 250 | Coexisting lateral tibiofemoral osteoarthritis is associated with worse knee pain in patients with mild medial osteoarthritis. Osteoarthritis and Cartilage, 2017, 25, 1274-1281. | 0.6 | 12 |
| 251 | Influence of spinopelvic alignment and morphology on deviation in the course of the psoas major muscle. Journal of Orthopaedic Science, 2017, 22, 1001-1008. | 0.5 | 12 |
| 252 | Large medial proximal tibial angles cause excessively medial tibiofemoral contact forces and abnormal knee kinematics following open-wedge high tibial osteotomy. Clinical Biomechanics, 2020, 80, 105190. | 0.5 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Extracellular-to-intracellular water ratios are associated with functional disability levels in patients with knee osteoarthritis: results from the Nagahama Study. Clinical Rheumatology, 2021, 40, 2889-2896. | 1.0 | 12 |
| 254 | Urinary sodium-to-potassium ratio associates with hypertension and current disease activity in patients with rheumatoid arthritis: a cross-sectional study. Arthritis Research and Therapy, 2021, 23, 96. | 1.6 | 12 |
| 255 | Habitual fish intake negatively correlates with prevalence of frailty among patients with rheumatoid arthritis. Scientific Reports, 2021, 11, 5104. | 1.6 | 12 |
| 256 | Factors affecting walking ability in female patients with rheumatoid arthritis. PLoS ONE, 2018, 13, e0195059. | 1.1 | 12 |
| 257 | Serum vitamin D status inversely associates with a prevalence of severe sarcopenia among female patients with rheumatoid arthritis. Scientific Reports, 2021, 11, 20485. | 1.6 | 12 |
| 258 | The limitations of mono―and combination antibiotic therapies on immature biofilms in a murine model of implantâ€associated osteomyelitis. Journal of Orthopaedic Research, 2021, 39, 449-457. | 1.2 | 12 |
| 259 | Vascular compression caused by solitary osteochondroma: useful diagnostic methods of magnetic resonance angiography and Doppler ultrasonography. Journal of Orthopaedic Science, 2002, 7, 439-443. | 0.5 | 11 |
| 260 | Chondromyxoid fibroma of the clavicle. Journal of Orthopaedic Science, 2006, 11, 533-536. | 0.5 | 11 |
| 261 | Morphology of the Proximal Tibia at Different Levels of Bone Resection in Japanese Knees. Journal of Arthroplasty, 2015, 30, 2323-2327. | 1.5 | 11 |
| 262 | Delayed wound healing after forefoot surgery in patients with rheumatoid arthritis. Modern Rheumatology, 2015, 25, 367-372. | 0.9 | 11 |
| 263 | Patient- and Surgery-Related Factors that Affect Patient-Reported Outcomes after Total Hip Arthroplasty. Journal of Clinical Medicine, 2018, 7, 358. | 1.0 | 11 |
| 264 | Outcomes of lumbar decompression surgery in patients with diffuse idiopathic skeletal hyperostosis (DISH). Journal of Orthopaedic Science, 2019, 24, 957-962. | 0.5 | 11 |
| 265 | Higher exercise tolerance early after allogeneic hematopoietic stem cell transplantation is the predictive marker for higher probability of later social reintegration. Scientific Reports, 2021, 11, 7190. | 1.6 | 11 |
| 266 | Difference in Therapeutic Strategies for Jointâ€Preserving Surgery for Nonâ€Traumatic Osteonecrosis of the Femoral Head between the United States and Japan: A Review of the Literature. Orthopaedic Surgery, 2021, 13, 742-748. | 0.7 | 11 |
| 267 | Prophylactic treatment of rapamycin ameliorates naturally developing and episode -induced heterotopic ossification in mice expressing human mutant ACVR1. Orphanet Journal of Rare Diseases, 2020, 15, 122. | 1.2 | 11 |
| 268 | Strategy for salvage pedicle screw placement: A technical note. International Journal of Spine Surgery, 2013, 7, e67-e71. | 0.7 | 10 |
| 269 | Varus femoral and tibial coronal alignments result in different kinematics and kinetics after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3459-3466. | 2.3 | 10 |
| 270 | Factors influencing spinal sagittal balance, bone mineral density, and Oswestry Disability Index outcome measures in patients with rheumatoid arthritis. European Spine Journal, 2018, 27, 406-415. | 1.0 | 10 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Impact of intraoperative adjustment method for increased flexion gap on knee kinematics after posterior cruciate ligament-sacrificing total knee arthroplasty. Clinical Biomechanics, 2019, 63, 85-94. | O.5 | 10 |
| 272 | Fluctuation in anti-cyclic citrullinated protein antibody level predicts relapse from remission in rheumatoid arthritis: KURAMA cohort. Arthritis Research and Therapy, 2020, 22, 268. | 1.6 | 10 |
| 273 | Lower Activity and Function Scores Are Associated with a Higher Risk of Preoperative Deep Venous Thrombosis in Patients Undergoing Total Hip Arthroplasty. Journal of Clinical Medicine, 2020, 9, 1257. | 1.0 | 10 |
| 274 | Indirect Decompression Through Oblique Lateral Interbody Fusion for Revision Surgery After Lumbar Decompression. World Neurosurgery, 2020, 141, e389-e399. | 0.7 | 10 |
| 275 | Preoperative Factors Associated With Low Back Pain Improvement After Total Hip Arthroplasty in a Japanese Population. Journal of Arthroplasty, 2022, 37, 69-74. | 1.5 | 10 |
| 276 | Solitary Muscle Metastasis of Hepatocellular Carcinoma to the Biceps Femoris Muscle with Only Elevated Serum PIVKA-II: A Case Report. American Journal of Case Reports, 2019, 20, 306-309. | 0.3 | 10 |
| 277 | Primary leiomyosarcoma of the patella. Skeletal Radiology, 2001, 30, 530-533. | 1.2 | 9 |
| 278 | Validity of an oblique posterior condylar radiographic view for revision total knee arthroplasty. Journal of Bone and Joint Surgery: British Volume, 2005, 87-B, 1643-1646. | 3.4 | 9 |
| 279 | Utility of the Analysis of Intracranial Venous Sinuses Using Preoperative Computed Tomography Venography for Safe Occipital Screw Insertion. Spine, 2013, 38, E1149-E1155. | 1.0 | 9 |
| 280 | Impact of obesity on outcomes of paediatric acute pancreatitis based on a national administrative database. Pediatric Obesity, 2016, 11, 174-180. | 1.4 | 9 |
| 281 | Plasma microRNAs Are Potential Biomarkers of Acute Rejection After Hindlimb Transplantation in Rats. Transplantation Direct, 2016, 2, e108. | 0.8 | 9 |
| 282 | Changes in clinical symptoms and functional disability in patients with coexisting patellofemoral and tibiofemoral osteoarthritis: a 1-year prospective cohort study. BMC Musculoskeletal Disorders, 2017, 18, 126. | 0.8 | 9 |
| 283 | Recipient bone marrowâ€derived stromal cells prolong graft survival in a rat hind limb allotransplantation model. Microsurgery, 2017, 37, 632-640. | 0.6 | 9 |
| 284 | Nardilysin is involved in autoimmune arthritis via the regulation of tumour necrosis factor alpha secretion. RMD Open, 2017, 3, e000436. | 1.8 | 9 |
| 285 | Correlation Between Intraoperative Anterior Stability and Flexion Gap in Total Knee Arthroplasty. Journal of Arthroplasty, 2018, 33, 2480-2484. | 1.5 | 9 |
| 286 | Bone–femoral component interface gap after sagittal mechanical axis alignment is filled with new bone after cementless total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1478-1484. | 2.3 | 9 |
| 287 | THRAP3 interacts with and inhibits the transcriptional activity of SOX9 during chondrogenesis. Journal of Bone and Mineral Metabolism, 2018, 36, 410-419. | 1.3 | 9 |
| 288 | Analysis of detailed clinical characteristics of spinal subdural hematoma following lumbar decompression surgery. Journal of Orthopaedic Science, 2018, 23, 857-864. | 0.5 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Tibial Tubercle-Trochlear Groove Distance Influences Patellar Tilt After Total Knee Arthroplasty. Journal of Arthroplasty, 2019, 34, 3080-3087. | 1.5 | 9 |
| 290 | The use of a bioactive bone cement containing apatite-wollastonite glass-ceramic filler and bisphenol-a-glycidyl methacrylate resin for acetabular fixation in total hip arthroplasty. Bone and Joint Journal, 2019, 101-B, 787-792. | 1.9 | 9 |
| 291 | Long-term outcome of cemented total hip arthroplasty with the Charnley-type femoral stem made of titanium alloy. Journal of Orthopaedic Science, 2019, 24, 1047-1052. | 0.5 | 9 |
| 292 | Serological and Progression Differences of Joint Destruction in the Wrist and the Feet in Rheumatoid Arthritis - A Cross-Sectional Cohort Study. PLoS ONE, 2015, 10, e0136611. | 1.1 | 9 |
| 293 | Estimation of Minimum Biofilm Eradication Concentration (MBEC) on In Vivo Biofilm on Orthopedic Implants in a Rodent Femoral Infection Model. Frontiers in Cellular and Infection Microbiology, 0, 12, . | 1.8 | 9 |
| 294 | Revision total hip replacement with a cemented long femoral component: minimum 9-year follow-up results. Archives of Orthopaedic and Trauma Surgery, 2013, 133, 869-874. | 1.3 | 8 |
| 295 | Spontaneous Reduction in Ossification of the Posterior Longitudinal Ligament of the Thoracic Spine After Posterior Spinal Fusion Without Decompression. Spine, 2014, 39, E417-E419. | 1.0 | 8 |
| 296 | Proximal femoral reconstruction with impaction bone grafting and circumferential metal mesh. Journal of Orthopaedic Science, 2015, 20, 331-339. | 0.5 | 8 |
| 297 | Plasma sLOX-1 is a potent biomarker of clinical remission and disease activity in patients with seropositive RA. Modern Rheumatology, 2016, 26, 696-701. | 0.9 | 8 |
| 298 | Valgus position of the femoral component causes abnormal kinematics in the presence of medial looseness in total knee arthroplasty: a computer simulation model of TKA for valgus knee osteoarthritis. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2051-2060. | 2.3 | 8 |
| 299 | Quantity and quality of antigravity muscles in patients undergoing living-donor lobar lung transplantation: 1-year longitudinal analysis using chest computed tomography images. ERJ Open Research, 2020, 6, 00205-2019. | 1.1 | 8 |
| 300 | Incidence and Clinical Features of Postoperative Symptomatic Hematoma after Spine Surgery: A Multicenter Study of 45 Patients. Spine Surgery and Related Research, 2020, 4, 130-134. | 0.4 | 8 |
| 301 | Sacroiliac joint degeneration is common in patients with end-stage hip osteoarthritis secondary to unilateral developmental dysplasia of the hip: Factors associated with its severity and laterality. Journal of Orthopaedic Science, 2021, 26, 135-140. | 0.5 | 8 |
| 302 | Intractable Fractures of the Bilateral Proximal Ulnae After 8 Years of Zoledronate Treatment for Breast Cancer Bone Metastasis. Journal of Hand Surgery, 2022, 47, 393.e1-393.e7. | 0.7 | 8 |
| 303 | Hip Abductor Strength and Lower Limb Load on Nonoperating Predict Functional Mobility in Women Patients With Total Hip Arthroplasty. American Journal of Physical Medicine and Rehabilitation, 2021, 100, 72-76. | 0.7 | 8 |
| 304 | THE EFFECT OF ANKLE ROTATION ON CUTTING OF THE TIBIA IN TOTAL KNEE ARTHROPLASTY. Journal of Bone and Joint Surgery - Series A, 2006, 88, 2632-2636. | 1.4 | 8 |
| 305 | Changes in Patellar Tracking After Total Knee Arthroplasty: 10-Year Follow-Up of Miller-Galante I Knees. Orthopedics, 2002, 25, 811-813. | 0.5 | 8 |
| 306 | Alignment in total knee arthroplasty following failed high tibial osteotomy. Journal of Knee Surgery, 2003, 16, 168-72. | 0.9 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Differential efficacy of TNF inhibitors with or without the immunoglobulin fragment crystallizable (Fc) portion in rheumatoid arthritis: the ANSWER cohort study. Rheumatology International, 2022, 42, 1227-1234. | 1.5 | 8 |
| 308 | Effect of patellar meniscus on patellofemoral contact stress in total knee arthroplasty. Journal of Arthroplasty, 1998, 13, 722-727. | 1.5 | 7 |
| 309 | Low-grade fibrosarcoma of the proximal humerus. Pathology International, 2003, 53, 115-120. | 0.6 | 7 |
| 310 | Alternative Surgical Treatment for Giant-Cell Reparative Granuloma in the Metacarpal, Using Phenol and Ethanol Adjuvant Therapy. Journal of Hand Surgery, 2007, 32, 887-892. | 0.7 | 7 |
| 311 | Low-grade dedifferentiated liposarcoma of the neck: magnetic resonance imaging and pathological correlation. Journal of Orthopaedic Science, 2010, 15, 148-152. | 0.5 | 7 |
| 312 | Outcome of shortened extra-small ulnar component in linked total elbow arthroplasty for patients with rheumatoid arthritis. Modern Rheumatology, 2015, 25, 849-853. | 0.9 | 7 |
| 313 | A Report on Three Consecutive Cases using Computer Tomography 3D Preoperative Planning for Conversion of Arthrodesed Hips to Total Hip Replacements. HSS Journal, 2015, 11, 76-83. | 0.7 | 7 |
| 314 | Isometric muscle activation of the serratus anterior and trapezius muscles varies by arm position: a pilot study with healthy volunteers with implications for rehabilitation. Journal of Shoulder and Elbow Surgery, 2017, 26, 1166-1174. | 1.2 | 7 |
| 315 | Association of varus thrust with prevalent patellofemoral osteoarthritis: A cross-sectional study. Gait and Posture, 2017, 58, 394-400. | 0.6 | 7 |
| 316 | Noise Generation With Good Range of Motion but Without Femorotibial Instability Has Small Effect on Patient Satisfaction After Total Knee Arthroplasty. Journal of Arthroplasty, 2017, 32, 407-412. | 1.5 | 7 |
| 317 | Long-term results of total hip arthroplasty using Charnley Elite-Plus stem and the effect of stem geometry on radiographic distal femoral cortical hypertrophy. Journal of Orthopaedic Science, 2018, 23, 365-370. | 0.5 | 7 |
| 318 | Effects of walking distance over robot-assisted training on walking ability in chronic stroke patients. Journal of Clinical Neuroscience, 2020, 81, 279-283. | 0.8 | 7 |
| 319 | Bio 3D Conduits Derived from Bone Marrow Stromal Cells Promote Peripheral Nerve Regeneration. Cell Transplantation, 2020, 29, 096368972095155. | 1.2 | 7 |
| 320 | Self-quarantine programme and pre-operative SARS-CoV-2 PCR screening for orthopaedic elective surgery: experience from Japan. International Orthopaedics, 2021, 45, 1147-1153. | 0.9 | 7 |
| 321 | Recombinant human FGF-2 therapy for osteonecrosis of the femoral head: 5-year follow-up. Regenerative Medicine, 2020, 15, 2261-2271. | 0.8 | 7 |
| 322 | Non-ossifying fibromas: Case series, including in uncommon upper extremity sites. World Journal of Orthopedics, 2017, 8, 561. | 0.8 | 7 |
| 323 | Repair of Iliac Crest Defects with a Hydroxyapatite/Collagen Composite. Asian Spine Journal, 2020, 14, 808-813. | 0.8 | 7 |
| 324 | Recovery of Muscle Atrophy and Fatty Infiltration in Patients With Acetabular Dysplasia After Total Hip Arthroplasty. Journal of the American Academy of Orthopaedic Surgeons, The, 2022, 30, e317-e326. | 1.1 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Evaluation of Tibial Component Fixation in Specimens Retrieved at Autopsy. Clinical Orthopaedics and Related Research, 1999, 363, 249???257. | 0.7 | 6 |
| 326 | Disassembly of a Howmedica Modular Resection system. Journal of Arthroplasty, 2000, 15, 934-937. | 1.5 | 6 |
| 327 | Good short-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 599-603. | 1.2 | 6 |
| 328 | Is a "sulcus cut―technique effective for determining the level of distal femoral resection in total knee arthroplasty?. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 3060-3066. | 2.3 | 6 |
| 329 | A new cervical nerve root avulsion model using a posterior extra-vertebral approach in rats. Journal of Brachial Plexus and Peripheral Nerve Injury, 2014, 08, e19-e27. | 1.0 | 6 |
| 330 | Low-Intensity Pulsed Ultrasound Therapy Stimulates Callus Formation between Host Femur and Cortical Onlay Strut Allograft. Ultrasound in Medicine and Biology, 2014, 40, 1197-1203. | 0.7 | 6 |
| 331 | Open treatment of dysplasia—other than PAO: does it have to be a PAO?. Journal of Hip Preservation Surgery, 2015, 4, hnv028. | 0.6 | 6 |
| 332 | Successful Total En Bloc Spondylectomy of T7 Vertebra for Hepatocellular Carcinoma Metastasis After Living Donor Liver Transplantation. Spine, 2015, 40, E944-E947. | 1.0 | 6 |
| 333 | Simultaneous occurrence of a severe Morel-Lavallée lesion and gluteal muscle necrosis as a sequela of transcatheter angiographic embolization following pelvic fracture: a case report. Journal of Medical Case Reports, 2015, 9, 69. | 0.4 | 6 |
| 334 | Percutaneous Fixation for Scaphoid Nonunion with Bone Grafting Through the Distal Insertion Hole of a Fully Threaded Headless Screw. journal of hand surgery Asian-Pacific volume, The, 2016, 21, 357-363. | 0.2 | 6 |
| 335 | Extremely early stage osteonecrosis of the femoral head in a patient with hip pain secondary systemic steroid pulse therapy for Vogt-Koyanagi-Harada syndrome: A case report. International Journal of Surgery Case Reports, 2016, 25, 97-101. | 0.2 | 6 |
| 336 | Unsintered Hydroxyapatite and Poly-L-Lactide Composite Screws/Plates for Stabilizing β-Tricalcium Phosphate Bone Implants. Clinics in Orthopedic Surgery, 2018, 10, 253. | 0.8 | 6 |
| 337 | Implantable composite devices of unsintered hydroxyapatite and poly-l-lactide with dispersive marbling morphology to enhance in vivo bioactivity and bioresorbability. Materials Science and Engineering C, 2019, 97, 698-706. | 3.8 | 6 |
| 338 | Macroscopic and microscopic anatomy of the rotator cable in the shoulder. Journal of Orthopaedic Science, 2020, 25, 229-234. | 0.5 | 6 |
| 339 | Abnormal knee kinematics caused by mechanical alignment in symmetric bicruciate-retaining total knee arthroplasty are alleviated by kinematic alignment. Knee, 2020, 27, 1385-1395. | 0.8 | 6 |
| 340 | Varus alignment after total knee arthroplasty results in greater axial rotation during deep knee bend activity. Clinical Biomechanics, 2020, 77, 105051. | 0.5 | 6 |
| 341 | Excessive flexed position of the femoral component was associated with poor new Knee Society Score after total knee arthroplasty with the Bi-Surface knee prosthesis. Bone and Joint Journal, 2020, 102-B, 36-42. | 1.9 | 6 |
| 342 | Generation of Monkey Induced Pluripotent Stem Cell-Derived Cartilage Lacking Major Histocompatibility Complex Class I Molecules on the Cell Surface. Tissue Engineering - Part A, 2022, 28, 94-106. | 1.6 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | High dose teriparatide (rPTH1-34) therapy increases callus volume and enhances radiographic healing at 8-weeks in a massive canine femoral allograft model. PLoS ONE, 2017, 12, e0185446. | 1.1 | 6 |
| 344 | Mechanism of Peripheral Nerve Regeneration Using a Bio 3D Conduit Derived from Normal Human Dermal Fibroblasts. Journal of Reconstructive Microsurgery, 2021, 37, 357-364. | 1.0 | 6 |
| 345 | Wear resistance of first-generation highly cross-linked annealed polyethylene in cementless total hip arthroplasty is maintained 20 years after surgery. Bone and Joint Journal, 2022, 104-B, 200-205. | 1.9 | 6 |
| 346 | Recombinant human erythropoietin therapy for autologous blood donation in rheumatoid arthritis patients undergoing total hip or knee arthroplasty. Orthopedics, 2001, 24, 41-4. | 0.5 | 6 |
| 347 | Changes in patellar tracking after total knee arthroplasty: 10-year follow-up of Miller-Galante I knees. Orthopedics, 2002, 25, 811-3. | 0.5 | 6 |
| 348 | Radiological assessment of the position of the tibial tuberosity by means of a marking wire in knees with patellofemoral arthritis. Skeletal Radiology, 1999, 28, 27-32. | 1.2 | 5 |
| 349 | Solitary lymphangioma of the femur. A case report. Journal of Orthopaedic Science, 2002, 7, 501-504. | 0.5 | 5 |
| 350 | Development of a novel calcium phosphate cement composed mainly of calcium sodium phosphate with high osteoconductivity. Journal of Materials Science: Materials in Medicine, 2014, 25, 1505-1517. | 1.7 | 5 |
| 351 | The neuroprotective effect of erythropoietin on spinal motor neurons after nerve root avulsion injury in rats. Restorative Neurology and Neuroscience, 2015, 33, 461-470. | 0.4 | 5 |
| 352 | Clinical and radiographic evaluation of cemented socket fixation concomitant to acetabular bone grafting fixed with absorbable hydroxyapatite-poly-l-lactide composite screws. Journal of Orthopaedic Science, 2016, 21, 57-62. | 0.5 | 5 |
| 353 | MicroRNAs are potential objective and early biomarkers for acute rejection of transplanted limbs in a rat model. Microsurgery, 2017, 37, 930-936. | 0.6 | 5 |
| 354 | Subsidence of total ankle component associated with deterioration of an ankle scale in non-inflammatory arthritis but not in rheumatoid arthritis. Modern Rheumatology, 2017, 27, 417-424. | 0.9 | 5 |
| 355 | Preoperative factors related to the ambulatory status at 1 year after total knee arthroplasty. Disability and Rehabilitation, 2018, 40, 1929-1932. | 0.9 | 5 |
| 356 | Pretreatment of nerve grafts with resveratrol improves axonal regeneration following replantation surgery for nerve root avulsion injury in rats. Restorative Neurology and Neuroscience, 2018, 36, 647-658. | 0.4 | 5 |
| 357 | Does Prophylactic Administration of Edoxaban Increase D-Dimer Levels after Total Hip Arthroplasty?. Journal of Clinical Medicine, 2019, 8, 678. | 1.0 | 5 |
| 358 | Long-Term Survivorship and Clinical Outcomes of Osteochondral Autologous Transplantation for Steroid-Induced Osteonecrosis of the Knee. Cartilage, 2021, 13, 1156S-1164S. | 1.4 | 5 |
| 359 | A VCP modulator, KUS121, as a promising therapeutic agent for post-traumatic osteoarthritis. Scientific Reports, 2020, 10, 20787. | 1.6 | 5 |
| 360 | Percutaneous autologous impaction bone graft for advanced femoral head osteonecrosis: a retrospective observational study of unsatisfactory short-term outcomes. Journal of Orthopaedic Surgery and Research, 2021, 16, 141. | 0.9 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Physical function after lung transplantation for late-onset noninfectious pulmonary complications after allogeneic hematopoietic stem cell transplantation. Supportive Care in Cancer, 2021, 29, 5447-5454. | 1.0 | 5 |
| 362 | Possible Association of Pedicle Screw Diameter on Pseudoarthrosis Rate After Transforaminal Lumbar Interbody Fusion. World Neurosurgery, 2021, 150, e155-e161. | 0.7 | 5 |
| 363 | Recombinant human FGF-2 for the treatment of early-stage osteonecrosis of the femoral head: TRION, a single-arm, multicenter, Phase II trial. Regenerative Medicine, 2021, 16, 535-548. | 0.8 | 5 |
| 364 | Stand-Alone Anterior Cervical Discectomy and Fusion Using an Additive Manufactured Individualized Bioactive Porous Titanium Implant without Bone Graft: Results of a Prospective Clinical Trial. Asian Spine Journal, 2021, 15, 373-380. | 0.8 | 5 |
| 365 | Salvage Oblique Lateral Interbody Fusion for Pseudarthrosis after Posterior/Transforaminal Lumbar Interbody Fusion: A Technical Note. World Neurosurgery, 2021, 152, 107-112. | 0.7 | 5 |
| 366 | Optimizing the layer thickness of sol–gel-derived TiO2 coating on polyetheretherketone. Scientific Reports, 2021, 11, 15875. | 1.6 | 5 |
| 367 | Assessment of neurocognitive function in association with WHO grades in gliomas. Clinical Neurology and Neurosurgery, 2021, 208, 106824. | 0.6 | 5 |
| 368 | Functional characteristics associated with hip abductor torque in severe hip osteoarthritis. Musculoskeletal Science and Practice, 2021, 55, 102431. | 0.6 | 5 |
| 369 | Oxycodone Resistance Due to Rifampin Use in an Osteosarcoma Patient with Tuberculosis. American Journal of Case Reports, 2017, 18, 1130-1134. | 0.3 | 5 |
| 370 | Pes Anserinus Syndrome Caused by Osteochondroma in Paediatrics: A Case Series Study. The Open Orthopaedics Journal, 2017, 11, 397-403. | 0.1 | 5 |
| 371 | Pain catastrophizing hinders Disease Activity Score 28 – erythrocyte sedimentation rate remission of rheumatoid arthritis in patients with normal Câ€reactive protein levels. International Journal of Rheumatic Diseases, 2021, 24, 1520-1529. | 0.9 | 5 |
| 372 | Long-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants and highly cross-linked polyethylene: A minimum 10-year analysis. Journal of Orthopaedic Science, 2023, 28, 385-390. | 0.5 | 5 |
| 373 | PTEN and other tumor suppressor gene mutations as secondary genetic alterations in synovial sarcoma. Oncology Reports, 2004, 11, 1011. | 1.2 | 4 |
| 374 | Fibrocartilaginous mesenchymoma arising in the pubic bone: A case report. Pathology International, 2013, 63, 226-229. | 0.6 | 4 |
| 375 | Distal femoral condyle is more internally rotated to the patellar tendon at 90° of flexion in normal knees. Journal of Orthopaedic Surgery and Research, 2015, 10, 54. | 0.9 | 4 |
| 376 | Polyethylene and highly cross-linked polyethylene for cemented total hip arthroplasty: A comparison of over ten-year clinical and radiographic results. Journal of Orthopaedics, 2017, 14, 520-524. | 0.6 | 4 |
| 377 | Chronic expanding hematoma: a late complication 45 years after thoracoplasty. Journal of Thoracic Disease, 2017, 9, E6-E9. | 0.6 | 4 |
| 378 | Utility of Thoracolumbar Low-Dose CT With Model-Based Iterative Reconstruction for Measuring Pedicle Diameter Using a Radiation Dose Less Than a One-Time Lumbar X-Ray. Spine, 2020, 45, 38-47. | 1.0 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | An Observational Survey of Nail and Skin of Spine Surgeons-Possible Damage by Occupational Ionizing Radiation Exposure. Spine Surgery and Related Research, 2021, 5, 359-364. | 0.4 | 4 |
| 380 | Predictive Value of Heterogeneously Enhanced Magnetic Resonance Imaging Findings With Computed Tomography Evidence of Calcification for Severe Motor Deficits in Spinal Meningioma. Neurospine, 2021, 18, 163-169. | 1.1 | 4 |
| 381 | Analysis of factors associated with patient-reported physical functioning scores at discharge of allogeneic hematopoietic stem cell transplantation patients: a cross-sectional study. Supportive Care in Cancer, 2021, 29, 7569-7576. | 1.0 | 4 |
| 382 | Ten-year results of mesenchymal stromal cell transplantation augmented with vascularised bone grafts for advanced osteonecrosis of the femoral head. Journal of Orthopaedics, 2021, 26, 67-71. | 0.6 | 4 |
| 383 | Neutrophil count reduction 1Âmonth after initiating tocilizumab can predict clinical remission within 1Âyear in rheumatoid arthritis patients. Rheumatology International, 2022, 42, 1983-1991. | 1.5 | 4 |
| 384 | Influence of dietary habits on depression among patients with rheumatoid arthritis: A cross-sectional study using KURAMA cohort database. PLoS ONE, 2021, 16, e0255526. | 1.1 | 4 |
| 385 | Radiolucent lines do not affect the longevity of highly cross-linked polyethylene cemented components in total hip arthroplasty. Bone and Joint Journal, 2021, 103-B, 1604-1610. | 1.9 | 4 |
| 386 | Extra-Articular Tenosynovial Chondromatosis of the Finger: A Case Series Study of Three Cases, One Including Excessive Osseous Invasion. The Open Orthopaedics Journal, 2017, 11, 417-423. | 0.1 | 4 |
| 387 | Pyogenic arthritis of a lumbar facet joint, a rare cause of retroperitoneal abscess: a case report. Spine Surgery and Related Research, 2018, 2, 159-162. | 0.4 | 4 |
| 388 | Accuracy of fluoroscopic guidance with the coaxial view of the pedicle for percutaneous insertion of lumbar pedicle screws and risk factors for pedicle breach. Journal of Neurosurgery: Spine, 2020, , 1-8. | 0.9 | 4 |
| 389 | Chronic Expanding Hematoma in the Thigh: A Late Complication 32 Years After Treatment of Synovial Sarcoma: A Case Report. American Journal of Case Reports, 2019, 20, 1449-1453. | 0.3 | 4 |
| 390 | The real-world effectiveness of anti-RANKL antibody denosumab on the clinical fracture prevention in patients with rheumatoid arthritis: The ANSWER cohort study. Modern Rheumatology, 2022, 32, 834-838. | 0.9 | 4 |
| 391 | Long-term Radiographic Outcome of Occipitocervical Fixation. Spine, 2021, 46, 152-159. | 1.0 | 4 |
| 392 | Ultrasonographic Changes of the Knee Joint Reflect Symptoms of Early Knee Osteoarthritis in General Population; The Nagahama Study. Cartilage, 2022, 13, 194760352210774. | 1.4 | 4 |
| 393 | How do the Japanese medical students evaluate the effectiveness of anti-smoking strategies?- an application of the Analytic Hierarchy Process. Environmental Health and Preventive Medicine, 1998, 3, 73-77. | 1.4 | 3 |
| 394 | Leiomyosarcoma in the humerus with leukocytosis and elevation of serum G-CSF. Skeletal Radiology, 2012, 41, 719-723. | 1.2 | 3 |
| 395 | Peripheral nerve regeneration through a silicone chamber implanted with negative carbon ions: Possibility to clinical application. Applied Surface Science, 2014, 310, 19-23. | 3.1 | 3 |
| 396 | A-674563 increases chondrocyte marker expression in cultured chondrocytes by inhibiting Sox9 degradation. Biochemical and Biophysical Research Communications, 2018, 495, 1468-1475. | 1.0 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | Insufficiency fracture at an osteochondroma bridging the proximal fibula and the tibia: Case report. Journal of Orthopaedics, 2018, 15, 384-387. | 0.6 | 3 |
| 398 | Resection-Induced Leveling of Elevated Plug Cartilage in Osteochondral Autologous Transplantation of the Knee Achieves Acceptable Clinical Results. American Journal of Sports Medicine, 2018, 46, 617-622. | 1.9 | 3 |
| 399 | Subcutaneous lipomas: A minimally invasive method for resection of subcutaneous lipomas preserving retaining ligaments. European Journal of Plastic Surgery, 2018, 41, 173-176. | 0.3 | 3 |
| 400 | Unexpected dislocation following accurate total hip arthroplasty caused by excessive hip joint laxity during myasthenic crisis: a case report. Journal of Medical Case Reports, 2018, 12, 331. | 0.4 | 3 |
| 401 | Dose optimization of topical tranexamic acid for primary total hip arthroplasty: A prospective cohort study. Journal of Orthopaedic Science, 2019, 24, 275-279. | 0.5 | 3 |
| 402 | A clinical trial for Kienböck disease by cultured autologous multipotent mesenchymal stromal cells augmented with vascularized bone grafts: A report of five cases. Journal of Orthopaedic Science, 2019, 24, 750-756. | 0.5 | 3 |
| 403 | The family history of rheumatoid arthritis in anti-cyclic citrullinated peptide antibody-positive patient is not a predictor of poor clinical presentation and treatment response with modern classification criteria and treatment strategy: the ANSWER cohort study. Rheumatology International, 2020, 40, 217-225. | 1.5 | 3 |
| 404 | Length of anterior cruciate ligament affects knee kinematics and kinetics using a musculoskeletal computer simulation model. Journal of Orthopaedics, 2020, 21, 370-374. | 0.6 | 3 |
| 405 | Total Hip Arthroplasty Combined With Subtrochanteric Transverse Shortening Osteotomy: Factors Associated With Delayed Union at the Osteotomy Site. Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews, 2020, 4, e20.00056. | 0.4 | 3 |
| 406 | Domino osteochondral autograft transplantation for osteonecrosis ofÂthe knee and femoral head: A case based review. Journal of Orthopaedic Science, 2021, 26, 196-199. | 0.5 | 3 |
| 407 | Anatomical evaluation of the femoral attachment of the posterior oblique ligament. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 1035-1041. | 1.3 | 3 |
| 408 | Rigid reconstruction with periacetabular multiple screws after the resection of malignant pelvic tumours involving the sacroiliac joint. International Orthopaedics, 2021, 45, 1793-1802. | 0.9 | 3 |
| 409 | Radiological follow-up of the degenerated facet joints after lateral lumbar interbody fusion with percutaneous pedicle screw fixation: Focus on spontaneous facet joint fusion. Journal of Orthopaedic Science, 2021, , . | 0.5 | 3 |
| 410 | Perceptions and behaviours related to COVID-19 in patients with rheumatoid arthritis: a cross-sectional study. Clinical Rheumatology, 2022, 41, 45-51. | 1.0 | 3 |
| 411 | Persistent Symptoms of Ganglion Cysts in the Dorsal Foot. The Open Orthopaedics Journal, 2017, 11, 1308-1313. | 0.1 | 3 |
| 412 | Tenderness of the knee is associated with thinning of the articular cartilage evaluated with ultrasonography in a community-based cohort: The Nagahama study. Modern Rheumatology, 2021, , . | 0.9 | 3 |
| 413 | Evaluation of indices for predicting recovery of exercise tolerance in patients surviving allogenic hematopoietic stem cell transplantation. Supportive Care in Cancer, 2022, 30, 4027-4034. | 1.0 | 3 |
| 414 | Discrepancy in the Responsiveness to Hip Range of Motion Between Harris and Oxford Hip Scores. Arthroplasty Today, 2022, 13, 157-164. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | Biomechanical Comparison of Kinematic and Mechanical Knee Alignment Techniques in a Computer Simulation Medial Pivot Total Knee Arthroplasty Model. Journal of Knee Surgery, 2021, , . | 0.9 | 3 |
| 416 | Clinical Experience with Sparfloxacin in the Treatment of Gynaecological Infection. Drugs, 1993, 45, 384. | 4.9 | 2 |
| 417 | Dedifferentiated chondrosarcoma with leukocytosis and elevation of serum G-CSF. A case report. World Journal of Surgical Oncology, 2006, 4, 37. | 0.8 | 2 |
| 418 | Functional evaluation of four patients treated with V-Y quadricepsplasty in total knee arthroplasty. Journal of Orthopaedic Science, 2006, 11, 394-400. | 0.5 | 2 |
| 419 | CORR Insights®: The Value of Valgus Stress Radiographs in the Workup for Medial Unicompartmental Arthritis. Clinical Orthopaedics and Related Research, 2013, 471, 4004-4005. | 0.7 | 2 |
| 420 | Anterior tibial border as a landmark for extramedullary alignment guides for total knee arthroplasty in valgus knees. Journal of Orthopaedic Research, 2015, 33, 1897-1899. | 1.2 | 2 |
| 421 | Complete Resection of a Massive Synovial Osteochondromatosis of the Hip Using an Anterior Approach: A Report of Two Cases. Case Reports in Orthopedics, 2017, 2017, 1-4. | 0.1 | 2 |
| 422 | A long-term comparative study between two different designs of cemented stems: Distal-cylindrical versus distal-taper. Journal of Orthopaedics, 2018, 15, 190-195. | 0.6 | 2 |
| 423 | Bilateral osteonecrosis of the femoral head associated with corticosteroid therapy for alopecia areata: a case report and review of the literature. Therapeutics and Clinical Risk Management, 2018, Volume 14, 1399-1405. | 0.9 | 2 |
| 424 | Florid reactive periostitis of the metacarpal bone: a case of resolution without resection. Journal of Hand Surgery: European Volume, 2018, 43, 1118-1119. | 0.5 | 2 |
| 425 | Presacral myelolipoma as a possible parasymptom of cancer: A case report. Rare Tumors, 2018, 10, 203636131877212. | 0.3 | 2 |
| 426 | MRI examination of resected malignant bone tumor can be an option for assessment of the osseous surgical margin. British Journal of Radiology, 2019, 92, 20190518. | 1.0 | 2 |
| 427 | Titania ontaining bioactive bone cement for total hip arthroplasty in dogs. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2019, 107, 1238-1245. | 1.6 | 2 |
| 428 | Doxorubicin-Immersed Skeletal Muscle Grafts Promote Peripheral Nerve Regeneration Across a 10-mm Defect in the Rat Sciatic Nerve. Journal of Reconstructive Microsurgery, 2020, 36, 041-052. | 1.0 | 2 |
| 429 | Reconstruction with \hat{l}^2 -tricalcium phosphate for giant cell tumor of the talus. Foot, 2020, 42, 101643. | 0.4 | 2 |
| 430 | Thoracoabdominal flap reconstruction after resection of superficial soft-tissue sarcomas in the chest wall. Journal of Surgical Case Reports, 2021, 2021, rjaa571. | 0.2 | 2 |
| 431 | Chronic Expanding Hematomas That Occurred 20 Years or More After Primary Total Hip Arthroplasty. JBJS Case Connector, 2021, 11, . | 0.1 | 2 |
| 432 | Corticosteroid-associated osteonecrosis of the femoral head after orthotopic liver transplantation and the outcomes of subsequent total hip arthroplasty. Journal of Orthopaedic Science, 2021, , . | 0.5 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Differences in impact on adjacent compartments in medial unicompartmental knee arthroplasty versus high tibial osteotomy with identical valgus alignment. Knee, 2021, 29, 241-250. | 0.8 | 2 |
| 434 | Anterior chest wall reconstruction after resection of a sternal tumor with a single mandibular plate and Gore-Tex® sheet. Asian Journal of Surgery, 2021, 44, 563-565. | 0.2 | 2 |
| 435 | Kinematic comparison between asymmetrical and symmetrical polyethylene inserts during deep knee bend activity. Journal of Orthopaedic Science, 2022, 27, 810-814. | 0.5 | 2 |
| 436 | Femoral head collapse rate among Japanese patients with pre-collapse osteonecrosis of the femoral head. Journal of International Medical Research, 2021, 49, 030006052110233. | 0.4 | 2 |
| 437 | Differential Contribution of the Medial and the Lateral Side of the Joint to Symptoms in Knee Osteoarthritis: A Radiographic and Laboratory Analysis in the Nagahama Study. Cartilage, 2021, , 194760352110258. | 1.4 | 2 |
| 438 | Ischemic Fasciitis of the Left Buttock in a 40-Year-Old Woman with Beta-Propeller Protein-Associated Neurodegeneration (BPAN). American Journal of Case Reports, 2018, 19, 1249-1252. | 0.3 | 2 |
| 439 | Posterior Dural Shifts Following Spinous Process-Splitting Multi-Level Intervertebral Lumbar Laminectomies. Asian Spine Journal, 2019, 13, 801-808. | 0.8 | 2 |
| 440 | Functional characteristics of female patients based on ambulatory ability 1Âyear after total knee arthroplasty. Knee, 2021, 33, 298-304. | 0.8 | 2 |
| 441 | Bone Involvement Mimicking an Aggressive Bone Lesion in a Diffuse-type Tenosynovial Giant Cell Tumor in the Thoracic Vertebral Lamina: A Case Report. Journal of Orthopaedic Case Reports, 2018, 8, 14-17. | 0.1 | 2 |
| 442 | Hinge fractures reaching the tibial plateau can be caused by forcible opening of insufficient posterior osteotomy during open-wedge high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 1533-1545. | 2.3 | 2 |
| 443 | Protective effects of calcium antagonist (nitrendipine) on calcium ionophore A23187-induced liver cell injury. The Bulletin of Tokyo Medical and Dental University, 1991, 38, 35-44. | 0.1 | 2 |
| 444 | Physical and financial impacts caused by the COVID-19 pandemic exacerbate knee pain: A longitudinal study of a large-scale general population. Modern Rheumatology, 2022, , . | 0.9 | 2 |
| 445 | Closed suction drainage is not beneficial in hybrid total hip arthroplasty with intra-articular administration of tranexamic acid: a propensity score-matched cohort study. International Orthopaedics, 2022, 46, 1281-1287. | 0.9 | 2 |
| 446 | Development of a Clinical Prediction Rule to Identify Physical Activity After Total Hip Arthroplasty. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1975-1982. | 0.5 | 2 |
| 447 | Predictors of the need for rib resection in minimally invasive retroperitoneal approach for oblique lateral interbody fusion at upper lumbar spine (L1-2 and L2-3). Journal of Orthopaedic Science, 2023, 28, 752-757. | 0.5 | 2 |
| 448 | Residual anterior cord compression after laminoplasty for cervical spondylotic myelopathy: evaluation of risk factors according to the most severely stenotic vertebral segment. Journal of Neurosurgery: Spine, 2022, 37, 794-801. | 0.9 | 2 |
| 449 | Twenty-Six-Degree Anteroposterior flexion Standing Radiograph of knee Orthopedics & Traumatology, 2000, 49, 750-753. | 0.0 | 1 |
| 450 | Suprapatellar Synovial Plica with Complete Type of Septum —A Report of Three Cases. Orthopedics & Traumatology, 2012, 61, 623-626. | 0.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Free functional muscle transplantation of an anomalous femoral adductor with a very large muscle belly: a case report. Journal of Brachial Plexus and Peripheral Nerve Injury, 2014, 08, e47-e50. | 1.0 | 1 |
| 452 | A Proximally Based Sural Fasciocutaneous Flap for the Treatment of Recurrent Peroneal Neuropathy. Plastic and Reconstructive Surgery - Global Open, 2016, 4, e815. | 0.3 | 1 |
| 453 | Varus thrust visualized during gait was associated with inverted foot in patients with knee osteoarthritis: An exploratory study. Gait and Posture, 2018, 61, 269-275. | 0.6 | 1 |
| 454 | Reply to the letter to the editor by Kayaalp. Journal of Orthopaedic Science, 2019, 24, 954-955. | 0.5 | 1 |
| 455 | A posterior approach for curettage in giant cell tumor of bone in the proximal fibula. Journal of Surgical Case Reports, 2019, 2019, rjz252. | 0.2 | 1 |
| 456 | Subvastus approach for resection of subvastus osteochondroma in the distal femur. Asian Journal of Surgery, 2019, 42, 842-843. | 0.2 | 1 |
| 457 | Effects of interaction between varus thrust and ambulatory physical activity on knee pain in individuals with knee osteoarthritis: an exploratory study with 12-month follow-up. Clinical Rheumatology, 2019, 38, 1721-1729. | 1.0 | 1 |
| 458 | Unicameral bone cyst in the pelvis: report of a case treated by placement of screws made from a composite of unsintered hydroxyapatite particles and poly-l-lactide. Rare Tumors, 2019, 11, 203636131989507. | 0.3 | 1 |
| 459 | Sagittal imbalance treated with L5 pedicle subtraction osteotomy with short lumbar fusion from L4 to sacrum using four screws into L4 for enhanced fixation two additional vertebral screws: a technical note. European Spine Journal, 2019, 28, 121-126. | 1.0 | 1 |
| 460 | Soluble Lectin-like Oxidized Low-Density Lipoprotein Receptor 1 Predicts the Changes of Rheumatoid Factor Titers in Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2020, 26, 295-300. | 0.5 | 1 |
| 461 | The spontaneous restoration of the course of psoas muscles after corrective surgery for adult spinal deformity. Journal of Orthopaedic Science, 2020, 25, 73-81. | 0.5 | 1 |
| 462 | Hemangioma in the patella – A case report. Journal of Clinical Orthopaedics and Trauma, 2020, 11, S892-S895. | 0.6 | 1 |
| 463 | Osteochondral Autograft Transplant as a Potential Salvage Procedure for Articular Cartilage Defects of the Lateral Compartment in Lateral Meniscus–Deficient Knees: Results From a Country With Limited Availability of Meniscal Transplant. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712096275. | 0.8 | 1 |
| 464 | Cervical spinal computed tomography utilizing model-based iterative reconstruction reduces radiation to an equivalent of three cervical X-rays. European Spine Journal, 2020, 29, 2804-2813. | 1.0 | 1 |
| 465 | A histoanatomical study of the fiber bundle forming the â€ [~] Comma Sign,' a critical marker of the torn edge of the subscapularis tendon. Archives of Orthopaedic and Trauma Surgery, 2021, 141, 1231-1239. | 1.3 | 1 |
| 466 | Multifidus muscle retracted and preserved in resection of malignant bone tumor in the sacral ala. Journal of Surgical Case Reports, 2021, 2021, rjab439. | 0.2 | 1 |
| 467 | Association between quantitative lower limb arterial calcification and bilateral severe knee osteoarthritis. Modern Rheumatology, 2021, 31, 1059-1065. | 0.9 | 1 |
| 468 | Titania-Containing Bone Cement Shows Excellent Osteoconductivity in A Synovial Fluid Environment and Bone-Bonding Strength in Osteoporosis. Materials, 2021, 14, 1110. | 1.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Coexistence of low back pain and lumbar kyphosis is associated with increased functional disability in knee osteoarthritis: the Nagahama Study. Arthritis Care and Research, 2021, , . | 1.5 | 1 |
| 470 | Arthroscopic evaluation after osteochondral autogenous transfer with osteotomy of medial malleolus for osteochondral lesion of the talar dome. Foot and Ankle Surgery, 2022, 28, 25-29. | 0.8 | 1 |
| 471 | Bone Coverage around Hydroxyapatite/Poly(L-Lactide) Composite Is Determined According to Depth from Cortical Bone Surface in Rabbits. Materials, 2021, 14, 1458. | 1.3 | 1 |
| 472 | Effects of periodic robot rehabilitation using the Hybrid Assistive Limb for a year on gait function in chronic stroke patients. Journal of Clinical Neuroscience, 2021, 92, 17-21. | 0.8 | 1 |
| 473 | Occipital and external acoustic meatus to axis angle: a useful predictor of oropharyngeal space in rheumatoid arthritis patients with atlantoaxial subluxation. Journal of Neurosurgery: Spine, 2019, 31, 534-541. | 0.9 | 1 |
| 474 | <i>Salmonella</i> osteomyelitis of the distal radius in a healthy pregnant woman. Journal of Bone and Joint Infection, 2020, 6, 1-5. | 0.6 | 1 |
| 475 | Changes in the health-related quality of life and social reintegration status after lung transplantation following hematopoietic stem cell transplantation. Supportive Care in Cancer, 2022, 30, 1831-1839. | 1.0 | 1 |
| 476 | Preoperative Hyperthermoradiotherapy for Myxoid Liposarcoma Arising from Lower Extremity: A Preliminary Report Thermal Medicine(Japanese Journal of Hyperthermic Oncology), 2001, 17, 69-76. | 0.4 | 1 |
| 477 | Multicentric reticulohistiocytosis with hydrarthrosis in both knee joints: disease stabilization with synovectomy, and medication with a steroid and low-dose methotrexate. Modern Rheumatology, 2002, 12, 155-159. | 0.9 | 1 |
| 478 | Focal Periphyseal Edema Zone on Magnetic Resonance Imaging in the Greater Trochanter Apophysis: A Case Report. Journal of Orthopaedic Case Reports, 2017, 7, 29-31. | 0.1 | 1 |
| 479 | Femoral bowing affects varus femoral alignment but not patient satisfaction in mechanically aligned total knee arthroplasty. European Journal of Orthopaedic Surgery and Traumatology, 2021, , 1. | 0.6 | 1 |
| 480 | Distinct Pathogenesis of Clonal Hematopoiesis Revealed By Single Cell RNA Sequencing Integrated with Highly Sensitive Genotyping Method. Blood, 2020, 136, 34-34. | 0.6 | 1 |
| 481 | A Transposition Flap Reconstruction after Resection of a Soft-Tissue Sarcoma in the Buttock. Journal of Orthopaedic Case Reports, 2021, 11, 38-40. | 0.1 | 1 |
| 482 | Association Between the Amount of Limb Lengthening and Hip Range of Motion After Total Hip Arthroplasty. Journal of the American Academy of Orthopaedic Surgeons, The, 2022, 30, e599-e606. | 1.1 | 1 |
| 483 | Paraplegia Caused by Multifocal Osteosarcoma With Spinal Lesions. International Journal of Spine Surgery, 2021, 15, 1234-1237. | 0.7 | 1 |
| 484 | Static Mediolateral Tilt of the Joint Line after Total Knee Arthroplasty Does Not Reflect Dynamic Tilt during a Stair Ascent Activity. Journal of Knee Surgery, 2021, , . | 0.9 | 1 |
| 485 | Comparative Study of Circumferential Decompression and Posterior Decompression in Palliative Surgery for Metastatic Thoracic Spinal Tumors. Clinical Spine Surgery, 2022, Publish Ahead of Print, . | 0.7 | 1 |
| 486 | High Subsidence Rate After Primary Total Hip Arthroplasty Using a Zweymüller-type Noncemented Implant With a Matte Surface. Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews, 2022, 6, . | 0.4 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Visualization of Affected Lesion in Arthroscopic Surgery Using Augmented Reality Navigation System. Journal of Japan Society of Computer Aided Surgery, 2011, 13, 453-459. | 0.1 | 0 |
| 488 | Mid-term Clinical Results of Total Knee Arthroplasty with NexGen LPS. Orthopedics & Traumatology, 2012, 61, 840-842. | 0.0 | 0 |
| 489 | Three Cases of Osteomyelitis and Arthritis as a Complication of BCG Vaccination. Orthopedics & Traumatology, 2012, 61, 229-233. | 0.0 | 0 |
| 490 | Radiographic Evaluation of NexGen LPS to Knee Prosthesis in Minimum Five Years. Orthopedics & Traumatology, 2012, 61, 120-123. | 0.0 | 0 |
| 491 | Recurrent Hemarthrosis after Total Knee Arthroplasty: A Case Report. Orthopedics & Traumatology, 2012, 61, 843-845. | 0.0 | 0 |
| 492 | Osteoconductivity of New Sodium Calcium Phosphate Pastes. Key Engineering Materials, 0, 529-530, 304-308. | 0.4 | 0 |
| 493 | Two-Staged Reconstruction for Ankylosed Hip with Severe Limb Shortening: A Case Report. HIP International, 2014, 24, 660-663. | 0.9 | 0 |
| 494 | SATO2OOâ€Clinical Application of the Soluble Lectin-Like Oxidized LDL Receptor-1 (SLOX-1) in Rheumatoid Arthritis: from Bench to Bedside. Annals of the Rheumatic Diseases, 2014, 73, 662.1-662. | 0.5 | 0 |
| 495 | Limited extension after linked total elbow arthroplasty in patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 347-351. | 0.9 | 0 |
| 496 | An anatomical investigation of clock face landmarks around the glenoid for shoulder arthroscopy orientation. Journal of Orthopaedic Science, 2016, 21, 727-731. | 0.5 | 0 |
| 497 | Shoulder Bankart lesion with posterior instability: A case report of ultrasound detection. Skeletal Radiology, 2017, 46, 1137-1141. | 1.2 | 0 |
| 498 | In Patients Having Hip or Knee Arthroplasty, Intravenous and Oral Acetaminophen Did Not Differ for 24-Hour Pain or Narcotic Use. Journal of Bone and Joint Surgery - Series A, 2017, 99, 1392-1392. | 1.4 | 0 |
| 499 | Distal defect of the humerus, a possible normal variant: a case report. Journal of Medical Case Reports, 2017, 11, 241. | 0.4 | 0 |
| 500 | CORR Insights®: Femoral Component External Rotation Affects Knee Biomechanics: A Computational Model of Posterior-stabilized TKA. Clinical Orthopaedics and Related Research, 2018, 476, 124-125. | 0.7 | 0 |
| 501 | Opening Wedge Osteotomy for Valgus Deformity of the Little Finger after Proximal Phalangeal Fracture in Children: Two Case Reports. Case Reports in Orthopedics, 2018, 2018, 1-6. | 0.1 | 0 |
| 502 | Inverted Rearfoot posture in subjects with coexisting patellofemoral osteoarthritis in medial knee osteoarthritis: an exploratory study. Journal of Foot and Ankle Research, 2018, 11, 17. | 0.7 | 0 |
| 503 | Keyhole resection of intra-articular osteoid osteoma in the ulnar trochlear notch using 3-dimensional computed tomography-based navigation. Journal of Shoulder and Elbow Surgery, 2019, 28, e57-e61. | 1.2 | 0 |
| 504 | Preserving the Pelvic Ring at the Sciatic Notch During Resection of Malignant Bone Tumors at the Posterior Ilium. Orthopaedic Surgery, 2020, 12, 2013-2017. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 505 | Anatomic limitations of biceps tenodesis using an interference screw for Asian people: a cadaveric study. JSES International, 2020, 4, 422-426. | 0.7 | Ο |
| 506 | Implanted β-Tricalcium Phosphate Blocks Can Function as a Placeholder in Recurrent Giant Cell Tumor of Bone. Case Reports in Orthopedics, 2020, 2020, 1-4. | 0.1 | 0 |
| 507 | Recombinant Human Fibroblast Growth Factor-2 Treatment to Prevent Femoral Head Collapse in Patients With Osteonecrosis of the Femoral Head: Trion, a Single-Arm, Historical Control, Multicenter, Phase II Trial. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 508 | Preserving the posterior cortex of the sternum during resection of a superficial anterior chest wall sarcoma. Journal of Surgical Case Reports, 2021, 2021, rjab450. | 0.2 | 0 |
| 509 | Similarity in Sequential Bilateral Transient Osteoporosis of the Hip. JBJS Case Connector, 2021, 11, . | 0.1 | 0 |
| 510 | Subtotal En Bloc Resection of the Fourth Lumbar Vertebra for Giant Cell Tumor Using Combined Posterior and Lateral Retroperitoneal Approach. Spine Surgery and Related Research, 2021, 5, 442-445. | 0.4 | 0 |
| 511 | The 3M TM Cavilon TM barrier prevents erasure of surgical skin markings with removal of povidone iodine adhesive draping. Skin Health and Disease, 2021, 1, e31. | 0.7 | 0 |
| 512 | Solitary Metastasis of Hepatocellular Carcinoma to the Rectus Abdominis 13 Years After the Initial Treatment. ACG Case Reports Journal, 2021, 8, e00607. | 0.2 | 0 |
| 513 | A Case Report of a Team Approach for a Rheumatoid Arthritis Patient with Above-knee Amputation to Acquire Activities of Daily Living with a Prosthetic Leg. The Japanese Journal of Rehabilitation Medicine, 2021, 58, 692-698. | 0.0 | 0 |
| 514 | Chondrosarcoma Arising from the Posterior Iliac Crest Extending into the Spinal Canal. Case Reports in Orthopedics, 2021, 2021, 1-5. | 0.1 | 0 |
| 515 | Remaining spine deformity after revision surgery for pelvic reconstruction and spinopelvic fixation: illustrative case. Journal of Neurosurgery Case Lessons, 2021, 2, . | 0.1 | Ο |
| 516 | Region specificity of rheumatoid foot symptoms associated with ultrasound-detected synovitis and joint destruction. Modern Rheumatology, 2022, 32, 127-135. | 0.9 | 0 |
| 517 | Total Knee Arthroplasty for Osteoarthritis. , 2011, , 493-499. | | Ο |
| 518 | PS7-8 Bio rapid prototyping project : Influence of passage culture of spheroids for cells construct(PS7: Poster Short Presentation VII,Poster Session). The Proceedings of the Asian Pacific Conference on Biomechanics Emerging Science and Technology in Biomechanics, 2015, 2015.8, 344. | 0.0 | 0 |
| 519 | Rehabilitation for Impairments after Total Knee Arthroplasty. The Japanese Journal of Rehabilitation Medicine, 2017, 54, 201-204. | 0.0 | Ο |
| 520 | Soft Tissue Balance, Kinematics, and Patient Satisfaction. , 2017, , 205-216. | | 0 |
| 521 | Analysis of Clonal Evolution/Heterogeneity of MDS By Simultaneous Detection of Both Mutation and Gene Expression By Single Cell Sequencing. Blood, 2018, 132, 1800-1800. | 0.6 | 0 |
| 522 | Cervical Myelopathy Caused by Invagination of Floating Anomalous C2 and C3 Laminae in the Spinal Canal. Spine Surgery and Related Research, 2020, 4, 274-276. | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 523 | Rapid Spontaneous Resolution of Lumbar Intraspinal Facet Cyst after Lateral Lumbar Interbody Fusion. Spine Surgery and Related Research, 2020, 4, 328-332. | 0.4 | 0 |
| 524 | Curettage Using Soft-wire for Enchondroma in the Hand: A Technical Note. Journal of Orthopaedic Case Reports, 2017, 7, 67-70. | 0.1 | 0 |
| 525 | A Minimally Invasive Novel Technique Using a New Device to Treat Proximal Femoral Cystic Lesions. Journal of Orthopaedic Case Reports, 2020, 10, 23-26. | 0.1 | 0 |
| 526 | Regenerative Rehabilitation. The Japanese Journal of Rehabilitation Medicine, 2021, 58, 1149-1155. | 0.0 | 0 |
| 527 | Distinct Pathogenesis of Clonal Hematopoiesis Revealed By Single Cell RNA Sequencing Integrated with Highly Sensitive Genotyping Method. Blood, 2021, 138, 1092-1092. | 0.6 | 0 |
| 528 | Anteromedial Tibial Attachment in Single-Bundle Anterior Cruciate Ligament Reconstruction Can Represent Normal Kinematics in Computer Simulation. Journal of Knee Surgery, 2022, , . | 0.9 | 0 |
| 529 | The effect of a rehabilitation program after mesenchymal stromal cell transplantation for advanced osteonecrosis of the femoral head: a 10-year follow-up study. Archives of Rehabilitation Research and Clinical Translation, 2022, 4, 100179. | 0.5 | 0 |
| 530 | The superior accuracy of a novel method in total hip wear calculations following radiographic measurement. BMC Musculoskeletal Disorders, 2022, 23, 130. | 0.8 | 0 |
| 531 | The efficacy of combining a vascularized biogenic conduit and a decellularized nerve graft in the treatment of peripheral nerve defects: An experimental study using the rat sciatic nerve defect model. Microsurgery, 2022, 42, 254-264. | 0.6 | 0 |
| 532 | Reproducibility, criterion-related validity, and minimal clinically important difference of the stair negotiation test after total Hip arthroplasty. Physiotherapy Theory and Practice, 2022, , 1-8. | 0.6 | 0 |
| 533 | Comparative Study Of The Usage Of Closed Suction And Nonsuction Drains In Cervical Laminoplasty. Spine Surgery and Related Research, 2022, , . | 0.4 | 0 |
| 534 | Muscle Grafts with Doxorubicin Pretreatment Produce "Empty Tubes―in the Basal Laminae, Promote Contentious Maturation of the Regenerated Axons, and Bridge 20-mm Sciatic Nerve Defects in Rats. Journal of Reconstructive Microsurgery, 0, , . | 1.0 | 0 |