Arjen J C Slooter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7566230/publications.pdf

Version: 2024-02-01

126907 60623 7,195 100 33 81 citations g-index h-index papers 101 101 101 6605 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, e825-e873.	0.9	2,074
2	European Society of Anaesthesiology evidence-based and consensus-based guideline on postoperative delirium. European Journal of Anaesthesiology, 2017, 34, 192-214.	1.7	722
3	Delirium. Nature Reviews Disease Primers, 2020, 6, 90.	30.5	443
4	A Systematic Review of Risk Factors for Delirium in the ICU*. Critical Care Medicine, 2015, 43, 40-47.	0.9	411
5	Effect of Haloperidol on Survival Among Critically Ill Adults With a High Risk of Delirium. JAMA - Journal of the American Medical Association, 2018, 319, 680.	7.4	206
6	Updated nomenclature of delirium and acute encephalopathy: statement of ten Societies. Intensive Care Medicine, 2020, 46, 1020-1022.	8.2	202
7	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, 1532-1548.	0.9	197
8	Benzodiazepine-associated delirium in critically ill adults. Intensive Care Medicine, 2015, 41, 2130-2137.	8.2	180
9	Clinical Outcomes Among Patients With 1-Year Survival Following Intensive Care Unit Treatment for COVID-19. JAMA - Journal of the American Medical Association, 2022, 327, 559.	7.4	159
10	The Diagnosis of Delirium Superimposed on Dementia: An Emerging Challenge. Journal of the American Medical Directors Association, 2017, 18, 12-18.	2.5	154
11	The attributable mortality of delirium in critically ill patients: prospective cohort study. BMJ, The, 2014, 349, g6652-g6652.	6.0	150
12	The intensive care delirium research agenda: a multinational, interprofessional perspective. Intensive Care Medicine, 2017, 43, 1329-1339.	8.2	148
13	Long-term outcome of delirium during intensive care unit stay in survivors of critical illness: a prospective cohort study. Critical Care, 2014, 18, R125.	5 . 8	147
14	Cognitive impairment after intensive care unit admission: a systematic review. Intensive Care Medicine, 2013, 39, 376-386.	8.2	142
15	Induced Hypertension for Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. Stroke, 2018, 49, 76-83.	2.0	140
16	Delirium in Critically Ill Patients. Drugs, 2012, 72, 1457-1471.	10.9	92
17	Functional connectivity and network analysis during hypoactive delirium and recovery from anesthesia. Clinical Neurophysiology, 2017, 128, 914-924.	1.5	91
18	Intensive care unit environment may affect the course of delirium. Intensive Care Medicine, 2013, 39, 481-488.	8.2	73

#	Article	IF	Citations
19	Effects of Induced Hypertension on Cerebral Perfusion in Delayed Cerebral Ischemia After Aneurysmal Subarachnoid Hemorrhage. Stroke, 2015, 46, 3277-3281.	2.0	73
20	Use of Physical Restraints in Dutch Intensive Care Units: A Prospective Multicenter Study. American Journal of Critical Care, 2015, 24, 488-495.	1.6	69
21	Recognition of Delirium in Postoperative Elderly Patients: A Multicenter Study. Journal of the American Geriatrics Society, 2017, 65, 1932-1938.	2.6	66
22	Loss of <scp>EEG</scp> <scp>N</scp> etwork <scp>E</scp> fficiency <scp>I</scp> s <scp>R</scp> elated to <scp>C</scp> ognitive <scp>I</scp> mpairment in <scp>D</scp> ementia <scp>W</scp> ith <scp>L</scp> ewy <scp>B</scp> odies. Movement Disorders, 2015, 30, 1785-1793.	3.9	65
23	Opioid Use Increases the Risk of Delirium in Critically Ill Adults Independently of Pain. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 566-572.	5.6	60
24	Associations of the metabolic syndrome and its components with cognitive impairment in older adults. BMC Geriatrics, 2019, 19, 77.	2.7	45
25	The association between brain volume, cortical brain infarcts, and physical frailty. Neurobiology of Aging, 2018, 70, 247-253.	3.1	44
26	Delirium prediction in the intensive care unit: comparison of two delirium prediction models. Critical Care, 2018, 22, 114.	5.8	42
27	Anticholinergic Medication Use and Transition to Delirium in Critically III Patients. Critical Care Medicine, 2015, 43, 1846-1852.	0.9	41
28	Methodologic Innovation in Creating Clinical Practice Guidelines: Insights From the 2018 Society of Critical Care Medicine Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Guideline Effort. Critical Care Medicine, 2018, 46, 1457-1463.	0.9	41
29	Determinants of self-reported unacceptable outcome of intensive care treatment 1Âyear after discharge. Intensive Care Medicine, 2019, 45, 806-814.	8.2	41
30	Resting-state fMRI reveals network disintegration during delirium. NeuroImage: Clinical, 2018, 20, 35-41.	2.7	40
31	MRI Markers of Neurodegenerative and Neurovascular Changes in Relation to Postoperative Delirium and Postoperative Cognitive Decline. American Journal of Geriatric Psychiatry, 2017, 25, 1048-1061.	1.2	38
32	The association between frailty and MRI features of cerebral small vessel disease. Scientific Reports, 2019, 9, 11343.	3.3	38
33	Intensive care delirium monitoring and standardised treatment: A complete survey of Dutch Intensive Care Units. Intensive and Critical Care Nursing, 2008, 24, 218-221.	2.9	37
34	Single-center large-cohort study into quality of life in Dutch intensive care unit subgroups, 1 year after admission, using EuroQoL EQ-6D-3L. Journal of Critical Care, 2015, 30, 181-186.	2.2	33
35	Neuropsychiatric outcome in subgroups of Intensive Care Unit survivors: Implications for after-care. Journal of Critical Care, 2020, 55, 171-176.	2.2	30
36	Mental health symptoms in family members of COVID-19 ICU survivors 3 and 12Âmonths after ICU admission: a multicentre prospective cohort study. Intensive Care Medicine, 2022, 48, 322-331.	8.2	30

#	Article	IF	CITATIONS
37	The predictive value of early acute kidney injury for long-term survival and quality of life of critically ill patients. Critical Care, 2016, 20, 242.	5.8	29
38	Hallucinations and other psychotic experiences across diagnoses: A comparison of phenomenological features. Psychiatry Research, 2020, 292, 113314.	3.3	28
39	Development and Validation of an Abbreviated Questionnaire to Easily Measure Cognitive Failure in ICU Survivors: A Multicenter Study. Critical Care Medicine, 2018, 46, 79-84.	0.9	26
40	Postoperative Delirium in Individuals Undergoing Transcatheter Aortic Valve Replacement: A Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2018, 66, 2417-2424.	2.6	25
41	Basal forebrain cholinergic system volume is associated with general cognitive ability in the elderly. Neuropsychologia, 2018, 119, 145-156.	1.6	24
42	Delirium Management in the ICU. Current Treatment Options in Neurology, 2019, 21, 59.	1.8	24
43	EEG in delirium: Increased spectral variability and decreased complexity. Clinical Neurophysiology, 2014, 125, 2137-2139.	1.5	23
44	Diabetes and Glucose Dysregulation and Transition to Delirium in ICU Patients. Critical Care Medicine, 2018, 46, 1444-1449.	0.9	23
45	The ability of intensive care unit physicians to estimate long-term prognosis in survivors of critical illness. Journal of Critical Care, 2018, 43, 148-155.	2.2	21
46	Stability of neuropsychological test performance in older adults serving as normative controls for a study on postoperative cognitive dysfunction. BMC Research Notes, 2020, 13, 55.	1.4	21
47	Longâ€Term Selfâ€Reported Cognitive Problems After Delirium in the Intensive Care Unit and the Effect of Systemic Inflammation. Journal of the American Geriatrics Society, 2017, 65, 786-791.	2.6	20
48	Association of Automatically Quantified Total Blood Volume after Aneurysmal Subarachnoid Hemorrhage with Delayed Cerebral Ischemia. American Journal of Neuroradiology, 2016, 37, 1588-1593.	2.4	19
49	External Validation of Two Models to Predict Delirium in Critically Ill Adults Using Either the Confusion Assessment Method-ICU or the Intensive Care Delirium Screening Checklist for Delirium Assessment. Critical Care Medicine, 2019, 47, e827-e835.	0.9	19
50	Occurrence and Risk Factors of Chronic Pain After Critical Illness. Critical Care Medicine, 2020, 48, 680-687.	0.9	16
51	Plasma leptin, but not adiponectin, is associated with cognitive impairment in older adults. Psychoneuroendocrinology, 2020, 120, 104783.	2.7	16
52	The Effectiveness of Hospital in Motion, a Multidimensional Implementation Project to Improve Patients' Movement Behavior During Hospitalization. Physical Therapy, 2020, 100, 2090-2098.	2.4	15
53	Resting State EEG Characteristics During Sedation With Midazolam or Propofol in Older Subjects. Clinical EEG and Neuroscience, 2019, 50, 436-443.	1.7	14
54	Influence of sedation on delirium recognition in critically ill patients: A multinational cohort study. Australian Critical Care, 2020, 33, 420-425.	1.3	14

#	Article	IF	CITATIONS
55	Intensive Insulin Therapy Increases the Risk of Hypoglycemia in Neurocritical Care Patients. Journal of Neurosurgical Anesthesiology, 2011, 23, 206-214.	1.2	13
56	Effect of preadmission sunlight exposure on intensive care unit–acquired delirium: A multicenter study. Journal of Critical Care, 2014, 29, 283-286.	2.2	13
57	Glucose variability during delirium in diabetic and non-diabetic intensive care unit patients: A prospective cohort study. PLoS ONE, 2018, 13, e0205637.	2.5	12
58	Haloperidol, clonidine and resolution of delirium in critically ill patients: a prospective cohort study. Intensive Care Medicine, 2021, 47, 316-324.	8.2	12
59	Delirium Detection Based on Monitoring of Blinks and Eye Movements. American Journal of Geriatric Psychiatry, 2014, 22, 1575-1582.	1.2	11
60	Long-Term Mortality Among ICU Patients With Stroke Compared With Other Critically Ill Patients. Critical Care Medicine, 2020, 48, e876-e883.	0.9	11
61	Preoperative medication use and development of postoperative delirium and cognitive dysfunction. Clinical and Translational Science, 2021, 14, 1830-1840.	3.1	11
62	Preoperative brain MRI features and occurrence of postoperative delirium. Journal of Psychosomatic Research, 2021, 140, 110301.	2.6	10
63	Risk factors for hypoglycaemia in neurocritical care patients. Intensive Care Medicine, 2012, 38, 1999-2006.	8.2	9
64	Chronic healthcare expenditure in survivors of sepsis in the intensive care unit. Intensive Care Medicine, 2016, 42, 1641-1642.	8.2	9
65	In-hospital outcomes and 30-day readmission rates among ischemic and hemorrhagic stroke patients with delirium. PLoS ONE, 2019, 14, e0225204.	2.5	9
66	Prevalence and management of delirium in intensive care units in the Netherlands: An observational multicentre study. Intensive and Critical Care Nursing, 2020, 61, 102925.	2.9	9
67	Preoperative Comparison of Three Anticholinergic Drug Scales in Older Adult Patients and Development of Postoperative Delirium: A Prospective Observational Study. Drugs and Aging, 2021, 38, 347-354.	2.7	9
68	<scp>EEG</scp> and clinical assessment in delirium and acute encephalopathy. Psychiatry and Clinical Neurosciences, 2021, 75, 265-266.	1.8	9
69	Long-Term Cognitive Impairment Associated With Delirium in Acute Neurological Injury. , 2020, 2, e0130.		8
70	Anticholinergic drug exposure at intensive care unit admission affects the occurrence of delirium. A prospective cohort study. European Journal of Internal Medicine, 2020, 78, 121-126.	2.2	8
71	Radiological, Chemical, and Pharmacological Cholinergic System Parameters and Neurocognitive Disorders in Older Presurgical Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1029-1036.	3.6	8
72	Preoperative MRI brain phenotypes are related to postoperative delirium in older individuals. Neurobiology of Aging, 2021, 101, 247-255.	3.1	8

#	Article	lF	Citations
73	Intraoperative hypotension and delirium among older adults undergoing transcatheter aortic valve replacement. Journal of the American Geriatrics Society, 2021, 69, 3177-3185.	2.6	8
74	Association between genetic variants of the cholinergic system and postoperative delirium and cognitive dysfunction in elderly patients. BMC Medical Genomics, 2021, 14, 248.	1.5	8
75	Characterising neuropsychiatric disorders in patients with COVID-19. Lancet Psychiatry, the, 2020, 7, 932-933.	7.4	7
76	Factors associated with a persistent delirium in the intensive care unit: A retrospective cohort study. Journal of Critical Care, 2021, 66, 132-137.	2.2	7
77	Psychopathology prior to critical illness and the risk of delirium onset during intensive care unit stay. Intensive Care Medicine, 2018, 44, 1355-1356.	8.2	5
78	Hallucinations after Cardiac Surgery: A Prospective Observational Study. Medicina (Lithuania), 2020, 56, 104.	2.0	5
79	Association between delirium prediction scores and days spent with delirium. Journal of Critical Care, 2020, 58, 6-9.	2.2	4
80	Posttraumatic Confusional State: Delirium by Another Name. Archives of Physical Medicine and Rehabilitation, 2021, 102, 338-339.	0.9	4
81	Critical illness, delirium and cognitive impairment. Nature Reviews Neurology, 2013, 9, 666-667.	10.1	3
82	Benzodiazepine-associated delirium: further considerations. Intensive Care Medicine, 2016, 42, 1517-1518.	8.2	3
83	Perceptions and ideas of critically ill patients, their family and staff members regarding family participation in the physiotherapy-related care of critically ill patients: a qualitative study. Physiotherapy Theory and Practice, 2022, 38, 2856-2873.	1.3	3
84	Updated Nomenclature of Delirium and Acute Encephalopathy. Neurocritical Care, 2020, 33, 864-864.	2.4	2
85	Psychotropic medication use in former ICU patients with mental health problems: A prospective observational follow-up study. Journal of Critical Care, 2020, 59, 112-117.	2.2	2
86	Delirium and long-term psychopathology following surgery in older adults. Journal of Psychosomatic Research, 2022, 155, 110746.	2.6	2
87	Influence of prior sunlight exposure on ICU mortality - does delirium play a role?. Critical Care, 2012, 16, 462.	5.8	1
88		5.8	1
	16, 462. Case–control study on the interplay between immunoparalysis and delirium after cardiac surgery.		

#	Article	IF	CITATIONS
91	Absence of association between whole blood viscosity and delirium after cardiac surgery: a case-controlled study. Journal of Cardiothoracic Surgery, 2016, 11, 132.	1.1	O
92	Prophylactic Haloperidol for Critically III Adults—Reply. JAMA - Journal of the American Medical Association, 2018, 320, 304.	7.4	0
93	Nonpharmacological Interventions in Delirium: The Law of the Handicap of a Head Start. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 624-626.	5.6	O
94	Title is missing!. , 2019, 14, e0225204.		0
95	Title is missing!. , 2019, 14, e0225204.		O
96	Title is missing!. , 2019, 14, e0225204.		0
97	Title is missing!. , 2019, 14, e0225204.		O
98	Title is missing!. , 2019, 14, e0225204.		0
99	Title is missing!. , 2019, 14, e0225204.		0
100	Systemic glucocorticoid use during ICU admission and symptoms of posttraumatic stress disorder in intensive care unit survivors. Intensive Care Medicine, 2022 , 1 .	8.2	0