
## Yavuz Demiraran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7569450/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | High Thoracic Erector Spinae Plane Block for Arthroscopic Shoulder Surgery: A Randomized<br>Prospective Double-Blind Study. Pain Medicine, 2021, 22, 776-783.  | 1.9 | 23        |
| 2  | A comparison of adductor canal block before and after thigh tourniquet during knee arthroscopy: a randomized, blinded study. Korean Journal of Anesthesiology, 2021, 74, 514-521.  | 2.5 | 1         |
| 3  | The effect of vitamin D status on different neuromuscular blocker agents reverse time. Turkish<br>Journal of Medical Sciences, 2020, 50, 749-755.  | 0.9 | 1         |
| 4  | A Randomized Trial to Compare Serratus Anterior Plane Block and Erector Spinae Plane Block for Pain<br>Management Following Thoracoscopic Surgery. Pain Medicine, 2020, 21, 1248-1254.   | 1.9 | 30        |
| 5  | Re: Passive Smoking Also Affects Recovery from Anaesthesia. Turkish Journal of Anaesthesiology and Reanimation, 2020, 45, 243-243.   | 0.4 | 1         |
| 6  | The Efficacy of Different Volumes on Ultrasound-Guided Type-I Pectoral Nerve Block for Postoperative<br>Analgesia After Subpectoral Breast Augmentation: A Prospective, Randomized, Controlled Study.<br>Aesthetic Plastic Surgery, 2019, 43, 297-304.             | 0.9 | 18        |
| 7  | Comparison of Intravenous Ibuprofen and Paracetamol for Postoperative Pain Management after<br>Laparoscopic Sleeve Gastrectomy. A Randomized Controlled Study. Obesity Surgery, 2019, 29, 765-770.   | 2.1 | 11        |
| 8  | Effects of Inadvertent Perioperative Hypothermia on Metabolic and Inflammatory Mediators. Turkish<br>Journal of Anaesthesiology and Reanimation, 2019, 47, 448-455.  | 0.4 | 6         |
| 9  | Re: The Negative Influence of Cigarette Smoke on Passive Smokers-Deteriorated Pulmonary Function<br>Tests and Increased Urine Cotinine Levels. Turkish Journal of Anaesthesiology and Reanimation, 2019,<br>47, 243.   | 0.4 | 0         |
| 10 | Are Fetuin-A levels beneficial for estimating timing of sepsis occurrence?. Journal of King Abdulaziz<br>University, Islamic Economics, 2018, 39, 679-684.   | 1.1 | 6         |
| 11 | Analgesic effects of ultrasound-guided transverse abdominis plane block using different volumes and concentrations of local analgesics after laparoscopic cholecystectomy. Journal of International Medical Research, 2017, 45, 211-219.                           | 1.0 | 10        |
| 12 | Effect of PEEP, Zero PEEP and Intraabdominal Pressure Levels on Cerebral Oxygenation in the Morbidly<br>Obese Undergoing Sleeve Gastrectomy. Bariatric Surgical Patient Care, 2017, 12, 123-129.   | 0.5 | 1         |
| 13 | Comparison of paracetamol and fentanyl for pain relief during and after suction termination. Journal of King Abdulaziz University, Islamic Economics, 2016, 37, 527-532.   | 1.1 | 2         |
| 14 | The acute effects of preoperative ozone theraphy on surgical wound healing. Acta Cirurgica<br>Brasileira, 2016, 31, 472-478.   | 0.7 | 12        |
| 15 | Effect of Smoking on Reversing Neuromuscular Block. Turkish Journal of Anaesthesiology and Reanimation, 2016, 44, 206-211.   | 0.8 | 2         |
| 16 | Effects of different anesthesia protocols on lactation in the postpartum period. Journal of the<br>Turkish German Gynecology Association, 2014, 15, 233-238.   | 0.6 | 19        |
| 17 | The assessment of bupivacaine-tramadol and levobupivacaine-tramadol combinations for preemptive<br>caudal anaesthesia in children: a randomized, double-blind, prospective study. International Journal<br>of Clinical and Experimental Medicine, 2014, 7, 1391-6. | 1.3 | 6         |
| 18 | Tramadol and levobupivacaine wound infiltration at Cesarean delivery for postoperative analgesia.<br>Journal of Anesthesia, 2013, 27, 175-179.   | 1.7 | 36        |

Yavuz Demiraran

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Ghrelin, acylated ghrelin, leptin and PYY-3 levels in hyperemesis gravidarum. Journal of Maternal-Fetal<br>and Neonatal Medicine, 2013, 26, 866-870.  | 1.5 | 9         |
| 20 | Evaluation of the effects of desflurane and sevoflurane anesthesia on alveolar epithelial permeability<br>by Tc-99m DTPA inhalation scintigraphy. Turkish Journal of Medical Sciences, 2013, 43, 858-861.   | 0.9 | 1         |
| 21 | In vivo Comparison of the Effects of Bupivacaine and Levobupivacaine on the Pregnant Rat<br>Myometrium Using Electrohysterogram. Gynecologic and Obstetric Investigation, 2012, 73, 43-47.  | 1.6 | 1         |
| 22 | Evaluation of Outcomes in Patients Given Dexmedetomidine in Functional Endoscopic Sinus Surgery.<br>Annals of Otology, Rhinology and Laryngology, 2011, 120, 586-592.   | 1.1 | 60        |
| 23 | Post-partum haemorrhage from the lower uterine segment secondary to placenta praevia/accreta:<br>Successful conservative management with Foley balloon tamponade. Australian and New Zealand<br>Journal of Obstetrics and Gynaecology, 2011, 51, 377-380. | 1.0 | 12        |
| 24 | Effect of anesthesiological strategies on neonatal bilirubin levels during cesarean section: a prospective and randomized trial. Archives of Gynecology and Obstetrics, 2011, 284, 1059-1065.   | 1.7 | 9         |
| 25 | Deliberate posterior low transverse incision at cesarean section of a gravid uterus in 180 degrees of torsion: a case report. Journal of reproductive medicine, The, 2011, 56, 181-3.   | 0.2 | 6         |
| 26 | Atypical preeclampsia and eclampsia: report of four cases and review of the literature. Journal of the<br>Turkish German Gynecology Association, 2010, 11, 115-117.   | 0.6 | 10        |
| 27 | Randomized Comparison of Efficacy of Paracetamol, Lornoxicam, and Tramadol Representing Three<br>Different Groups of Analgesics for Pain Control in Extracorporeal Shockwave Lithotripsy. Journal of<br>Endourology, 2010, 24, 615-620.                   | 2.1 | 19        |
| 28 | Acute Respiratory Insufficiency Due to Peripartum Cardiomyopathy After Caesarean Section in a Term<br>Pregnancy With Twins. Eurasian Journal of Medicine, 2010, 42, 148-150.  | 0.6 | 0         |
| 29 | Comparison of High-Dose Extracorporeal Shockwave Therapy and Intralesional Corticosteroid<br>Injection in the Treatment of Plantar Fasciitis. Journal of the American Podiatric Medical Association,<br>2010, 100, 105-110.                               | 0.3 | 43        |
| 30 | Complex regional pain syndrome type I: efficacy of stellate ganglion blockade. Journal of<br>Orthopaedics and Traumatology, 2009, 10, 179-183.  | 2.3 | 51        |
| 31 | The effects of topical levobupivacaine on morbidity in pediatric tonsillectomy patients. International<br>Journal of Pediatric Otorhinolaryngology, 2009, 73, 1208-1210.  | 1.0 | 19        |
| 32 | Adding intrathecal morphine to unilateral spinal anesthesia results in better pain relief following knee arthroscopy. Journal of Anesthesia, 2008, 22, 367-372.   | 1.7 | 8         |
| 33 | Vasoconstriction and Analgesic Efficacy of Locally Infiltrated Levobupivacaine for Nasal Surgery.<br>Anesthesia and Analgesia, 2008, 106, 1008-1011.  | 2.2 | 40        |
| 34 | Effects of desflurane on middle ear pressure. International Journal of Pediatric<br>Otorhinolaryngology, 2007, 71, 1439-1441.   | 1.0 | 12        |
| 35 | Does postoperative misoprostol use induce intestinal motility? A prospective randomised doubleâ€blind<br>trial. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 410-414.  | 1.0 | 6         |
| 36 | Effects of sevoflurane and TIVA with propofol on middle ear pressure. International Journal of<br>Pediatric Otorhinolaryngology, 2006, 70, 1231-1234.   | 1.0 | 22        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Does tramadol wound infiltration offer an advantage over bupivacaine for postoperative analgesia in children following herniotomy?. Paediatric Anaesthesia, 2006, 16, 1047-1050.                                    | 1.1 | 45        |
| 38 | Intrathecal sufentanil (1.5 µg) added to hyperbaric bupivacaine (0.5%) for elective cesarean section<br>provides adequate analgesia without need for pruritus therapy. Journal of Anesthesia, 2006, 20,<br>274-278. | 1.7 | 21        |