

# Luis A Garc  a-Rodr  guez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7581840/publications.pdf>

Version: 2024-02-01

205  
papers

13,694  
citations

20817  
60  
h-index

22832  
112  
g-index

209  
all docs

209  
docs citations

209  
times ranked

13353  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-Dose Aspirin for the Prevention of Atherothrombosis. New England Journal of Medicine, 2005, 353, 2373-2383.	27.0	1,053
2	Association Between Nonsteroidal Anti-inflammatory Drugs and Upper Gastrointestinal Tract Bleeding/Perforation. Archives of Internal Medicine, 2000, 160, 2093.	3.8	613
3	Validity of the General Practice Research Database. Pharmacotherapy, 2003, 23, 686-689.	2.6	523
4	Use of the UK General Practice Research Database for pharmacoepidemiology. British Journal of Clinical Pharmacology, 1998, 45, 419-425.	2.4	513
5	Association between selective serotonin reuptake inhibitors and upper gastrointestinal bleeding: population based case-control study. BMJ: British Medical Journal, 1999, 319, 1106-1109.	2.3	377
6	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs. Journal of the American College of Cardiology, 2018, 71, 2628-2639.	2.8	370
7	Acute Gastroenteritis Is Followed by an Increased Risk of Inflammatory Bowel Disease. Gastroenterology, 2006, 130, 1588-1594.	1.3	351
8	Increased risk of irritable bowel syndrome after bacterial gastroenteritis: cohort study. BMJ: British Medical Journal, 1999, 318, 565-566.	2.3	323
9	Risk of Hospitalization for Upper Gastrointestinal Tract Bleeding Associated With Ketorolac, Other Nonsteroidal Anti-inflammatory Drugs, Calcium Antagonists, and Other Antihypertensive Drugs. Archives of Internal Medicine, 1998, 158, 33.	3.8	293
10	Role of Dose Potency in the Prediction of Risk of Myocardial Infarction Associated With Nonsteroidal Anti-Inflammatory Drugs in the General Population. Journal of the American College of Cardiology, 2008, 52, 1628-1636.	2.8	271
11	Effect of Antisecretory Drugs and Nitrates on the Risk of Ulcer Bleeding Associated With Nonsteroidal Anti-Inflammatory Drugs, Antiplatelet Agents, and Anticoagulants. American Journal of Gastroenterology, 2007, 102, 507-515.	0.4	264
12	Relative Risk of Upper Gastrointestinal Complications among Users of Acetaminophen and Nonsteroidal Anti-Inflammatory Drugs. Epidemiology, 2001, 12, 570-576.	2.7	259
13	Association between aspirin and upper gastrointestinal complications: Systematic review of epidemiologic studies. British Journal of Clinical Pharmacology, 2001, 52, 563-571.	2.4	241
14	Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. Lancet Diabetes and Endocrinology, 2020, 8, 27-35.	11.4	215
15	Risk of Upper and Lower Gastrointestinal Bleeding in Patients Taking Nonsteroidal Anti-inflammatory Drugs, Antiplatelet Agents, or Anticoagulants. Clinical Gastroenterology and Hepatology, 2015, 13, 906-912.e2.	4.4	207
16	Risk of Upper Gastrointestinal Complications Among Users of Traditional NSAIDs and COXIBs in the General Population. Gastroenterology, 2007, 132, 498-506.	1.3	206
17	Variability among nonsteroidal antiinflammatory drugs in risk of upper gastrointestinal bleeding. Arthritis and Rheumatism, 2010, 62, 1592-1601.	6.7	204
18	Lipid-Lowering Drugs and Risk of Myopathy: A Population-Based Follow-Up Study. Epidemiology, 2001, 12, 565-569.	2.7	202

#	ARTICLE	IF	CITATIONS
19	Nonsteroidal Antiinflammatory Drugs and the Risk of Myocardial Infarction in the General Population. <i>Circulation</i> , 2004, 109, 3000-3006.	1.6	197
20	Non-Steroidal Antiinflammatory Drugs and the Risk of Acute Myocardial Infarction. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 266-274.	2.5	194
21	Observational data for comparative effectiveness research: An emulation of randomised trials of statins and primary prevention of coronary heart disease. <i>Statistical Methods in Medical Research</i> , 2013, 22, 70-96.	1.5	192
22	Incidence of chronic atrial fibrillation in general practice and its treatment pattern. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 358-363.	5.0	186
23	Differential Effects of Aspirin and Non-Aspirin Nonsteroidal Antiinflammatory Drugs in the Primary Prevention of Myocardial Infarction in Postmenopausal Women. <i>Epidemiology</i> , 2000, 11, 382-387.	2.7	169
24	Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications. <i>Circulation</i> , 2011, 123, 1108-1115.	1.6	165
25	Cardioprotective aspirin users and their excess risk of upper gastrointestinal complications. <i>BMC Medicine</i> , 2006, 4, 22.	5.5	157
26	Risk of upper gastrointestinal bleeding and perforation associated with low-dose aspirin as plain and enteric-coated formulations. <i>BMC Clinical Pharmacology</i> , 2001, 1, 1.	2.5	147
27	Bleeding Risk with Long-Term Low-Dose Aspirin: A Systematic Review of Observational Studies. <i>PLoS ONE</i> , 2016, 11, e0160046.	2.5	137
28	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 1465-1473.	2.0	133
29	Incidence of serious upper gastrointestinal bleeding/perforation in the general population:. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 157-163.	5.0	131
30	Antithrombotic drugs and risk of hemorrhagic stroke in the general population. <i>Neurology</i> , 2013, 81, 566-574.	1.1	129
31	Nonsteroidal Antiinflammatory Drugs as a Trigger of Clinical Heart Failure. <i>Epidemiology</i> , 2003, 14, 240-246.	2.7	125
32	Cardiovascular Risks of Nonsteroidal Antiinflammatory Drugs in Patients After Hospitalization for Serious Coronary Heart Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009, 2, 155-163.	2.2	121
33	Acute Pancreatitis in Association With Type 2 Diabetes and Antidiabetic Drugs. <i>Diabetes Care</i> , 2010, 33, 2580-2585.	8.6	121
34	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836.	7.4	121
35	Risk of Uncomplicated Peptic Ulcer among Users of Aspirin and Nonaspirin Nonsteroidal Antiinflammatory Drugs. <i>American Journal of Epidemiology</i> , 2004, 159, 23-31.	3.4	120
36	Use of Acid-Suppressing Drugs and the Risk of Bacterial Gastroenteritis. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 1418-1423.	4.4	118

#	ARTICLE	IF	CITATIONS
37	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care. BMJ: British Medical Journal, 2011, 343, d4094-d4094.	2.3	117
38	Mortality after hemorrhagic stroke. Neurology, 2013, 81, 559-565.	1.1	109
39	Use of oral corticosteroids and the risk of acute myocardial infarction. Atherosclerosis, 2007, 192, 376-383.	0.8	102
40	Increased risk of stroke after discontinuation of acetylsalicylic acid. Neurology, 2011, 76, 740-746.	1.1	100
41	Association between captopril, other antihypertensive drugs and risk of prostate cancer. Prostate, 2004, 58, 50-56.	2.3	99
42	Predictors and prognosis of paroxysmal atrial fibrillation in general practice in the UK. BMC Cardiovascular Disorders, 2005, 5, 20.	1.7	97
43	Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. European Journal of Clinical Pharmacology, 2001, 56, 931-933.	1.9	94
44	Rheumatoid arthritis in UK primary care: incidence and prior morbidity. Scandinavian Journal of Rheumatology, 2009, 38, 173-177.	1.1	91
45	Acid Suppressants Reduce Risk of Gastrointestinal Bleeding in Patients on Antithrombotic or Anti-Inflammatory Therapy. Gastroenterology, 2011, 141, 71-79.	1.3	91
46	Incidence of newly diagnosed heart failure in UK general practice. European Journal of Heart Failure, 2001, 3, 225-231.	7.1	80
47	Validation of ischemic cerebrovascular diagnoses in the health improvement network (THIN). Pharmacoepidemiology and Drug Safety, 2010, 19, 579-585.	1.9	79
48	Confounding adjustment via a semi-automated high-dimensional propensity score algorithm: an application to electronic medical records. Pharmacoepidemiology and Drug Safety, 2011, 20, 849-857.	1.9	75
49	Gastroesophageal reflux disease in children and adolescents in primary care. Scandinavian Journal of Gastroenterology, 2010, 45, 139-146.	1.5	73
50	Electronic medical records can be used to emulate target trials of sustained treatment strategies. Journal of Clinical Epidemiology, 2018, 96, 12-22.	5.0	72
51	Upper gastrointestinal bleeding associated with NSAIDs, other drugs and interactions: a nested case-control study in a new general practice database. European Journal of Clinical Pharmacology, 2013, 69, 691-701.	1.9	68
52	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. Lancet Diabetes and Endocrinology, 2020, 8, 606-615.	11.4	67
53	Androgen Deprivation Therapy and the Risk of Coronary Heart Disease and Heart Failure in Patients with Prostate Cancer. Drug Safety, 2011, 34, 1061-1077.	3.2	65
54	Systematic review of peptic ulcer disease incidence rates: do studies without validation provide reliable estimates?. Pharmacoepidemiology and Drug Safety, 2011, 20, 718-728.	1.9	65

#	ARTICLE	IF	CITATIONS
55	Long-term use of non-steroidal anti-inflammatory drugs and the risk of myocardial infarction in the general population. BMC Medicine, 2005, 3, 17.	5.5	64
56	Statins and Risk of Diabetes. Diabetes Care, 2013, 36, 1236-1240.	8.6	64
57	New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer. British Journal of Cancer, 2015, 113, 1607-1614.	6.4	63
58	The safety of rosuvastatin in comparison with other statins in over 100,000 statin users in UK primary care. Pharmacoepidemiology and Drug Safety, 2008, 17, 943-952.	1.9	62
59	Acid-suppressive Drugs and Community-acquired Pneumonia. Epidemiology, 2009, 20, 800-806.	2.7	62
60	Long-term Use of Anti-inflammatory Drugs and Risk of Atrial Fibrillation. Archives of Internal Medicine, 2010, 170, 1450-5.	3.8	62
61	Relationship Between Gastroesophageal Reflux Disease and COPD in UK Primary Care. Chest, 2008, 134, 1223-1230.	0.8	61
62	Secondary Prevention of Upper Gastrointestinal Bleeding Associated with Maintenance Acid-Suppressing Treatment in Patients with Peptic Ulcer Bleed. Epidemiology, 1999, 10, 228-232.	2.7	60
63	Cardiovascular events and all-cause mortality in a cohort of 57,946 patients with type 2 diabetes: associations with renal function and cardiovascular risk factors. Cardiovascular Diabetology, 2015, 14, 38.	6.8	60
64	Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a cohort study in The Health Improvement Network in the UK. BMJ Open, 2018, 8, e018184.	1.9	58
65	Low-dose naproxen interferes with the antiplatelet effects of aspirin in healthy subjects: Recommendations to minimize the functional consequences. Arthritis and Rheumatism, 2011, 63, 850-859.	6.7	56
66	Heart failure, myocardial infarction, lung cancer and death in COPD patients: A UK primary care study. Respiratory Medicine, 2010, 104, 1691-1699.	2.9	55
67	Risk factors for hyperkalaemia in a cohort of patients with newly diagnosed heart failure: a nested case-control study in UK general practice. European Journal of Heart Failure, 2015, 17, 205-213.	7.1	55
68	Risk of nonfatal acute myocardial infarction associated with non-steroidal antiinflammatory drugs, non-narcotic analgesics and other drugs used in osteoarthritis: a nested case-control study. Pharmacoepidemiology and Drug Safety, 2014, 23, 1128-1138.	1.9	51
69	Incidence of hemorrhagic stroke in the general population: validation of data from The Health Improvement Network. Pharmacoepidemiology and Drug Safety, 2013, 22, 176-182.	1.9	46
70	Prevalence of antibiotic use: a comparison across various European health care data sources. Pharmacoepidemiology and Drug Safety, 2016, 25, 11-20.	1.9	46
71	NSAID Use Selectively Increases the Risk of Non-Fatal Myocardial Infarction: A Systematic Review of Randomised Trials and Observational Studies. PLoS ONE, 2011, 6, e16780.	2.5	46
72	Allopurinol use and risk of non-fatal acute myocardial infarction. Heart, 2015, 101, 679-685.	2.9	43

#	ARTICLE	IF	CITATIONS
73	Risk of irritable bowel syndrome among asthma patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2002, 11, 31-35.	1.9	41
74	Clopidogrel and Low-Dose Aspirin, Alone or Together, Reduce Risk of Colorectal Cancer. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2024-2033.e2.	4.4	41
75	Diabetes, Cardiovascular Morbidity, and Risk of Age-Related Macular Degeneration in a Primary Care Population. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 1585-1592.	3.3	40
76	Upper Gastrointestinal Complications among Users of Paracetamol. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 297-303.	2.5	39
77	Incidence Rates and Trends of Hip/Femur Fractures in Five European Countries: Comparison Using E-Healthcare Records Databases. <i>Calcified Tissue International</i> , 2014, 94, 580-589.	3.1	39
78	Chronic Obstructive Pulmonary Disease in UK Primary Care: Incidence and Risk Factors. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2009, 6, 369-379.	1.6	38
79	Use of Non-Steroidal Antiinflammatory Drugs and Type-Specific Risk of Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2010, 105, 1102-1106.	1.6	38
80	Coxibs: Pharmacology, Toxicity and Efficacy in Cancer Clinical Trials. <i>Recent Results in Cancer Research</i> , 2013, 191, 67-93.	1.8	38
81	Antithrombotic drugs and subarachnoid haemorrhage risk. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1064-1075.	3.4	36
82	Low-dose aspirin and risk of intracranial bleeds. <i>Neurology</i> , 2017, 89, 2280-2287.	1.1	36
83	Positive predictive value of computerized medical records for uncomplicated and complicated upper gastrointestinal ulcer. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 900-909.	1.9	35
84	The use of selective cyclooxygenase-2 inhibitors and the risk of acute myocardial infarction in Saskatchewan, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 1016-1025.	1.9	35
85	New use of low-dose aspirin and risk of colorectal cancer by stage at diagnosis: a nested case-control study in UK general practice. <i>BMC Cancer</i> , 2017, 17, 637.	2.6	33
86	The safety of rosuvastatin in comparison with other statins in over 25%000 statin users in the Saskatchewan Health Databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 953-961.	1.9	32
87	Risk of Upper Gastrointestinal Bleeding in a Cohort of New Users of Low-Dose ASA for Secondary Prevention of Cardiovascular Outcomes. <i>Frontiers in Pharmacology</i> , 2010, 1, 126.	3.5	32
88	Study of the Association Between Hip Fracture and Acid-Suppressive Drug Use in a <sc>UK</sc> Primary Care Setting. <i>Pharmacotherapy</i> , 2014, 34, 570-581.	2.6	32
89	Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 681-689.	4.4	32
90	Cardiovascular and upper gastrointestinal bleeding consequences of low-dose acetylsalicylic acid discontinuation. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1298-1304.	3.4	31

#	ARTICLE	IF	CITATIONS
91	Appropriateness of initial dose of non-vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation in the UK. <i>BMJ Open</i> , 2019, 9, e031341.	1.9	31
92	The ever growing story of cyclo-oxygenase inhibition. <i>Lancet</i> , The, 2006, 368, 1745-1747.	13.7	30
93	Validation of Diabetic Retinopathy and Maculopathy Diagnoses Recorded in a U.K. Primary Care Database. <i>Diabetes Care</i> , 2012, 35, 762-767.	8.6	30
94	Validation of low-dose aspirin prescription data in The Health Improvement Network: how much misclassification due to over-the-counter use?. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 392-398.	1.9	30
95	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1253-1262.	1.9	28
96	The Protective Effect of Low-Dose Aspirin against Colorectal Cancer Is Unlikely Explained by Selection Bias: Results from Three Different Study Designs in Clinical Practice. <i>PLoS ONE</i> , 2016, 11, e0159179.	2.5	28
97	Intracerebral hemorrhage: positive predictive value of diagnosis codes in two nationwide Danish registries. <i>Clinical Epidemiology</i> , 2018, Volume 10, 941-948.	3.0	27
98	Incidence of Upper and Lower Gastrointestinal Bleeding in New Users of Low-Dose Aspirin. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 887-895.e6.	4.4	27
99	Risk of Clinical Blood Dyscrasia in a Cohort of Antibiotic Users. <i>Pharmacotherapy</i> , 2002, 22, 630-636.	2.6	26
100	Validity and completeness of colorectal cancer diagnoses in a primary care database in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 385-391.	1.9	25
101	Incidence, treatment and recurrence of endometriosis in a UK-based population analysis using data from The Health Improvement Network and the Hospital Episode Statistics database. <i>European Journal of Contraception and Reproductive Health Care</i> , 2017, 22, 334-343.	1.5	25
102	Challenges of using primary care electronic medical records in the UK to study medications in pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 977-985.	1.9	24
103	Migraine and risk of hemorrhagic stroke: a study based on data from general practice. <i>Journal of Headache and Pain</i> , 2014, 15, 74.	6.0	24
104	Cardiovascular outcomes for patients with symptomatic peripheral artery disease: A cohort study in The Health Improvement Network (THIN) in the UK. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1927-1937.	1.8	24
105	Prescription of antihypertensive medications during pregnancy in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1051-1058.	1.9	22
106	Heart failure hospitalization: An important prognostic factor for heart failure re-admission and mortality. <i>International Journal of Cardiology</i> , 2016, 220, 855-861.	1.7	22
107	The UK General Practice Research Database. , 0, , 375-385.		21
108	The continuation rates of long-acting reversible contraceptives in UK general practice using data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 52-58.	1.9	21



#	ARTICLE	IF	CITATIONS
109	Statins and polyneuropathy revisited: case-control study in Denmark, 1999-2013. British Journal of Clinical Pharmacology, 2017, 83, 2087-2095.	2.4	21
110	Discontinuation of non-Vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation: a population-based cohort study using primary care data from The Health Improvement Network in the UK. BMJ Open, 2019, 9, e031342.	1.9	21
111	Prospective Drug Safety Monitoring Using the UK Primary-Care General Practice Research Database. Drug Safety, 2010, 33, 223-232.	3.2	19
112	Use of tricyclic antidepressants and risk of glioma: a nationwide case-control study. British Journal of Cancer, 2016, 114, 1265-1268.	6.4	19
113	Statins and the Risk of Intracerebral Hemorrhage in Patients With Previous Ischemic Stroke or Transient Ischemic Attack. Stroke, 2017, 48, 3245-3251.	2.0	19
114	Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. Thrombosis and Haemostasis, 2018, 118, 461-470.	3.4	19
115	Impact of chronic kidney disease definition on assessment of its incidence and risk factors in patients with newly diagnosed type 1 and type 2 diabetes in the UK: A cohort study using primary care data from the United Kingdom. Primary Care Diabetes, 2020, 14, 381-387.	1.8	19
116	Use of Angiotensin II Receptor Blockers and the Risk of Acute Pancreatitis: A Nested Case-Control Study. Pancreatology, 2009, 9, 786-792.	1.1	18
117	Risk Factors Associated with Uncomplicated Peptic Ulcer and Changes in Medication Use after Diagnosis. PLoS ONE, 2014, 9, e101768.	2.5	18
118	Risk of stroke associated with nonsteroidal anti-inflammatory drugs: a nested case-control study. Stroke, 2003, 34, 379-86.	2.0	18
119	Use of multiple international healthcare databases for the detection of rare drug-associated outcomes: a pharmacoepidemiological programme comparing rosuvastatin with other marketed statins. Pharmacoepidemiology and Drug Safety, 2010, 19, 1218-1224.	1.9	17
120	Trends in the contemporary incidence of colorectal cancer and patient characteristics in the United Kingdom: a population-based cohort study using The Health Improvement Network. BMC Cancer, 2018, 18, 402.	2.6	17
121	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. JAMA Network Open, 2021, 4, e218380.	5.9	17
122	The risk of obstructive airways disease in a glaucoma population. Pharmacoepidemiology and Drug Safety, 2001, 10, 157-163.	1.9	16
123	Case validation in research using large databases. British Journal of General Practice, 2010, 60, 160-161.	1.4	16
124	Low-Dose Aspirin and Upper Gastrointestinal Bleeding in Primary Versus Secondary Cardiovascular Prevention: A Population-Based, Nested Case-Control Study. Circulation: Cardiovascular Quality and Outcomes, 2014, 7, 70-77.	2.2	16
125	Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case-control studies using two primary care databases in Europe. Pharmacoepidemiology and Drug Safety, 2016, 25, 29-38.	1.9	16
126	Discontinuation of oral anticoagulation in atrial fibrillation and risk of ischaemic stroke. Heart, 2021, 107, 542-548.	2.9	16



#	ARTICLE	IF	CITATIONS
127	Risk of Acute Liver Injury in Patients with Diabetes. <i>Pharmacotherapy</i> , 2002, 22, 1091-1096.	2.6	15
128	Effect of Baseline Gastrointestinal Risk and Use of Proton Pump Inhibitors on Frequency of Discontinuation of Aspirin for Secondary Cardiovascular Prevention in United Kingdom Primary Care. <i>American Journal of Cardiology</i> , 2013, 112, 1075-1082.	1.6	15
129	Use of long-acting reversible contraceptives in the UK from 2004 to 2010: Analysis using The Health Improvement Network Database. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 439-447.	1.5	15
130	Validation study of colorectal cancer diagnosis in the Spanish primary care database, BIFAP. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 209-216.	1.9	15
131	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 497-504.	1.9	15
132	Users of oral steroids are at a reduced risk of developing irritable bowel syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2003, 12, 583-588.	1.9	14
133	Risk Factors for Falls with Use of Acid-Suppressive Drugs. <i>Epidemiology</i> , 2013, 24, 600-607.	2.7	14
134	Safety of non- $\beta$ -insulin glucose-lowering drugs in pregnant women with pre-gestational diabetes: A cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1642-1651.	4.4	14
135	Traditional Nonsteroidal Anti-Inflammatory Drugs and Postmenopausal Hormone Therapy: A Drug-Drug Interaction?. <i>PLoS Medicine</i> , 2007, 4, e157.	8.4	13
136	Use of clopidogrel and proton pump inhibitors after a serious acute coronary event: Risk of coronary events and peptic ulcer bleeding. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1014-1024.	3.4	13
137	Use of proton pump inhibitors and the risk of coronary events in new users of low-dose acetylsalicylic acid in UK primary care. <i>Thrombosis and Haemostasis</i> , 2014, 111, 131-139.	3.4	12
138	Do case-only designs yield consistent results across design and different databases? A case study of hip fractures and benzodiazepines. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 79-87.	1.9	12
139	Ascertainment and validation of major bleeding events in a primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 148-155.	1.9	12
140	Low-dose aspirin and risk of upper/lower gastrointestinal bleeding by bleed severity: a cohort study with nested case-control analysis using primary care electronic health records from the United Kingdom. <i>Annals of Medicine</i> , 2019, 51, 182-192.	3.8	12
141	Predictors of Over-Anticoagulation in Warfarin Users in the UK General Population: A Nested Case-Control Study in a Primary Health Care Database. <i>Thrombosis and Haemostasis</i> , 2019, 119, 066-076.	3.4	12
142	&lt;p>&gt;The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry&lt;/p>&gt;. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1313-1325.	3.0	12
143	Risk of myocardial infarction and overall mortality in survivors of venous thromboembolism. <i>Thrombosis Journal</i> , 2008, 6, 10.	2.1	11
144	Risk of uncomplicated peptic ulcer disease in a cohort of new users of low-dose acetylsalicylic acid for secondary prevention of cardiovascular events. <i>BMC Gastroenterology</i> , 2014, 14, 205.	2.0	11

#	ARTICLE	IF	CITATIONS
145	The incidence of hysterectomy, uterus-preserving procedures and recurrent treatment in the management of uterine fibroids. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 194, 147-152.	1.1	11
146	Low-Dose Aspirin after an Episode of Haemorrhagic Stroke Is Associated with Improved Survival. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2396-2405.	3.4	11
147	Risk of Complications After a Peptic Ulcer Diagnosis: Effectiveness of Proton Pump Inhibitors. <i>Digestive Diseases and Sciences</i> , 2013, 58, 1653-1662.	2.3	10
148	Risk of seizure associated with use of acid-suppressive drugs: An observational cohort study. <i>Epilepsy and Behavior</i> , 2016, 62, 72-80.	1.7	10
149	Incidence of intracranial bleeds in new users of low-dose aspirin: a cohort study using The Health Improvement Network. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1055-1064.	3.8	10
150	Study of long-acting reversible contraceptive use in a UK primary care database: Validation of methodology. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 22-28.	1.5	9
151	Risk of bleeding after hospitalization for a serious coronary event: a retrospective cohort study with nested case-control analyses. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 164.	1.7	9
152	Incidence and risk factors for severe renal impairment after first diagnosis of heart failure: A cohort and nested case-control study in UK general practice. <i>International Journal of Cardiology</i> , 2016, 207, 252-257.	1.7	9
153	Predictors of Bleeding in Patients with Symptomatic Peripheral Artery Disease: A Cohort Study Using The Health Improvement Network in the United Kingdom. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1101-1112.	3.4	9
154	Population-based case-control study: chemoprotection of colorectal cancer with non-aspirin nonsteroidal anti-inflammatory drugs and other drugs for pain control. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 295-305.	3.7	9
155	Contemporary epidemiology of systemic sclerosis: A population-based cohort study in the United Kingdom. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 105-111.	3.4	9
156	Low-dose aspirin and risk of gastric and oesophageal cancer: A population-based study in the United Kingdom using The Health Improvement Network. <i>International Journal of Cancer</i> , 2020, 147, 2394-2404.	5.1	9
157	Effect of Proton Pump Inhibitors on Risks of Upper and Lower Gastrointestinal Bleeding among Users of Low-Dose Aspirin: A Population-Based Observational Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 928.	2.4	9
158	Association of Long-term Statin Use With the Risk of Intracerebral Hemorrhage. <i>Neurology</i> , 2022, 99, .	1.1	9
159	Incidence and risk factors for atrial fibrillation in patients with newly diagnosed heart failure. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 608-615.	1.5	8
160	Utilization and safety of proton-pump inhibitors and histamine-2 receptor antagonists in children and adolescents: an observational cohort study. <i>Current Medical Research and Opinion</i> , 2017, 33, 2201-2209.	1.9	8
161	Risk of Acute Myocardial Infarction Among New Users of Allopurinol According to Serum Urate Level: A Nested Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 2150.	2.4	8
162	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327.	3.8	8

#	ARTICLE	IF	CITATIONS
163	Rosuvastatin safety: a comprehensive, international pharmacoepidemiology programme. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 454-461.	1.9	7
164	Impact of hyperkalaemia definition on incidence assessment: implications for epidemiological research based on a large cohort study in newly diagnosed heart failure patients in primary care. <i>BMC Family Practice</i> , 2016, 17, 51.	2.9	7
165	Development of hypotension in patients newly diagnosed with heart failure in UK general practice: retrospective cohort and nested case-control analyses. <i>BMJ Open</i> , 2019, 9, e028750.	1.9	7
166	The importance of validating intracranial bleeding diagnoses in The Health Improvement Network, United Kingdom: Misclassification of onset and its impact on the risk associated with low-dose aspirin therapy. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 134-139.	1.9	7
167	Renal decline in patients with non-valvular atrial fibrillation treated with rivaroxaban or warfarin: A population-based study from the United Kingdom. <i>International Journal of Cardiology</i> , 2022, 352, 165-171.	1.7	7
168	Prescribing of cyproterone acetate/ethinylestradiol in UK general practice: a retrospective descriptive study using The Health Improvement Network. <i>Contraception</i> , 2017, 95, 299-305.	1.5	6
169	Validation of venous thromboembolism diagnoses in patients receiving rivaroxaban or warfarin in The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 229-236.	1.9	6
170	Health resource utilization and drug treatment pattern in a cohort of patients with a first episode of gastroesophageal reflux disease. , 1999, 8, 493-500.		5
171	Discontinuation of low-dose acetylsalicylic acid therapy in UK primary care: incidence and predictors in patients with cardiovascular disease. <i>Journal of Pragmatic and Observational Research</i> , 2012, 3, 1.	1.5	5
172	Patterns in the Use of Low-Dose Acetylsalicylic Acid and Other Therapies Following Upper Gastrointestinal Bleeding. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 443-450.	2.2	5
173	Mortality in patients who discontinue low-dose acetylsalicylic acid therapy after upper gastrointestinal bleeding. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 215-222.	1.9	5
174	Risk of bleeding events among patients with systemic sclerosis and the general population in the UK: a large population-based cohort study. <i>Clinical Rheumatology</i> , 2020, 39, 19-26.	2.2	5
175	Rationale and design of a European epidemiological post-authorization safety study (PASS) program: rivaroxaban use in routine clinical practice. <i>Expert Opinion on Drug Safety</i> , 2020, 19, 1513-1520.	2.4	5
176	No association between use of phosphodiesterase 5 inhibitors and colorectal cancer in men with erectile dysfunction. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 605-608.	1.9	5
177	NSAIDs and the risk of acute myocardial infarction. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 202-203.	3.2	4
178	Represcription of Low-Dose Acetylsalicylic Acid After Discontinuation in Patients Receiving Treatment for Secondary Cardiovascular Disease Prevention in the UK. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 319-326.	2.2	4
179	Incidence and Predictors of Hemorrhagic Stroke in Users of Low-Dose Acetylsalicylic Acid. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2321-2328.	1.6	4
180	Prescribing patterns of combined hormonal products containing cyproterone acetate, levonorgestrel and drospirenone in the UK. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 247-254.	0.8	4

#	ARTICLE	IF	CITATIONS
181	Incidence of colorectal cancer in new users and non-users of low-dose aspirin without existing cardiovascular disease: A cohort study using The Health Improvement Network. <i>International Journal of Cardiology</i> , 2017, 248, 376-381.	1.7	4
182	Hormonal contraception is not associated with increased risk for seizures in the general population: results from a cohort study using The Health Improvement Network. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1175-1180.	1.9	4
183	Real world management of pregestational diabetes not achieving glycemic control for many patients in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 940-948.	1.9	4
184	The effect of low-dose aspirin on colorectal cancer prevention and gastrointestinal bleeding according to bodyweight and body mass index: Analysis of UK primary care data. <i>International Journal of Cardiology</i> , 2019, 297, 135-139.	1.7	4
185	Use of non-vitamin K antagonist oral anticoagulants in Colombia: A descriptive study using a national administrative healthcare database. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 426-434.	1.9	4
186	Statins and Colorectal Cancer Risk: A Population-Based Case-Control Study and Synthesis of the Epidemiological Evidence. <i>Journal of Clinical Medicine</i> , 2022, 11, 1528.	2.4	4
187	Patterns of Antiplatelet Therapy in Patients Who Have Experienced an Acute Coronary Event. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2015, 20, 378-386.	2.0	3
188	Salicylic Acid and Risk of Colorectal Cancer: Evidence From a Primary Care Study in the UK. <i>Gastroenterology</i> , 2015, 148, S-371.	1.3	3
189	Feasibility and validity of The Health Improvement Network database of primary care electronic health records to identify and characterise patients with small cell lung cancer in the United Kingdom. <i>BMC Cancer</i> , 2019, 19, 91.	2.6	3
190	Bleeding associated with low-dose aspirin: Comparison of data from the COMPASS randomized controlled trial and routine clinical practice. <i>International Journal of Cardiology</i> , 2020, 318, 21-24.	1.7	3
191	Safety and effectiveness of appropriately and inappropriately dosed rivaroxaban or apixaban versus warfarin in patients with atrial fibrillation: a cohort study with nested case-control analyses from UK primary care. <i>BMJ Open</i> , 2022, 12, e059311.	1.9	3
192	Warfarin and absolute risk of hemorrhagic stroke. <i>Cmaj</i> , 2013, 185, 687-687.	2.0	2
193	Type 2 diabetes, high blood pressure and acute pancreatitis. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2016, 15, 443-445.	1.3	2
194	Association between low-dose acetylsalicylic acid reinitiation and the risk of myocardial infarction or coronary heart disease death. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1029-1036.	1.8	2
195	Characteristics of children and adolescents first prescribed proton pump inhibitors or histamine-2-receptor antagonists: an observational cohort study. <i>Current Medical Research and Opinion</i> , 2017, 33, 2251-2259.	1.9	2
196	Feasibility study to identify women of childbearing age at risk of pregnancy not using any contraception in The Health Improvement Network (THIN) database. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 164.	3.0	2
197	Public health impact of low-dose aspirin on colorectal cancer, cardiovascular disease and safety in the UK – Results from micro-simulation model. <i>IJC Heart and Vasculature</i> , 2021, 36, 100851.	1.1	2
198	Predictors and time trends in clopidogrel and proton pump inhibitor coprescription with low-dose acetylsalicylic acid. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 463-469.	1.9	1

#	ARTICLE	IF	CITATIONS
199	Su1068 Characteristics of Children and Adolescents Using Proton Pump Inhibitors or Histamine-2-Receptor Antagonists: Analysis of THIN and PHARMO Databases. <i>Gastroenterology</i> , 2013, 144, S-391.	1.3	1
200	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 2024-2025.	4.4	0
201	Mo1159 Mortality in Patients Who Discontinue Low-Dose Acetylsalicylic Acid Therapy After an Upper Gastrointestinal Bleeding Event. <i>Gastroenterology</i> , 2015, 148, S-624.	1.3	0
202	690 Exposure to Acid-Suppressing Drugs During Pregnancy and the Risk of Asthma in Childhood. <i>Gastroenterology</i> , 2015, 148, S-135.	1.3	0
203	Reply to “Comment on “New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer””. <i>British Journal of Cancer</i> , 2016, 114, e12-e12.	6.4	0
204	Predictors of Bleeding in Patients with Symptomatic Peripheral Artery Disease: A Cohort Study Using the Health Improvement Network (THIN) in the UK. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, e43.	1.5	0
205	Reduction in use of cyproterone/ethinylestradiol (Diane-35 and generics) after risk minimization measures in the Netherlands, UK and Italy. <i>Contraception</i> , 2020, 102, 243-245.	1.5	0