

Luis A GarcÃ-a-RodrÃ-guez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7581840/publications.pdf>

Version: 2024-02-01

205
papers

13,694
citations

20797

60
h-index

22808

112
g-index

209
all docs

209
docs citations

209
times ranked

13353
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in the use of oral anticoagulants, antiplatelets and statins in four European countries: a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 497-504.	0.8	15
2	Renal decline in patients with non-valvular atrial fibrillation treated with rivaroxaban or warfarin: A population-based study from the United Kingdom. <i>International Journal of Cardiology</i> , 2022, 352, 165-171.	0.8	7
3	Statins and Colorectal Cancer Risk: A Population-Based Case-Control Study and Synthesis of the Epidemiological Evidence. <i>Journal of Clinical Medicine</i> , 2022, 11, 1528.	1.0	4
4	Association of Long-term Statin Use With the Risk of Intracerebral Hemorrhage. <i>Neurology</i> , 2022, 99, .	1.5	9
5	Safety and effectiveness of appropriately and inappropriately dosed rivaroxaban or apixaban versus warfarin in patients with atrial fibrillation: a cohort study with nested case-control analyses from UK primary care. <i>BMJ Open</i> , 2022, 12, e059311.	0.8	3
6	Validation of venous thromboembolism diagnoses in patients receiving rivaroxaban or warfarin in The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 229-236.	0.9	6
7	Discontinuation of oral anticoagulation in atrial fibrillation and risk of ischaemic stroke. <i>Heart</i> , 2021, 107, 542-548.	1.2	16
8	Use of non-vitamin K antagonist oral anticoagulants in Colombia: A descriptive study using a national administrative healthcare database. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 426-434.	0.9	4
9	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021, 4, e218380.	2.8	17
10	Public health impact of low-dose aspirin on colorectal cancer, cardiovascular disease and safety in the UK - Results from micro-simulation model. <i>IJC Heart and Vasculature</i> , 2021, 36, 100851.	0.6	2
11	Risk of bleeding events among patients with systemic sclerosis and the general population in the UK: a large population-based cohort study. <i>Clinical Rheumatology</i> , 2020, 39, 19-26.	1.0	5
12	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327.	1.9	8
13	Kidney outcomes associated with use of SGLT2 inhibitors in real-world clinical practice (CVD-REAL 3): a multinational observational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 27-35.	5.5	215
14	Impact of chronic kidney disease definition on assessment of its incidence and risk factors in patients with newly diagnosed type 1 and type 2 diabetes in the UK: A cohort study using primary care data from the United Kingdom. <i>Primary Care Diabetes</i> , 2020, 14, 381-387.	0.9	19
15	Feasibility study to identify women of childbearing age at risk of pregnancy not using any contraception in The Health Improvement Network (THIN) database. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 164.	1.5	2
16	Rationale and design of a European epidemiological post-authorization safety study (PASS) program: rivaroxaban use in routine clinical practice. <i>Expert Opinion on Drug Safety</i> , 2020, 19, 1513-1520.	1.0	5
17	The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1313-1325.	1.5	12
18	Reduction in use of cyproterone/ethinylestradiol (Diane-35 and generics) after risk minimization measures in the Netherlands, UK and Italy. <i>Contraception</i> , 2020, 102, 243-245.	0.8	0

#	ARTICLE	IF	CITATIONS
19	Risk of cardiovascular events and death associated with initiation of SGLT2 inhibitors compared with DPP-4 inhibitors: an analysis from the CVD-REAL 2 multinational cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 606-615.	5.5	67
20	Bleeding associated with low-dose aspirin: Comparison of data from the COMPASS randomized controlled trial and routine clinical practice. <i>International Journal of Cardiology</i> , 2020, 318, 21-24.	0.8	3
21	No association between use of phosphodiesterase 5 inhibitors and colorectal cancer in men with erectile dysfunction. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 605-608.	0.9	5
22	Low-dose aspirin and risk of gastric and oesophageal cancer: A population-based study in the United Kingdom using The Health Improvement Network. <i>International Journal of Cancer</i> , 2020, 147, 2394-2404.	2.3	9
23	Effect of Proton Pump Inhibitors on Risks of Upper and Lower Gastrointestinal Bleeding among Users of Low-Dose Aspirin: A Population-Based Observational Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 928.	1.0	9
24	Ascertainment and validation of major bleeding events in a primary care database. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 148-155.	0.9	12
25	Population-based case-control study: chemoprotection of colorectal cancer with non-aspirin nonsteroidal anti-inflammatory drugs and other drugs for pain control. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 295-305.	1.9	9
26	Development of hypotension in patients newly diagnosed with heart failure in UK general practice: retrospective cohort and nested case-control analyses. <i>BMJ Open</i> , 2019, 9, e028750.	0.8	7
27	The effect of low-dose aspirin on colorectal cancer prevention and gastrointestinal bleeding according to bodyweight and body mass index: Analysis of UK primary care data. <i>International Journal of Cardiology</i> , 2019, 297, 135-139.	0.8	4
28	Clopidogrel and Low-Dose Aspirin, Alone or Together, Reduce Risk of Colorectal Cancer. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2024-2033.e2.	2.4	41
29	Low-dose aspirin and risk of upper/lower gastrointestinal bleeding by bleed severity: a cohort study with nested case-control analysis using primary care electronic health records from the United Kingdom. <i>Annals of Medicine</i> , 2019, 51, 182-192.	1.5	12
30	Feasibility and validity of The Health Improvement Network database of primary care electronic health records to identify and characterise patients with small cell lung cancer in the United Kingdom. <i>BMC Cancer</i> , 2019, 19, 91.	1.1	3
31	Appropriateness of initial dose of non-vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation in the UK. <i>BMJ Open</i> , 2019, 9, e031341.	0.8	31
32	Discontinuation of non-Vitamin K antagonist oral anticoagulants in patients with non-valvular atrial fibrillation: a population-based cohort study using primary care data from The Health Improvement Network in the UK. <i>BMJ Open</i> , 2019, 9, e031342.	0.8	21
33	Predictors of Bleeding in Patients with Symptomatic Peripheral Artery Disease: A Cohort Study Using the Health Improvement Network (THIN) in the UK. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, e43.	0.8	0
34	Risk of Acute Myocardial Infarction Among New Users of Allopurinol According to Serum Urate Level: A Nested Case-Control Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 2150.	1.0	8
35	The importance of validating intracranial bleeding diagnoses in The Health Improvement Network, United Kingdom: Misclassification of onset and its impact on the risk associated with low-dose aspirin therapy. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 134-139.	0.9	7
36	Incidence of Upper and Lower Gastrointestinal Bleeding in New Users of Low-Dose Aspirin. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 887-895.e6.	2.4	27

#	ARTICLE	IF	CITATIONS
37	Predictors of Over-Anticoagulation in Warfarin Users in the UK General Population: A Nested Case-Control Study in a Primary Health Care Database. <i>Thrombosis and Haemostasis</i> , 2019, 119, 066-076.	1.8	12
38	Validation study of colorectal cancer diagnosis in the Spanish primary care database, BIFAP. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 209-216.	0.9	15
39	Contemporary epidemiology of systemic sclerosis: A population-based cohort study in the United Kingdom. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 105-111.	1.6	9
40	Safety of non-insulin glucose-lowering drugs in pregnant women with pre-gestational diabetes: A cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1642-1651.	2.2	14
41	Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 681-689.	2.4	32
42	Population Impact of Drug Interactions with Warfarin: A Real-World Data Approach. <i>Thrombosis and Haemostasis</i> , 2018, 118, 461-470.	1.8	19
43	Time trends in peripheral artery disease incidence, prevalence and secondary preventive therapy: a cohort study in The Health Improvement Network in the UK. <i>BMJ Open</i> , 2018, 8, e018184.	0.8	58
44	Electronic medical records can be used to emulate target trials of sustained treatment strategies. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 12-22.	2.4	72
45	Predictors of Bleeding in Patients with Symptomatic Peripheral Artery Disease: A Cohort Study Using The Health Improvement Network in the United Kingdom. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1101-1112.	1.8	9
46	Cardiovascular Events Associated With SGLT-2 Inhibitors Versus Other Glucose-Lowering Drugs. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2628-2639.	1.2	370
47	Hormonal contraception is not associated with increased risk for seizures in the general population: results from a cohort study using The Health Improvement Network. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1175-1180.	0.8	4
48	Trends in the contemporary incidence of colorectal cancer and patient characteristics in the United Kingdom: a population-based cohort study using The Health Improvement Network. <i>BMC Cancer</i> , 2018, 18, 402.	1.1	17
49	Real world management of pregestational diabetes not achieving glycemic control for many patients in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 940-948.	0.9	4
50	Intracerebral hemorrhage: positive predictive value of diagnosis codes in two nationwide Danish registries. <i>Clinical Epidemiology</i> , 2018, Volume 10, 941-948.	1.5	27
51	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836.	3.8	121
52	Characteristics of children and adolescents first prescribed proton pump inhibitors or histamine-2-receptor antagonists: an observational cohort study. <i>Current Medical Research and Opinion</i> , 2017, 33, 2251-2259.	0.9	2
53	Incidence of intracranial bleeds in new users of low-dose aspirin: a cohort study using The Health Improvement Network. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1055-1064.	1.9	10
54	Statins and polyneuropathy revisited: case-control study in Denmark, 1999-2013. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2087-2095.	1.1	21

#	ARTICLE	IF	CITATIONS
55	Mortality in patients who discontinue low-dose acetylsalicylic acid therapy after upper gastrointestinal bleeding. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 215-222.	0.9	5
56	Prescribing of cyproterone acetate/ethinylestradiol in UK general practice: a retrospective descriptive study using The Health Improvement Network. <i>Contraception</i> , 2017, 95, 299-305.	0.8	6
57	Statins and the Risk of Intracerebral Hemorrhage in Patients With Previous Ischemic Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2017, 48, 3245-3251.	1.0	19
58	Incidence, treatment and recurrence of endometriosis in a UK-based population analysis using data from The Health Improvement Network and the Hospital Episode Statistics database. <i>European Journal of Contraception and Reproductive Health Care</i> , 2017, 22, 334-343.	0.6	25
59	Incidence of colorectal cancer in new users and non-users of low-dose aspirin without existing cardiovascular disease: A cohort study using The Health Improvement Network. <i>International Journal of Cardiology</i> , 2017, 248, 376-381.	0.8	4
60	Low-dose aspirin and risk of intracranial bleeds. <i>Neurology</i> , 2017, 89, 2280-2287.	1.5	36
61	Cardiovascular outcomes for patients with symptomatic peripheral artery disease: A cohort study in The Health Improvement Network (THIN) in the UK. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1927-1937.	0.8	24
62	Utilization and safety of proton-pump inhibitors and histamine-2 receptor antagonists in children and adolescents: an observational cohort study. <i>Current Medical Research and Opinion</i> , 2017, 33, 2201-2209.	0.9	8
63	Low-Dose Aspirin after an Episode of Haemorrhagic Stroke Is Associated with Improved Survival. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2396-2405.	1.8	11
64	New use of low-dose aspirin and risk of colorectal cancer by stage at diagnosis: a nested caseâ€“control study in UK general practice. <i>BMC Cancer</i> , 2017, 17, 637.	1.1	33
65	Bleeding Risk with Long-Term Low-Dose Aspirin: A Systematic Review of Observational Studies. <i>PLoS ONE</i> , 2016, 11, e0160046.	1.1	137
66	Heart failure hospitalization: An important prognostic factor for heart failure re-admission and mortality. <i>International Journal of Cardiology</i> , 2016, 220, 855-861.	0.8	22
67	Incidence and risk factors for atrial fibrillation in patients with newly diagnosed heart failure. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, 608-615.	0.6	8
68	Prescribing patterns of combined hormonal products containing cyproterone acetate, levonorgestrel and drospirenone in the UK. <i>Journal of Family Planning and Reproductive Health Care</i> , 2016, 42, 247-254.	0.9	4
69	Reply to â€“Comment on â€“New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancerâ€“â€™. <i>British Journal of Cancer</i> , 2016, 114, e12-e12.	2.9	0
70	Use of tricyclic antidepressants and risk of glioma: a nationwide caseâ€“control study. <i>British Journal of Cancer</i> , 2016, 114, 1265-1268.	2.9	19
71	Validation of lowâ€“dose aspirin prescription data in The Health Improvement Network: how much misclassification due to overâ€“theâ€“counter use?. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 392-398.	0.9	30
72	Risk of seizure associated with use of acid-suppressive drugs: An observational cohort study. <i>Epilepsy and Behavior</i> , 2016, 62, 72-80.	0.9	10

#	ARTICLE	IF	CITATIONS
73	Do case-only designs yield consistent results across design and different databases? A case study of hip fractures and benzodiazepines. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 79-87.	0.9	12
74	Prevalence of antibiotic use: a comparison across various European health care data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 11-20.	0.9	46
75	Risk of acute liver injury associated with use of antibiotics. Comparative cohort and nested case-control studies using two primary care databases in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 29-38.	0.9	16
76	Validity and completeness of colorectal cancer diagnoses in a primary care database in the United Kingdom. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 385-391.	0.9	25
77	Risk of bleeding after hospitalization for a serious coronary event: a retrospective cohort study with nested case-control analyses. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 164.	0.7	9
78	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1253-1262.	0.9	28
79	Type 2 diabetes, high blood pressure and acute pancreatitis. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2016, 15, 443-445.	0.6	2
80	Impact of hyperkalaemia definition on incidence assessment: implications for epidemiological research based on a large cohort study in newly diagnosed heart failure patients in primary care. <i>BMC Family Practice</i> , 2016, 17, 51.	2.9	7
81	Incidence and risk factors for severe renal impairment after first diagnosis of heart failure: A cohort and nested case-control study in UK general practice. <i>International Journal of Cardiology</i> , 2016, 207, 252-257.	0.8	9
82	Association between low-dose acetylsalicylic acid reinitiation and the risk of myocardial infarction or coronary heart disease death. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1029-1036.	0.8	2
83	The Protective Effect of Low-Dose Aspirin against Colorectal Cancer Is Unlikely Explained by Selection Bias: Results from Three Different Study Designs in Clinical Practice. <i>PLoS ONE</i> , 2016, 11, e0159179.	1.1	28
84	The continuation rates of long-acting reversible contraceptives in UK general practice using data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 52-58.	0.9	21
85	Antithrombotic drugs and subarachnoid haemorrhage risk. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1064-1075.	1.8	36
86	Patterns of Antiplatelet Therapy in Patients Who Have Experienced an Acute Coronary Event. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2015, 20, 378-386.	1.0	3
87	New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer. <i>British Journal of Cancer</i> , 2015, 113, 1607-1614.	2.9	63
88	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 2024-2025.	2.4	0
89	Risk of Upper and Lower Gastrointestinal Bleeding in Patients Taking Nonsteroidal Anti-inflammatory Drugs, Antiplatelet Agents, or Anticoagulants. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 906-912.e2.	2.4	207
90	Diabetes, Cardiovascular Morbidity, and Risk of Age-Related Macular Degeneration in a Primary Care Population. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 1585-1592.	3.3	40

#	ARTICLE	IF	CITATIONS
91	Allopurinol use and risk of non-fatal acute myocardial infarction. <i>Heart</i> , 2015, 101, 679-685.	1.2	43
92	Incidence and Predictors of Hemorrhagic Stroke in Users of Low-Dose Acetylsalicylic Acid. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2321-2328.	0.7	4
93	Risk factors for hyperkalaemia in a cohort of patients with newly diagnosed heart failure: a nested case-control study in <sc>UK</sc> general practice. <i>European Journal of Heart Failure</i> , 2015, 17, 205-213.	2.9	55
94	Cardiovascular events and all-cause mortality in a cohort of 57,946 patients with type 2 diabetes: associations with renal function and cardiovascular risk factors. <i>Cardiovascular Diabetology</i> , 2015, 14, 38.	2.7	60
95	Sa1971 Low-Dose Acetylsalicylic Acid and Risk of Colorectal Cancer: Evidence From a Primary Care Study in the UK. <i>Gastroenterology</i> , 2015, 148, S-371.	0.6	3
96	Mo1159 Mortality in Patients Who Discontinue Low-Dose Acetylsalicylic Acid Therapy After an Upper Gastrointestinal Bleeding Event. <i>Gastroenterology</i> , 2015, 148, S-624.	0.6	0
97	690 Exposure to Acid-Suppressing Drugs During Pregnancy and the Risk of Asthma in Childhood. <i>Gastroenterology</i> , 2015, 148, S-135.	0.6	0
98	The incidence of hysterectomy, uterus-preserving procedures and recurrent treatment in the management of uterine fibroids. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 194, 147-152.	0.5	11
99	Migraine and risk of hemorrhagic stroke: a study based on data from general practice. <i>Journal of Headache and Pain</i> , 2014, 15, 74.	2.5	24
100	Risk of uncomplicated peptic ulcer disease in a cohort of new users of low-dose acetylsalicylic acid for secondary prevention of cardiovascular events. <i>BMC Gastroenterology</i> , 2014, 14, 205.	0.8	11
101	Use of proton pump inhibitors and the risk of coronary events in new users of low-dose acetylsalicylic acid in UK primary care. <i>Thrombosis and Haemostasis</i> , 2014, 111, 131-139.	1.8	12
102	Study of long-acting reversible contraceptive use in a UK primary care database: Validation of methodology. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 22-28.	0.6	9
103	Prescription of antihypertensive medications during pregnancy in the UK. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1051-1058.	0.9	22
104	Study of the Association Between Hip Fracture and Acid-Suppressive Drug Use in a <sc>UK</sc> Primary Care Setting. <i>Pharmacotherapy</i> , 2014, 34, 570-581.	1.2	32
105	Use of long-acting reversible contraceptives in the UK from 2004 to 2010: Analysis using The Health Improvement Network Database. <i>European Journal of Contraception and Reproductive Health Care</i> , 2014, 19, 439-447.	0.6	15
106	Risk of nonfatal acute myocardial infarction associated with non-steroidal antiinflammatory drugs, non-narcotic analgesics and other drugs used in osteoarthritis: a nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1128-1138.	0.9	51
107	Low-Dose Aspirin and Upper Gastrointestinal Bleeding in Primary Versus Secondary Cardiovascular Prevention: A Population-Based, Nested Case-Control Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 70-77.	0.9	16
108	Patterns in the Use of Low-Dose Acetylsalicylic Acid and Other Therapies Following Upper Gastrointestinal Bleeding. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 443-450.	1.0	5

#	ARTICLE	IF	CITATIONS
109	Incidence Rates and Trends of Hip/Femur Fractures in Five European Countries: Comparison Using E-Healthcare Records Databases. <i>Calcified Tissue International</i> , 2014, 94, 580-589.	1.5	39
110	Represcription of Low-Dose Acetylsalicylic Acid After Discontinuation in Patients Receiving Treatment for Secondary Cardiovascular Disease Prevention in the UK. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 319-326.	1.0	4
111	Risk Factors Associated with Uncomplicated Peptic Ulcer and Changes in Medication Use after Diagnosis. <i>PLoS ONE</i> , 2014, 9, e101768.	1.1	18
112	Upper gastrointestinal bleeding associated with NSAIDs, other drugs and interactions: a nested case-control study in a new general practice database. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 691-701.	0.8	68
113	Risk of Complications After a Peptic Ulcer Diagnosis: Effectiveness of Proton Pump Inhibitors. <i>Digestive Diseases and Sciences</i> , 2013, 58, 1653-1662.	1.1	10
114	Su1068 Characteristics of Children and Adolescents Using Proton Pump Inhibitors or Histamine-2-Receptor Antagonists: Analysis of THIN and PHARMO Databases. <i>Gastroenterology</i> , 2013, 144, S-391.	0.6	1
115	Statins and Risk of Diabetes. <i>Diabetes Care</i> , 2013, 36, 1236-1240.	4.3	64
116	Effect of Baseline Gastrointestinal Risk and Use of Proton Pump Inhibitors on Frequency of Discontinuation of Aspirin for Secondary Cardiovascular Prevention in United Kingdom Primary Care. <i>American Journal of Cardiology</i> , 2013, 112, 1075-1082.	0.7	15
117	Warfarin and absolute risk of hemorrhagic stroke. <i>Cmaj</i> , 2013, 185, 687-687.	0.9	2
118	Antithrombotic drugs and risk of hemorrhagic stroke in the general population. <i>Neurology</i> , 2013, 81, 566-574.	1.5	129
119	Risk Factors for Falls with Use of Acid-Suppressive Drugs. <i>Epidemiology</i> , 2013, 24, 600-607.	1.2	14
120	Observational data for comparative effectiveness research: An emulation of randomised trials of statins and primary prevention of coronary heart disease. <i>Statistical Methods in Medical Research</i> , 2013, 22, 70-96.	0.7	192
121	Mortality after hemorrhagic stroke. <i>Neurology</i> , 2013, 81, 559-565.	1.5	109
122	Challenges of using primary care electronic medical records in the UK to study medications in pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 977-985.	0.9	24
123	Coxibs: Pharmacology, Toxicity and Efficacy in Cancer Clinical Trials. <i>Recent Results in Cancer Research</i> , 2013, 191, 67-93.	1.8	38
124	Incidence of hemorrhagic stroke in the general population: validation of data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 176-182.	0.9	46
125	Cardiovascular and upper gastrointestinal bleeding consequences of low-dose acetylsalicylic acid discontinuation. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1298-1304.	1.8	31
126	Use of clopidogrel and proton pump inhibitors after a serious acute coronary event: Risk of coronary events and peptic ulcer bleeding. <i>Thrombosis and Haemostasis</i> , 2013, 110, 1014-1024.	1.8	13

#	ARTICLE	IF	CITATIONS
127	Validation of Diabetic Retinopathy and Maculopathy Diagnoses Recorded in a U.K. Primary Care Database. <i>Diabetes Care</i> , 2012, 35, 762-767.	4.3	30
128	Discontinuation of low-dose acetylsalicylic acid therapy in UK primary care: incidence and predictors in patients with cardiovascular disease. <i>Journal of Pragmatic and Observational Research</i> , 2012, 3, 1.	1.1	5
129	Predictors and time trends in clopidogrel and proton pump inhibitor coprescription with low-dose acetylsalicylic acid. <i>Pharmacoepidemiology and Drug Safety</i> , 2012, 21, 463-469.	0.9	1
130	Risk of Upper Gastrointestinal Bleeding With Low-Dose Acetylsalicylic Acid Alone and in Combination With Clopidogrel and Other Medications. <i>Circulation</i> , 2011, 123, 1108-1115.	1.6	165
131	Androgen Deprivation Therapy and the Risk of Coronary Heart Disease and Heart Failure in Patients with Prostate Cancer. <i>Drug Safety</i> , 2011, 34, 1061-1077.	1.4	65
132	Acid Suppressants Reduce Risk of Gastrointestinal Bleeding in Patients on Antithrombotic or Anti-Inflammatory Therapy. <i>Gastroenterology</i> , 2011, 141, 71-79.	0.6	91
133	Confounding adjustment via a semi-automated high-dimensional propensity score algorithm: an application to electronic medical records. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 849-857.	0.9	75
134	Systematic review of peptic ulcer disease incidence rates: do studies without validation provide reliable estimates?. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 718-728.	0.9	65
135	Low-dose naproxen interferes with the antiplatelet effects of aspirin in healthy subjects: Recommendations to minimize the functional consequences. <i>Arthritis and Rheumatism</i> , 2011, 63, 850-859.	6.7	56
136	Discontinuation of low dose aspirin and risk of myocardial infarction: case-control study in UK primary care. <i>BMJ: British Medical Journal</i> , 2011, 343, d4094-d4094.	2.4	117
137	Increased risk of stroke after discontinuation of acetylsalicylic acid. <i>Neurology</i> , 2011, 76, 740-746.	1.5	100
138	NSAID Use Selectively Increases the Risk of Non-Fatal Myocardial Infarction: A Systematic Review of Randomised Trials and Observational Studies. <i>PLoS ONE</i> , 2011, 6, e16780.	1.1	46
139	Case validation in research using large databases. <i>British Journal of General Practice</i> , 2010, 60, 160-161.	0.7	16
140	Use of Non-Steroidal Antiinflammatory Drugs and Type-Specific Risk of Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2010, 105, 1102-1106.	0.7	38
141	Variability among nonsteroidal antiinflammatory drugs in risk of upper gastrointestinal bleeding. <i>Arthritis and Rheumatism</i> , 2010, 62, 1592-1601.	6.7	204
142	Validation of ischemic cerebrovascular diagnoses in the health improvement network (THIN). <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 579-585.	0.9	79
143	Use of multiple international healthcare databases for the detection of rare drug-associated outcomes: a pharmacoepidemiological programme comparing rosuvastatin with other marketed statins. <i>Pharmacoepidemiology and Drug Safety</i> , 2010, 19, 1218-1224.	0.9	17
144	Risk of Upper Gastrointestinal Bleeding in a Cohort of New Users of Low-Dose ASA for Secondary Prevention of Cardiovascular Outcomes. <i>Frontiers in Pharmacology</i> , 2010, 1, 126.	1.6	32

#	ARTICLE	IF	CITATIONS
145	Gastroesophageal reflux disease in children and adolescents in primary care. <i>Scandinavian Journal of Gastroenterology</i> , 2010, 45, 139-146.	0.6	73
146	Acute Pancreatitis in Association With Type 2 Diabetes and Antidiabetic Drugs. <i>Diabetes Care</i> , 2010, 33, 2580-2585.	4.3	121
147	Long-term Use of Anti-inflammatory Drugs and Risk of Atrial Fibrillation. <i>Archives of Internal Medicine</i> , 2010, 170, 1450-5.	4.3	62
148	Prospective Drug Safety Monitoring Using the UK Primary-Care General Practice Research Database. <i>Drug Safety</i> , 2010, 33, 223-232.	1.4	19
149	Heart failure, myocardial infarction, lung cancer and death in COPD patients: A UK primary care study. <i>Respiratory Medicine</i> , 2010, 104, 1691-1699.	1.3	55
150	Rheumatoid arthritis in UK primary care: incidence and prior morbidity. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 173-177.	0.6	91
151	Chronic Obstructive Pulmonary Disease in UK Primary Care: Incidence and Risk Factors. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2009, 6, 369-379.	0.7	38
152	Cardiovascular Risks of Nonsteroidal Antiinflammatory Drugs in Patients After Hospitalization for Serious Coronary Heart Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009, 2, 155-163.	0.9	121
153	Positive predictive value of computerized medical records for uncomplicated and complicated upper gastrointestinal ulcer. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 900-909.	0.9	35
154	The use of selective cyclooxygenase-2 inhibitors and the risk of acute myocardial infarction in Saskatchewan, Canada. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 1016-1025.	0.9	35
155	Use of Angiotensin II Receptor Blockers and the Risk of Acute Pancreatitis: A Nested Case-Control Study. <i>Pancreatology</i> , 2009, 9, 786-792.	0.5	18
156	Acid-suppressive Drugs and Community-acquired Pneumonia. <i>Epidemiology</i> , 2009, 20, 800-806.	1.2	62
157	Risk of myocardial infarction and overall mortality in survivors of venous thromboembolism. <i>Thrombosis Journal</i> , 2008, 6, 10.	0.9	11
158	The safety of rosuvastatin in comparison with other statins in over 25%000 statin users in the Saskatchewan Health Databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 953-961.	0.9	32
159	The safety of rosuvastatin in comparison with other statins in over 100%000 statin users in UK primary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 943-952.	0.9	62
160	Role of Dose Potency in the Prediction of Risk of Myocardial Infarction Associated With Nonsteroidal Anti-Inflammatory Drugs in the General Population. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1628-1636.	1.2	271
161	Relationship Between Gastroesophageal Reflux Disease and COPD in UK Primary Care. <i>Chest</i> , 2008, 134, 1223-1230.	0.4	61
162	Traditional Nonsteroidal Anti-Inflammatory Drugs and Postmenopausal Hormone Therapy: A Drug-Drug Interaction?. <i>PLoS Medicine</i> , 2007, 4, e157.	3.9	13

#	ARTICLE	IF	CITATIONS
163	NSAIDs and the risk of acute myocardial infarction. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 202-203.	3.2	4
164	Use of oral corticosteroids and the risk of acute myocardial infarction. <i>Atherosclerosis</i> , 2007, 192, 376-383.	0.4	102
165	Effect of Antisecretory Drugs and Nitrates on the Risk of Ulcer Bleeding Associated With Nonsteroidal Anti-Inflammatory Drugs, Antiplatelet Agents, and Anticoagulants. <i>American Journal of Gastroenterology</i> , 2007, 102, 507-515.	0.2	264
166	Use of Acid-Suppressing Drugs and the Risk of Bacterial Gastroenteritis. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 1418-1423.	2.4	118
167	Risk of Upper Gastrointestinal Complications Among Users of Traditional NSAIDs and COXIBs in the General Population. <i>Gastroenterology</i> , 2007, 132, 498-506.	0.6	206
168	The ever growing story of cyclo-oxygenase inhibition. <i>Lancet</i> , The, 2006, 368, 1745-1747.	6.3	30
169	Acute Gastroenteritis Is Followed by an Increased Risk of Inflammatory Bowel Disease. <i>Gastroenterology</i> , 2006, 130, 1588-1594.	0.6	351
170	Rosuvastatin safety: a comprehensive, international pharmacoepidemiology programme. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 454-461.	0.9	7
171	Upper Gastrointestinal Complications among Users of Paracetamol. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 297-303.	1.2	39
172	Non-Steroidal Antiinflammatory Drugs and the Risk of Acute Myocardial Infarction. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 266-274.	1.2	194
173	Cardioprotective aspirin users and their excess risk of upper gastrointestinal complications. <i>BMC Medicine</i> , 2006, 4, 22.	2.3	157
174	Predictors and prognosis of paroxysmal atrial fibrillation in general practice in the UK. <i>BMC Cardiovascular Disorders</i> , 2005, 5, 20.	0.7	97
175	Long-term use of non-steroidal anti-inflammatory drugs and the risk of myocardial infarction in the general population. <i>BMC Medicine</i> , 2005, 3, 17.	2.3	64
176	Low-Dose Aspirin for the Prevention of Atherothrombosis. <i>New England Journal of Medicine</i> , 2005, 353, 2373-2383.	13.9	1,053
177	Risk of Uncomplicated Peptic Ulcer among Users of Aspirin and Nonaspirin Nonsteroidal Antiinflammatory Drugs. <i>American Journal of Epidemiology</i> , 2004, 159, 23-31.	1.6	120
178	Nonsteroidal Antiinflammatory Drugs and the Risk of Myocardial Infarction in the General Population. <i>Circulation</i> , 2004, 109, 3000-3006.	1.6	197
179	Association between captopril, other antihypertensive drugs and risk of prostate cancer. <i>Prostate</i> , 2004, 58, 50-56.	1.2	99
180	Validity of the General Practice Research Database. <i>Pharmacotherapy</i> , 2003, 23, 686-689.	1.2	523

#	ARTICLE	IF	CITATIONS
181	Users of oral steroids are at a reduced risk of developing irritable bowel syndrome. <i>Pharmacoepidemiology and Drug Safety</i> , 2003, 12, 583-588.	0.9	14
182	Nonsteroidal Antiinflammatory Drugs as a Trigger of Clinical Heart Failure. <i>Epidemiology</i> , 2003, 14, 240-246.	1.2	125
183	Risk of stroke associated with nonsteroidal anti-inflammatory drugs: a nested case-control study. <i>Stroke</i> , 2003, 34, 379-86.	1.0	18
184	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 1465-1473.	1.0	133
185	Incidence of serious upper gastrointestinal bleeding/perforation in the general population. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 157-163.	2.4	131
186	Incidence of chronic atrial fibrillation in general practice and its treatment pattern. <i>Journal of Clinical Epidemiology</i> , 2002, 55, 358-363.	2.4	186
187	Risk of Acute Liver Injury in Patients with Diabetes. <i>Pharmacotherapy</i> , 2002, 22, 1091-1096.	1.2	15
188	Risk of Clinical Blood Dyscrasia in a Cohort of Antibiotic Users. <i>Pharmacotherapy</i> , 2002, 22, 630-636.	1.2	26
189	Risk of irritable bowel syndrome among asthma patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2002, 11, 31-35.	0.9	41
190	Lipid-Lowering Drugs and Risk of Myopathy: A Population-Based Follow-Up Study. <i>Epidemiology</i> , 2001, 12, 565-569.	1.2	202
191	Are users of lipid-lowering drugs at increased risk of peripheral neuropathy?. <i>European Journal of Clinical Pharmacology</i> , 2001, 56, 931-933.	0.8	94
192	Risk of upper gastrointestinal bleeding and perforation associated with low-dose aspirin as plain and enteric-coated formulations. <i>BMC Clinical Pharmacology</i> , 2001, 1, 1.	2.5	147
193	Association between aspirin and upper gastrointestinal complications: Systematic review of epidemiologic studies. <i>British Journal of Clinical Pharmacology</i> , 2001, 52, 563-571.	1.1	241
194	The risk of obstructive airways disease in a glaucoma population. <i>Pharmacoepidemiology and Drug Safety</i> , 2001, 10, 157-163.	0.9	16
195	Relative Risk of Upper Gastrointestinal Complications among Users of Acetaminophen and Nonsteroidal Anti-Inflammatory Drugs. <i>Epidemiology</i> , 2001, 12, 570-576.	1.2	259
196	Incidence of newly diagnosed heart failure in UK general practice. <i>European Journal of Heart Failure</i> , 2001, 3, 225-231.	2.9	80
197	Association Between Nonsteroidal Anti-inflammatory Drugs and Upper Gastrointestinal Tract Bleeding/Perforation. <i>Archives of Internal Medicine</i> , 2000, 160, 2093.	4.3	613
198	Differential Effects of Aspirin and Non-Aspirin Nonsteroidal Antiinflammatory Drugs in the Primary Prevention of Myocardial Infarction in Postmenopausal Women. <i>Epidemiology</i> , 2000, 11, 382-387.	1.2	169

#	ARTICLE	IF	CITATIONS
199	Secondary Prevention of Upper Gastrointestinal Bleeding Associated with Maintenance Acid-Suppressing Treatment in Patients with Peptic Ulcer Bleed. <i>Epidemiology</i> , 1999, 10, 228-232.	1.2	60
200	Association between selective serotonin reuptake inhibitors and upper gastrointestinal bleeding: population based case-control study. <i>BMJ: British Medical Journal</i> , 1999, 319, 1106-1109.	2.4	377
201	Increased risk of irritable bowel syndrome after bacterial gastroenteritis: cohort study. <i>BMJ: British Medical Journal</i> , 1999, 318, 565-566.	2.4	323
202	Health resource utilization and drug treatment pattern in a cohort of patients with a first episode of gastroesophageal reflux disease. , 1999, 8, 493-500.		5
203	Use of the UK General Practice Research Database for pharmacoepidemiology. <i>British Journal of Clinical Pharmacology</i> , 1998, 45, 419-425.	1.1	513
204	Risk of Hospitalization for Upper Gastrointestinal Tract Bleeding Associated With Ketorolac, Other Nonsteroidal Anti-inflammatory Drugs, Calcium Antagonists, and Other Antihypertensive Drugs. <i>Archives of Internal Medicine</i> , 1998, 158, 33.	4.3	293
205	The UK General Practice Research Database. , 0, , 375-385.		21