José A Pascual

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7581902/publications.pdf

Version: 2024-02-01

218677 302126 1,772 66 26 39 citations g-index h-index papers 68 68 68 1657 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 1 | Cigarettes vs. e-cigarettes: Passive exposure at home measured by means of airborne marker and biomarkers. Environmental Research, 2014, 135, 76-80. | 7.5 | 159 |
| 2 | Impact of the Spanish Smoking Law on Exposure to Second-Hand Smoke and Respiratory Health in Hospitality Workers: A Cohort Study. PLoS ONE, 2009, 4, e4244. | 2.5 | 102 |
| 3 | 13C/12C Isotope ratio MS analysis of testosterone, in chemicals and pharmaceutical preparations. Journal of Pharmaceutical and Biomedical Analysis, 2001, 24, 645-650. | 2.8 | 83 |
| 4 | Structural analysis of the glycosylation of gene-activated erythropoietin (epoetin delta, Dynepo). Analytical Biochemistry, 2008, 383, 243-254. | 2.4 | 78 |
| 5 | Fast screening of anabolic steroids and other banned doping substances in human urine by gas chromatography/tandem mass spectrometry. Journal of Mass Spectrometry, 2002, 37, 1059-1073. | 1.6 | 71 |
| 6 | Recombinant Erythropoietin and Analogues. Therapeutic Drug Monitoring, 2004, 26, 175-179. | 2.0 | 57 |
| 7 | Fast screening method for diuretics, probenecid and other compounds of doping interest. Journal of Chromatography A, 1993, 655, 233-242. | 3.7 | 50 |
| 8 | Evaluation of protein <i>N</i> â€glycosylation in 2â€DE: Erythropoietin as a study case. Proteomics, 2007, 7, 4278-4291. | 2.2 | 49 |
| 9 | Assessment of chronic exposure to cigarette smoke and its change during pregnancy by segmental analysis of maternal hair nicotine. Journal of Exposure Science and Environmental Epidemiology, 2003, 13, 144-151. | 3.9 | 47 |
| 10 | Procedures for monitoring recombinant erythropoietin and analogues in doping control. Analytical and Bioanalytical Chemistry, 2007, 388, 1521-1529. | 3.7 | 44 |
| 11 | Assessment of exposure to secondhand smoke by questionnaire and salivary cotinine in the general population of Barcelona, Spain (2004–2005). Preventive Medicine, 2009, 48, 218-223. | 3.4 | 44 |
| 12 | Impact of the Spanish Smoke-Free Legislation on Adult, Non-Smoker Exposure to Secondhand Smoke: Cross-Sectional Surveys before (2004) and after (2012) Legislation. PLoS ONE, 2014, 9, e89430. | 2.5 | 41 |
| 13 | Prediction of LC retention of steroids using solvatochromic parameters. Chromatographia, 1995, 41, 573-580. | 1.3 | 40 |
| 14 | Direct Determination of Anabolic Steroids in Human Urine by On-line Solid-phase Extraction/Liquid Chromatography/Mass Spectrometry. , 1996, 31, 309-319. | | 40 |
| 15 | Quantitative Determination of Tricyclic Antidepressants and Their Metabolites in Plasma by Solid-Phase Extraction (Bond-Elut TCA) and Separation by Capillary Gas Chromatography With Nitrogen-Phosphorous Detection. Therapeutic Drug Monitoring, 1998, 20, 340-346. | 2.0 | 38 |
| 16 | Salivary cotinine concentrations in daily smokers in Barcelona, Spain: a cross-sectional study. BMC Public Health, 2009, 9, 320. | 2.9 | 36 |
| 17 | A simple and reliable method for the determination of nicotine and cotinine in teeth by gas chromatography/mass spectrometry. Rapid Communications in Mass Spectrometry, 2003, 17, 2853-2855. | 1.5 | 35 |
| 18 | Secondhand smoke exposure at home: Assessment by biomarkers and airborne markers. Environmental Research, 2014, 133, 111-116. | 7. 5 | 32 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Rapid and sensitive determination of zidovudine and zidovudine glucuronide in human plasma by ion-pair high-performance liquid chromatography. Journal of Chromatography A, 1996, 721, 127-137. | 3.7 | 30 |
| 20 | Evaluation of immunoassays for the measurement of insulin-like growth factor-I and procollagen type III peptide, indirect biomarkers of recombinant human growth hormone misuse in sport. Clinical Chemistry and Laboratory Medicine, 2005, 43, 75-85. | 2.3 | 30 |
| 21 | Assessing the instability of the isoelectric focusing patterns of erythropoietin in urine. Electrophoresis, 2006, 27, 4387-4395. | 2.4 | 30 |
| 22 | Neurotoxic Thioether Adducts of 3,4-Methylenedioxymethamphetamine Identified in Human Urine After Ecstasy Ingestion. Drug Metabolism and Disposition, 2009, 37, 1448-1455. | 3.3 | 30 |
| 23 | Nicotine Concentrations in Deciduous Teeth and Cumulative Exposure to Tobacco Smoke During Childhood. JAMA - Journal of the American Medical Association, 2003, 290, 196-197. | 7.4 | 28 |
| 24 | Recombinant erythropoietin found in seized blood bags from sportsmen. Haematologica, 2008, 93, 313-314. | 3.5 | 28 |
| 25 | High-throughput wide dynamic range procedure for the simultaneous quantification of nicotine and cotinine in multiple biological matrices using hydrophilic interaction liquid chromatography-tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 8463-8473. | 3.7 | 28 |
| 26 | Assessment of tobacco specific nitrosamines (TSNAs) in oral fluid as biomarkers of cancer risk: A population-based study. Environmental Research, 2016, 151, 635-641. | 7.5 | 27 |
| 27 | Evaluation of immunoassays for the measurement of erythropoietin (EPO) as an indirect biomarker of recombinant human EPO misuse in sport. Journal of Pharmaceutical and Biomedical Analysis, 2004, 35, 1169-1177. | 2.8 | 26 |
| 28 | Liquid chromatography clean-up method to improve identification of anabolic agents in human urine by gas chromatography–mass spectrometry. Analytica Chimica Acta, 2004, 522, 79-88. | 5.4 | 25 |
| 29 | Growth Hormone in Sport: Beyond Beijing 2008. Therapeutic Drug Monitoring, 2009, 31, 3-13. | 2.0 | 23 |
| 30 | Impact of the Spanish smoking law in smoker hospitality workers. Nicotine and Tobacco Research, 2009, 11, 1099-1106. | 2.6 | 22 |
| 31 | Fully automated analytical method for codeine quantification in human plasma using on-line solid-phase extraction and high-performance liquid chromatography with ultraviolet detection. Biomedical Applications, 1999, 724, 295-302. | 1.7 | 19 |
| 32 | Monitoring Gene Therapy by External Imaging of mRNA: Pilot Study on Murine Erythropoietin. Therapeutic Drug Monitoring, 2007, 29, 612-618. | 2.0 | 19 |
| 33 | Development of a precolumn capillary liquid chromatography switching system for coupling to mass spectrometry. Journal of Separation Science, 1996, 8, 383-387. | 1.0 | 18 |
| 34 | Effect of Physical Fitness and Endurance Exercise on Indirect Biomarkers of Recombinant Erythropoietin Misuse. International Journal of Sports Medicine, 2007, 28, 9-15. | 1.7 | 18 |
| 35 | Evaluation of tobacco specific nitrosamines exposure by quantification of 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK) in human hair of non-smokers. Scientific Reports, 2016, 6, 25043. | 3.3 | 17 |
| 36 | Evaluation of immunoassays for the measurement of soluble transferrin receptor as an indirect biomarker of recombinant human erythropoietin misuse in sport. Journal of Immunological Methods, 2004, 295, 89-99. | 1.4 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Effect of Physical Fitness and Endurance Exercise on Indirect Biomarkers of Recombinant Growth Hormone Misuse: Insulin-Like Growth Factor I and Procollagen Type III Peptide. International Journal of Sports Medicine, 2006, 27, 976-983. | 1.7 | 16 |
| 38 | Stages of change, smoking characteristics, and cotinine concentrations in smokers: Setting priorities for smoking cessation. Preventive Medicine, 2011, 52, 139-145. | 3.4 | 16 |
| 39 | Secondhand exposure to aerosol from electronic cigarettes: pilot study of assessment of tobacco-specific nitrosamine (NNAL) in urine. Gaceta Sanitaria, 2019, 33, 575-578. | 1.5 | 16 |
| 40 | Immunoassays for the measurement of IGF-II, IGFBP-2 and -3, and ICTP as indirect biomarkers of recombinant human growth hormone misuse in sport. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 844-852. | 2.8 | 15 |
| 41 | New urinary EPO drug testing method using two-dimensional gel electrophoresis. Clinica Chimica Acta, 2006, 373, 186-187. | 1.1 | 14 |
| 42 | Evaluation of immunoassays for the measurement of insulin and C-peptide as indirect biomarkers of insulin misuse in sport: Values in selected population of athletes. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 793-799. | 2.8 | 14 |
| 43 | Passive smoking in babies: The BIBE study (Brief Intervention in babies. Effectiveness). BMC Public Health, 2010, 10, 772. | 2.9 | 14 |
| 44 | Nicotine depedence and salivary cotinine concentration in daily smokers. European Journal of Cancer Prevention, 2012, 21, 96-102. | 1.3 | 14 |
| 45 | Manufactured and roll-your-own cigarettes: A changing pattern of smoking in Barcelona, Spain. Environmental Research, 2017, 155, 167-174. | 7.5 | 13 |
| 46 | Effect of physical fitness and endurance exercise on indirect biomarkers of growth hormone and insulin misuse: Immunoassay-based measurement in urine samples. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 1003-1010. | 2.8 | 12 |
| 47 | Third-hand exposure at homes: Assessment using salivary cotinine. Environmental Research, 2021, 196, 110393. | 7.5 | 12 |
| 48 | Prediction of LC retention of steroids using solvatochromic parameters. Chromatographia, 1995, 41, 573-580. | 1.3 | 11 |
| 49 | Intermittent hypoxia exposure in a hypobaric chamber and erythropoietin abuse interpretation. Journal of Sports Sciences, 2007, 25, 1241-1250. | 2.0 | 11 |
| 50 | Purification of erythropoietin from human plasma samples using an immunoaffinity well plate. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 2117-2122. | 2.3 | 11 |
| 51 | Association Between Time to First Cigarette After Waking Up and Salivary Cotinine Concentration. Nicotine and Tobacco Research, 2011, 13, 168-172. | 2.6 | 10 |
| 52 | Impact of a multi-level intervention to prevent secondhand smoke exposure in schoolchildren: A randomized cluster community trial. Preventive Medicine, 2013, 57, 585-590. | 3.4 | 10 |
| 53 | Assessment of salivary cotinine concentration among general non-smokers population: Before and after Spanish smoking legislations. Cancer Epidemiology, 2017, 51, 87-91. | 1.9 | 10 |
| 54 | Anti-EPO and anti-NESP antibodies raised against synthetic peptides that reproduce the minimal amino acid sequence differences between EPO and NESP. Analytical and Bioanalytical Chemistry, 2007, 388, 1531-1538. | 3.7 | 9 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 55 | Current strategic approaches for the detection of blood doping practices. Forensic Science International, 2011, 213, 42-48. | 2.2 | 9 |
| 56 | Comparison of TSNAs concentration in saliva according to type of tobacco smoked. Environmental Research, 2019, 172, 73-80. | 7. 5 | 9 |
| 57 | Clarification on the detection of epoetin delta and epoetin omega using isoelectric focusing. American Journal of Hematology, 2008, 83, 754-754. | 4.1 | 8 |
| 58 | New screening protocol for recombinant human erythropoietins based on differential elution after immunoaffinity purification. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 255-259. | 2.8 | 8 |
| 59 | Environmental and individual exposure to secondhand aerosol of electronic cigarettes in confined spaces: Results from the TackSHS Project â€. Indoor Air, 2021, 31, 1601-1613. | 4.3 | 4 |
| 60 | Validity of self-reported intensity of exposure to second-hand smoke at home against environmental and personal markers. Gaceta Sanitaria, 2018, 32, 393-395. | 1.5 | 3 |
| 61 | Impact of the Spanish smoking legislation among smokers: A longitudinal study with biomarkers in Barcelona (Spain). Addictive Behaviors, 2018, 87, 101-108. | 3.0 | 3 |
| 62 | If you play with fire, you may get burned. Drug Testing and Analysis, 2020, 12, 582-587. | 2.6 | 3 |
| 63 | Toward a correct measure of third-hand exposure. Environmental Research, 2021, 194, 110686. | 7.5 | 1 |
| 64 | Association between biomarkers of tobacco consumption and lung cancer risk among daily smokers. Expert Review of Respiratory Medicine, 2022, 16, 247-252. | 2.5 | 1 |
| 65 | Research Spotlight: Bioanalysis and Analytical Services Research Group at The Municipal Institute for Medical Research IMIM-Hospital del Mar, Spain. Bioanalysis, 2009, 1, 1403-1409. | 1.5 | O |
| 66 | Exposición al humo ambiental del tabaco en el hogar y el tiempo libre según el dÃa de la semana (laborable y no laborable) en Barcelona. Revista De Psicologia De La Salud, 2012, 24, 173. | 0.5 | 0 |