

Thierry Bourguignon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7583245/publications.pdf>

Version: 2024-02-01

16
papers

1,050
citations

933447

10
h-index

996975

15
g-index

16
all docs

16
docs citations

16
times ranked

1451
citing authors

#	ARTICLE	IF	CITATIONS
1	Standardized Definition of Structural Valve Degeneration for Surgical and Transcatheter Bioprosthetic Aortic Valves. <i>Circulation</i> , 2018, 137, 388-399.	1.6	350
2	Very Long-Term Outcomes of the Carpentier-Edwards Perimount Valve in Aortic Position. <i>Annals of Thoracic Surgery</i> , 2015, 99, 831-837.	1.3	315
3	Very Long-Term Outcomes of the Carpentier-Edwards Perimount Aortic Valve in Patients Aged 60 or Younger. <i>Annals of Thoracic Surgery</i> , 2015, 100, 853-859.	1.3	103
4	Very long-term outcomes of the Carpentier-Edwards Perimount aortic valve in patients aged 50-65 years. <i>European Journal of Cardio-thoracic Surgery</i> , 2016, 49, 1462-1468.	1.4	91
5	Predictors and Clinical Impact of Late Ventricular Arrhythmias in Patients With Continuous-Flow Left Ventricular Assist Devices. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 1166-1175.	3.2	58
6	Risk factors and prognostic impact of left ventricular assist device-associated infections. <i>American Heart Journal</i> , 2019, 214, 69-76.	2.7	33
7	Early Ventricular Arrhythmias After LVAD Implantation Is the Strongest Predictor of 30-Day Post-Operative Mortality. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 944-954.	3.2	21
8	Incidence, predictors, and clinical impact of electrical storm in patients with left ventricular assist devices: New insights from the ASSIST-ICD study. <i>Heart Rhythm</i> , 2019, 16, 1506-1512.	0.7	20
9	Suicide Attempts Among LVAD Recipients. <i>Circulation</i> , 2020, 141, 934-936.	1.6	18
10	Durability of bioprosthetic aortic valves in patients under the age of 60 years: rationale and design of the international INDURE registry. <i>Journal of Cardiothoracic Surgery</i> , 2020, 15, 119.	1.1	18
11	Stimulation of murine P2Y11-like purinoreceptor protects against hypoxia/reoxygenation injury and decreases heart graft rejection lesions. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 780-790.e1.	0.8	9
12	Current results of left ventricular assist device therapy in France: the ASSIST-ICD registry. <i>European Journal of Cardio-thoracic Surgery</i> , 2020, 58, 112-120.	1.4	6
13	Implantable cardiac defibrillator leads dysfunction after LVAD implantation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1309-1317.	1.2	4
14	Relation of Body Mass Index to Outcomes in Patients With Heart Failure Implanted With Left Ventricular Assist Devices. <i>American Journal of Cardiology</i> , 2020, 133, 81-88.	1.6	3
15	Outcomes of Left Ventricular Assist Device Implantation in Patients With Uncommon Etiology Cardiomyopathy. <i>American Journal of Cardiology</i> , 2020, 125, 1421-1428.	1.6	1
16	Comparison of Outcomes and Mortality in Patients Having Left Ventricular Assist Device Implanted Early -vs- Late After Diagnosis of Cardiomyopathy. <i>American Journal of Cardiology</i> , 2021, 146, 82-88.	1.6	0