

JosÃ© I LÃ³pez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7584402/publications.pdf>

Version: 2024-02-01

217
papers

6,666
citations

81900

39
h-index

91884

69
g-index

235
all docs

235
docs citations

235
times ranked

7245
citing authors

#	ARTICLE	IF	CITATIONS
1	Eosinophilic vacuolated tumor (EVT) of kidney demonstrates sporadic TSC/MTOR mutations: next-generation sequencing multi-institutional study of 19 cases. <i>Modern Pathology</i> , 2022, 35, 344-351.	5.5	40
2	Renal cell tumor with sex-cord/gonadoblastoma-like features: analysis of 6 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 349-358.	2.8	7
3	Urological Cancer Panorama in the Second Year of the COVID-19 Pandemic. <i>Cancers</i> , 2022, 14, 493.	3.7	1
4	Spatial patterns of tumour growth impact clonal diversification in a computational model and the TRACERx Renal study. <i>Nature Ecology and Evolution</i> , 2022, 6, 88-102.	7.8	30
5	Clear Cell Renal Cell Carcinomas with Aggressive Behavior Display Low Intratumor Heterogeneity at the Histological Level. <i>Current Urology Reports</i> , 2022, 23, 93-97.	2.2	7
6	Towards Personalized Sampling in Clear Cell Renal Cell Carcinomas. <i>Cancers</i> , 2022, 14, 3381.	3.7	7
7	Soluble PD-L1 Is an Independent Prognostic Factor in Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2021, 13, 667.	3.7	27
8	Mimickers of Urothelial Carcinoma and the Approach to Differential Diagnosis. <i>Clinics and Practice</i> , 2021, 11, 110-123.	1.4	5
9	Novel, emerging and provisional renal entities: The Genitourinary Pathology Society (GUPS) update on renal neoplasia. <i>Modern Pathology</i> , 2021, 34, 1167-1184.	5.5	118
10	Clinical Implications of (Pro)renin Receptor (PRR) Expression in Renal Tumours. <i>Diagnostics</i> , 2021, 11, 272.	2.6	7
11	A global analysis of the reconstitution of PTEN function by translational readthrough of pathogenic premature termination codons. <i>Human Mutation</i> , 2021, 42, 551-566.	2.5	7
12	New developments in existing WHO entities and evolving molecular concepts: The Genitourinary Pathology Society (GUPS) update on renal neoplasia. <i>Modern Pathology</i> , 2021, 34, 1392-1424.	5.5	138
13	The Role of Epigenetics in the Progression of Clear Cell Renal Cell Carcinoma and the Basis for Future Epigenetic Treatments. <i>Cancers</i> , 2021, 13, 2071.	3.7	25
14	Selection of metastasis competent subclones in the tumour interior. <i>Nature Ecology and Evolution</i> , 2021, 5, 1033-1045.	7.8	50
15	SARS-CoV-2-Associated Obliterative Arteritis Causing Massive Testicular Infarction. <i>Clinics and Practice</i> , 2021, 11, 246-249.	1.4	3
16	Immune checkpoint B7H3 protein expression is associated with poor outcome and androgen receptor status in prostate cancer. <i>Prostate</i> , 2021, 81, 838-848.	2.3	13
17	Metastasis, an Example of Evolvability. <i>Cancers</i> , 2021, 13, 3653.	3.7	8
18	An Approach to Cell Motility as a Key Mechanism in Oncology. <i>Cancers</i> , 2021, 13, 3576.	3.7	0

#	ARTICLE	IF	CITATIONS
19	Integrated mRNA and miRNA Transcriptomic Analyses Reveals Divergent Mechanisms of Sunitinib Resistance in Clear Cell Renal Cell Carcinoma (ccRCC). <i>Cancers</i> , 2021, 13, 4401.	3.7	8
20	Precision sampling fuels precision oncology: an evolutionary perspective. <i>Trends in Cancer</i> , 2021, 7, 978-981.	7.4	4
21	Insights into Urological Cancer. <i>Cancers</i> , 2021, 13, 204.	3.7	4
22	Determinants of anti-PD-1 response and resistance in clear cell renal cell carcinoma. <i>Cancer Cell</i> , 2021, 39, 1497-1518.e11.	16.8	126
23	(Pro)renin Receptor Is a Novel Independent Prognostic Marker in Invasive Urothelial Carcinoma of the Bladder. <i>Cancers</i> , 2021, 13, 5642.	3.7	4
24	Protein Tyrosine Phosphatases in Neuroblastoma: Emerging Roles as Biomarkers and Therapeutic Targets. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 811297.	3.7	3
25	The role of cancer-associated fibroblasts in renal cell carcinoma. An example of tumor modulation through tumor/non-tumor cell interactions. <i>Journal of Advanced Research</i> , 2020, 21, 103-108.	9.5	40
26	Pre-implantation kidney biopsy: value of the expertise in determining histological score and comparison with the whole organ on a series of discarded kidneys. <i>Journal of Nephrology</i> , 2020, 33, 167-176.	2.0	34
27	Altered Tissue and Plasma Levels of Fibroblast Activation Protein- α (FAP) in Renal Tumours. <i>Cancers</i> , 2020, 12, 3393.	3.7	17
28	Cell Motility and Cancer. <i>Cancers</i> , 2020, 12, 2177.	3.7	19
29	Genetic manipulation of LKB1 elicits lethal metastatic prostate cancer. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	19
30	High PD-1/PD-L1 Checkpoint Interaction Infers Tumor Selection and Therapeutic Sensitivity to Anti-PD-1/PD-L1 Treatment. <i>Cancer Research</i> , 2020, 80, 4244-4257.	0.9	27
31	Unusual Faces of Bladder Cancer. <i>Cancers</i> , 2020, 12, 3706.	3.7	5
32	Oligometastatic Prostate Adenocarcinoma. Clinical-Pathologic Study of a Histologically Under-Recognized Prostate Cancer. <i>Journal of Personalized Medicine</i> , 2020, 10, 265.	2.5	3
33	EV1 as a Prognostic and Predictive Biomarker of Clear Cell Renal Cell Carcinoma. <i>Cancers</i> , 2020, 12, 300.	3.7	9
34	The Labyrinth of Renal Cell Carcinoma. <i>Cancers</i> , 2020, 12, 521.	3.7	10
35	The Urinary Transcriptome as a Source of Biomarkers for Prostate Cancer. <i>Cancers</i> , 2020, 12, 513.	3.7	14
36	The role of protein tyrosine phosphatases in prostate cancer biology. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 102-113.	4.1	18

#	ARTICLE	IF	CITATIONS
37	Evidence of conditioned behavior in amoebae. <i>Nature Communications</i> , 2019, 10, 3690.	12.8	30
38	The coexpression of fibroblast activation protein (FAP) and basal-type markers (CK 5/6 and CD44) predicts prognosis in high-grade invasive urothelial carcinoma of the bladder. <i>Human Pathology</i> , 2019, 91, 61-68.	2.0	50
39	Common and uncommon features of nephrogenic adenoma revisited. <i>Pathology Research and Practice</i> , 2019, 215, 152561.	2.3	6
40	Precise Immunodetection of PTEN Protein in Human Neoplasia. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019, 9, a036293.	6.2	11
41	Precise definition of PTEN C-terminal epitopes and its implications in clinical oncology. <i>Npj Precision Oncology</i> , 2019, 3, 11.	5.4	15
42	Dual-Specificity Phosphatases in Neuroblastoma Cell Growth and Differentiation. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1170.	4.1	11
43	Core-needle biopsy in thyroid nodules: performance, accuracy, and complications. <i>European Radiology</i> , 2019, 29, 4889-4896.	4.5	23
44	Sequential treatment of metastatic renal cancer in a complex evolving landscape. <i>Annals of Translational Medicine</i> , 2019, 7, S272-S272.	1.7	6
45	The nucleus does not significantly affect the migratory trajectories of amoeba in two-dimensional environments. <i>Scientific Reports</i> , 2019, 9, 16369.	3.3	7
46	A Critical Insight into the Clinical Translation of PD-1/PD-L1 Blockade Therapy in Clear Cell Renal Cell Carcinoma. <i>Current Urology Reports</i> , 2019, 20, 1.	2.2	63
47	Timing the Landmark Events in the Evolution of Clear Cell Renal Cell Cancer: TRACERx Renal. <i>Cell</i> , 2018, 173, 611-623.e17.	28.9	398
48	Deterministic Evolutionary Trajectories Influence Primary Tumor Growth: TRACERx Renal. <i>Cell</i> , 2018, 173, 595-610.e11.	28.9	472
49	Tracking Cancer Evolution Reveals Constrained Routes to Metastases: TRACERx Renal. <i>Cell</i> , 2018, 173, 581-594.e12.	28.9	609
50	High levels of intratumor heterogeneity characterize the expression of epithelial-mesenchymal transition markers in high-grade clear cell renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2018, 34, 27-30.	1.3	8
51	Pathological Bases and Clinical Impact of Intratumor Heterogeneity in Clear Cell Renal Cell Carcinoma. <i>Current Urology Reports</i> , 2018, 19, 3.	2.2	25
52	A pathogenic role for germline PTEN variants which accumulate into the nucleus. <i>European Journal of Human Genetics</i> , 2018, 26, 1180-1187.	2.8	21
53	Loss of PD-L1 (SP-142) expression characterizes renal vein tumor thrombus microenvironment in clear cell renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2018, 34, 89-93.	1.3	11
54	Noncoding RNA Expression and Targeted Next-Generation Sequencing Distinguish Tubulocystic Renal Cell Carcinoma (TC-RCC) from Other Renal Neoplasms. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 34-45.	2.8	20

#	ARTICLE	IF	CITATIONS
55	Multisite tumor sampling enhances the detection of intratumor heterogeneity at all different temporal stages of tumor evolution. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 187-194.	2.8	10
56	Biphasic papillary renal cell carcinoma is a rare morphological variant with frequent multifocality: a study of 28 cases. <i>Histopathology</i> , 2018, 72, 777-785.	2.9	31
57	The Impact of Tumor Eco-Evolution in Renal Cell Carcinoma Sampling. <i>Cancers</i> , 2018, 10, 485.	3.7	9
58	“High-grade oncocytic renal tumor” morphologic, immunohistochemical, and molecular genetic study of 14 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 725-738.	2.8	83
59	DUSP5 expression associates with poor prognosis in human neuroblastoma. <i>Experimental and Molecular Pathology</i> , 2018, 105, 272-278.	2.1	10
60	Challenges in Pathologic Staging of Renal Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 1253-1261.	3.7	22
61	Potential impact of PD-L1 (SP-142) immunohistochemical heterogeneity in clear cell renal cell carcinoma immunotherapy. <i>Pathology Research and Practice</i> , 2018, 214, 1110-1114.	2.3	21
62	CD34 immunostaining enhances a distinct pattern of intratumor angiogenesis with prognostic implications in clear cell renal cell carcinoma. <i>Apmis</i> , 2017, 125, 128-133.	2.0	11
63	Multisite tumor sampling: a new tumor selection method to enhance intratumor heterogeneity detection. <i>Human Pathology</i> , 2017, 64, 1-6.	2.0	31
64	A DNA hypermethylation profile reveals new potential biomarkers for the evaluation of prognosis in urothelial bladder cancer. <i>Apmis</i> , 2017, 125, 787-796.	2.0	31
65	Transperineal biopsies of MRI-detected aggressive index lesions in low- and intermediate-risk prostate cancer patients: Implications for treatment decision. <i>Brachytherapy</i> , 2017, 16, 201-206.	0.5	3
66	Time resolved amplified FRET identifies protein kinase B activation state as a marker for poor prognosis in clear cell renal cell carcinoma. <i>BBA Clinical</i> , 2017, 8, 97-102.	4.1	8
67	Cancer/testis antigen SPATA19 is frequently expressed in benign prostatic hyperplasia and prostate cancer. <i>Apmis</i> , 2017, 125, 1092-1101.	2.0	6
68	Eosinophilic Solid and Cystic Renal Cell Carcinoma (ESC RCC). <i>American Journal of Surgical Pathology</i> , 2017, 41, 1299-1308.	3.7	107
69	Detection of Intratumor Heterogeneity in Modern Pathology: A Multisite Tumor Sampling Perspective. <i>Frontiers in Medicine</i> , 2017, 4, 25.	2.6	11
70	Expression and activity of angiotensin-regulating enzymes is associated with prognostic outcome in clear cell renal cell carcinoma patients. <i>PLoS ONE</i> , 2017, 12, e0181711.	2.5	32
71	The Expression of Fibroblast Activation Protein in Clear Cell Renal Cell Carcinomas Is Associated with Synchronous Lymph Node Metastases. <i>PLoS ONE</i> , 2016, 11, e0169105.	2.5	43
72	Rheb/mTOR/p70s6k Cascade and TFE3 Expression in Conventional and Sclerosing PEComas of the Urinary Tract. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016, 24, 514-520.	1.2	2

#	ARTICLE	IF	CITATIONS
73	Biphasic Squamoid Alveolar Renal Cell Carcinoma. American Journal of Surgical Pathology, 2016, 40, 664-675.	3.7	48
74	Eosinophilic, Solid, and Cystic Renal Cell Carcinoma. American Journal of Surgical Pathology, 2016, 40, 60-71.	3.7	139
75	Intratumor heterogeneity in clear cell renal cell carcinoma: a review for the practicing pathologist. Apmis, 2016, 124, 153-159.	2.0	24
76	Gleason and Fuhrman no longer make the grade. Histopathology, 2016, 69, 340-341.	2.9	3
77	Desvelando el proceso de producci3n de Les Tumeurs de la Vessie de Joaqu3n Albarr3n 125 a3os despu3s de su escritura. Actas Urol3gicas Espa3olas, 2016, 40, 463-469.	0.7	0
78	Fibroblast activation protein predicts prognosis in clear cell renal cell carcinoma. Human Pathology, 2016, 54, 100-105.	2.0	43
79	A DNA Hypermethylation Profile Independently Predicts Biochemical Recurrence Following Radical Prostatectomy. Urologia Internationalis, 2016, 97, 16-25.	1.3	7
80	DNA Methylation and Urological Cancer, a Step Towards Personalized Medicine: Current and Future Prospects. Molecular Diagnosis and Therapy, 2016, 20, 531-549.	3.8	4
81	Survival predictors in patients with prostate adenocarcinoma with hormonal blockade. Pathology Research and Practice, 2016, 212, 899-903.	2.3	3
82	Morphological, immunohistochemical, and chromosomal analysis of multicystic chromophobe renal cell carcinoma, an architecturally unusual challenging variant. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 669-678.	2.8	20
83	Snail heterogeneity in clear cell renal cell carcinoma. BMC Cancer, 2016, 16, 194.	2.6	9
84	Dose escalation to dominant intraprostatic lesions with MRI-transrectal ultrasound fusion High-Dose-Rate prostate brachytherapy. Prospective phase II trial. Radiotherapy and Oncology, 2016, 119, 91-96.	0.6	68
85	Study of breast cancer incidence in patients of lymphangioleiomyomatosis. Breast Cancer Research and Treatment, 2016, 156, 195-201.	2.5	9
86	Development of Castration Resistant Prostate Cancer can be Predicted by a DNA Hypermethylation Profile. Journal of Urology, 2016, 195, 619-626.	0.4	42
87	Assessing PTEN Subcellular Localization. Methods in Molecular Biology, 2016, 1388, 169-186.	0.9	9
88	Low-grade metastases in high-grade clear cell renal cell carcinomas. Annals of Diagnostic Pathology, 2016, 20, 13-18.	1.3	4
89	Ultrasound-guided core-needle biopsy in thyroid nodules. A study of 676 consecutive cases with surgical correlation. European Radiology, 2016, 26, 1-8.	4.5	63
90	A divide-and-conquer strategy in tumor sampling enhances detection of intratumor heterogeneity in routine pathology: A modeling approach in clear cell renal cell carcinoma. F1000Research, 2016, 5, 385.	1.6	22

#	ARTICLE	IF	CITATIONS
91	A divide-and-conquer strategy in tumor sampling enhances detection of intratumor heterogeneity in routine pathology: A modeling approach in clear cell renal cell carcinoma. <i>F1000Research</i> , 2016, 5, 385.	1.6	16
92	Case Report: Multifocal biphasic squamoid alveolar renal cell carcinoma. <i>F1000Research</i> , 2016, 5, 607.	1.6	8
93	Case Report: Multifocal biphasic squamoid alveolar renal cell carcinoma. <i>F1000Research</i> , 2016, 5, 607.	1.6	3
94	A multi-site cutting device implements efficiently the divide-and-conquer strategy in tumor sampling. <i>F1000Research</i> , 2016, 5, 1587.	1.6	8
95	A multi-site cutting device implements efficiently the divide-and-conquer strategy in tumor sampling. <i>F1000Research</i> , 2016, 5, 1587.	1.6	7
96	Multi-site tumor sampling (MSTS) improves the performance of histological detection of intratumor heterogeneity in clear cell renal cell carcinoma (CCRCC). <i>F1000Research</i> , 2016, 5, 2020.	1.6	11
97	Aminopeptidase N Activity Predicts 5-Year Survival in Colorectal Cancer Patients. <i>Journal of Investigative Medicine</i> , 2015, 63, 740-746.	1.6	24
98	Review of renal cell carcinoma with rhabdoid features with focus on clinical and pathobiological aspects. <i>Polish Journal of Pathology</i> , 2015, 1, 3-8.	0.3	16
99	Lymphangioliomyomatosis Biomarkers Linked to Lung Metastatic Potential and Cell Stemness. <i>PLoS ONE</i> , 2015, 10, e0132546.	2.5	15
100	Altered Activity and Expression of Cytosolic Peptidases in Colorectal Cancer. <i>International Journal of Medical Sciences</i> , 2015, 12, 458-467.	2.5	5
101	The normal and pathologic renal medulla: A comprehensive overview. <i>Pathology Research and Practice</i> , 2015, 211, 271-280.	2.3	8
102	Large (>3.8Åcm) clear cell renal cell carcinomas are morphologically and immunohistochemically heterogeneous. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 61-66.	2.8	18
103	Chromophobe renal cell carcinoma with neuroendocrine and neuroendocrine-like features. Morphologic, immunohistochemical, ultrastructural, and array comparative genomic hybridization analysis of 18 cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 261-268.	1.3	26
104	Dipeptidyl-Peptidase IV Activity Is Correlated with Colorectal Cancer Prognosis. <i>PLoS ONE</i> , 2015, 10, e0119436.	2.5	28
105	Prolyl Endopeptidase Activity Is Correlated with Colorectal Cancer Prognosis. <i>International Journal of Medical Sciences</i> , 2014, 11, 199-208.	2.5	20
106	Utilidad diagnÃstica del estudio citolÃgico del tampÃn de transporte en biopsias por punciÃn prostÃtica transrectal. <i>Actas UrolÃgicas EspaÃolas</i> , 2014, 38, 566-570.	0.7	0
107	Targeted next-generation sequencing and non-coding RNA expression analysis of clear cell papillary renal cell carcinoma suggests distinct pathological mechanisms from other renal tumour subtypes. <i>Journal of Pathology</i> , 2014, 232, 32-42.	4.5	51
108	Genes reparadores del ADN y pronÃstico en formas esporÃdicas de carcinoma urotelial del tracto urinario superior. <i>Actas UrolÃgicas EspaÃolas</i> , 2014, 38, 600-607.	0.7	11

#	ARTICLE	IF	CITATIONS
109	DNA repair genes and prognosis in sporadic forms of urothelial carcinoma of the upper urinary tract. <i>Actas UrolÃ³gicas EspaÃ±olas (English Edition)</i> , 2014, 38, 600-607.	0.2	11
110	Diagnostic usefulness of the cytological study of the transport buffer in transrectal prostate core biopsies. <i>Actas UrolÃ³gicas EspaÃ±olas (English Edition)</i> , 2014, 38, 566-570.	0.2	0
111	Prostate anatomy in motheaten viable (mev) mice with mutations in the protein tyrosine phosphatase SHP-1. <i>Actas UrolÃ³gicas EspaÃ±olas (English Edition)</i> , 2014, 38, 438-444.	0.2	1
112	A DNA hypermethylation profile reveals new potential biomarkers for prostate cancer diagnosis and prognosis. <i>Prostate</i> , 2014, 74, 1171-1182.	2.3	58
113	Altered glutamyl-aminopeptidase activity and expression in renal neoplasms. <i>BMC Cancer</i> , 2014, 14, 386.	2.6	7
114	AnatomÃ­a de la prÃ³stata en ratones motheaten viable (mev) con mutaciones en el gen de la proteÃ­na tirosina fosfatasa SHP-1. <i>Actas UrolÃ³gicas EspaÃ±olas</i> , 2014, 38, 438-444.	0.7	1
115	Impacto de la expresiÃ³n de p53, MIB-1 y PECAM-1 en el pronÃ³stico del carcinoma urotelial de la pelvis renal. <i>Actas UrolÃ³gicas EspaÃ±olas</i> , 2014, 38, 506-514.	0.7	10
116	Clear cell papillary renal cell carcinoma: a review. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7312-8.	0.5	24
117	Clinical impact of aspartyl aminopeptidase expression and activity in colorectal cancer. <i>Translational Research</i> , 2013, 162, 297-308.	5.0	11
118	Nephrogenic adenoma of the urinary tract: clinical, histological, and immunohistochemical characteristics. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 819-825.	2.8	26
119	Cannabinoid CB1 receptor is expressed in chromophobe renal cell carcinoma and renal oncocytoma. <i>Clinical Biochemistry</i> , 2013, 46, 638-641.	1.9	12
120	Renal tumors with clear cells. A review. <i>Pathology Research and Practice</i> , 2013, 209, 137-146.	2.3	50
121	Altered Peptidase Activities in Thyroid Neoplasia and Hyperplasia. <i>Disease Markers</i> , 2013, 35, 825-832.	1.3	10
122	Cell heterogeneity in clear cell renal cell carcinoma. <i>Apmis</i> , 2013, 121, 1187-1191.	2.0	16
123	The ejaculatory ducts and their implications in prostate adenocarcinoma. <i>Analytical and Quantitative Cytopathology and Histopathology</i> , 2013, 35, 205-9.	0.2	0
124	The impact of peptidase activity on clear cell renal cell carcinoma survival. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F1584-F1591.	2.7	37
125	Histological Diagnosis of Thyroid Disease Using Ultrasound-Guided Core Biopsies. <i>European Thyroid Journal</i> , 2012, 2, 29-36.	2.4	13
126	Collision tumour involving a rectal gastrointestinal stromal tumour with invasion of the prostate and a prostatic adenocarcinoma. <i>Diagnostic Pathology</i> , 2012, 7, 150.	2.0	14

#	ARTICLE	IF	CITATIONS
127	Giant cell ependymoma-report of three cases and review of the literature. International Journal of Clinical and Experimental Pathology, 2012, 5, 458-62.	0.5	12
128	Angiotensin-converting enzymes (ACE and ACE2) are downregulated in renal tumors. Regulatory Peptides, 2010, 165, 218-223.	1.9	21
129	Expression and activity profiles of DPP IV/CD26 and NEP/CD10 glycoproteins in the human renal cancer are tumor-type dependent. BMC Cancer, 2010, 10, 193.	2.6	40
130	Re: Rodolfo Montironi, Liang Cheng, Antonio Lopez-Beltran, et al. Stage pT0 in Radical Prostatectomy with No Residual Carcinoma and with a Previous Positive Biopsy Conveys a Wrong Message to Clinicians and Patients: Why Is Cancer Not Present in the Radical Prostatectomy Specimen? Eur Urol 2009;56:272-4. European Urology, 2010, 57, e21.	1.9	2
131	Cannabinoid CB ₁ Receptor Is Downregulated in Clear Cell Renal Cell Carcinoma. Journal of Histochemistry and Cytochemistry, 2010, 58, 1129-1134.	2.5	27
132	Renal Cell Carcinoma in Young Adults: A Study of 130 Cases and a Review of Previous Series. Urologia Internationalis, 2010, 84, 292-300.	1.3	13
133	Increased prolyl endopeptidase activity in human neoplasia. Regulatory Peptides, 2010, 163, 102-106.	1.9	31
134	Expression of cannabinoid receptors in human kidney. Histology and Histopathology, 2010, 25, 1133-8.	0.7	42
135	Concurrent solitary fibrous tumor and low-grade fibrillary astrocytoma of the cerebellum. , 2010, 29, 301-306.		3
136	Changes in cell-surface peptidase activity in papillary renal cell carcinoma. Anticancer Research, 2010, 30, 1137-41.	1.1	7
137	Growth pattern in superficial urothelial bladder carcinomas. Histological review and clinical relevance. International Urology and Nephrology, 2009, 41, 847-854.	1.4	6
138	Fraction of positive cores in prostate needle biopsy is significantly predictive of pathological stage in radical prostatectomy. Histopathology, 2009, 54, 374-375.	2.9	0
139	El diagnÃ³stico histolÃ³gico de la patologÃ­a tiroidea en biopsias guiadas por control ecogrÃ¡fico. Revista Espanola De Patologia, 2009, 42, 97-106.	0.2	6
140	Clinicopathological Study of Regressed Testicular Tumors (Apparent Extragonadal Germ Cell) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222	0.4	55
141	Renal Tubulocystic Carcinoma Is Closely Related to Papillary Renal Cell Carcinoma: Implications for Pathologic Classification. American Journal of Surgical Pathology, 2009, 33, 1840-1849.	3.7	121
142	Renal Angiomyolipoma. American Journal of Surgical Pathology, 2009, 33, 289-297.	3.7	216
143	Basaloid Squamous Cell Carcinoma of the Head and Neck. Head and Neck Pathology, 2008, 2, 83-91.	2.6	86
144	Prostatic remnants in mature cystic teratoma of the ovary. Annals of Diagnostic Pathology, 2008, 12, 378-380.	1.3	11

#	ARTICLE	IF	CITATIONS
145	Acid, basic, and neutral peptidases present different profiles in chromophobe renal cell carcinoma and in oncocytoma. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, F850-F858.	2.7	15
146	Histopathology of Diaphragm Disease of the Small Intestine. <i>American Journal of Clinical Pathology</i> , 2008, 130, 518-525.	0.7	48
147	Middle-ear carcinoid tumor with distant metastasis and fatal outcome. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2008, 1, 53-56.	0.9	13
148	Sclerosing mucoepidermoid carcinoma of the thyroid gland: cytohistological findings of a case. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2008, 1, 62-65.	0.9	6
149	Tubulocystic Carcinoma of the Kidney. <i>American Journal of Surgical Pathology</i> , 2008, 32, 177-187.	3.7	156
150	Altered levels of acid, basic, and neutral peptidase activity and expression in human clear cell renal cell carcinoma. <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, F780-F788.	2.7	43
151	Giant cell ependymoma: two new cases and review of the literature. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007, 66, 445.	1.7	0
152	Cystinyl aminopeptidase activity is decreased in renal cell carcinomas. <i>Regulatory Peptides</i> , 2007, 144, 56-61.	1.9	10
153	Adult-Type Granulosa Cell Tumor of the Testis. Report of a Case. <i>Tumori</i> , 2007, 93, 223-224.	1.1	14
154	Value of ultrasound-guided core biopsy in the diagnosis of malignant lymphoma. <i>Journal of Clinical Ultrasound</i> , 2007, 35, 295-301.	0.8	52
155	Prostate adenocarcinoma detected after high-grade prostatic intraepithelial neoplasia or atypical small acinar proliferation. <i>BJU International</i> , 2007, 100, 1272-1276.	2.5	22
156	Expresi3n de pRb, p53 y bcl-2 en el carcinoma de c3lulas transicionales de bajo grado no infiltrante (pTa) de la vejiga urinaria. <i>Revista Espanola De Patologia</i> , 2006, 39, 149-154.	0.2	0
157	Role of ultrasound-guided core biopsy in the evaluation of spleen pathology. <i>Apmis</i> , 2006, 114, 492-499.	2.0	33
158	Orbital giant cell angiofibroma.. <i>Apmis</i> , 2006, 114, 663-665.	2.0	26
159	The combination of millimetres of cancer and Gleason index in core biopsy is a predictor of extraprostatic disease. <i>Histopathology</i> , 2006, 48, 663-667.	2.9	19
160	Temporal bone secretory meningioma presenting as a middle ear mass. <i>Pathology Research and Practice</i> , 2006, 202, 481-484.	2.3	8
161	Renal mucinous and tubular spindle cell carcinoma: a clinicopathological study of 4 cases. <i>Annals of Saudi Medicine</i> , 2006, 26, 466-470.	1.1	7
162	The biphasic pattern of laryngeal and hypopharyngeal adenosquamous carcinoma is retained in lymph node metastases. <i>Histopathology</i> , 2005, 46, 715-716.	2.9	8

#	ARTICLE	IF	CITATIONS
163	Primary sinonasal ameloblastoma. Case report. <i>Apmis</i> , 2005, 113, 148-150.	2.0	17
164	Usefulness and limitations of ultrasound-guided core biopsy in the diagnosis of musculoskeletal tumours. <i>Apmis</i> , 2005, 113, 353-360.	2.0	40
165	Malakoplakia associated with colorectal adenocarcinoma. <i>Annals of Saudi Medicine</i> , 2005, 25, 50-52.	1.1	2
166	Autocrine Regulation of Human Prostate Carcinoma Cell Proliferation by Somatostatin through the Modulation of the SH2 Domain Containing Protein Tyrosine Phosphatase (SHP)-1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 915-926.	3.6	65
167	Autocrine Regulation of Human Prostate Carcinoma Cell Proliferation by Somatostatin through the Modulation of the SH2 Domain Containing Protein Tyrosine Phosphatase (SHP)-1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 915-926.	3.6	17
168	Papillary squamous cell carcinoma of the larynx. <i>Journal of Laryngology and Otology</i> , 2001, 115, 164-166.	0.8	19
169	Verrucous Carcinoma of the Esophagus. <i>Endoscopy</i> , 2001, 33, 297-297.	1.8	8
170	Plasmacytoid Myoepithelioma of the Soft Palate. <i>Acta Cytologica</i> , 2000, 44, 647-652.	1.3	16
171	Micropapillary transitional cell carcinoma of the urinary bladder. <i>Histopathology</i> , 1999, 34, 561-562.	2.9	20
172	Breast Carcinoma with Endocrine Features. <i>Acta Cytologica</i> , 1998, 42, 1017-1021.	1.3	5
173	Atypical carcinoid of larynx: presentation with scalp metastases. <i>Journal of Laryngology and Otology</i> , 1997, 111, 89-91.	0.8	20
174	RE: THE IMPORTANCE OF THE DEPTH OF INVASION IN STAGE T1 BLADDER CARCINOMA: A PROSPECTIVE COHORT STUDY. <i>Journal of Urology</i> , 1997, 158, 1922-1922.	0.4	8
175	Malignant Fibrous Histiocytoma of the Renal Capsule and Synchronous Transitional Cell Carcinoma of the Bladder. <i>Pathology Research and Practice</i> , 1996, 192, 468-471.	2.3	8
176	Primary Cisplatin, Methotrexate and Vinblastine Aiming at Bladder Preservation in Invasive Bladder Cancer: Multivariate Analysis on Prognostic Factors. <i>Journal of Urology</i> , 1996, 155, 1897-1902.	0.4	42
177	Outcome of silent lupus nephritis. <i>Seminars in Arthritis and Rheumatism</i> , 1996, 26, 468-476.	3.4	60
178	Report of a case with immunohistochemical study. <i>Apmis</i> , 1996, 104, 99-102.	2.0	19
179	Cumulative rate of relapse of lupus nephritis after successful treatment with cyclophosphamide. <i>Arthritis and Rheumatism</i> , 1996, 39, 2028-2034.	6.7	89
180	The prognostic significance of vascular invasion in stage T1 bladder cancer. <i>Histopathology</i> , 1995, 27, 27-33.	2.9	56

#	ARTICLE	IF	CITATIONS
181	Mucinous (colloid) adenocarcinoma of the prostate. British Journal of Urology, 1995, 76, 805-806.	0.1	4
182	Combined Therapy in a Case of Malignant Mesothelioma of the Tunica Vaginalis Testis. Scandinavian Journal of Urology and Nephrology, 1995, 29, 361-364.	1.4	12
183	Muscularis mucosa differentiates two populations with different prognosis in Stage T1 bladder cancer. Urology, 1995, 45, 47-53.	1.0	134
184	In Reply: Re Pseudosarcomatous Myofibroblastic Proliferation of the Bladder Report of 2 Cases and Literature Review. Journal of Urology, 1995, 154, 537-537.	0.4	0
185	Burned-out tumour of the testis presenting as retroperitoneal choriocarcinoma. International Urology and Nephrology, 1994, 26, 549-553.	1.4	35
186	Carcinosarcoma of the parotid gland.. Histopathology, 1994, 25, 388-390.	2.9	10
187	Small cell carcinoma of the urinary bladder. A clinicopathological study of six cases. British Journal of Urology, 1994, 73, 43-49.	0.1	63
188	Expression of keratin 20 in malignant eccrine poromas. Pathology Research and Practice, 1994, 190, 11-14.	2.3	2
189	Phyllodes Tumor of the Breast. Pathology Research and Practice, 1994, 190, 474-481.	2.3	34
190	Lethal Cytomegalovirus Adrenalitis in a Case of Aids. Scandinavian Journal of Urology and Nephrology, 1994, 28, 105-106.	1.4	8
191	Extrarenal Retroperitoneal Angiomyolipoma. Urologia Internationalis, 1994, 52, 58-60.	1.3	25
192	Pseudosarcomatous Myofibroblastic Proliferation of the Bladder: Report of 2 Cases and Literature Review. Journal of Urology, 1994, 151, 1008-1012.	0.4	34
193	Fine-needle aspiration cytology of a membranous basal cell adenoma arising in an intraparotid lymph node. Diagnostic Cytopathology, 1993, 9, 668-672.	1.0	13
194	ANGIOLYMPHOID HYPERPLASIA WITH EOSINOPHILIA OF THE LOWER LIP. International Journal of Dermatology, 1993, 32, 361-362.	1.0	12
195	A case of Whipple's disease presenting as supraclavicular lymphadenopathy. Apmis, 1993, 101, 865-868.	2.0	13
196	The value of tumour spread, grading and growth pattern as morphological predictive parameters in bladder carcinoma. A critical revision of the 1987 TNM classification. Journal of Cancer Research and Clinical Oncology, 1993, 119, 578-593.	2.5	31
197	Central Mucoepidermoid Carcinoma. Pathology Research and Practice, 1993, 189, 365-367.	2.3	10
198	Primary Malignant Melanoma Mimicking Urethral Caruncle. Scandinavian Journal of Urology and Nephrology, 1993, 27, 125-126.	1.4	20

#	ARTICLE	IF	CITATIONS
199	Cavitation of Lung Metastases from Bladder Cancer. Report of two Cases. Tumori, 1993, 79, 141-143.	1.1	5
200	Pigmented Dermatofibrosarcoma protuberans (Bednar Tumour). Dermatology, 1992, 184, 281-282.	2.1	5
201	Intrathoracic Kidney and Vertebral Fusion: A Model of Combined Misdevelopment. Journal of Urology, 1992, 147, 1351-1353.	0.4	21
202	Rhabdomyoma of the vagina. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1992, 45, 147-148.	1.1	8
203	Kaposi's Sarcoma of the Penis as an Initial Urological Manifestation of AIDS. Urologia Internationalis, 1991, 46, 235-237.	1.3	39
204	Pleomorphic adenoma of the breast. Apmis, 1991, 99, 866-868.	2.0	9
205	Congenital mesoblastic nephroma, nephrocalcinosis, and hypertrophic pyloric stenosis. Journal of Surgical Oncology, 1991, 48, 142-144.	1.7	3
206	Undifferentiated carcinoma of parotid gland.. Journal of Clinical Pathology, 1991, 44, 432-433.	2.0	4
207	Metastasising Carcinoma of the Urinary Bladder Presenting as a Retro-Orbital Mass. Scandinavian Journal of Urology and Nephrology, 1991, 25, 83-84.	1.4	19
208	Pharyngeal adenocarcinoma with intestinal features. Journal of Laryngology and Otology, 1990, 104, 900-902.	0.8	4
209	Inflammatory pseudotumor of the liver. Apmis, 1990, 98, 1022-1026.	2.0	11
210	Intestinal-Type Adenocarcinoma of the Nasal Cavity and Paranasal Sinuses. A Clinicopathologic Study of 6 Cases. Tumori, 1990, 76, 250-254.	1.1	20
211	Absence of Estrogen Immunoreactivity in Adenomatoid Tumors of Male Reproductive System. Pathology Research and Practice, 1990, 186, 395-396.	2.3	0
212	Pulmonary Hypertension Due to Toxic Oil Syndrome. Chest, 1989, 95, 325-331.	0.8	70
213	Hemophagocytic Syndrome Causing Complete Bone Marrow Failure. Acta Haematologica, 1989, 82, 197-200.	1.4	4
214	Pseudomelanosis of the Duodenum. Journal of Clinical Gastroenterology, 1988, 10, 150-154.	2.2	17
215	Grade heterogeneity in clear cell renal cell carcinoma. Bjuj, 0, , .	0.0	6
216	Multi-site tumor sampling (MSTS) improves the performance of histological detection of intratumor heterogeneity in clear cell renal cell carcinoma (CCRCC). F1000Research, 0, 5, 2020.	1.6	6

#	ARTICLE	IF	CITATIONS
217	Heterogeneous Expression and Subcellular Localization of Pyruvate Dehydrogenase Complex in Prostate Cancer. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	9