Michele Giordano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7598906/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Thinned Fiber Bragg Gratings as High Sensitivity Refractive Index Sensor. IEEE Photonics Technology Letters, 2004, 16, 1149-1151.	2.5	290
2	Mode transition in high refractive index coated long period gratings. Optics Express, 2006, 14, 19.	3.4	249
3	Caseins and hydrophobins as novel green flame retardants for cotton fabrics. Polymer Degradation and Stability, 2014, 99, 111-117.	5.8	218
4	An acoustic-emission characterization of the failure modes in polymer-composite materials. Composites Science and Technology, 1998, 58, 1923-1928.	7.8	150
5	Alcohol detection using carbon nanotubes acoustic and optical sensors. Applied Physics Letters, 2004, 85, 2379-2381.	3.3	134
6	Thinned fiber Bragg gratings as refractive index sensors. IEEE Sensors Journal, 2005, 5, 1288-1295.	4.7	134
7	Reinforcement efficiency of multi-walled carbon nanotube/epoxy nano composites. Composites Science and Technology, 2010, 70, 1154-1160.	7.8	128
8	Giant sensitivity of long period gratings in transition mode near the dispersion turning point: an integrated design approach. Optics Letters, 2012, 37, 4152.	3.3	126
9	The effect of the aspect ratio of carbon nanotubes on their effective reinforcement modulus in an epoxy matrix. Composites Science and Technology, 2011, 71, 1117-1123.	7.8	121
10	Carbon nanotube acoustic and optical sensors for volatile organic compound detection. Nanotechnology, 2005, 16, 2536-2547.	2.6	114
11	Response of fiber Bragg gratings to longitudinal ultrasonic waves. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 304-312.	3.0	114
12	Radiation hard humidity sensors for high energy physics applications using polyimide-coated fiber Bragg gratings sensors. Sensors and Actuators B: Chemical, 2013, 177, 94-102.	7.8	109
13	Refractive index sensor based on microstructured fiber Bragg grating. IEEE Photonics Technology Letters, 2005, 17, 1250-1252.	2.5	106
14	Long period grating in double cladding fiber coated with graphene oxide as high-performance optical platform for biosensing. Biosensors and Bioelectronics, 2021, 172, 112747.	10.1	100
15	Cladding mode reorganization in high-refractive-index-coated long-period gratings: effects on the refractive-index sensitivity. Optics Letters, 2005, 30, 2536.	3.3	98
16	High-sensitivity optical chemosensor based on coated long-period gratings for sub-ppm chemical detection in water. Applied Physics Letters, 2005, 87, 234105.	3.3	97
17	Coated long-period fiber gratings as high-sensitivity optochemical sensors. Journal of Lightwave Technology, 2006, 24, 1776-1786.	4.6	91
18	Silanization and silica enrichment of multiwalled carbon nanotubes: Synergistic effects on the thermal-mechanical properties of epoxy nanocomposites. European Polymer Journal, 2013, 49, 428-438.	5.4	90

#	Article	IF	CITATIONS
19	Experimental modal analysis of an aircraft model wing by embedded fiber Bragg grating sensors. IEEE Sensors Journal, 2006, 6, 67-77.	4.7	81
20	SWCNT nano-composite optical sensors for VOC and gas trace detection. Sensors and Actuators B: Chemical, 2009, 138, 351-361.	7.8	79
21	Long period fiber grating nano-optrode for cancer biomarker detection. Biosensors and Bioelectronics, 2016, 80, 590-600.	10.1	79
22	The effects of titanium nitride-coating on the topographic and biological features of TPS implant surfaces. Journal of Dentistry, 2011, 39, 720-728.	4.1	78
23	Molecular Sensing by Nanoporous Crystalline Polymers. Sensors, 2009, 9, 9816-9857.	3.8	75
24	Dynamic strain measurements by fibre Bragg grating sensor. Sensors and Actuators A: Physical, 2004, 110, 276-281.	4.1	73
25	Ultrasensitive biosensor based on long period grating coated with polycarbonate-graphene oxide multilayer. Sensors and Actuators B: Chemical, 2018, 274, 517-526.	7.8	73
26	Miniaturized Sensing Probes Based on Metallic Dielectric Crystals Self-Assembled on Optical Fiber Tips. ACS Photonics, 2014, 1, 917-927.	6.6	72
27	Carbon nanotubes thin films fiber optic and acoustic VOCs sensors: Performances analysis. Sensors and Actuators B: Chemical, 2006, 118, 232-242.	7.8	70
28	Syndiotactic polystyrene thin film as sensitive layer for an optoelectronic chemical sensing device. Sensors and Actuators B: Chemical, 2005, 109, 177-184.	7.8	68
29	Electrical resistivity study and characterization during NiTi phase transformations. Thermochimica Acta, 2007, 462, 64-69.	2.7	67
30	Human gingival fibroblast functions are stimulated by oxidized nano-structured titanium surfaces. Journal of Dentistry, 2013, 41, 900-907.	4.1	66
31	Long period grating working in transition mode as promising technological platform for label-free biosensing. Optics Express, 2009, 17, 20039.	3.4	65
32	Real time monitoring of cure and gelification of a thermoset matrix. Composites Science and Technology, 2006, 66, 3273-3280.	7.8	64
33	Label-Free Biosensors Based on Long Period Fiber Gratings: A Review. IEEE Sensors Journal, 2021, 21, 12692-12705.	4.7	64
34	Cure-induced residual strain build-up in a thermoset resin. Composites Part A: Applied Science and Manufacturing, 2006, 37, 592-601.	7.6	62
35	Carbon nanotubes-coated multi-transducing sensors for VOCs detection. Sensors and Actuators B: Chemical, 2005, 111-112, 171-180.	7.8	61
36	Fire behavior and smoke emission of phosphate–based inorganic fireâ€retarded polyester resin. Fire and Materials, 2012, 36, 203-215.	2.0	61

#	Article	IF	CITATIONS
37	Underwater Acoustic Sensors Based on Fiber Bragg Gratings. Sensors, 2009, 9, 4446-4454.	3.8	60
38	Combined electrical and rheological properties of shear induced multiwall carbon nanotube agglomerates in epoxy suspensions. European Polymer Journal, 2011, 47, 2069-2077.	5.4	59
39	Resin flow monitoring in resin film infusion process. Journal of Materials Processing Technology, 2003, 143-144, 687-692.	6.3	56
40	Nonuniform thinned fiber Bragg gratings for simultaneous refractive index and temperature measurements. IEEE Photonics Technology Letters, 2005, 17, 1495-1497.	2.5	56
41	Effects of sepiolite clay on degradation and fire behaviour of a bisphenol A-based epoxy. Composites Part B: Engineering, 2015, 73, 139-148.	12.0	56
42	A methodology to reduce thermal gradients due to the exothermic reactions in composites processing. International Journal of Heat and Mass Transfer, 2002, 45, 1675-1684.	4.8	55
43	An optoelectronic sensor for cure monitoring in thermoset-based composites. Sensors and Actuators A: Physical, 2000, 84, 270-275.	4.1	54
44	Transition mode long period grating biosensor with functional multilayer coatings. Optics Express, 2011, 19, 512.	3.4	54
45	Fiber Bragg Grating sensors to measure the coefficient of thermal expansion of polymers at cryogenic temperatures. Sensors and Actuators A: Physical, 2013, 189, 195-203.	4.1	54
46	Optical chemo-sensor based on long period gratings coated with /spl delta/ form syndiotactic polystyrene. IEEE Photonics Technology Letters, 2005, 17, 1713-1715.	2.5	53
47	Optical sensor based on ultrathin films of Î-form syndiotactic polystyrene for fast and high resolution detection of chloroform. Applied Physics Letters, 2004, 85, 5349-5351.	3.3	52
48	Self temperature referenced refractive index sensor by non-uniform thinned fiber Bragg gratings. Sensors and Actuators B: Chemical, 2006, 120, 231-237.	7.8	52
49	Method of quantitative analysis of filler dispersion in composite systems with spherical inclusions. Composites Science and Technology, 2011, 71, 1543-1549.	7.8	50
50	Optoelectronic refractive index measurements: application to smart processing. IEEE Sensors Journal, 2003, 3, 781-787.	4.7	49
51	Sensitivity characteristics in nanosized coated long period gratings. Applied Physics Letters, 2006, 89, 201116.	3.3	48
52	Label-free detection of vitamin D by optical biosensing based on long period fiber grating. Sensors and Actuators B: Chemical, 2021, 347, 130637.	7.8	48
53	Fiber optic humidity sensors for high-energy physics applications at CERN. Sensors and Actuators B: Chemical, 2011, 159, 66-74.	7.8	46
54	C-4 Gem-Dimethylated Oleanes of Gymnema sylvestre and Their Pharmacological Activities. Molecules, 2013, 18, 14892-14919.	3.8	45

#	Article	IF	CITATIONS
55	A Fiber-Optic Bragg Grating Seismic Sensor. IEEE Photonics Technology Letters, 2007, 19, 1991-1993.	2.5	44
56	Effects of zinc-based flame retardants on the degradation behaviour of an aerospace epoxy matrix. Polymer Degradation and Stability, 2009, 94, 1354-1363.	5.8	43
57	Evanescent wave long-period fiber grating within D-shaped optical fibers for high sensitivity refractive index detection. Sensors and Actuators B: Chemical, 2011, 152, 196-205.	7.8	43
58	Spectral behavior in thinned long period gratings: effects of fiber diameter on refractive index sensitivity. Applied Optics, 2007, 46, 6945.	2.1	42
59	Thermally activated multiple selfâ€healing dielsâ€alder epoxy system. Polymer Engineering and Science, 2017, 57, 674-679.	3.1	42
60	Modal analysis and damage detection by Fiber Bragg grating sensors. Sensors and Actuators A: Physical, 2007, 133, 415-424.	4.1	41
61	Fiber Bragg Grating Cryosensors for Superconducting Accelerator Magnets. IEEE Photonics Journal, 2014, 6, 1-10.	2.0	41
62	Monitoring by a single fiber Bragg grating of the process induced chemo-physical transformations of a model thermoset. Sensors and Actuators A: Physical, 2004, 113, 166-173.	4.1	40
63	Electrical Properties of Single Walled Carbon Nanotube Reinforced Polystyrene Composites. Macromolecular Symposia, 2007, 247, 172-181.	0.7	40
64	Synergistic effects of zinc borate and aluminium trihydroxide on flammability behaviour of aerospace epoxy system. EXPRESS Polymer Letters, 2009, 3, 376-384.	2.1	40
65	Thermo-mechanical characterization of epoxy nanocomposites with different carbon nanotube distributions obtained by solvent aided and direct mixing. EXPRESS Polymer Letters, 2012, 6, 520-531.	2.1	39
66	Nanoscale TiO_2-coated LPGs as radiation-tolerant humidity sensors for high-energy physics applications. Optics Letters, 2014, 39, 4128.	3.3	39
67	Finite element simulation of low velocity impact on shape memory alloy composite plates. Composite Structures, 2005, 71, 337-342.	5.8	38
68	Spectral behavior of thin film coated cascaded tapered long period gratings in multiple configurations. Optics Express, 2008, 16, 9765.	3.4	38
69	A protein-based biointerfacing route toward label-free immunoassays with long period gratings in transition mode. Biosensors and Bioelectronics, 2012, 31, 486-491.	10.1	38
70	Toward the microstructure–properties relationship in MWCNT/epoxy composites: Percolation behavior and dielectric spectroscopy. Composites Science and Technology, 2014, 96, 38-46.	7.8	38
71	Cryogenic-temperature profiling of high-power superconducting lines using local and distributed optical-fiber sensors. Optics Letters, 2015, 40, 4424.	3.3	38
72	Tuning the insulator to conductor transition in a multiwalled carbon nanotubes/epoxy composite at substatistical percolation threshold. Applied Physics Letters, 2009, 95, .	3.3	37

#	Article	IF	CITATIONS
73	Sensitivity Enhancement in Long Period Gratings by Mode Transition in Uncoated Double Cladding Fibers. IEEE Sensors Journal, 2020, 20, 234-241.	4.7	37
74	Long period fiber grating working in reflection mode as valuable biosensing platform for the detection of drug resistant bacteria. Sensors and Actuators B: Chemical, 2016, 230, 510-520.	7.8	35
75	Quantitative optical analysis of filler dispersion degree in MWCNT–epoxy nanocomposite. Composites Science and Technology, 2012, 72, 477-481.	7.8	34
76	A new cost-saving vacuum infusion process for fiber-reinforced composites: Pulsed infusion. Journal of Composite Materials, 2014, 48, 1365-1373.	2.4	34
77	Zincâ€based compounds as smoke suppressant agents for an aerospace epoxy matrix. Polymer International, 2011, 60, 304-311.	3.1	33
78	Nanochemical fabrication of a graphene oxide-based nanohybrid for label-free optical sensing with fiber optics. Sensors and Actuators B: Chemical, 2014, 202, 523-526.	7.8	32
79	Acoustic and Optical VOCs Sensors Incorporating Carbon Nanotubes. IEEE Sensors Journal, 2006, 6, 867-875.	4.7	31
80	A Novel Optochemical Sensor Based on \$hbox{SnO}_{2}\$ Sensitive Thin Film for ppm Ammonia Detection in Liquid Environment. Journal of Lightwave Technology, 2006, 24, 5000-5007.	4.6	31
81	Effect of sepiolite filler on mechanical behaviour of a bisphenol A-based epoxy system. Composites Part B: Engineering, 2014, 67, 400-409.	12.0	30
82	Tailoring the electrical properties of MWCNT/epoxy composites controlling processing conditions. Composites Part A: Applied Science and Manufacturing, 2012, 43, 1441-1447.	7.6	29
83	External Refractive Index Sensitivity of Weakly Tilted Fiber Bragg Gratings With Different Coating Thicknesses. IEEE Sensors Journal, 2008, 8, 1330-1336.	4.7	28
84	Bone marrow mesenchymal stem cell response to nanoâ€structured oxidized and turned titanium surfaces. Clinical Oral Implants Research, 2012, 23, 733-740.	4.5	28
85	Effect of filler on the creep characteristics of epoxy and epoxy-based CFRPs containing multi-walled carbon nanotubes. Composites Science and Technology, 2014, 100, 198-203.	7.8	28
86	Enduring Fluoride Health Hazard for the Vesuvius Area Population: The Case of AD 79 Herculaneum. PLoS ONE, 2011, 6, e21085.	2.5	28
87	An high sensitivity optical sensor for chloroform vapours detection based on nanometric film of Î'-form syndiotactic polystyrene. Sensors and Actuators B: Chemical, 2005, 107, 140-147.	7.8	27
88	The effect of cooling rate on the glass transition of an amorphous polymer. Journal of Non-Crystalline Solids, 2005, 351, 515-522.	3.1	27
89	Thermal decomposition and fire behavior of glass fiber–reinforced polyester resin composites containing phosphate-based fire-retardant additives. Journal of Fire Sciences, 2012, 30, 318-330.	2.0	27
90	Microstructured fibre Bragg gratings: analysis and fabrication. Electronics Letters, 2005, 41, 466.	1.0	26

#	Article	IF	CITATIONS
91	Advances in Fiber Optic Sensors Technology Development for Temperature and Strain Measurements in Superconducting Magnets and Devices. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-5.	1.7	26
92	Analysis of heat transfer in autoclave technology. Polymer Composites, 2001, 22, 613-620.	4.6	25
93	Micro-structured fiber Bragg gratings. Part I: Spectral characteristics. Optical Fiber Technology, 2007, 13, 281-290.	2.7	25
94	Micro-structured fiber Bragg gratings. Part II: Towards advanced photonic devices. Optical Fiber Technology, 2007, 13, 291-301.	2.7	25
95	Charge transfer effects on the sensing properties of fiber optic chemical nano-sensors based on single-walled carbon nanotubes. Carbon, 2009, 47, 782-788.	10.3	25
96	Radiation hard polyimide-coated FBG optical sensors for relative humidity monitoring in the CMS experiment at CERN. Journal of Instrumentation, 2014, 9, C03040-C03040.	1.2	25
97	Label-free fiber optic optrode for the detection of class C β-lactamases expressed by drug resistant bacteria. Biomedical Optics Express, 2017, 8, 5191.	2.9	25
98	Integrated Development of Chemoptical Fiber Nanosensors. Current Analytical Chemistry, 2008, 4, 296-315.	1.2	24
99	Photoluminescence of Graphene Oxide Infiltrated into Mesoporous Silicon. Journal of Physical Chemistry C, 2014, 118, 27301-27307.	3.1	24
100	Multifunction Fiber Optic Sensing System for Smart Applications. IEEE/ASME Transactions on Mechatronics, 2004, 9, 40-49.	5.8	23
101	A Comparative Study of Radiation-Tolerant Fiber Optic Sensors for Relative Humidity Monitoring in High-Radiation Environments at CERN. IEEE Photonics Journal, 2014, 6, 1-15.	2.0	23
102	Resin flow in a pultrusion process. Polymer Composites, 1997, 18, 681-686.	4.6	22
103	Analysis of feasibility on the use of fiber Bragg grating sensors as ultrasound detectors. , 2001, , .		22
104	Thinned and micro-structured fibre Bragg gratings: towards new all-fibre high-sensitivity chemical sensors. Journal of Optics, 2005, 7, 734-741.	1.5	22
105	Effect of moisture on elastic and viscoelastic properties of epoxy and epoxy-based carbon fibre reinforced plastic filled with multiwall carbon nanotubes. Composites Part A: Applied Science and Manufacturing, 2016, 90, 522-527.	7.6	22
106	A Clean Process for Obtaining High-Quality Cellulose Acetate from Cigarette Butts. Materials, 2020, 13, 4710.	2.9	22
107	Chemical Detection in Water by Single-Walled Carbon Nanotubes-Based Optical Fiber Sensors. IEEE Sensors Journal, 2007, 7, 1004-1005.	4.7	21
108	Acoustic emission wave propagation in a viscoelastic plate. Composites Science and Technology, 1999, 59, 1735-1743.	7.8	20

#	Article	IF	CITATIONS
109	Advanced cure monitoring by optoelectronic multifunction sensing system. Thin Solid Films, 2004, 450, 191-194.	1.8	20
110	Sensing properties of buffered and not buffered carbon nanotubes by fibre optic and acoustic sensors. Measurement Science and Technology, 2006, 17, 1220-1228.	2.6	20
111	Carbon Nanotubes Coated Acoustic and Optical VOCs Sensors: Towards the Tailoring of the Sensing Performances. IEEE Nanotechnology Magazine, 2007, 6, 601-612.	2.0	20
112	Permeability characterization of stitched carbon fiber preforms by fiber optic sensors. EXPRESS Polymer Letters, 2011, 5, 1075-1084.	2.1	20
113	Self-Assembled Colloidal Photonic Crystal on the Fiber Optic Tip as a Sensing Probe. IEEE Photonics Journal, 2017, 9, 1-11.	2.0	20
114	Fiber Optic Probe Based on Self-Assembled Photonic Crystal for Relative Humidity Sensing. Journal of Lightwave Technology, 2019, 37, 4610-4618.	4.6	20
115	Label-free optical biosensing at femtomolar detection limit. Sensors and Actuators B: Chemical, 2018, 255, 1097-1104.	7.8	19
116	A simulation of the non-isothermal resin transfer molding process. Polymer Engineering and Science, 2000, 40, 2471-2481.	3.1	18
117	Optoelectronic characterization of the curing process of thermoset-based composites. Journal of Optics, 2001, 3, 126-130.	1.5	18
118	Optical probes based on optical fibers and single-walled carbon nanotubes for hydrogen detection at cryogenic temperatures. Applied Physics Letters, 2006, 89, 201106.	3.3	18
119	Microfluidic-Assisted Production of Size-Controlled Superparamagnetic Iron Oxide Nanoparticles-Loaded Poly(methyl methacrylate) Nanohybrids. Langmuir, 2018, 34, 1981-1991.	3.5	18
120	Nacre-like GNP/Epoxy composites: Reinforcement efficiency vis-Ã-vis graphene content. Composites Science and Technology, 2021, 211, 108873.	7.8	18
121	A fiber optic thermoset cure monitoring sensor. Polymer Composites, 2000, 21, 523-530.	4.6	17
122	A Linear Numerical Approach to Simulate the Delamination Growth Initiation in Stiffened Composite Panels. Journal of Composite Materials, 2010, 44, 1841-1866.	2.4	17
123	Fabrication and characterization of metal-core carbon-shell nanoparticles filling an aeronautical composite matrix. European Polymer Journal, 2015, 71, 140-151.	5.4	17
124	Photonic bandgap influence on the SERS effect in metal-dielectric colloidal crystals optical fiber probe. Sensors and Actuators B: Chemical, 2021, 345, 130149.	7.8	17
125	Novel Optochemical Sensors Based on Hollow Fibers and Single Walled Carbon Nanotubes. IEEE Photonics Technology Letters, 2006, 18, 2431-2433.	2.5	16
126	Optochemical sensor for water monitoring based on SnO2 particle layer deposited onto optical fibers by the electrospray pyrolysis method. Applied Physics Letters, 2006, 89, 111103.	3.3	16

#	Article	IF	CITATIONS
127	Enthalpy relaxation of an epoxy matrix/carbon nanotubes. , 2012, , .		16
128	Effect of the segmental mobility restriction on the thermoset chemical kinetics. Journal of Polymer Science Part A, 2002, 40, 3757-3770.	2.3	15
129	Chirped fiber-Bragg grating as self-temperature referenced strain sensor in nonisothermal thermoset processing. IEEE Sensors Journal, 2006, 6, 111-117.	4.7	15
130	Effect of the anisotropic magnetostriction on Terfenol-D based fiber Bragg grating magnetic sensors. Sensors and Actuators A: Physical, 2011, 172, 420-427.	4.1	15
131	A simplified approach to model damping behaviour of interleaved carbon fibre laminates. Composites Part B: Engineering, 2016, 97, 103-110.	12.0	15
132	Fabrication and Thermo-Mechanical Characterization of a Shape Memory Alloy Hybrid Composite. Journal of Intelligent Material Systems and Structures, 2011, 22, 245-252.	2.5	14
133	Analysis of acoustic emission signals resulting from fiber breakage in single fiber composites. Polymer Composites, 1999, 20, 758-770.	4.6	13
134	Fiber Bragg Grating and Magnetic Shape Memory Alloy: Novel High-Sensitivity Magnetic Sensor. IEEE Sensors Journal, 2007, 7, 228-229.	4.7	13
135	Railway monitoring and train tracking by fiber Bragg grating sensors. Proceedings of SPIE, 2007, 6619, 556.	0.8	12
136	Enhancing damping features of advanced polymer composites by micromechanical hybridization. Composites Part A: Applied Science and Manufacturing, 2011, 42, 1663-1672.	7.6	12
137	Strain monitoring of composite elements by fibre Bragg grating sensors during a quasi-static indentation. Composites Part B: Engineering, 2014, 56, 34-41.	12.0	12
138	Novel Optoelectronic Sensing System for Thin Polymer Films Glass Transition Investigation. IEEE Sensors Journal, 2004, 4, 837-844.	4.7	11
139	Monitoring the Dispersion Process of SWNTs in Aqueous Solutions by UV-Vis and Raman Spectroscopies. Journal of Nanoscience and Nanotechnology, 2009, 9, 6026-6033.	0.9	11
140	Long-Term Temperature Monitoring in CMS Using Fiber Optic Sensors. IEEE Sensors Journal, 2012, 12, 3392-3398.	4.7	11
141	A stiffness volume averaging based approach to model non-crimp fabric reinforced composites. Composites Science and Technology, 2012, 72, 360-369.	7.8	11
142	Autoclave manufacturing of thick composites. Polymer Composites, 2002, 23, 902-910.	4.6	10
143	Fabrication of polystyrene-encapsulated magnetic iron oxide nanoparticles via batch and microfluidic-assisted production. Colloid and Polymer Science, 2019, 297, 861-870.	2.1	10
144	Integrated fiber optic sensing system for in-situ characterization of the curing process of		9

thermoset-based composites. , 2001, 4328, 275.

#	Article	IF	CITATIONS
145	Sensitivity Characteristics Tuning in Tapered Long-Period Gratings by Nanocoatings. IEEE Photonics Technology Letters, 2007, 19, 1517-1519.	2.5	9
146	Detection of Delamination in Carbon-Fibre-Reinforced Polymers with Lock-In Thermography. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 2010, 224, 1219-1227.	1.3	9
147	One Year of FOS Measurements in CMS Experiment at CERN. Physics Procedia, 2012, 37, 79-84.	1.2	9
148	Aggregates of Chemically Functionalized Multiwalled Carbon Nanotubes as Viscosity Reducers. Materials, 2014, 7, 3251-3261.	2.9	9
149	Contactless optoelectronic technique for monitoring epoxy cure. Applied Optics, 2000, 39, 1130.	2.1	8
150	Low-cost all-fiber Bragg grating sensing system for temperature and strain measurements. Optical Engineering, 2005, 44, 084402.	1.0	8
151	Simulating the Response of Composite Plates to Fire. Applied Composite Materials, 2014, 21, 511-524.	2.5	8
152	Insights on Shear Transfer Efficiency in "Brick-and-Mortar―Composites Made of 2D Carbon Nanoparticles. Nanomaterials, 2022, 12, 1359.	4.1	8
153	Plastic Coated Fiber Bragg Gratings As High Sensitivity Hydrophones. , 2006, , .		7
154	Fiber Bragg Gratings Evanescent Wave Sensors: A View Back and Recent Advancements. Lecture Notes in Electrical Engineering, 2008, , 113-152.	0.4	7
155	Thermomechanical Modelling and Experimental Testing of a Shape Memory Alloy Hybrid Composite Plate. Advances in Science and Technology, 0, , .	0.2	7
156	Self Assembling and Coordination of Water Nano-Layers On Polymer Coated Long Period Gratings: Toward New Perspectives for Cation Detection. Soft Materials, 2011, 9, 238-263.	1.7	7
157	Cryogenic test facility instrumentation with fiber optic and fiber optic sensors for testing superconducting accelerator magnets. IOP Conference Series: Materials Science and Engineering, 2017, 278, 012082.	0.6	7
158	Recognition of organic solvents molecules by simultaneous detection using SAW oscillator sensors and optical fiber devices coated by Langmuir-Blodgett cadmium arachidate films. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2006, 53, 1493-1502.	3.0	6
159	Near field behavior of SnO_2 particle-layer deposited on standard optical fiber by electrostatic spray pyrolysis method. Optics Express, 2007, 15, 5136.	3.4	6
160	Resonant hydrophones based on coated fiber Bragg gratings. Part II: experimental analysis. Proceedings of SPIE, 2011, , .	0.8	6
161	Insight on mendable resin made by combining Diels-Alder epoxy adducts with DGEBA. AIP Conference Proceedings, 2016, , .	0.4	6

162 Fiber Bragg grating as ultrasonic wave sensors. , 2004, 5502, 84.

#	Article	IF	CITATIONS
163	Practical and Theoretic Analysis of Resin Flow in Vacuum Assisted Resin Transfer Molding Processes. Macromolecular Symposia, 2005, 228, 201-218.	0.7	5
164	A fiber optic Bragg grating seismic sensor. , 2007, , .		5
165	Editorial [Hot topic: Fiber Optic Chemical and Biological Sensors: Perspectives and Challenges Approaching the Nano-Era (Guest Editor: Andrea Cusano, Antonello Cutolo and Michele Giordano)]. Current Analytical Chemistry, 2008, 4, 271-272.	1.2	5
166	High-sensitivity metal oxides-coated long-period fiber grating sensors for humidity monitoring in high-energy physics applications. Proceedings of SPIE, 2014, , .	0.8	5
167	Lab-on-Fiber biosensing for cancer biomarker detection. Proceedings of SPIE, 2015, , .	0.8	5
168	Long period gratings coated with syndiotactic polystirene as highly sensitive chemical sensors. , 2005, 5855, 483.		4
169	Dynamic measurements on a star tracker prototype of AMS using fiber optic sensors. Smart Materials and Structures, 2006, 15, 441-450.	3.5	4
170	Experimental verification of the direct elastomagnetic effect. International Journal of Applied Electromagnetics and Mechanics, 2007, 25, 37-41.	0.6	4
171	Fiber-Optic Near-Field Chemical Sensors Based on Wavelength Scale Tin Dioxide Particle Layers. Journal of Lightwave Technology, 2008, 26, 3468-3475.	4.6	4
172	Effect of the Loading History on Shape Memory Alloy Transformation Temperatures. Advances in Science and Technology, 2008, 59, 57-62.	0.2	4
173	Underwater acoustic sensors based on fiber Bragg gratings. Proceedings of SPIE, 2009, , .	0.8	4
174	Photonic bandgap modification in hollow optical fibers integrated with single walled carbon nanotubes. Microwave and Optical Technology Letters, 2009, 51, 2729-2732.	1.4	4
175	Porphyrin thin films on fiber optic probes through UV-light induced deposition. Optics and Laser Technology, 2013, 49, 279-283.	4.6	4
176	Lab on fiber by using the breath figure technique. Proceedings of SPIE, 2013, , .	0.8	4
177	Mechanical behavior of hybrid fiberâ€reinforced composites manufactured by pulse infusion. Polymer Composites, 2017, 38, 2254-2260.	4.6	4
178	Analysis of the phase response of fiber bragg gratings to longitudinal ultrasonic fields in the high frequency regime: towards new interrogation strategies. , 0, , .		3
179	Optical Fiber Hydrophone Using Polymer-Coated Fiber Bragg Grating. , 2006, , .		3
180	Miniaturized fiber optic probe based on colloid crystals of hydrogel coated nanoparticles for relative humidity measurements. , 2018, , .		3

#	Article	IF	CITATIONS
181	Non-isothermal monitoring of strain build-up in thermoset processing by a single chirped fiber Bragg grating. , 2004, 5502, 152.		2
182	Tin dioxide based optical sensor for in water ppm detection of ammonia at room temperature. , 2005, , .		2
183	Simultaneous Temperature and Ammonia Detection in Water by Tin-Dioxide Optoelectronic Sensor. , 0, , .		2
184	Damage detection by using experimental modal analysis technique and fiber Bragg gratings. , 2005, , .		2
185	Dynamic measurements on a star tracker prototype of AMS using fiber optic sensors. , 2005, 5855, 1028.		2
186	Long period grating coated with high refractive index layer. , 0, , .		2
187	Thinned fiber bragg gratings for sensing applications. , 0, , .		2
188	Nano-Scale High Refractive Index Coated Thinned FBCs for Sensing Applications. , 2006, , TuE10.		2
189	Improvements in the fabrication of microstructured fiber Bragg grating sensors. Proceedings of SPIE, 2007, , .	0.8	2
190	Novel sensitive nanocoatings based on SWCNT composites for advanced fiber optic chemo-sensors. , 2008, , .		2
191	Microstructured Optical Fibers Filled with Carbon Nanotubes: Photonic Bandgap Modification and Sensing Applications. , 2010, , .		2
192	Effect of the anisotropic magnetostriction on Terfenol-D based fiber bragg grating magnetic sensors. , 2011, , .		2
193	Lab on fiber using self assembly technique: a preliminary study. Proceedings of SPIE, 2012, , .	0.8	2
194	Radiation hard humidity sensors based on polyimide-coated fiber Bragg gratings. , 2013, , .		2
195	Ultrasensitive nanoprobes based on metallo-dielectric crystals integrated onto optical fiber tips using the breath figures technique. Proceedings of SPIE, 2013, , .	0.8	2
196	Long period fiber grating biosensor for the detection of drug resistant bacteria: The "OPTObacteria" project. , 2014, , .		2
197	Fiber optic sensors structural monitoring of the beam pipe in the CMS experiment at the CERN. , 2015, , .		2
198	Lab on Fiber by Using the Breath Figure Technique. Springer Series in Surface Sciences, 2015, , 233-250.	0.3	2

#	Article	IF	CITATIONS
199	Reflection-type long period grating biosensor for detection of drug resistant bacteria: the OptoBacteria project. , 2015, , .		2
200	Load transfer in high content graphite nanoplateles composites. AIP Conference Proceedings, 2019, , .	0.4	2
201	Fiber optic biosensor for inflammatory markers based on long period grating. , 2020, , .		2
202	Modelling diffusion-limited gasification of carbons by branching pore models. The Chemical Engineering Journal and the Biochemical Engineering Journal, 1996, 64, 77-84.	0.1	1
203	Simultaneous measurements of refractive index and temperature by non-uniform thinned fiber Bragg gratings. , 2005, , .		1
204	Optical chemo-sensor based on long period gratings and ultrathin sensitive polymer films for water monitoring. , 2005, 5952, 348.		1
205	High sensitivity magnetic sensor by using fiber Bragg grating bonded to magnetic shape memory alloys. , 2005, , .		1
206	Ammonia detection in water with a tin dioxide based optical sensor. , 2005, , .		1
207	Magnetic Shape Memory alloy based Fiber Bragg Grating magnetic field sensor. , 2006, , .		1
208	Influence of Layers Morphology on the Sensitivity of SnO2-based Optical Fiber Sensors. , 2006, , .		1
209	Magnetic Field sensors employing Fiber Bragg Grating and Magneto-Elastic active material. , 2006, , .		1
210	Effects of thickness and external refractive index in coated tilted fiber Bragg gratings. , 2007, , .		1
211	Nanocoating effects on tapered long period fiber gratings. Proceedings of SPIE, 2007, , .	0.8	1
212	SWCNTs-based nanocomposites as sensitive coatings for advanced fiber optic chemical nanosensors. , 2008, , .		1
213	Modal Transition in Nano-Coated Long Period Fiber Gratings: Principle and Applications to Chemical Sensing. Integrated Analytical Systems, 2009, , 35-75.	0.4	1
214	Fiber optic sensors for CMS-CERN. , 2010, , .		1
215	Self-assembling and coordination of water nano-layers on polymeric coated long period gratings as promising tool for cation detection. Proceedings of SPIE, 2010, , .	0.8	1
216	Radiation hard humidity sensors for high energy physics applications using polymide-coated Fiber Bragg Gratings sensors. , 2011, , .		1

#	Article	IF	CITATIONS
217	A calibration method based on look-up-table for cryogenic temperature fiber Bragg grating sensors. Proceedings of SPIE, 2012, , .	0.8	1
218	Porphyrin coated fiber optic probes for acid vapor detection. Proceedings of SPIE, 2013, , .	0.8	1
219	Fiber optic cryogenic sensors for superconducting magnets and superconducting power transmission lines at CERN. , 2014, , .		1
220	Graphene oxide-based nanohybrid for label-free optical sensing. , 2014, , .		1
221	Radiation tolerant FBG thermo-hygrometers for relative humidity detection in the CMS experiment at CERN. , 2014, , .		1
222	Graphene oxide as an interfacial layer in silicon based Schottky barrier solar cells. , 2015, , .		1
223	Optical aliphatic hydrocarbon gas sensor based on Titanium Dioxide thin film. , 2015, , .		1
224	Nacre-like composites made by graphite nanoplatelets. AIP Conference Proceedings, 2018, , .	0.4	1
225	Manufacturing and properties of biomimetic graphite nanoplatelets foils. Polymer Engineering and Science, 2019, 59, 2443-2448.	3.1	1
226	Metallic-Dielectric colloidal photonic crystal on the multimode optical fiber tip: preliminary results as optical fiber SERS probe. , 2019, , .		1
227	STRUCTURAL HEALTH MONITORING IN BUILDINGS, BRIDGES AND CIVIL ENGINEERING. , 2013, , 21-45.		1
228	High Sensitive Long Period Fiber Grating Biosensor for Cancer Biomarker Detection. , 2016, , .		1
229	Optical fiber SERS probe achieved by colloidal photonic crystal and gold nano-particles. , 2019, , .		1
230	Fiber optic biosensor based on long period grating for the detection of vitamin D. , 2021, , .		1
231	A new methodology for the active control of the heat transfer in autoclave technology. Computer Aided Chemical Engineering, 2000, 8, 295-300.	0.5	Ο
232	High-resolution refractive index sensor by using thinned fiber Bragg gratings. , 2004, 5502, 251.		0
233	Vapor sensing properties of carbon nanotubes onto cadmium arachidate multilayer investigated by optical-fiber-based reflectometer sensor and acoustic sensors. , 2004, 5502, 243.		0
234	Multi-transduction approach and data fusion for enhanced performance of features extraction in chemical sensing applications. , 2005, 5855, 463.		0

#	Article	IF	CITATIONS
235	Simultaneous detection of organic vapors by optical fiber and acoustic sensors based on single-walled carbon nanotubes. , 2005, , .		0
236	Optoelectronic sensor for chemical detection in liquid by using ultra thin polymer coating on long period fiber gratings. , 0, , .		0
237	Sensitivity Enhancement in Polymer Coated Long Period Gratings: Towards High Performance Opto-Chemical Sensors. , 0, , .		0
238	Optical Fiber Sensors coated with Carbon Nanotubes, Tin Dioxide and Nanoporous Polymers for Cryogenic Detection of Hydrogen. , 2006, , .		0
239	Spectral behavior of nano-sized and azimuthally symmetric coated long period gratings. Proceedings of SPIE, 2006, , .	0.8	0
240	Hollow Fibers Integrated with Single Walled Carbon Nanotubes: Bandgap Modification and Chemical Sensing Capability. Conference Record - IEEE Instrumentation and Measurement Technology Conference, 2007, , .	0.0	0
241	Room temperature detection of chemical pollutants by SnO 2 -based optical fiber sensors. , 2007, , .		0
242	High sensitivity near-field opto-chemical sensors based on SnO 2 particle layers. , 2007, , .		0
243	Cadmium arachidate single-walled carbon nanotubes composites as sensitive coatings for high sensitivity fiber optic chemo-sensors. Proceedings of SPIE, 2007, , .	0.8	0
244	Hollow-core optical fiber functionalized with single walled carbon nanotubes for VOC detection. Proceedings of SPIE, 2007, , .	0.8	0
245	Hollow fibres integrated with single walled carbon nanotubes as novel opto-chemical sensors. , 2007, , .		0
246	Refractive index sensitivity in thinned long period gratings. , 2007, , .		0
247	MULTISCALE MODELING OF HYBRID STRUCTURAL COMPOSITES WITH INTEGRATED DAMPING FEATURES. AIP Conference Proceedings, 2008, , .	0.4	0
248	Performance improvement of a cascaded tapered long period grating refractometer by using nano-sized high refractive index coatings. Proceedings of SPIE, 2008, , .	0.8	0
249	Near-Field Opto-Chemical Sensors. , 0, , .		0
250	Development of a platform for biochemical sensing based on overlayered Long Period Gratings working in transition. , 2009, , .		0
251	Long period gratings working in transition mode as a valuable technological platform for biosensing. Proceedings of SPIE, 2009, , .	0.8	0
252	Functional multilayer coated long period grating tuned in transition region for life science applications. Proceedings of SPIE, 2010, , .	0.8	0

#	Article	IF	CITATIONS
253	Evanescent-wave LPFG in D-fiber by periodically patterned overlay. Proceedings of SPIE, 2010, , .	0.8	0
254	Tuning by process of the electrical percolation behavior of multiwalled carbon nanotubesâ^•epoxy composites. , 2010, , .		0
255	Vacuum infusion manufacturing and experimental characterization of Kevlar/epoxy composites. , 2014, , .		0
256	Probing the the Glass Transition of Atactic Polystyrene Thin Films Using Fiber Optic Refractometry. Macromolecular Symposia, 2014, 338, 90-95.	0.7	0
257	Fiber Bragg grating sensor as valuable technological platform for new generation of superconducting magnets. , 2014, , .		0
258	Reflection-type long period grating biosensor for the detection of drug resistant bacteria: The Opto-bacteria Project. , 2014, , .		0
259	High-sensitivity humidity sensors based on TiO2-coated long period fiber grating for high-energy physics applications. , 2014, , .		0
260	Radiation hard fiber optic thermo-hygrometers for relative humidity detection in the CMS experiment at CERN. , 2014, , .		0
261	Radiation tolerant fiber optic thermo-hygrometers for aerospace applications. , 2014, , .		Ο
262	Fiber Bragg Grating sensors based monitoring system for superconducting accelerator magnets. , 2014, , .		0
263	Radiation tolerant humidity sensors based on nano-scale TiO <inf>2</inf> -coated LPGs for high-energy physics applications. , 2014, , .		0
264	Fiber optic sensors for relative humidity monitoring in High Energy Physics applications. , 2014, , .		0
265	Engineering metallo dielectric structures on optical fiber tips by self-assembling techniques. , 2014, , .		Ο
266	Graphene oxide-based mesoporous silicon as tunable platform for optical applications. , 2015, , .		0
267	Photoluminescence of graphene oxide integrated with silicon substrates. , 2015, , .		Ο
268	Multifunctional properties of nanocomposites made by 1D and 2D graphene based fillers. , 2015, , .		0
269	Bioinspired design of material with magneto optic coupling for electromagnetic sensing. , 2015, , .		0
270	High sensitive reflection type long period fiber grating biosensor for real time detection of thyroglobulin, a differentiated thyroid cancer biomarker: the Smart Health project. , 2015, , .		0

#	Article	IF	CITATIONS
271	Embedded fiber Bragg grating sensors for true temperature monitoring in Nb3Sn superconducting magnets for high energy physics. , 2016, , .		Ο
272	Mechanical Properties of Nanolaminates Based on Graphene Nanoplatelets. , 2018, , 233-251.		0
273	Relative Humidity Sensor Based on Tip of Multimode Optical Fiber Integrated with Photonic Crystal of Hydrogel Coated Polystyrene Nanoparticles. Lecture Notes in Electrical Engineering, 2020, , 403-408.	0.4	0
274	Sensitivity Characteristics in Nano-Sized Coated Long Period Gratings. , 2006, , .		0
275	Dual Refractive Index Measurements by a Single Multi-Defect Structured Fiber Bragg Grating. , 2006, , .		0
276	Mode transition in uncoated long period gratings. , 2019, , .		0
277	Graphene oxide-functionalized long period grating for biosensing applications. , 2019, , .		Ο
278	Optical Fiber Tip Functionalized by Colloidal Photonic Crystal and Gold Nano-Particles for SERS Sensing. , 2020, , .		0
279	Long period grating coated with graphene oxide as platform for optical fiber biosensors. , 2021, , .		Ο