

Shavrov Vladimir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7599132/publications.pdf>

Version: 2024-02-01

249
papers

2,084
citations

257101

24
h-index

315357

38
g-index

251
all docs

251
docs citations

251
times ranked

1210
citing authors

#	ARTICLE	IF	CITATIONS
1	Phase transitions in $Ni_{2+x}Mn_{1-x}Ga$ with a high Ni excess. Physical Review B, 2005, 72, .	1.1	176
2	Peculiarities of the magnetocaloric properties in Ni-Mn-Sn ferromagnetic shape memory alloys. Physical Review B, 2010, 81, .	1.1	96
3	Magnetocaloric effect in ribbon samples of Heusler alloys $Ni_{1-x}Mn_xM$ (M=In,Sn). Applied Physics Letters, 2010, 97, .	1.5	68
4	Broken symmetry and magnetoacoustic effects in ferroand antiferromagnetics. Uspekhi Fizicheskikh Nauk, 1983, 26, 593-611.	0.3	64
5	Title is missing!. Physics-Uspekhi, 2006, 49, 871.	0.8	59
6	Adiabatic temperature change at first-order magnetic phase transitions: $Ni_{2.19}Mn_{0.81}Ga$ a case study. Physical Review B, 2008, 78, .	1.1	59
7	Influence of Fe and Co on Phase Transitions in Ni-Mn-Ga Alloys. Materials Transactions, 2003, 44, 2509-2512.	0.4	54
8	Premartensitic transition in $Ni_{2+x}Mn_{1-x}Ga$ Heusler alloys. Journal of Physics Condensed Matter, 2001, 13, 9655-9662.	0.7	53
9	Reversible magnetocaloric effect in materials with first order phase transitions in cyclic magnetic fields: $Fe_{48}Rh_{52}$ and $Sm_{0.6}Sr_{0.4}MnO_3$. Applied Physics Letters, 2016, 109, .	1.5	46
10	Development of laminated nanocomposites on the bases of magnetic and non-magnetic shape memory alloys: Towards new tools for nanotechnology. Journal of Alloys and Compounds, 2014, 586, S464-S468.	2.8	45
11	Giant reversible deformations in a shape-memory composite material. Technical Physics Letters, 2010, 36, 329-332.	0.2	43
12	Composite Materials Based on Shape-Memory $Ti_{2-x}Ni_xCu$ Alloy for Frontier Micro- and Nanomechanical Applications. Advanced Engineering Materials, 2017, 19, 1700154.	1.6	43
13	Submicron-sized actuators based on enhanced shape memory composite material fabricated by FIB-CVD. Smart Materials and Structures, 2012, 21, 052001.	1.8	41
14	Magnetocaloric and thermomagnetic properties of $Ni_{2.18}Mn_{0.82}Ga$ Heusler alloy in high magnetic fields up to 140 kOe. Journal of Applied Physics, 2015, 117, .	1.1	40
15	Actuators based on composite material with shape-memory effect. Journal of Communications Technology and Electronics, 2010, 55, 818-830.	0.2	38
16	Plasmonics of magnetic and topological graphene-based nanostructures. Nanophotonics, 2018, 7, 597-611.	2.9	38
17	Reversible structural phase transition in Ni-Mn-Ga alloys in a magnetic field. JETP Letters, 2000, 72, 373-376.	0.4	34
18	Phase transitions in the ferromagnetic alloys $Ni_{2+x}Mn_{1-x}Ga$. JETP Letters, 1998, 67, 227-232.	0.4	30

#	ARTICLE	IF	CITATIONS
19	Magnetic and structural phase transitions in the shape-memory ferromagnetic alloys Ni _{2+x} Mn ^{1+x} Ga. Journal of Experimental and Theoretical Physics, 1999, 88, 954-962.	0.2	30
20	Transverse-electric plasmonic modes of cylindrical graphene-based waveguide at near-infrared and visible frequencies. Scientific Reports, 2016, 6, 26915.	1.6	30
21	Magnetoacoustic surface waves in magnetic crystals near spin-reorientation phase transitions. Physics-Uspekhi, 1997, 40, 701-716.	0.8	29
22	Magnetoacoustics of rare-earth orthoferrites. Physics-Uspekhi, 1996, 39, 547-572.	0.8	28
23	Nonlinear excitation of hypersound in a ferrite plate under the ferromagnetic-resonance conditions. Journal of Communications Technology and Electronics, 2009, 54, 821-832.	0.2	28
24	Thermomagnetic and magnetocaloric properties of metamagnetic Ni-Mn-In-Co Heusler alloy in magnetic fields up to 140 kOe. EPJ Web of Conferences, 2014, 75, 04008.	0.1	24
25	Giant Faraday Rotation of High-Order Plasmonic Modes in Graphene-Covered Nanowires. Nano Letters, 2016, 16, 4391-4395.	4.5	23
26	Plasmonically induced magnetic field in graphene-coated nanowires. Optics Letters, 2016, 41, 396.	1.7	23
27	Influence of graphene coating on speckle-pattern rotation of light in gyrotropic optical fiber. Optics Letters, 2015, 40, 890.	1.7	19
28	Magnetocaloric Effect in Alloy Fe ₄₉ Rh ₅₁ in Pulsed Magnetic Fields up to 50 T. Physics of the Solid State, 2020, 62, 160-163.	0.2	19
29	Direct measurement of magnetocaloric effect in metamagnetic Ni ₄₃ Mn _{37.9} In _{12.1} Co ₇ Heusler Alloy. Bulletin of the Russian Academy of Sciences: Physics, 2014, 78, 936-938.	0.1	18
30	Magnetic, thermal, and electrical properties of an Ni _{45.37} Mn _{40.91} In _{13.72} Heusler alloy. Journal of Experimental and Theoretical Physics, 2016, 122, 874-882.	0.2	18
31	Shape memory effect in nanosized Ti ₂ NiCu alloy-based composites. Doklady Physics, 2017, 62, 5-9.	0.2	17
32	Nonlinear excitation of ultrasound in a two-layer ferrite structure under ferromagnetic resonance conditions. Journal of Communications Technology and Electronics, 2014, 59, 441-455.	0.2	16
33	Thermodynamic and Relaxation Processes near Curie Point in Gadolinium. Solid State Phenomena, 0, 215, 113-118.	0.3	15
34	Spin correlations and a mesoscopic structure in Ni-Mn-Ga. Journal of Experimental and Theoretical Physics, 2006, 102, 102-113.	0.2	14
35	On the relative contributions of precessional and longitudinal oscillations to the dynamics of magnets. Physics-Uspekhi, 1999, 42, 957-990.	0.8	13
36	Spin wave acoustics of antiferromagnetic structures as magnetoacoustic metamaterials. Physics-Uspekhi, 2011, 54, 573-604.	0.8	13

#	ARTICLE	IF	CITATIONS
37	Hybridization of electromagnetic, spin and acoustic waves in magnetic having conical spiral ferromagnetic order. Journal of Magnetism and Magnetic Materials, 2013, 329, 142-145.	1.0	13
38	Simulation of the control process applied to the micromechanical device with the shape memory effect. Journal of Communications Technology and Electronics, 2015, 60, 1124-1133.	0.2	13
39	Magnetocaloric Effect of Gadolinium at Adiabatic and Quasi-Isothermal Conditions in High Magnetic Fields. Solid State Phenomena, 2015, 233-234, 216-219.	0.3	13
40	Research of Magnetocaloric Effect For Ni-Mn-In-Co Heusler Alloys by the Direct Methods in Magnetic Fields Up to 14 T. IEEE Transactions on Magnetics, 2017, 53, 1-5.	1.2	13
41	Electromagnetic waves reflection, transmission and absorption by grapheneâ€“magnetic semiconductorâ€“graphene sandwich-structure in magnetic field: Faraday geometry. Photonics and Nanostructures - Fundamentals and Applications, 2014, 12, 473-481.	1.0	12
42	Static and dynamic conduction of amorphous nanogranulated metalâ€“dielectric composites. Journal of Communications Technology and Electronics, 2015, 60, 904-914.	0.2	12
43	Measurement of magnetocaloric effect in pulsed magnetic fields with the help of infrared fiber optical temperature sensor. Journal of Magnetism and Magnetic Materials, 2017, 440, 70-73.	1.0	12
44	Effect of thermal cycling on the martensitic transformation in Ni-Mn-In alloys. Journal of Applied Physics, 2014, 116, 103515.	1.1	11
45	Properties of metamagnetic alloy Fe ₄₈ Rh ₅₂ in high magnetic fields. Bulletin of the Russian Academy of Sciences: Physics, 2015, 79, 1086-1088.	0.1	11
46	Crystalline structure and magnetic behavior of the Ni ₄₁ Mn ₃₉ In ₁₂ Co ₈ alloy demonstrating giant magnetocaloric effect. Smart Materials and Structures, 2016, 25, 085013.	1.8	11
47	Simultaneous magneto-optic observation and thermomagnetic analysis of phase transitions in shape-memory Niâ€“Mnâ€“Ga alloys. Journal of Magnetism and Magnetic Materials, 2004, 272-276, 2035-2037.	1.0	10
48	Nonlinear dynamics of the magnetization in a ferrite plate with magnetoelastic properties under the conditions for orientational transition. Journal of Communications Technology and Electronics, 2010, 55, 645-656.	0.2	10
49	Spin-wave electrodynamics of the interface between a magnetoelectric multiferroic and a nonmagnetic insulator. Journal of Experimental and Theoretical Physics, 2012, 114, 474-495.	0.2	10
50	Dynamic conductivity of amorphous nanogranular films in the microwave frequency range. Technical Physics Letters, 2014, 40, 584-586.	0.2	10
51	Dynamic Microwave Conductivity of Graphene-Based Shungite. Technical Physics Letters, 2018, 44, 371-373.	0.2	10
52	Degradation of the Magnetocaloric Effect in Ni _{49.3} Mn _{40.4} In _{10.3} in a Cyclic Magnetic Field. Physics of the Solid State, 2020, 62, 837-840.	0.2	10
53	Thermoelastic martensitic transition and magnetic properties of the Ni _{2.14} Mn _{0.81} Fe _{0.05} Ga alloy in different structural states. Journal of Physics Condensed Matter, 2005, 17, 2129-2135.	0.7	9
54	Conducting and reflecting properties of nanometer-width films of various metals. Journal of Communications Technology and Electronics, 2006, 51, 1394-1400.	0.2	9

#	ARTICLE	IF	CITATIONS
55	The energy characteristics of wave propagation through interfaces of media with complex parameters. <i>Journal of Communications Technology and Electronics</i> , 2009, 54, 1111-1123.	0.2	9
56	Magnetic field control of plasmon polaritons in graphene-covered gyrotropic planar waveguide. <i>Optics Letters</i> , 2015, 40, 2557.	1.7	9
57	Direct measurements of the magnetocaloric effect of Fe ₄₉ Rh ₅₁ using the mirage effect. <i>Journal of Applied Physics</i> , 2020, 127, .	1.1	9
58	Multiregime character of the nonlinear precession of the second-order magnetization under the conditions for the orientational transition. <i>Journal of Communications Technology and Electronics</i> , 2011, 56, 1117-1128.	0.2	8
59	Exceptional surface wave as a condition of the maximum increase in the intensity of an evanescent electromagnetic wave in a transparent medium. <i>JETP Letters</i> , 2012, 95, 229-233.	0.4	8
60	Asymmetric excitation of the two-order magnetization precession under orientational transition conditions. <i>Journal of Communications Technology and Electronics</i> , 2012, 57, 453-467.	0.2	8
61	The second-order magnetization precession in an anisotropic medium. Part 2: The cubic anisotropy. <i>Journal of Communications Technology and Electronics</i> , 2013, 58, 847-862.	0.2	8
62	Specific heat, electrical resistivity, and magnetocaloric study of phase transition in Fe ₄₈ Rh ₅₂ alloy. <i>Journal of Applied Physics</i> , 2020, 128, .	1.1	8
63	Magnetoelastic effects of spontaneously broken symmetry and soft modes in magnetic phase transitions. <i>Uspekhi Fizicheskikh Nauk</i> , 1984, 27, 642-643.	0.3	7
64	Application of the averaging method to calculation of propagation of electromagnetic radiation through thin films with different conductivities. <i>Journal of Communications Technology and Electronics</i> , 2007, 52, 379-389.	0.2	7
65	Reflection, transmission, and absorption coefficients calculated for the oblique incidence of an electromagnetic wave on a plate. <i>Journal of Communications Technology and Electronics</i> , 2008, 53, 363-376.	0.2	7
66	The equivalence of the scalar one-dimensional and vector electrodynamic approaches to the problem on the wave incidence on a slab: Solution by the direct and averaging methods. <i>Journal of Communications Technology and Electronics</i> , 2010, 55, 121-131.	0.2	7
67	Direct and inverse magnetocaloric effect in Ni _{1.81} Mn _{1.64} In _{0.55} , Ni _{1.73} Mn _{1.80} In _{0.47} , and Ni _{1.72} Mn _{1.51} In _{0.49} Co _{0.28} Heusler alloys. <i>Journal of Communications Technology and Electronics</i> , 2016, 61, 1129-1138.	0.2	7
68	Plasmon mediated inverse Faraday effect in a graphene–dielectric–metal structure. <i>Optics Letters</i> , 2018, 43, 26.	1.7	7
69	Shape Memory Effect in Microsize Sample of Ni–Mn–Ga–Cu Heusler Alloy. <i>Physics of the Solid State</i> , 2020, 62, 968-971.	0.2	7
70	Phase transitions in ferromagnetic Ni _{2+x} Mn _{1-x} Ga alloys with regard for the modulation order parameter. <i>Journal of Experimental and Theoretical Physics</i> , 2001, 92, 1010-1018.	0.2	6
71	Forced nonlinear precession of the magnetization vector under the conditions of an orientation transition. <i>Journal of Communications Technology and Electronics</i> , 2011, 56, 73-84.	0.2	6
72	Advanced Magnetic Materials. <i>Research Letters in Physics</i> , 2012, 2012, 1-2.	0.2	6

#	ARTICLE	IF	CITATIONS
73	Investigation into the dynamics and variations in the magnetic structure of an ensemble of ferromagnetic particles. Bulletin of the Russian Academy of Sciences: Physics, 2013, 77, 1255-1257.	0.1	6
74	Electromagnetic Waves Reflectance of Graphene-Magnetic Semiconductor Superlattice in Magnetic Field. IEEE Transactions on Magnetics, 2014, 50, 1-4.	1.2	6
75	Application of the model of coupled oscillators in the analysis of the nonlinear excitation of hypersound in a ferrite plate under ferromagnetic resonance. Part 1. Basic equations. Journal of Communications Technology and Electronics, 2015, 60, 75-86.	0.2	6
76	Simulation of Control System for Shape Memory Nanotweezers. Materials Science Forum, 0, 845, 142-145.	0.3	6
77	Experimental simulation of a magnetic refrigeration cycle in high magnetic fields. Physics of the Solid State, 2016, 58, 81-85.	0.2	6
78	Topologically Induced Optical Activity in Graphene-Based Meta-Structures. ACS Photonics, 2017, 4, 1633-1638.	3.2	6
79	Formation of a martensitic twins structure in Ni _{2.16} Mn _{0.84} Ga heusler alloy by high magnetic fields under adiabatic and isothermal conditions. Bulletin of the Russian Academy of Sciences: Physics, 2017, 81, 1283-1288.	0.1	6
80	A Three-Point Bending Test Machine for Studying the Thermomechanical Properties of Shape Memory Alloys. Instruments and Experimental Techniques, 2018, 61, 306-312.	0.1	6
81	Structure and Morphology of Zinc Oxide Nanorods. Journal of Communications Technology and Electronics, 2018, 63, 75-79.	0.2	6
82	Role of magnetic and temperature cycling on martensite formation in Ni _{2.19} Mn _{0.81} Ga single crystals of a Heusler alloy. Journal of Applied Physics, 2020, 127, .	1.1	6
83	Russia's integrated transit transport system (itts) of on the basis of vacuum magnetic levitation transport (vmlt). Transportation Systems and Technology, 2018, 4, 57-84.	0.4	6
84	New types of surface waves in antiferromagnetics with magnetoelectrical effect. Ferroelectrics, 1997, 204, 247-260.	0.3	5
85	Model of colossal magnetostriction in the martensite phase of Ni-Mn-Ga alloys. Journal of Experimental and Theoretical Physics, 2001, 93, 1302-1306.	0.2	5
86	Specific Features of Magnetoacoustic Waves in Fe ₃ BO ₆ . Physics of the Solid State, 2005, 47, 1886.	0.2	5
87	New Heusler alloys with a metamagnetostructural phase transition. Bulletin of the Russian Academy of Sciences: Physics, 2008, 72, 564-568.	0.1	5
88	Imprinting Bias Stress in Functional Composites. Japanese Journal of Applied Physics, 2010, 49, 100212.	0.8	5
89	Asymmetric forced nonlinear precession of magnetization under the conditions for the orientational transition. Journal of Communications Technology and Electronics, 2011, 56, 670-682.	0.2	5
90	Thermal expansion of Ni _{2.08} Mn _{0.96} Ga _{0.96} alloy. Technical Physics, 2011, 56, 423-426.	0.2	5

#	ARTICLE	IF	CITATIONS
91	Structure and functional properties of rapidly quenched ribbons of Ti ₂ NiCu alloy with different fractions of the crystalline phase. Bulletin of the Russian Academy of Sciences: Physics, 2011, 75, 1078-1081.	0.1	5
92	Specific features of static and dynamic conduction of a composite film containing metal nanogranules in dielectric matrix. Journal of Communications Technology and Electronics, 2014, 59, 920-932.	0.2	5
93	Nano-nanomanipulation of CdSe nanowires using nano-tweezers based on shape memory alloys. , 2015, , .		5
94	New mechanism of the enhancement of the Goos-Hanchen effect at an interface between transparent media. JETP Letters, 2015, 102, 343-349.	0.4	5
95	In-Plane Transverse Susceptibility of (111)-Oriented Iron Garnet Films. IEEE Transactions on Magnetics, 2015, 51, 1-3.	1.2	5
96	Direct and Inverse Magnetocaloric Effect in Ni _{1.81} Mn _{1.64} In _{0.55} Multifunctional Heusler Alloy. Solid State Phenomena, 2015, 233-234, 183-186.	0.3	5
97	New Approaches to Manipulation of Microbiological Objects. Physics Procedia, 2016, 82, 15-20.	1.2	5
98	Device for nanoobject manipulation based on two-layer composite with shape memory. Journal of Communications Technology and Electronics, 2016, 61, 302-310.	0.2	5
99	Revision of Clausius-Clapeyron Relation for the First-Order Phase Transition in Ni-Mn-In Heusler Alloys. IEEE Transactions on Magnetics, 2017, 53, 1-4.	1.2	5
100	Direct Measurements of Adiabatic Temperature Change in Ni _{49.9} Mn _{37.03} Sb _{12.3} Fe _{0.77} Alloy due to Magnetocaloric Effect in the Temperature Range of Martensitic Transformation. IEEE Transactions on Magnetics, 2018, 54, 1-4.	1.2	5
101	High-Speed Composite Microactuator Based on Ti ₂ NiCu Alloy with Shape Memory Effect. Physics of the Solid State, 2018, 60, 1163-1167.	0.2	5
102	Incidence of an electromagnetic wave onto one or two interfaces under the conditions of transition from dielectric propagation to metallic propagation. Journal of Communications Technology and Electronics, 2008, 53, 851-863.	0.2	4
103	Second-order magnetization precession in an anisotropic medium. Part 1: Uniaxial anisotropy. Journal of Communications Technology and Electronics, 2013, 58, 806-820.	0.2	4
104	Excitation of hypersonic oscillations under magnetic switching of a normally magnetized ferrite plate. Journal of Communications Technology and Electronics, 2014, 59, 523-535.	0.2	4
105	Second Order Precession in the Plate with Cubic Anisotropy and Magnetoelastic Properties. Solid State Phenomena, 0, 233-234, 73-78.	0.3	4
106	Annealing Influence on the Exchange-Bias and Magnetostructural Properties in the Ni _{50.0} Mn _{36.5} Sn _{13.5} Ribbon-Shape Alloy. Solid State Phenomena, 2015, 233-234, 179-182.	0.3	4
107	Thermoelastic properties of micron-size actuators based on the Ti ₂ NiCu//Pt composite with shape-memory effect. Journal of Communications Technology and Electronics, 2016, 61, 630-638.	0.2	4
108	Rapidly quenched ferromagnetic ribbons with shape memory for magnetically controlled micromechanic devices. Journal of Communications Technology and Electronics, 2017, 62, 809-819.	0.2	4

#	ARTICLE	IF	CITATIONS
109	The development of criteria for evaluating energy efficiency and the choice of the optimal composition of the subsystems in the Russian integral transit transport system. , 2017, , .		4
110	Phase Transition and Magnetoelectric Effect in 2D Ferromagnetic Films on a Ferroelectric Substrate. Coatings, 2021, 11, 1325.	1.2	4
111	Anomalous propagation of elastic waves through a boundary between liquid and magnetoacoustic material. Technical Physics Letters, 2003, 29, 743-747.	0.2	3
112	Reflection and refraction of acoustic waves at the boundary between a magnetoacoustic material and a dielectric. Acoustical Physics, 2004, 50, 544-551.	0.2	3
113	Martensitic Transformation and Electrical Properties of a Ni[sub 2.14]Mn[sub 0.81]Fe[sub 0.05]Ga Alloy in Its Different Structural States. Physics of the Solid State, 2005, 47, 556.	0.2	3
114	Acoustic wave propagation through the boundary between a liquid and the Heusler ferromagnetic alloy. Acoustical Physics, 2006, 52, 56-64.	0.2	3
115	New mechanism of the schoch effect in nonmagnetic dielectrics. JETP Letters, 2007, 85, 617-621.	0.4	3
116	New composite shape memory functional material for nano and microengineering application. , 2008, , .		3
117	Effect of severe plastic deformation and ultrarapid quenching on the properties of magnetic shape memory alloys near the Ni2MnGa composition. Bulletin of the Russian Academy of Sciences: Physics, 2009, 73, 948-951.	0.1	3
118	Lost branches in the spectrum of Parekh waves. JETP Letters, 2012, 95, 652-655.	0.4	3
119	An algorithm for determination of the amplitudes of reflected and transmitted waves in the case when counterpropagating waves are incident on a multilayer stepwise inhomogeneous structure. Journal of Communications Technology and Electronics, 2012, 57, 62-74.	0.2	3
120	Electromagnetic waves reflected from the plate of a magnetic with a ferromagnetic spiral. Bulletin of the Russian Academy of Sciences: Physics, 2012, 76, 368-370.	0.1	3
121	Properties of evanescent waves in polarized media in a constant external electric field: II. The noncompensated antiferromagnetic. Optics and Spectroscopy (English Translation of Optika I) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T650 217 Td		3
122	Properties of evanescent waves in polarized media in a constant external electric field: I. The compensated antiferromagnetic. Optics and Spectroscopy (English Translation of Optika I) Tj ETQq0 0 0 rgBT /Overlock 10 T650 217 Td		3
123	Structural and Magnetic Properties of Melt-Spun Ni-Mn(Fe)-Ga Ferromagnetic Shape Memory Ribbons. IEEE Transactions on Magnetics, 2014, 50, 1-3.	1.2	3
124	Investigation of Nonlinear Dynamics of Magnetoelastic Oscillations in Normal Magnetized Ferrite Plate. Solid State Phenomena, 0, 233-234, 471-475.	0.3	3
125	Application of the model of coupled oscillators in the analysis of the nonlinear excitation of hypersound in a ferrite plate under ferromagnetic resonance. Part 2. Nonlinear effects. Journal of Communications Technology and Electronics, 2015, 60, 280-293.	0.2	3
126	Nonlinear Magnetoelastic Dynamics of the Ferrite Plate. Journal of Siberian Federal University - Mathematics and Physics, 2017, 10, 36-39.	0.2	3

#	ARTICLE	IF	CITATIONS
127	Magnetic and Magnetocaloric Effects in Systems with Reverse First-Order Transitions. <i>Physics of the Solid State</i> , 2021, 63, 1889-1899.	0.2	3
128	In Situ TEM Study of Phase Transformations in Nonstoichiometric Ni ₄₆ Mn ₄₁ In ₁₃ Heusler Alloy. <i>Physics of the Solid State</i> , 2022, 64, 15-21.	0.2	3
129	New Mechanism of a Surface Magnetic Polaritons Formation in Magnet with the Linear Magnetolectric Effect. <i>Ferroelectrics</i> , 2002, 279, 3-17.	0.3	2
130	Dynamic piezomagnetic interaction. <i>Doklady Physics</i> , 2007, 52, 527-529.	0.2	2
131	Reflection and refraction of an acoustic beam at the boundary between a fluid and a magnetoacoustic material near the orientational phase transition. <i>Acoustical Physics</i> , 2007, 53, 123-126.	0.2	2
132	Influence of a magnetic field on the Jahn-Teller band effect in a conducting ferromagnet. <i>Journal of Experimental and Theoretical Physics</i> , 2007, 104, 943-950.	0.2	2
133	Investigation of the coefficient of reflection from composite structures containing ferrites at microwave frequencies. <i>Journal of Communications Technology and Electronics</i> , 2008, 53, 460-462.	0.2	2
134	Surface dynamics of a nongyrotropic multiferroic with quadratic magnetolectric interaction. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2008, 72, 1426-1428.	0.1	2
135	Analysis of electromagnetic wave propagation through a conducting layer via the phase-plane method. <i>Journal of Communications Technology and Electronics</i> , 2009, 54, 493-505.	0.2	2
136	Resonant amplification of evanescent acoustic waves by a composite magnetic structure. <i>Doklady Physics</i> , 2009, 54, 118-120.	0.2	2
137	Effect of magnetic field on the morphology and fine structure of low-temperature martensite phase in a ferromagnetic Ni _{2.08} Mn _{0.96} Ga _{0.96} alloy. <i>Physics of Metals and Metallography</i> , 2011, 112, 488-494.	0.3	2
138	Refraction of s- and p-polarized electromagnetic waves at the interface between a nonmagnetic insulator and an easy-axis centroantisymmetric antiferromagnet. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2011, 75, 713-717.	0.1	2
139	The Tamm exceptional surface waves. <i>Doklady Physics</i> , 2012, 57, 387-389.	0.2	2
140	Spectrum of Coupled Waves in Orthorhombic Multiferroics With Cycloidal Antiferromagnetic Structure in External Electric and Magnetic Fields. <i>IEEE Transactions on Magnetics</i> , 2013, 49, 4695-4698.	1.2	2
141	Reflecting electromagnetic waves from a surface of TbMnO ₃ with sinusoidal antiferromagnetic structure. <i>Bulletin of the Russian Academy of Sciences: Physics</i> , 2013, 77, 1120-1122.	0.1	2
142	Magnetolectric susceptibility tensor of multiferroic TbMnO ₃ with cycloidal antiferromagnetic structure in external field. <i>Journal of Applied Physics</i> , 2013, 113, 17C726.	1.1	2
143	Magneto-optic properties of ultrathin bismuth-containing ferrite-garnet films obtained using radio-frequency magnetron sputtering. <i>Journal of Communications Technology and Electronics</i> , 2014, 59, 1423-1425.	0.2	2
144	The shape memory effect in nanoscale composites based on Ti ₂ NiCu alloy. , 2016, , .		2

#	ARTICLE	IF	CITATIONS
145	Elastocaloric effect in rubber on exposure to a periodic tensile force. Technical Physics, 2016, 61, 1679-1683.	0.2	2
146	Excitation of hypersound by multiplication of the ferromagnetic resonance frequency in a magnetostriction transducer. Technical Physics Letters, 2016, 42, 456-459.	0.2	2
147	Manifestation of unidirectional exchange anisotropy in ferrite-garnet films with a "weak" sublattice. Journal of Magnetism and Magnetic Materials, 2017, 443, 319-323.	1.0	2
148	Studying the elastocaloric effect in a fast-quenched Ti ₂ NiCu ribbon with the shape memory effect. Bulletin of the Russian Academy of Sciences: Physics, 2017, 81, 1374-1376.	0.1	2
149	Multiple frequency transformation in the magnetostriction transducer: Frequency division in the relaxation mode. Journal of Communications Technology and Electronics, 2017, 62, 1004-1017.	0.2	2
150	Spatial Distribution of the Amplitudes of Electromagnetic Waves Propagating in a Bounded Multilayer Structure with Periodic Irregularity. Journal of Communications Technology and Electronics, 2017, 62, 1396-1407.	0.2	2
151	Magnetic and Elastic Vibrations in Manganese-Zinc Spinel Crystals as the Functions of Anisotropy Constant. Physics of the Solid State, 2018, 60, 1153-1157.	0.2	2
152	Effects of Resonant Enhancement of Evanescent Spin Waves in Exchange-Coupled Layered Magnetic Structures with and without an Inversion Center. JETP Letters, 2019, 109, 392-399.	0.4	2
153	An antiferromagnet as a tunable single-phase elastic hyperbolic medium with spatial dispersion. Low Temperature Physics, 2020, 46, 824-829.	0.2	2
154	Functional Fatigue of Ni-Mn-Ga and Ni-Ti Alloys with the Shape Memory Effect in Thermocycling Conditions under a Constant Stress. Technical Physics, 2020, 65, 578-583.	0.2	2
155	Resonant Polariton Effects in a Structure of Equidistant Layers of a Single-Phase Hyperbolic Medium with Spatial Dispersion. JETP Letters, 2020, 111, 311-319.	0.4	2
156	Elastic Dipole Mechanism of the Formation and Collapse of Fano Resonances at the Transmission of Transverse Phonons through Layered Magnetic Heterostructures. JETP Letters, 2020, 112, 420-427.	0.4	2
157	Current Status and Prospects for the Development of the Integrated Transit Transport System (ITTS) of Russia on the Basis of Vacuum Magnetic Levitation Transport (VMLT). Transportation Systems and Technology, 2019, 5, 25-62.	0.4	2
158	The observation of the contribution of longitudinal susceptibility to the frequency of the soft magnetoresonance mode in SmFeO ₃ . Journal of Experimental and Theoretical Physics, 2001, 92, 634-642.	0.2	1
159	Static and dynamic properties of a ferrite-garnet film in the neighborhood of orientational phase transitions. Journal of Experimental and Theoretical Physics, 2002, 95, 106-113.	0.2	1
160	Reflection and refraction of acoustic waves from the insulator-magnetoacoustic material interface. Technical Physics, 2003, 48, 893-900.	0.2	1
161	Effect of the structure of the Ni _{2.14} Mn _{0.81} Fe _{0.05} Ga alloy on the temperature dependence of magnetization. Doklady Physics, 2005, 50, 28-31.	0.2	1
162	Thermal Expansion of a Ni _[sub 2.14] Mn _[sub 0.81] Fe _[sub 0.05] Ga Alloy in Coarse-Grained, Submicron, and Nanocrystalline States. Physics of the Solid State, 2005, 47, 1944.	0.2	1

#	ARTICLE	IF	CITATIONS
163	Electric-field-induced features of propagation and localization of S-polaritons in a gyrotropic 1D magnetic photonic crystal. Bulletin of the Russian Academy of Sciences: Physics, 2009, 73, 959-961.	0.1	1
164	Two-way shape memory in a nanoscale sample of Ti _{49.5} Ni _{25.5} Cu _{25.0} alloy with a partially ordered structure. Bulletin of the Russian Academy of Sciences: Physics, 2009, 73, 1076-1078.	0.1	1
165	Magnetoelastic wave tunneling via a gap between ferroelectric crystals with relative longitudinal displacement. Technical Physics Letters, 2009, 35, 876-878.	0.2	1
166	Reflection and refraction of acoustic waves at the insulator-ferromagnetic heusler alloy boundary. Physics of Metals and Metallography, 2010, 110, 131-143.	0.3	1
167	Anomalies in the polariton dynamics of a one-dimensional magnetic photonic crystal with antiferromagnetic interlayer ordering in an external DC electric field. Journal of Experimental and Theoretical Physics, 2010, 110, 280-295.	0.2	1
168	Effects of a constant electric field in the polariton spectrum of a 1D magnetic photonic crystal with antiferromagnetic interlayer exchange. Bulletin of the Russian Academy of Sciences: Physics, 2010, 74, 717-720.	0.1	1
169	Relationships between the magnetic structure parity of an easy-axis antiferromagnet and the refraction mode of electromagnetic waves of the TM and TE types. Bulletin of the Russian Academy of Sciences: Physics, 2012, 76, 128-131.	0.1	1
170	Josephson plasmons in a long S-I-S tunnel junction with quantum jumpers in a disordered I layer. Bulletin of the Russian Academy of Sciences: Physics, 2012, 76, 749-750.	0.1	1
171	The elimination method applied to analyze wave propagation in multilayer media with randomly distributed layer parameters. Journal of Communications Technology and Electronics, 2013, 58, 1103-1112.	0.2	1
172	Investigating RF and microwave nonlinear magnetoelastic interactions in a three-layer structure. Bulletin of the Russian Academy of Sciences: Physics, 2013, 77, 1258-1261.	0.1	1
173	An algorithm for determination of the amplitudes of external and internal waves in the case of counterpropagating waves incident on a multilayer structure with a step inhomogeneity. Journal of Communications Technology and Electronics, 2013, 58, 12-22.	0.2	1
174	Elasto-dipolar magnons—a new class of nonexchange spin-wave excitations. JETP Letters, 2014, 100, 319-323.	0.4	1
175	Peculiarities of the resonant transmission of a TM (TE) wave through an antiferromagnet plate in crossed dc magnetic and electric fields. Low Temperature Physics, 2014, 40, 49-57.	0.2	1
176	Monte Carlo Modelling of Two Dimensional Multiferroics. Solid State Phenomena, 2015, 233-234, 379-382.	0.3	1
177	Structure and morphology of the Zn _x Mg _{1-x} O nanowires studied using shape memory composite nano-tweezers. , 2015, , .		1
178	Hypersound Excitation in the Ferrite Plate by Impulse Magnetization Reversal. Solid State Phenomena, 0, 233-234, 480-484.	0.3	1
179	The role of elastic dissipation in the formation of magnetization precession in magnetoelastic medium. Technical Physics Letters, 2015, 41, 1023-1025.	0.2	1
180	Evanescent wave intensification in surface spin-wave acoustics and magnetic/nonmagnetic interface electrodynamics. Bulletin of the Russian Academy of Sciences: Physics, 2015, 79, 712-714.	0.1	1

#	ARTICLE	IF	CITATIONS
181	Magnetostrictive hypersound generation by spiral magnets in the vicinity of magnetic field induced phase transition. Journal of Magnetism and Magnetic Materials, 2016, 417, 75-79.	1.0	1
182	Waves Generation by Spiral Magnets at Phase Transitions. Materials Science Forum, 2016, 845, 185-188.	0.3	1
183	Solid State Cooling Based on Elastocaloric Effect in Latex Rubber. Materials Science Forum, 2016, 845, 73-76.	0.3	1
184	Magneto-optical methods for analysis of nanothick magnetodielectric films. Journal of Communications Technology and Electronics, 2017, 62, 78-82.	0.2	1
185	New mechanism of surface polariton resonance at an isolated interface between transparent dielectric media (non-Tamm quasistationary surface polariton states). JETP Letters, 2017, 106, 103-109.	0.4	1
186	Additional Nonreciprocity Effects in the Magneto-Optics of Asymmetric Layer Structures. JETP Letters, 2018, 108, 384-390.	0.4	1
187	Propagation of Magnetostatic Surface Waves in a Dissipative Ferrite Plate. Journal of Communications Technology and Electronics, 2018, 63, 1035-1041.	0.2	1
188	Fundamental Limitations on Miniaturization of Shape-Memory Micromechanical Devices. Thermoelastic Martensite Transformation on Micro-, Nano-, and Mesoscales. Journal of Communications Technology and Electronics, 2018, 63, 468-475.	0.2	1
189	Forced Nonlinear Precession of the Second-Order Magnetization in a Magnetoelastic Material. Journal of Communications Technology and Electronics, 2019, 64, 41-51.	0.2	1
190	Dimensional Magnetoacoustic Effects in Resonant Scattering of Longitudinal Phonons by a Layered Magnetic Structure. JETP Letters, 2021, 113, 477-486.	0.4	1
191	Surface Energy upon the Martensitic Phase Transition in Microsized Samples of Ni ^{1-x} Mn ^x Ga ^{1-x} Cu Heusler Alloy. Bulletin of the Russian Academy of Sciences: Physics, 2021, 85, 751-754.	0.1	1
192	Electromagnetic Radiation at an Impact Magnetization Change under the Effect of a Femtosecond Light Pulse. Technical Physics Letters, 2021, 47, 580-582.	0.2	1
193	Evgenii Akimovich Turov (on his 70th birthday). Physics-Uspexhi, 1994, 37, 321-322.	0.8	0
194	Magnetostatic surface waves produced by an inhomogeneity of the anisotropy with a turning point of the spectral function on a ferromagnet surface. Technical Physics, 1998, 43, 720-725.	0.2	0
195	Magnetostatic analog of Love surface elastic waves. Technical Physics, 1998, 43, 1213-1218.	0.2	0
196	Observation of a dipole contribution to the magneto-resonant soft mode in Fe ₃ BO ₆ . JETP Letters, 1999, 70, 358-362.	0.4	0
197	On the interaction of a shear wave with a moving domain wall in a nonlinear response of the spin subsystem. Physics of the Solid State, 2000, 42, 1081-1086.	0.2	0
198	Interaction of a shear wave with a moving domain wall in an iron garnet crystal. Acoustical Physics, 2001, 47, 160-168.	0.2	0

#	ARTICLE	IF	CITATIONS
199	A noncollinear shear surface wave on a moving domain boundary in a ferromagnet. Technical Physics Letters, 2001, 27, 728-730.	0.2	0
200	Efficiency of shear surface wave transformation by the motion of the confining domain wall. Technical Physics, 2003, 48, 354-360.	0.2	0
201	Ultrasonic piezoceramic transducers with a magnetoacoustic layer. Technical Physics Letters, 2004, 30, 1005-1008.	0.2	0
202	Reflection and refraction of acoustic waves at the boundary between a Heusler ferromagnetic alloy and dielectric. Physics of Metals and Metallography, 2006, 101, 524-537.	0.3	0
203	Shear magnetoelastic modes in a ferromagnetic cylinder. Acoustical Physics, 2006, 52, 194-199.	0.2	0
204	Reflection and refraction of acoustic waves at the boundary between the ferromagnetic Heusler alloy and liquid. Physics of Metals and Metallography, 2008, 106, 115-126.	0.3	0
205	Magnetic shape memory and giant magnetocaloric effect in Heusler alloys. Bulletin of the Russian Academy of Sciences: Physics, 2008, 72, 527-528.	0.1	0
206	Ordering, martensitic transformation, and shape memory effect in submicron samples of rapidly quenched Ni ₅₀ Ti ₂₅ Cu ₂₅ alloy. Bulletin of the Russian Academy of Sciences: Physics, 2009, 73, 1079-1081.	0.1	0
207	Reflection of elastic waves in a crystal of Heusler alloy Ni ₂ MnGa in the phase transition range. Technical Physics, 2009, 54, 82-88.	0.2	0
208	Tunneling of magnetoacoustic waves through a gap in ferromagnetic crystals with a relative longitudinal displacement. Physics of the Solid State, 2011, 53, 504-509.	0.2	0
209	Dynamics of a magnetic domain system upon parametric excitation. Bulletin of the Russian Academy of Sciences: Physics, 2011, 75, 187-189.	0.1	0
210	Structure of rapidly quenched Ga ^δ -free Heusler alloys. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 2281-2283.	0.8	0
211	Enhancing evanescent wave intensity in a ferroelectrics plate (Kretschmann geometry). Bulletin of the Russian Academy of Sciences: Physics, 2013, 77, 268-270.	0.1	0
212	Oxides of 3d transition metals as sources for electromagnetic and acoustic metamaterials. Bulletin of the Russian Academy of Sciences: Physics, 2013, 77, 301-304.	0.1	0
213	Theoretical Study of Magnetic Properties and Multiple Twin Boundary Motion in Heusler Ni-Mn-X Shape Memory Alloys Using First Principles and Monte Carlo Method. Materials Science Forum, 0, 738-739, 461-467.	0.3	0
214	Impact of a DC magnetic field on evanescent wave intensity amplification for a magnetocompensated antiferromagnet. Bulletin of the Russian Academy of Sciences: Physics, 2013, 77, 1262-1264.	0.1	0
215	Electromagnetic waves reflectance from TbMnO ₃ with sinusoidal antiferromagnetic structure. IOP Conference Series: Materials Science and Engineering, 2013, 44, 012014.	0.3	0
216	Controlling the speed of electromagnetic waves in TbMnO ₃ in the sinusoidal antiferromagnetic phase by means of an external magnetic field. Bulletin of the Russian Academy of Sciences: Physics, 2014, 78, 249-252.	0.1	0

#	ARTICLE	IF	CITATIONS
217	Reflection of electromagnetic waves from the layered structure of a high-temperature superconductor-multiferroic with cycloidal antiferromagnetic structure. Bulletin of the Russian Academy of Sciences: Physics, 2014, 78, 748-750.	0.1	0
218	External electric field effects in the resonant propagation of a TM- or TE-Type wave through an orthoferrite plate under the conditions of a Morin-type phase transition. Bulletin of the Russian Academy of Sciences: Physics, 2014, 78, 278-280.	0.1	0
219	Influence of the magnetic structure parity on conditions of the electromagnetic transparency of an antiferromagnetic plate. Bulletin of the Russian Academy of Sciences: Physics, 2015, 79, 786-788.	0.1	0
220	Magnetoelastic rearrangement of the spectrum of surface phonons in a piezomagnetic crystal. JETP Letters, 2015, 100, 737-741.	0.4	0
221	Exchangeless magnetoelectric magnons: A new class of mixed hybrid dipole waves. JETP Letters, 2016, 103, 522-530.	0.4	0
222	Simulation of the Electric Current Flow in Amorphous-Crystalline $Ti_{2-x}NiCu$ Alloy with Shape Memory Effect. Materials Science Forum, 2016, 845, 146-149.	0.3	0
223	Deciphering $M-T$ diagram of shape memory Heusler alloys: reentrance, plateau and beyond. Philosophical Magazine Letters, 2016, 96, 375-382.	0.5	0
224	Magnetic Speckle-Pattern Rotation in Gyrotropic Low-Mode Optical Fiber Coated by Conductive Nanoshell. Materials Science Forum, 2016, 845, 207-210.	0.3	0
225	A vector model of wave propagation through an interface of dissipative media. Journal of Communications Technology and Electronics, 2016, 61, 234-242.	0.2	0
226	Interface between an optically isotropic medium and a one-dimensional magnetoelectric photonic crystal as a controlled frequency-selective surface. Bulletin of the Russian Academy of Sciences: Physics, 2016, 80, 529-532.	0.1	0
227	Role of elastic dissipation in the formation of the resonant properties of magnetization precession in the magnetoelastic environment. Journal of Communications Technology and Electronics, 2017, 62, 389-405.	0.2	0
228	Anomalies in the reflection of an electromagnetic wave from the surface of a ferromagnet in a constant external electric field. Bulletin of the Russian Academy of Sciences: Physics, 2017, 81, 348-350.	0.1	0
229	Structure and thermomechanical properties of fast-quenched Ti_2NiCu alloy ribbons with various crystalline phase fractions obtained by means of annealing by electric current. Journal of Communications Technology and Electronics, 2017, 62, 1018-1026.	0.2	0
230	Magnetostriction of $(YSmLuCa)_3(FeGa)_5O_{12}$ Garnet Films by the Low-Frequency Magnetic Susceptibility Method. Physics of the Solid State, 2018, 60, 2457-2459.	0.2	0
231	First-Order Nonspecular Effects Induced by an External Electric Field at the Normal Incidence of a Quasiparallel Wave on a Gyrotropic Dielectric Layer. JETP Letters, 2018, 107, 289-296.	0.4	0
232	Field-Controlled Surface Polariton Resonance for a Secluded Interface of Transparent Dielectrics. Bulletin of the Russian Academy of Sciences: Physics, 2018, 82, 581-584.	0.1	0
233	Delay Effect for Pulsed Excitation of Actuator Based on Rapidly Quenched Ti_2NiCu Alloy with Thermoelastic Martensitic Transformation. Physics of the Solid State, 2018, 60, 1190-1194.	0.2	0
234	Surface Mode in a Spin-Wave Resonance Spectrum of $La_{0.67}Ca_{0.33}MnO_3$ Manganite Film with Elastic Deformation. Physics of the Solid State, 2019, 61, 1187-1190.	0.2	0

#	ARTICLE	IF	CITATIONS
235	Multiplicative Frequency Conversion in a Scheme of Magnetostrictive Transducer. Frequency Multiplication in the Continuous Regime. Journal of Communications Technology and Electronics, 2019, 64, 608-621.	0.2	0
236	Nonspecular Effects That Occur as a Quasi-Plane Wave Passes through a Finite Photonic Crystal with an Asymmetric Polariton Spectrum. Bulletin of the Russian Academy of Sciences: Physics, 2019, 83, 697-700.	0.1	0
237	Magnetostatic Energy of Domain Walls in Uniaxial Films of Finite Sizes. Physics of the Solid State, 2019, 61, 1720-1726.	0.2	0
238	Multiplicative Frequency Conversion in a Scheme of Magnetostrictive Transducer. Frequency Multiplication in the Relaxation Regime. Journal of Communications Technology and Electronics, 2019, 64, 492-502.	0.2	0
239	Nonlinear Delay of Excitation of Oscillations of a Magnetostriction Transducer in the Frequency Multiplication Mode. Journal of Communications Technology and Electronics, 2021, 66, 980-988.	0.2	0
240	Thermomechanical Properties of Ni50Ti50 Alloy after ECAE and High-Pressure Torsion. Metal Science and Heat Treatment, 2021, 63, 258-263.	0.2	0
241	10.1007/s11487-008-1011-9. , 2010, 53, 90.		0
242	Negative Goos-Hanchen Shift at the Interface of a Multisublattice Antiferroelectric. Physics of the Solid State, 2020, 62, 761-764.	0.2	0
243	Interference Amplification of Evanescent Waves in a Layered Structure with the Participation of a Hyperbolic Medium. Bulletin of the Russian Academy of Sciences: Physics, 2020, 84, 1579-1581.	0.1	0
244	Shock Excitation of the Magnetization Oscillations in a Magnetoelastic Medium by Complex-Shaped Elastic Pulses. Journal of Communications Technology and Electronics, 2021, 66, 1282-1288.	0.2	0
245	Distribution of Mn ²⁺ Manganese Ions in a Single Crystal of the Lithium-Gallium Li _{0.5} Ga _{2.5} O ₄ Spinel. Physics of the Solid State, 2021, 63, 650-653.	0.2	0
246	New Type of "Dark" States in the Spectrum of Radiative Magnon Polarons. JETP Letters, 2022, 115, 84-92.	0.4	0
247	A Test Machine for Studying the Thermomechanical Properties of Shape Memory Alloy Microwires. Instruments and Experimental Techniques, 2022, 65, 128-131.	0.1	0
248	Preparation and chemical/physical characterization of individual nanoscaled fibrils. Nanoscience and Nanotechnology - Asia, 2022, 12, .	0.3	0
249	Study of Electrical and Structural Parameters of Shungite Using Data of Electro-Force Spectroscopy. Journal of Communications Technology and Electronics, 2022, 67, 171-177.	0.2	0