
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7603427/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Health-related quality of life in older patients with HER2+ metastatic breast cancer: Comparing pertuzumab plus trastuzumab with or without metronomic chemotherapy in a randomised open-label phase II clinical trial. Journal of Geriatric Oncology, 2022, 13, 582-593.	1.0	4
2	Real-world evidence of the management and prognosis of young women (⩽40 years) with de novo metastatic breast cancer. Therapeutic Advances in Medical Oncology, 2022, 14, 175883592110703.	3.2	4
3	Impact of lobular versus ductal histology on overall survival in metastatic breast cancer: a French retrospective multicentre cohort study. European Journal of Cancer, 2022, 164, 70-79.	2.8	14
4	Geriatric impairments were directly and indirectly associated with mortality in older patients with cancer: a structural equation analysis. Journal of Clinical Epidemiology, 2022, 148, 17-26.	5.0	4
5	Long term outcome data from the EORTC 75111-10114 ETF/BCG randomized phase II study: Pertuzumab and trastuzumab with or without metronomic chemotherapy for older patients with HER2-positive metastatic breast cancer, followed by T-DM1 after progression. Breast, 2022, 64, 100-111.	2.2	5
6	Chemotherapy and gene expression profiling in older early luminal breast cancer patients: An International Society of Geriatric Oncology systematic review. European Journal of Cancer, 2022, 172, 158-170.	2.8	4
7	Efficacy of Circulating Tumor Cell Count–Driven vs Clinician-Driven First-line Therapy Choice in Hormone Receptor–Positive, ERBB2-Negative Metastatic Breast Cancer. JAMA Oncology, 2021, 7, 34.	7.1	92
8	Impact of body mass index on overall survival in patients with metastatic breast cancer. Breast, 2021, 55, 16-24.	2.2	17
9	Molecular features of untreated breast cancer and initial metastatic event inform clinical decision-making and predict outcome: long-term results of ESOPE, a single-arm prospective multicenter study. Genome Medicine, 2021, 13, 44.	8.2	13
10	Phenotypic discordance between primary and metastatic breast cancer in the large-scale real-life multicenter French ESME cohort. Npj Breast Cancer, 2021, 7, 41.	5.2	33
11	New Frontiers for Fairer Breast Cancer Care in a Globalized World. The Journal of Breast Health, 2021, 17, 86-94.	1.0	3
12	The SIOG COVID-19 working group recommendations on the rollout of COVID-19 vaccines among older adults with cancer. Journal of Geriatric Oncology, 2021, 12, 848-850.	1.0	11
13	Heterogeneity of bone metastases as an important prognostic factor in patients affected by oestrogen receptor-positive breast cancer. The role of combined [18F]Fluoroestradiol PET/CT and [18F]Fluorodeoxyglucose PET/CT. European Journal of Radiology, 2021, 141, 109821.	2.6	19
14	Trastuzumab for early-stage, HER2-positive breast cancer: a meta-analysis of 13â€^864 women in seven randomised trials. Lancet Oncology, The, 2021, 22, 1139-1150.	10.7	147
15	Treatment and outcomes of older versus younger women with HER2-positive metastatic breast cancer in the real-world national ESME database. Breast, 2021, 60, 138-146.	2.2	5
16	Clinical utility of circulating tumour cell-based monitoring of late-line chemotherapy for metastatic breast cancer: the randomised CirCeO1 trial. British Journal of Cancer, 2021, 124, 1207-1213.	6.4	31
17	Tumors: Breast. , 2021, , 5215-5222.		0
18	Prognostic Value of Routinely Measured Inflammatory Biomarkers in Older Cancer Patients: Pooled Analysis of Three Cohorts. Cancers, 2021, 13, 6154.	3.7	4

#	Article	IF	CITATIONS
19	Reference values for the EORTC QLQ-C30 in early and metastatic breast cancer. European Journal of Cancer, 2020, 125, 69-82.	2.8	36
20	Treatment and outcomes in patients with central nervous system metastases from breast cancer in the real-life ESME MBC cohort. European Journal of Cancer, 2020, 125, 22-30.	2.8	31
21	VEGF-Related Germinal Polymorphisms May Identify a Subgroup of Breast Cancer Patients with Favorable Outcome under Bevacizumab-Based Therapy—A Message from COMET, a French Unicancer Multicentric Study. Pharmaceuticals, 2020, 13, 414.	3.8	6
22	Trastuzumab Emtansine Plus Non-Pegylated Liposomal Doxorubicin in HER2-Positive Metastatic Breast Cancer (Thelma): A Single-Arm, Multicenter, Phase Ib Trial. Cancers, 2020, 12, 3509.	3.7	7
23	Real-world Evaluation of Oral Vinorelbine in the Treatment of Metastatic Breast Cancer: An ESME-MBC Study. Anticancer Research, 2020, 40, 3905-3913.	1.1	5
24	Circulating Tumor DNA Genomics Reveal Potential Mechanisms of Resistance to BRAF-Targeted Therapies in Patients with <i>BRAF</i> -Mutant Metastatic Non–Small Cell Lung Cancer. Clinical Cancer Research, 2020, 26, 6242-6253.	7.0	23
25	Plasma thymidine kinase 1 activity and outcome of ER+ HER2â^' metastatic breast cancer patients treated with palbociclib and endocrine therapy. Breast Cancer Research, 2020, 22, 98.	5.0	16
26	Impact of BRCA Mutation Status on Tumor Infiltrating Lymphocytes (TILs), Response to Treatment, and Prognosis in Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. Cancers, 2020, 12, 3681.	3.7	13
27	Contemporary outcomes of metastatic breast cancer among 22,000 women from the multicentre ESME cohort 2008–2016. European Journal of Cancer, 2020, 129, 60-70.	2.8	103
28	Taking care of older patients with cancer in the context of COVID-19 pandemic. Lancet Oncology, The, 2020, 21, e236.	10.7	13
29	Early-Stage Breast Cancer in Older Adults. , 2020, , 633-642.		0
30	Perspectives on cancer care in older patients in France. Ecancermedicalscience, 2020, 14, 1103.	1.1	1
31	Management and outcome of male metastatic breast cancer in the national multicenter observational research program Epidemiological Strategy and Medical Economics (ESME). Therapeutic Advances in Medical Oncology, 2020, 12, 175883592098054.	3.2	1
32	Tumors: Breast. , 2020, , 1-8.		0
33	Interaction between Molecular Subtypes and Stromal Immune Infiltration before and after Treatment in Breast Cancer Patients Treated with Neoadjuvant Chemotherapy. Clinical Cancer Research, 2019, 25, 6731-6741.	7.0	53
34	UCBG 2-04: Long-term results of the PACS 04 trial evaluating adjuvant epirubicin plus docetaxel in node-positive breast cancer and trastuzumab in the human epidermal growth factor receptor 2–positive subgroup. European Journal of Cancer, 2019, 122, 91-100.	2.8	8
35	Impact of breast cancer molecular subtypes on the incidence, kinetics and prognosis of central nervous system metastases in a large multicentre real-life cohort. British Journal of Cancer, 2019, 121, 991-1000.	6.4	113
36	HER2-targeted treatment for older patients with breast cancer: An expert position paper from the International Society of Geriatric Oncology. Journal of Geriatric Oncology, 2019, 10, 1003-1013.	1.0	40

#	Article	IF	CITATIONS
37	Celecoxib With Neoadjuvant Chemotherapy for Breast Cancer Might Worsen Outcomes Differentially by COX-2 Expression and ER Status: Exploratory Analysis of the REMAGUS02 Trial. Journal of Clinical Oncology, 2019, 37, 624-635.	1.6	35
38	Actionability of HER2-amplified circulating tumor cells in HER2-negative metastatic breast cancer: the CirCe T-DM1 trial. Breast Cancer Research, 2019, 21, 121.	5.0	42
39	Are Older Patients with Cervical Cancer Managed Differently to Younger Patients? An International Survey. Cancers, 2019, 11, 1955.	3.7	7
40	Preferences for surrogate designation and decision-making process in older versus younger adults with cancer: A comparative cross-sectional study. Patient Education and Counseling, 2019, 102, 429-435.	2.2	1
41	Early-Stage Breast Cancer in Older Adults. , 2019, , 1-10.		0
42	Time trends of overall survival among metastatic breast cancer patients in the real-life ESME cohort. European Journal of Cancer, 2018, 96, 17-24.	2.8	211
43	Pertuzumab and trastuzumab with or without metronomic chemotherapy for older patients with HER2-positive metastatic breast cancer (EORTC 75111-10114): an open-label, randomised, phase 2 trial from the Elderly Task Force/Breast Cancer Group. Lancet Oncology, The, 2018, 19, 323-336.	10.7	94
44	Alterations in comprehensive geriatric assessment decrease survival of elderly patients with cancer. European Journal of Cancer, 2018, 90, 10-18.	2.8	30
45	Addressing heterogeneity in the design of phase II clinical trials in geriatric oncology. European Journal of Cancer, 2018, 103, 120-126.	2.8	8
46	AIPAC (Active Immunotherapy PAClitaxel): A randomized, double blind, placebo controlled, multinational phase IIb trial evaluating the efficacy of eftilagimod alpha (a soluble LAG-3 fusion) Tj ETQq0 0 0 rgE	BT /Overloo	ck 10 Tf 50 3
	Journal of Clinical Oncology, 2018, 36, TPS1109-TPS1109.		
47	Long-term outcome of the REMAGUS 02 trial, a multicenter randomised phase II trial in locally advanced breast cancerÂpatients treated with neoadjuvant chemotherapy with or without celecoxib or trastuzumab according to HER2 status. European Journal of Cancer, 2017, 75, 323-332.	2.8	22
48	Optimal duration of adjuvant chemotherapy for high-risk node-negative (N–) breast cancer patients: 6-year results of the prospective randomised multicentre phase III UNICANCER-PACS 05 trial (UCBG-0106). European Journal of Cancer, 2017, 79, 166-175.	2.8	5
49	First-in-man phase I study assessing the safety and pharmacokinetics of a 1-hour intravenous infusion of the doxorubicin prodrug DTS-201 every 3 weeks in patients with advanced or metastatic solid tumours. European Journal of Cancer, 2017, 86, 240-247.	2.8	14
50	Identifying critical steps towards improved access to innovation in cancer care: a European CanCer Organisation position paper. European Journal of Cancer, 2017, 82, 193-202.	2.8	25
51	4th symposium on primary breast cancer in older women. Theme: putting personalized care into practice (Held: 3 March 2017). Breast Cancer Management, 2017, 6, 33-53.	0.2	0
52	A call for specific geriatric data on cervical cancers. Future Oncology, 2016, 12, 1101-1104.	2.4	0
53	70-Gene Signature as an Aid to Treatment Decisions in Early-Stage Breast Cancer. New England Journal of Medicine, 2016, 375, 717-729.	27.0	1,427
54	Taxanes in the treatment of breast cancer: Have we better defined their role in older patients? A position paper from a SIOG Task Force. Cancer Treatment Reviews, 2016, 43, 19-26.	7.7	51

#	Article	IF	CITATIONS
55	Patients' preferences for subcutaneous trastuzumab versus conventional intravenous infusion for the adjuvant treatment of HER2-positive early breast cancer: final analysis of 488 patients in the international, randomized, two-cohort PrefHer study. Annals of Oncology, 2014, 25, 1979-1987.	1.2	122
56	International Society of Geriatric Oncology Consensus on Geriatric Assessment in Older Patients With Cancer. Journal of Clinical Oncology, 2014, 32, 2595-2603.	1.6	1,380
57	Breast cancer in older women: predicting adjuvant benefit. Lancet Oncology, The, 2014, 15, 672-674.	10.7	1
58	Management of elderly patients with breast cancer: updated recommendations of the International Society of Geriatric Oncology (SIOG) and European Society of Breast Cancer Specialists (EUSOMA). Lancet Oncology, The, 2012, 13, e148-e160.	10.7	505
59	A multicenter randomized phase II study of sequential epirubicin/cyclophosphamide followed by docetaxel with or without celecoxib or trastuzumab according to HER2 status, as primary chemotherapy for localized invasive breast cancer patients. Breast Cancer Research and Treatment, 2010. 122. 429-437.	2.5	99