

Camille Le Ray

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7607921/publications.pdf>

Version: 2024-02-01

57
papers

1,150
citations

516710

16
h-index

414414

32
g-index

61
all docs

61
docs citations

61
times ranked

1020
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in perinatal health in metropolitan France from 1995 to 2016: Results from the French National Perinatal Surveys. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017, 46, 701-713.	1.3	272
2	When to stop pushing: effects of duration of second-stage expulsion efforts on maternal and neonatal outcomes in nulliparous women with epidural analgesia. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 361.e1-361.e7.	1.3	159
3	Stabilising the caesarean rate: which target population?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 690-699.	2.3	68
4	Manual Rotation to Decrease Operative Delivery in Posterior or Transverse Positions. <i>Obstetrics and Gynecology</i> , 2013, 122, 634-640.	2.4	50
5	Study protocol. TRAAP - TRANexamic Acid for Preventing postpartum hemorrhage after vaginal delivery: a multicenter randomized, double-blind, placebo-controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 135.	2.4	46
6	The risk of prelabor and intrapartum cesarean delivery among overweight and obese women: possible preventive actions. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 241.e1-241.e9.	1.3	37
7	Lateral asymmetric decubitus position for the rotation of occipito-posterior positions: multicenter randomized controlled trial EVADELA. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 511.e1-511.e7.	1.3	33
8	Labour induction practices in France: A population-based declarative survey in 94 maternity units. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2018, 47, 57-62.	1.3	30
9	Is epidural analgesia a risk factor for occiput posterior or transverse positions during labour?. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 123, 22-26.	1.1	29
10	Duration of Expulsive Efforts and Risk of Postpartum Hemorrhage in Nulliparous Women: A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0142171.	2.5	23
11	Leiomyomatous uterus and preterm birth: an exposed/unexposed monocentric cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 219, 410.e1-410.e7.	1.3	23
12	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Guidelines short text. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017, 46, 539-543.	1.3	21
13	Oocyte donation recipients of very advanced age: perinatal complications for singletons and twins. <i>Fertility and Sterility</i> , 2017, 107, 89-96.	1.0	20
14	Continued pregnancy and vaginal delivery after 32 weeks of gestation for monoamniotic twins. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015, 194, 194-198.	1.1	19
15	Intraoperative adverse events associated with extremely preterm cesarean deliveries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 608-614.	2.8	18
16	Risk of severe maternal morbidity associated with in vitro fertilisation: a population-based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1033-1041.	2.3	18
17	Dissatisfaction of women with induction of labour according to parity: Results of a population-based cohort study. <i>Midwifery</i> , 2020, 84, 102663.	2.3	16
18	Is induction of labor a reasonable option for breech presentation?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 885-893.	2.8	15

#	ARTICLE	IF	CITATIONS
19	Prognostic Value of Umbilical and Cerebral Doppler in Fetal Growth Restriction: Comparison of Dichorionic Twins and Singletons. PLoS ONE, 2015, 10, e0123067.	2.5	14
20	Routine Third Trimester Ultrasound: What Is the Evidence?. Journal of Obstetrics and Gynaecology Canada, 2008, 30, 118-122.	0.7	13
21	Determinants of the use of nonpharmacological analgesia for labor pain management: a national population-based study. Pain, 2020, 161, 2571-2580.	4.2	13
22	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Chapter 2: Indications of oxytocin according the first and second stages of spontaneous labor. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 479-487.	1.3	12
23	Caesarean before labour between 34 and 37 weeks: What are the risk factors of severe neonatal respiratory distress?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 127, 56-60.	1.1	11
24	Increased risk of severe maternal morbidity in women with twin pregnancies resulting from oocyte donation. Human Reproduction, 2020, 35, 1922-1932.	0.9	11
25	Outcomes of pregnancies achieved by double gamete donation: A comparison with pregnancies obtained by oocyte donation alone. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 222, 1-6.	1.1	10
26	Update: Focus in-hospital maternal cardiac arrest. Journal of Gynecology Obstetrics and Human Reproduction, 2019, 48, 309-314.	1.3	10
27	Women and academic careers in obstetrics and gynaecology: aspirations and obstacles among postgraduate trainees – a mixed-methods study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 770-777.	2.3	10
28	Determinants of a good perinatal outcome in 588 pregnancies in women with type 1 diabetes. Diabetes and Metabolism, 2019, 45, 191-196.	2.9	9
29	Factors associated with neonatal hypoxic ischemic encephalopathy in infants with an umbilical artery pH less than 7.00. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 69-74.	1.1	9
30	Risk of cesarean after induction of labor in twin compared to singleton pregnancies. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 237, 68-73.	1.1	8
31	Fetal scalp blood sampling: Do pH and lactates provide the same information?. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101964.	1.3	8
32	Predictors of incomplete maternal satisfaction with neuraxial labor analgesia: A nationwide study. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100939.	1.4	8
33	Factors affecting rotation of occiput posterior position during the first stage of labor. Journal of Gynecology Obstetrics and Human Reproduction, 2018, 47, 119-125.	1.3	7
34	Comparison of effectiveness and safety of cervical ripening methods for induction of labour: A population-based study using coarsened exact matching. Paediatric and Perinatal Epidemiology, 2019, 33, 313-322.	1.7	7
35	Frequency and determinants of misuse of augmentation of labor in France: A population-based study. PLoS ONE, 2021, 16, e0246729.	2.5	7
36	Fetal Transfusion of Red Blood Cells for Alloimmunization: Validity of a Published Equation. Fetal Diagnosis and Therapy, 2009, 25, 379-384.	1.4	6

#	ARTICLE	IF	CITATIONS
37	Impact of national guidelines on the cesarean delivery rate in France: A 2010–2016 comparison using the Robson classification. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 252, 359-365.	1.1	6
38	Mortality and morbidity of preterm neonates weighing less than 750 g: A 2-year retrospective cohort study. <i>Archives De Pédiatrie</i> , 2020, 27, 227-232.	1.0	6
39	A core outcome set development for a French national prospective study about the effect of mediolateral episiotomy on obstetric anal sphincter injury during operative vaginal delivery (INSTRUMODA). <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 251.	2.4	6
40	Methods of induction of labor and women's experience: a population-based cohort study with mediation analyses. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 621.	2.4	6
41	Maternal characteristics associated with gestational weight gain in France: a population-based, nationally representative study. <i>BMJ Open</i> , 2021, 11, e049497.	1.9	5
42	Contemporary duration of spontaneous labor and association with maternal characteristics: A French national population-based study. <i>Birth</i> , 2021, 48, 86-95.	2.2	5
43	Evaluation of the implementation of a protocol for the restrictive use of oxytocin during spontaneous labor. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2020, 49, 101664.	1.3	4
44	Impact of the COVID-19 pandemic on induced abortions in France in 2020. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 739-741.e1.	1.3	4
45	Prediction of successful labor induction with very unfavorable cervix: A comparison of six scores. <i>International Journal of Gynecology and Obstetrics</i> , 2023, 160, 53-58.	2.3	4
46	Perinatal morbidity and mortality in dichorionic twin pregnancies according to the mode of conception. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 440-442.	1.3	3
47	Association between hospitals' cesarean delivery rates for breech presentation and their success rates for external cephalic version. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022, 270, 156-163.	1.1	3
48	Authors' reply re: Stabilising the caesarean rate: which target population?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1713-1714.	2.3	2
49	Target populations to reduce cesarean rates after induced labor: A national population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 406-412.	2.8	2
50	Term prelabor rupture of the membranes with unfavorable cervix: Frequency and factors associated with spontaneous onset of labor after two days of expectant management. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2022, 51, 102270.	1.3	2
51	Benefits of the «en caul» technique for extremely preterm breech vaginal delivery. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2022, 51, 102284.	1.3	2
52	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Introduction and methodology. <i>Journal of Gynecology Obstetrics and Human Reproduction</i> , 2017, 46, 465-467.	1.3	1
53	OC186: Intravascular intrauterine transfusions for red cell alloimmunization: Accuracy and improvement of a formula used in a Canadian tertiary center. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 304-304.	1.7	0
54	OP15.05: «Routine versus indicated third trimester ultrasound»: Is a randomized trial feasible?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 360-361.	1.7	0

#	ARTICLE	IF	CITATIONS
55	P33.15: Imaging help for the management of an abdominal pregnancy. Ultrasound in Obstetrics and Gynecology, 2008, 32, 426-427.	1.7	0
56	In Reply. Obstetrics and Gynecology, 2019, 134, 1363-1364.	2.4	0
57	Duration of second stage of labor and factors associated with prolonged second stage: A national population-based study in France. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 273, 12-19.	1.1	0