
Camille Le Ray

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7607921/publications.pdf Version: 2024-02-01



CAMILLELERAY

#	Article	IF	CITATIONS
1	Prediction of successful labor induction with very unfavorable cervix: A comparison of six scores. International Journal of Gynecology and Obstetrics, 2023, 160, 53-58.	2.3	4
2	Perinatal morbidity and mortality in dichorionic twin pregnancies according to the mode of conception. American Journal of Obstetrics and Gynecology, 2022, 226, 440-442.	1.3	3
3	Term prelabor rupture of the membranes with unfavorable cervix: Frequency and factors associated with spontaneous onset of labor after two days of expectant management. Journal of Gynecology Obstetrics and Human Reproduction, 2022, 51, 102270.	1.3	2
4	Benefits of the «en caul» technique for extremely preterm breech vaginal delivery. Journal of Gynecology Obstetrics and Human Reproduction, 2022, 51, 102284.	1.3	2
5	Impact of the COVID-19 pandemic on induced abortions in France in 2020. American Journal of Obstetrics and Gynecology, 2022, 226, 739-741.e1.	1.3	4
6	Association between hospitals' cesarean delivery rates for breech presentation and their success rates for external cephalic version. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 270, 156-163.	1.1	3
7	Duration of second stage of labor and factors associated with prolonged second stage: A national population-based study in France. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 273, 12-19.	1.1	0
8	Fetal scalp blood sampling: Do pH and lactates provide the same information?. Journal of Gynecology Obstetrics and Human Reproduction, 2021, 50, 101964.	1.3	8
9	Frequency and determinants of misuse of augmentation of labor in France: A population-based study. PLoS ONE, 2021, 16, e0246729.	2.5	7
10	A core outcome set development for a French national prospective study about the effect of mediolateral episiotomy on obstetric anal sphincter injury during operative vaginal delivery (INSTRUMODA). BMC Pregnancy and Childbirth, 2021, 21, 251.	2.4	6
11	Maternal characteristics associated with gestational weight gain in France: a population-based, nationally representative study. BMJ Open, 2021, 11, e049497.	1.9	5
12	Methods of induction of labor and women's experience: a population-based cohort study with mediation analyses. BMC Pregnancy and Childbirth, 2021, 21, 621.	2.4	6
13	Predictors of incomplete maternal satisfaction with neuraxial labor analgesia: A nationwide study. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100939.	1.4	8
14	Contemporary duration of spontaneous labor and association with maternal characteristics: A French national populationâ€based study. Birth, 2021, 48, 86-95.	2.2	5
15	Target populations to reduce cesarean rates after induced labor: A national populationâ€based cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 406-412.	2.8	2
16	Evaluation of the implementation of a protocol for the restrictive use of oxytocin during spontaneous labor. Journal of Gynecology Obstetrics and Human Reproduction, 2020, 49, 101664.	1.3	4
17	Impact of national guidelines on the cesarean delivery rate in France: A 2010–2016 comparison using the Robson classification. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 359-365.	1.1	6
18	Determinants of the use of nonpharmacological analgesia for labor pain management: a national population-based study. Pain, 2020, 161, 2571-2580.	4.2	13

CAMILLE LE RAY

#	Article	IF	CITATIONS
19	Increased risk of severe maternal morbidity in women with twin pregnancies resulting from oocyte donation. Human Reproduction, 2020, 35, 1922-1932.	0.9	11
20	Dissatisfaction of women with induction of labour according to parity: Results of a population-based cohort study. Midwifery, 2020, 84, 102663.	2.3	16
21	Mortality and morbidity of preterm neonates weighing less than 750 g: A 2-year retrospective cohort study. Archives De Pediatrie, 2020, 27, 227-232.	1.0	6
22	Determinants of a good perinatal outcome in 588Âpregnancies in women with type 1 diabetes. Diabetes and Metabolism, 2019, 45, 191-196.	2.9	9
23	Comparison of effectiveness and safety of cervical ripening methods for induction of labour: A populationâ€based study using coarsened exact matching. Paediatric and Perinatal Epidemiology, 2019, 33, 313-322.	1.7	7
24	Factors associated with neonatal hypoxic ischemic encephalopathy in infants with an umbilical artery pH less than 7.00. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 236, 69-74.	1.1	9
25	Risk of cesarean after induction of labor in twin compared to singleton pregnancies. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 237, 68-73.	1.1	8
26	Update: Focus in-hospital maternal cardiac arrest. Journal of Gynecology Obstetrics and Human Reproduction, 2019, 48, 309-314.	1.3	10
27	ls induction of labor a reasonable option for breech presentation?. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 885-893.	2.8	15
28	Risk of severe maternal morbidity associated with inÂvitro fertilisation: a populationâ€based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 1033-1041.	2.3	18
29	In Reply. Obstetrics and Gynecology, 2019, 134, 1363-1364.	2.4	0
30	Women and academic careers in obstetrics and gynaecology: aspirations and obstacles among postgraduate trainees – a mixedâ€methods study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 770-777.	2.3	10
31	Intraoperative adverse events associated with extremely preterm cesarean deliveries. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 608-614.	2.8	18
32	Factors affecting rotation of occiput posterior position during the first stage of labor. Journal of Gynecology Obstetrics and Human Reproduction, 2018, 47, 119-125.	1.3	7
33	Labour induction practices in France: A population-based declarative survey in 94 maternity units. Journal of Gynecology Obstetrics and Human Reproduction, 2018, 47, 57-62.	1.3	30
34	Outcomes of pregnancies achieved by double gamete donation: A comparison with pregnancies obtained by oocyte donation alone. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 222, 1-6.	1.1	10
35	Leiomyomatous uterus and preterm birth: an exposed/unexposed monocentric cohort study. American Journal of Obstetrics and Gynecology, 2018, 219, 410.e1-410.e7.	1.3	23
36	Trends in perinatal health in metropolitan France from 1995 to 2016: Results from the French National Perinatal Surveys. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 701-713.	1.3	272

CAMILLE LE RAY

#	Article	IF	CITATIONS
37	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Chapter 2: Indications of oxytocin according the first and second stages of spontaneous labor. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 479-487.	1.3	12
38	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Introduction and methodology. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 465-467.	1.3	1
39	Oxytocin administration during spontaneous labor: Guidelines for clinical practice. Guidelines short text. Journal of Gynecology Obstetrics and Human Reproduction, 2017, 46, 539-543.	1.3	21
40	Oocyte donation recipients of very advanced age: perinatal complications for singletons and twins. Fertility and Sterility, 2017, 107, 89-96.	1.0	20
41	Lateral asymmetric decubitus position for the rotation of occipito-posterior positions: multicenter randomized controlled trial EVADELA. American Journal of Obstetrics and Gynecology, 2016, 215, 511.e1-511.e7.	1.3	33
42	Authors' reply re: Stabilising the caesarean rate: which target population?. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 1713-1714.	2.3	2
43	Duration of Expulsive Efforts and Risk of Postpartum Hemorrhage in Nulliparous Women: A Population-Based Study. PLoS ONE, 2015, 10, e0142171.	2.5	23
44	Continued pregnancy and vaginal delivery after 32 weeks of gestation for monoamniotic twins. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 194, 194-198.	1.1	19
45	Stabilising the caesarean rate: which target population?. BJOG: an International Journal of Obstetrics and Cynaecology, 2015, 122, 690-699.	2.3	68
46	Study protocol. TRAAP - TRAnexamic Acid for Preventing postpartum hemorrhage after vaginal delivery: a multicenter randomized, double-blind, placebo-controlled trial. BMC Pregnancy and Childbirth, 2015, 15, 135.	2.4	46
47	The risk of prelabor and intrapartum cesareanÂdelivery among overweight and obese women: possible preventive actions. American Journal of Obstetrics and Gynecology, 2015, 212, 241.e1-241.e9.	1.3	37
48	Prognostic Value of Umbilical and Cerebral Doppler in Fetal Growth Restriction: Comparison of Dichorionic Twins and Singletons. PLoS ONE, 2015, 10, e0123067.	2.5	14
49	Manual Rotation to Decrease Operative Delivery in Posterior or Transverse Positions. Obstetrics and Gynecology, 2013, 122, 634-640.	2.4	50
50	Fetal Transfusion of Red Blood Cells for Alloimmunization: Validity of a Published Equation. Fetal Diagnosis and Therapy, 2009, 25, 379-384.	1.4	6
51	When to stop pushing: effects of duration of second-stage expulsion efforts on maternal and neonatal outcomes in nulliparous women with epidural analgesia. American Journal of Obstetrics and Gynecology, 2009, 201, 361.e1-361.e7.	1.3	159
52	OC186: Intravascular intrauterine transfusions for red cell alloimmunization: Accuracy and improvement of a formula used in a Canadian tertiary center. Ultrasound in Obstetrics and Gynecology, 2008, 32, 304-304.	1.7	0
53	OP15.05: "Routine versus indicated third trimester ultrasound†Is a randomized trial feasible?. Ultrasound in Obstetrics and Gynecology, 2008, 32, 360-361.	1.7	Ο
54	P33.15: Imaging help for the management of an abdominal pregnancy. Ultrasound in Obstetrics and Gynecology, 2008, 32, 426-427.	1.7	0

#	Article	IF	CITATIONS
55	Routine Third Trimester Ultrasound: What Is the Evidence?. Journal of Obstetrics and Gynaecology Canada, 2008, 30, 118-122.	0.7	13
56	Caesarean before labour between 34 and 37 weeks: What are the risk factors of severe neonatal respiratory distress?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2006, 127, 56-60.	1.1	11
57	Is epidural analgesia a risk factor for occiput posterior or transverse positions during labour?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 123, 22-26.	1.1	29