

Julia Kzhyshkowska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7611445/publications.pdf>

Version: 2024-02-01

104
papers

6,595
citations

71102

41
h-index

66911

78
g-index

108
all docs

108
docs citations

108
times ranked

10096
citing authors

#	ARTICLE	IF	CITATIONS
1	Stabilin-1 mediates beneficial monocyte recruitment and tolerogenic macrophage programming during CVB3-induced viral myocarditis. <i>Journal of Molecular and Cellular Cardiology</i> , 2022, 165, 31-39.	1.9	7
2	Macrophages of the "Heart-Kidney" Axis: Their Dynamics and Correlations with Clinical Data and Outcomes in Patients with Myocardial Infarction. <i>Journal of Personalized Medicine</i> , 2022, 12, 127.	2.5	7
3	Hyperglycemia Induces Inflammatory Response of Human Macrophages to CD163-Mediated Scavenging of Hemoglobin-Haptoglobin Complexes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1385.	4.1	10
4	Modulation of the inflammatory response to decellularized collagen matrix for cartilage regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2022, 110, 1021-1035.	4.0	5
5	Characteristics of the Cardiosplenic Axis in Patients with Fatal Myocardial Infarction. <i>Life</i> , 2022, 12, 673.	2.4	2
6	Stabilizing the immune system by chlorogenic acid. <i>Journal of Leukocyte Biology</i> , 2022, 112, 7-8.	3.3	4
7	New Angiogenic Regulators Produced by TAMs: Perspective for Targeting Tumor Angiogenesis. <i>Cancers</i> , 2021, 13, 3253.	3.7	62
8	Features of renal macrophage infiltration in patients with myocardial infarction. <i>Sibirskij Åurnal KliniÅeskoj I ÅksperimentalÅnoj Mediciny</i> , 2021, 36, 61-69.	0.4	1
9	Kidney microbiome in patients with kidney carcinoma: Role of SA and SNZ gene expression. <i>Archives of Medical Science</i> , 2021, , .	0.9	0
10	Titanium Nanoparticles Enhance Production and Suppress Stabilin-1-Mediated Clearance of GDF-15 in Human Primary Macrophages. <i>Frontiers in Immunology</i> , 2021, 12, 760577.	4.8	8
11	SlÅCLP inhibits the growth of mouse mammary adenocarcinoma by preventing recruitment of tumor-associated macrophages. <i>International Journal of Cancer</i> , 2020, 146, 1396-1408.	5.1	18
12	Tumor-Associated Macrophages in Human Breast, Colorectal, Lung, Ovarian and Prostate Cancers. <i>Frontiers in Oncology</i> , 2020, 10, 566511.	2.8	202
13	Transcriptional, Epigenetic and Metabolic Programming of Tumor-Associated Macrophages. <i>Cancers</i> , 2020, 12, 1411.	3.7	62
14	Editorial: Targeting Angiogenesis to Treat Autoimmune Diseases and Cancer. <i>Frontiers in Immunology</i> , 2020, 11, 1005.	4.8	1
15	Epigenetic Regulation of S100A9 and S100A12 Expression in Monocyte-Macrophage System in Hyperglycemic Conditions. <i>Frontiers in Immunology</i> , 2020, 11, 1071.	4.8	32
16	Targeting the Tumor-Associated Macrophages for "Normalizing" Cancer. <i>Human Perspectives in Health Sciences and Technology</i> , 2020, , 245-274.	0.4	2
17	The effect of healing phenotype-inducing cytokine formulations within soft hydrogels on encapsulated monocytes and incoming immune cells. <i>RSC Advances</i> , 2019, 9, 21396-21404.	3.6	9
18	Impact of estrogen receptor Å on the tamoxifen response and prognosis in luminal-A-like and luminal-B-like breast cancer. <i>Clinical and Experimental Medicine</i> , 2019, 19, 547-556.	3.6	10

#	ARTICLE	IF	CITATIONS
19	Interaction of tumor-associated macrophages and cancer chemotherapy. <i>OncolImmunology</i> , 2019, 8, e1596004.	4.6	205
20	Reactive oxygen species (ROS) in macrophage activation and function in diabetes. <i>Immunobiology</i> , 2019, 224, 242-253.	1.9	333
21	YKL-39 as a Potential New Target for Anti-Angiogenic Therapy in Cancer. <i>Frontiers in Immunology</i> , 2019, 10, 2930.	4.8	15
22	Monocytes and cancer: promising role as a diagnostic marker and application in therapy. <i>Bulletin of Siberian Medicine</i> , 2019, 18, 60-75.	0.3	5
23	PPAR β -activation increases intestinal M1 macrophages and mitigates formation of serrated adenomas in mutant <i>KRAS</i> mice. <i>OncolImmunology</i> , 2018, 7, e1423168.	4.6	12
24	Tumor-associated macrophages in human breast cancer produce new monocyte attracting and pro-angiogenic factor YKL-39 indicative for increased metastasis after neoadjuvant chemotherapy. <i>OncolImmunology</i> , 2018, 7, e1436922.	4.6	49
25	The effect of neoadjuvant chemotherapy on the correlation of tumor-associated macrophages with CD31 and LYVE-1. <i>Immunobiology</i> , 2018, 223, 449-459.	1.9	17
26	Expression of M2 macrophage markers YKL-39 and CCL18 in breast cancer is associated with the effect of neoadjuvant chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 99-109.	2.3	31
27	Review: the potential impact of surface crystalline states of titanium for biomedical applications. <i>Critical Reviews in Biotechnology</i> , 2018, 38, 423-437.	9.0	21
28	Cardiac CD68+ and stabilin-1+ macrophages in wound healing following myocardial infarction: From experiment to clinic. <i>Immunobiology</i> , 2018, 223, 413-421.	1.9	20
29	Predictive value of vascular endothelial growth factor receptor type 2 in triple-negative breast cancer patients treated with neoadjuvant chemotherapy. <i>Molecular and Cellular Biochemistry</i> , 2018, 444, 197-206.	3.1	16
30	Infliximab ameliorates tumor necrosis factor α -induced insulin resistance by attenuating PTP1B activation in 3T3L1 adipocytes in vitro. <i>Scandinavian Journal of Immunology</i> , 2018, 88, e12716.	2.7	16
31	Monocytes and Macrophages as Viral Targets and Reservoirs. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2821.	4.1	172
32	The endothelial cell receptor stabilin-2 regulates VWF-FVIII complex half-life and immunogenicity. <i>Journal of Clinical Investigation</i> , 2018, 128, 4057-4073.	8.2	67
33	Relation of EGFR/PI3K/AKT signaling components with tamoxifen efficacy in patients with estrogen-dependent breast cancer. <i>Uspehi Molekularnoj Onkologii</i> , 2018, 5, 40-50.	0.3	6
34	CHITINASE-LIKE PROTEINS AS PROMISING MARKERS IN CANCER PATIENTS. <i>Siberian Journal of Oncology</i> , 2018, 17, 99-105.	0.3	3
35	CD68+, but not stabilin-1+ tumor associated macrophages in gaps of ductal tumor structures negatively correlate with the lymphatic metastasis in human breast cancer. <i>Immunobiology</i> , 2017, 222, 31-38.	1.9	32
36	A combinatorial $\alpha\beta$ T cell receptor expressed by macrophages in the tumor microenvironment. <i>Immunobiology</i> , 2017, 222, 39-44.	1.9	29

#	ARTICLE	IF	CITATIONS
37	The distribution pattern of ER α expression, ESR1 genetic variation and expression of growth factor receptors: association with breast cancer prognosis in Russian patients treated with adjuvant tamoxifen. <i>Clinical and Experimental Medicine</i> , 2017, 17, 383-393.	3.6	10
38	Generation of anti-inflammatory macrophages for implants and regenerative medicine using self-standing release systems with a phenotype-fixing cytokine cocktail formulation. <i>Acta Biomaterialia</i> , 2017, 53, 389-398.	8.3	34
39	NMDA receptor subunit composition controls dendritogenesis of hippocampal neurons through CAMKII, CREB β , and H3K27ac. <i>Journal of Cellular Physiology</i> , 2017, 232, 3677-3692.	4.1	32
40	Macrophage activation and polarization in post-infarction cardiac remodeling. <i>Journal of Biomedical Science</i> , 2017, 24, 13.	7.0	119
41	Atmospheric pressure plasma assisted immobilization of hyaluronic acid on tissue engineering PLA-based scaffolds and its effect on primary human macrophages. <i>Materials and Design</i> , 2017, 127, 261-271.	7.0	45
42	Intratumoral heterogeneity of macrophages and fibroblasts in breast cancer is associated with the morphological diversity of tumor cells and contributes to lymph node metastasis. <i>Immunobiology</i> , 2017, 222, 631-640.	1.9	20
43	IL-4 driven transcription factor FoxQ1 is expressed by monocytes in atopic dermatitis and stimulates monocyte migration. <i>Scientific Reports</i> , 2017, 7, 16847.	3.3	14
44	Tumor-associated macrophages in human breast cancer parenchyma negatively correlate with lymphatic metastasis after neoadjuvant chemotherapy. <i>Immunobiology</i> , 2017, 222, 101-109.	1.9	28
45	Hyperglycemia induces mixed M1/M2 cytokine profile in primary human monocyte-derived macrophages. <i>Immunobiology</i> , 2017, 222, 952-959.	1.9	42
46	Editorial: Targeting of Cancer Cells and Tumor Microenvironment: Perspectives for Personalized Therapy. <i>Current Pharmaceutical Design</i> , 2017, 23, 4703-4704.	1.9	5
47	CD68 AND STABILIN-1 POSITIVE MACROPHAGES IN POSTINFARCTION MYOCARDIAL REGENERATION. <i>Russian Journal of Cardiology</i> , 2017, , 56-61.	1.4	6
48	Role of the Immune Component of Tumor Microenvironment in the Efficiency of Cancer Treatment: Perspectives for the Personalized Therapy. <i>Current Pharmaceutical Design</i> , 2017, 23, 4807-4826.	1.9	35
49	Perspectives for Monocyte/Macrophage-Based Diagnostics of Chronic Inflammation. <i>Transfusion Medicine and Hemotherapy</i> , 2016, 43, 66-77.	1.6	38
50	Role of Inflammation, Viruses and Tissue Macrophages in the Development of Idiopathic Arrhythmia and Heart Failure. <i>Key Engineering Materials</i> , 2016, 683, 487-492.	0.4	1
51	Deconvoluting hepatic processing of carbon nanotubes. <i>Nature Communications</i> , 2016, 7, 12343.	12.8	42
52	Innate Immune System for Diagnostics and Therapy: Progress in Fundamental Knowledge and Clinical Application. <i>Transfusion Medicine and Hemotherapy</i> , 2016, 43, 63-64.	1.6	2
53	Human monocytes and macrophages undergo M1-type inflammatory polarization in response to high levels of glucose. <i>Immunology Letters</i> , 2016, 176, 81-89.	2.5	115
54	Role of chitinase-like proteins in cancer. <i>Biological Chemistry</i> , 2016, 397, 231-247.	2.5	94

#	ARTICLE	IF	CITATIONS
55	Deletions of multidrug resistance gene loci in breast cancer leads to the down-regulation of its expression and predict tumor response to neoadjuvant chemotherapy. <i>Oncotarget</i> , 2016, 7, 7829-7841.	1.8	35
56	Stabilin-1 is expressed in human breast cancer and supports tumor growth in mammary adenocarcinoma mouse model. <i>Oncotarget</i> , 2016, 7, 31097-31110.	1.8	50
57	Harnessing the Multifunctionality in Nature: A Bioactive Agent Release System with Self-Assembled Antimicrobial and Immunomodulatory Properties. <i>Advanced Healthcare Materials</i> , 2015, 4, 2026-2036.	7.6	52
58	Molecular and immunologic markers of kidney cancer – potential applications in predictive, preventive and personalized medicine. <i>EPMA Journal</i> , 2015, 6, 20.	6.1	23
59	Macrophages in Immunopathology of Atherosclerosis: A Target for Diagnostics and Therapy. <i>Current Pharmaceutical Design</i> , 2015, 21, 1172-1179.	1.9	17
60	P156. <i>European Journal of Cancer, Supplement</i> , 2015, 13, 27-28.	2.2	0
61	Surface modification of biomaterials based on high-molecular polylactic acid and their effect on inflammatory reactions of primary human monocyte-derived macrophages: Perspective for personalized therapy. <i>Materials Science and Engineering C</i> , 2015, 51, 117-126.	7.3	36
62	Macrophage responses to implants: prospects for personalized medicine. <i>Journal of Leukocyte Biology</i> , 2015, 98, 953-962.	3.3	158
63	TGF- β 1, but Not Bone Morphogenetic Proteins, Activates Smad1/5 Pathway in Primary Human Macrophages and Induces Expression of Proatherogenic Genes. <i>Journal of Immunology</i> , 2015, 194, 709-718.	0.8	36
64	Role of tumor associated macrophages in tumor angiogenesis and lymphangiogenesis. <i>Frontiers in Physiology</i> , 2014, 5, 75.	2.8	463
65	Expression of stabilin-1 in M2 macrophages in human granulomatous disease and melanocytic lesions. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 1625-34.	0.5	12
66	A second combinatorial immune receptor in monocytes/macrophages is based on the TCR β . <i>Immunobiology</i> , 2013, 218, 960-968.	1.9	17
67	On the horizon: Flexible immune recognition outside lymphocytes. <i>Immunobiology</i> , 2013, 218, 418-426.	1.9	18
68	Novel Monocyte Biomarkers of Atherogenic Conditions. <i>Current Pharmaceutical Design</i> , 2013, 19, 5859-5864.	1.9	17
69	Regulation of DNA-End Resection by hnRNPU-like Proteins Promotes DNA Double-Strand Break Signaling and Repair. <i>Molecular Cell</i> , 2012, 45, 505-516.	9.7	160
70	Smurf2 regulates IL17RB by proteasomal degradation of its novel binding partner DAZAP2. <i>Immunobiology</i> , 2012, 217, 321-328.	1.9	12
71	Monocytes as a diagnostic marker of cardiovascular diseases. <i>Immunobiology</i> , 2012, 217, 476-482.	1.9	103
72	Role of macrophage scavenger receptors in atherosclerosis. <i>Immunobiology</i> , 2012, 217, 492-502.	1.9	203

#	ARTICLE	IF	CITATIONS
73	The neutrophil recombinatorial TCR-like immune receptor is expressed across the entire human life span but repertoire diversity declines in old age. <i>Biochemical and Biophysical Research Communications</i> , 2012, 419, 309-315.	2.1	39
74	A TNF-Regulated Recombinatorial Macrophage Immune Receptor Implicated in Granuloma Formation in Tuberculosis. <i>PLoS Pathogens</i> , 2011, 7, e1002375.	4.7	72
75	Pro- and anti-inflammatory control of M-CSF-mediated macrophage differentiation. <i>Immunobiology</i> , 2011, 216, 164-172.	1.9	28
76	Antagonistic regulation of macrophage phenotype by M-CSF and GM-CSF: Implication in atherosclerosis. <i>Atherosclerosis</i> , 2011, 214, 316-324.	0.8	80
77	Synergistic activation by p38MAPK and glucocorticoid signaling mediates induction of M2-like tumor-associated macrophages expressing the novel CD20 homolog MS4A8A. <i>International Journal of Cancer</i> , 2011, 129, 122-132.	5.1	33
78	Deficiency of liver sinusoidal scavenger receptors stabilin-1 and -2 in mice causes glomerulofibrotic nephropathy via impaired hepatic clearance of noxious blood factors. <i>Journal of Clinical Investigation</i> , 2011, 121, 703-714.	8.2	133
79	Multifunctional Receptor Stabilin-1 in Homeostasis and Disease. <i>Scientific World Journal</i> , The, 2010, 10, 2039-2053.	2.1	85
80	Knockout of HIF-1 α in tumor-associated macrophages enhances M2 polarization and attenuates their pro-angiogenic responses. <i>Carcinogenesis</i> , 2010, 31, 1863-1872.	2.8	142
81	A Subpopulation of CD163-Positive Macrophages Is Classically Activated in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2412-2422.	0.7	249
82	A Novel GGA-Binding Site Is Required for Intracellular Sorting Mediated by Stabilin-1. <i>Molecular and Cellular Biology</i> , 2009, 29, 6097-6105.	2.3	26
83	Different functions of monocyte subsets in familial hypercholesterolemia: potential function of CD14 ⁺ CD16 ⁺ monocytes in detoxification of oxidized LDL. <i>FASEB Journal</i> , 2009, 23, 866-874.	0.5	98
84	Stabilin-1 mediates phosphatidylserine-dependent clearance of cell corpses in alternatively activated macrophages. <i>Journal of Cell Science</i> , 2009, 122, 3365-3373.	2.0	132
85	Cleaverin/Stabilin regulates lymphocyte migration within lymphatics and leukocyte entrance to sites of inflammation. <i>European Journal of Immunology</i> , 2009, 39, 3477-3487.	2.9	78
86	Vesicular trafficking in immune cells. <i>Immunobiology</i> , 2009, 214, 493-494.	1.9	1
87	Cross-talk between endocytic clearance and secretion in macrophages. <i>Immunobiology</i> , 2009, 214, 576-593.	1.9	30
88	Wnt2 acts as a cell type-specific, autocrine growth factor in rat hepatic sinusoidal endothelial cells cross-stimulating the VEGF pathway. <i>Hepatology</i> , 2008, 47, 1018-1031.	7.3	89
89	Perspectives of mathematical modelling for understanding of intracellular signalling and vesicular trafficking in macrophages. <i>Immunobiology</i> , 2008, 212, 813-825.	1.9	5
90	Alternatively Activated Macrophages Regulate Extracellular Levels of the Hormone Placental Lactogen via Receptor-Mediated Uptake and Transcytosis. <i>Journal of Immunology</i> , 2008, 180, 3028-3037.	0.8	85

#	ARTICLE	IF	CITATIONS
91	Activation of a TGF- β 2-Specific Multistep Gene Expression Program in Mature Macrophages Requires Glucocorticoid-Mediated Surface Expression of TGF- β 2 Receptor II. <i>Journal of Immunology</i> , 2008, 180, 6553-6565.	0.8	89
92	Human Chitinases and Chitinase-Like Proteins as Indicators for Inflammation and Cancer. <i>Biomarker Insights</i> , 2007, 2, 117727190700200.	2.5	141
93	Human chitinases and chitinase-like proteins as indicators for inflammation and cancer. <i>Biomarker Insights</i> , 2007, 2, 128-46.	2.5	83
94	M \ddot{u} 1 and M \ddot{u} 2 can be re-polarized by Th2 or Th1 cytokines, respectively, and respond to exogenous danger signals. <i>Immunobiology</i> , 2006, 211, 473-486.	1.9	180
95	Novel stabilin-1 interacting chitinase-like protein (SI-CLP) is up-regulated in alternatively activated macrophages and secreted via lysosomal pathway. <i>Blood</i> , 2006, 107, 3221-3228.	1.4	183
96	Stabilin-1, a homeostatic scavenger receptor with multiple functions. <i>Journal of Cellular and Molecular Medicine</i> , 2006, 10, 635-649.	3.6	166
97	The expression of metastasis suppressor MIM/MTSS1 is regulated by DNA methylation. <i>International Journal of Cancer</i> , 2006, 119, 2287-2293.	5.1	42
98	Endogenous Transforming Growth Factor- β 2 Receptor-mediated Smad Signaling Complexes Analyzed by Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2006, 5, 1245-1260.	3.8	17
99	Novel Function of Alternatively Activated Macrophages: Stabilin-1-Mediated Clearance of SPARC. <i>Journal of Immunology</i> , 2006, 176, 5825-5832.	0.8	156
100	Stabilin-1 and stabilin-2 are both directed into the early endocytic pathway in hepatic sinusoidal endothelium via interactions with clathrin/AP-2, independent of ligand binding. <i>Experimental Cell Research</i> , 2005, 303, 160-173.	2.6	127
101	Phosphatidylinositide 3-kinase activity is required for stabilin-1-mediated endosomal transport of acLDL. <i>Immunobiology</i> , 2005, 210, 161-173.	1.9	46
102	Stabilin-1 localizes to endosomes and the trans-Golgi network in human macrophages and interacts with GGA adaptors. <i>Journal of Leukocyte Biology</i> , 2004, 76, 1151-1161.	3.3	77
103	Stabilin-1 and β 2 constitute a novel family of fasciclin-like hyaluronan receptor homologues. <i>Biochemical Journal</i> , 2002, 362, 155-164.	3.7	248
104	Preparation of Biocompatible Composites based on Poly-L-Lactide/Hydroxyapatite and Investigation of their Anti-Inflammatory Activity. <i>Key Engineering Materials</i> , 0, 683, 475-480.	0.4	14