

Bin Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7611687/publications.pdf>

Version: 2024-02-01

54
papers

937
citations

516710

16
h-index

526287

27
g-index

60
all docs

60
docs citations

60
times ranked

954
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Glomus tumors around or in the knee: a case report and literature review. BMC Surgery, 2022, 22, 97. | 1.3 | 3 |
| 2 | Risk Factors for Amputation in the Surgical Treatment of Hemophilic Osteoarthropathy: A 20-Year Single-Center Report. Pain Research and Management, 2022, 2022, 1-10. | 1.8 | 2 |
| 3 | Morphology characters of resected femoral and tibial surface in chinese population: intraoperative anthropometric study in patients at a tertiary hospital. BMC Surgery, 2022, 22, 144. | 1.3 | 1 |
| 4 | Usefulness of a Simple Preoperative Planning Technique using Plain Xâ€rays for Direct Anterior Approach for Total Hip Arthroplasty. Orthopaedic Surgery, 2021, 13, 145-152. | 1.8 | 4 |
| 5 | Better clinical outcome of total knee arthroplasty for rheumatoid arthritis with perioperative glucocorticoids and disease-modifying anti-rheumatic drugs after an average of 11.4-year follow-up. Journal of Orthopaedic Surgery and Research, 2021, 16, 84. | 2.3 | 7 |
| 6 | Riskâ€stratified Venous Thromboembolism Prophylaxis after Total Joint Arthroplasty: Low Molecular Weight Heparins and Sequential Aspirin vs Aggressive Chemoprophylaxis. Orthopaedic Surgery, 2021, 13, 260-266. | 1.8 | 2 |
| 7 | Chondrogenesis mediates progression of ankylosing spondylitis through heterotopic ossification. Bone Research, 2021, 9, 19. | 11.4 | 32 |
| 8 | Layered Double Hydroxide Modified Bone Cement Promoting Osseointegration <i>via</i> Multiple Osteogenic Signal Pathways. ACS Nano, 2021, 15, 9732-9745. | 14.6 | 47 |
| 9 | LncRNA THUMP3-AS1 enhances the proliferation and inflammatory response of chondrocytes in osteoarthritis. International Immunopharmacology, 2021, 100, 108138. | 3.8 | 17 |
| 10 | Comparable efficacy of 100 mg aspirin twice daily and rivaroxaban for venous thromboembolism prophylaxis following primary total hip arthroplasty: a randomized controlled trial. Chinese Medical Journal, 2021, 134, 164-172. | 2.3 | 11 |
| 11 | China artificial joint annual data report. Chinese Medical Journal, 2021, 134, 752-753. | 2.3 | 33 |
| 12 | Chondrocytes-derived exosomal miR-8485 regulated the Wnt/ β -catenin pathways to promote chondrogenic differentiation of BMSCs. Biochemical and Biophysical Research Communications, 2020, 523, 506-513. | 2.1 | 64 |
| 13 | Pain relieving effect of dexmedetomidine in patients undergoing total knee or hip arthroplasty. Medicine (United States), 2020, 99, e18538. | 1.0 | 21 |
| 14 | Biological evaluation of bone substitute. Clinica Chimica Acta, 2020, 510, 544-555. | 1.1 | 13 |
| 15 | Continuous block at the proximal end of the adductor canal provides better analgesia compared to that at the middle of the canal after total knee arthroplasty: a randomized, double-blind, controlled trial. BMC Anesthesiology, 2020, 20, 260. | 1.8 | 6 |
| 16 | Early wound complications after orthopaedic surgery for haemophilia: What can we do more. Haemophilia, 2020, 26, 882-890. | 2.1 | 6 |
| 17 | Complications of total knee arthroplasty in patients with haemophilia compared with osteoarthritis and rheumatoid arthritis: A 20â€year singleâ€surgeon cohort. Haemophilia, 2020, 26, 861-866. | 2.1 | 10 |
| 18 | Occult fracture in teenager's tibia revealed by MRI. Lancet, The, 2020, 396, 1914. | 13.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Risk factors of postoperative nausea and vomiting after total hip arthroplasty or total knee arthroplasty: a retrospective study. <i>Annals of Translational Medicine</i> , 2020, 8, 1088-1088. | 1.7 | 13 |
| 20 | Postoperative intravenous parecoxib sodium followed by oral celecoxib post total knee arthroplasty in osteoarthritis patients (PIPFORCE): a multicentre, double-blind, randomised, placebo-controlled trial. <i>BMJ Open</i> , 2020, 10, e030501. | 1.9 | 18 |
| 21 | No difference in clinical outcome and survivorship after total knee arthroplasty with patellar resurfacing and nonresurfacing after minimum 10-year follow-up. <i>Medicine (United States)</i> , 2020, 99, e19080. | 1.0 | 5 |
| 22 | The analgesic efficacy and safety of peri-articular injection versus intra-articular injection in one-stage bilateral total knee arthroplasty: a randomized controlled trial. <i>BMC Anesthesiology</i> , 2020, 20, 2. | 1.8 | 13 |
| 23 | Artificial Intelligence-Assisted System in Postoperative Follow-up of Orthopedic Patients: Exploratory Quantitative and Qualitative Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e16896. | 4.3 | 28 |
| 24 | NR4A1 promotes TNF-induced chondrocyte death and migration injury via activating the γ 2AMPK/Drp1/mitochondrial fission pathway. <i>International Journal of Molecular Medicine</i> , 2020, 45, 151-161. | 4.0 | 13 |
| 25 | Glomus tumors associated with the bone and joints: a review of 91 cases. <i>Annals of Translational Medicine</i> , 2020, 8, 1460. | 1.7 | 1 |
| 26 | Diagnosis and Treatment of Arterial Occlusion after Knee Arthroplasty: The Sooner, the Better. <i>Orthopaedic Surgery</i> , 2019, 11, 366-372. | 1.8 | 7 |
| 27 | Circular RNA expression profile of knee condyle in osteoarthritis by illumina HiSeq platform. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 17500-17511. | 2.6 | 31 |
| 28 | Efficacy and reliability of active robotic-assisted total knee arthroplasty compared with conventional total knee arthroplasty: a systematic review and meta-analysis. <i>Postgraduate Medical Journal</i> , 2019, 95, 125-133. | 1.8 | 72 |
| 29 | Incidence of Symptomatic Venous Thromboembolism in Patients with Hemophilia Undergoing Hip and Knee Joint Replacement without Chemoprophylaxis: A Retrospective Study. <i>Orthopaedic Surgery</i> , 2019, 11, 236-240. | 1.8 | 12 |
| 30 | Clinical outcomes of ceramic femoral prosthesis in total knee arthroplasty: a systematic review. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 57. | 2.3 | 16 |
| 31 | Mid-Term Outcome of Total Hip Arthroplasty in Patients With Progressive Pseudorheumatoid Dysplasia. <i>Journal of Clinical Rheumatology</i> , 2019, Publish Ahead of Print, 156-160. | 0.9 | 3 |
| 32 | Neuroma of the Infrapatellar branch of the saphenous nerve following Total knee Arthroplasty: a case report. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 536. | 1.9 | 15 |
| 33 | Comparison of ceramic-on-ceramic bearing vs ceramic-on-highly cross-linked polyethylene-bearing surfaces in total hip arthroplasty for avascular necrosis of femoral head: a prospective cohort study with a mid-term follow-up. <i>Journal of Orthopaedic Surgery and Research</i> , 2019, 14, 388. | 2.3 | 6 |
| 34 | Identification of differentially expressed long noncoding RNAs in human knee osteoarthritis. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 4620-4633. | 2.6 | 38 |
| 35 | Simultaneous bilateral total knee arthroplasty in patients with end-stage hemophilic arthropathy: a mean follow-up of 6 years. <i>Scientific Reports</i> , 2018, 8, 1608. | 3.3 | 10 |
| 36 | The Effect of Previous Coronary Artery Revascularization on the Adverse Cardiac Events Ninety days After Total Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2018, 33, 235-240. | 3.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Comparison of 90-Day Complication Rates and Cost Between Single and Multiple Joint Procedures for End-Stage Arthropathy in Patients with Hemophilia. <i>JBS Open Access</i> , 2018, 3, e0026. | 1.5 | 11 |
| 38 | Risk assessment and management of preoperative venous thromboembolism following femoral neck fracture. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 291. | 2.3 | 33 |
| 39 | Roles and mechanisms of leptin in osteogenic stimulation in cervical ossification of the posterior longitudinal ligament. <i>Journal of Orthopaedic Surgery and Research</i> , 2018, 13, 165. | 2.3 | 9 |
| 40 | Preemptive Analgesia with Parecoxib in Total Hip Arthroplasty: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>Pain Physician</i> , 2018, 21, 483-488. | 0.4 | 11 |
| 41 | Total Hip Arthroplasty in Hemophilia Patients: A Mid-term to Long-term Follow-up. <i>Orthopaedic Surgery</i> , 2017, 9, 359-364. | 1.8 | 16 |
| 42 | Open repair of intraoperative popliteal artery injury during total knee arthroplasty in a patient with severe hemophilia A. <i>Medicine (United States)</i> , 2017, 96, e8791. | 1.0 | 6 |
| 43 | Thirty-day Postoperative Complications following Primary Total Knee Arthroplasty. <i>Chinese Medical Journal</i> , 2017, 130, 2551-2556. | 2.3 | 14 |
| 44 | Angiosarcoma around Hip Joint Prosthesis. <i>Chinese Medical Journal</i> , 2016, 129, 2642-2643. | 2.3 | 3 |
| 45 | Efficacy and safety of Postoperative Intravenous Parecoxib sodium Followed by Oral Celecoxib (PIPFORCE) post-total knee arthroplasty in patients with osteoarthritis: a study protocol for a multicentre, double-blind, parallel-group trial. <i>BMJ Open</i> , 2016, 6, e011732. | 1.9 | 12 |
| 46 | Posterior Cruciate Ligament Retention versus Posterior Stabilization for Total Knee Arthroplasty: A Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0147865. | 2.5 | 77 |
| 47 | Outcome of the treatment of osteonecrosis of femoral head using the core decompression with bone impaction grafting. <i>Zhongguo Yi Xue Ke Xue Yuan Xue Bao Acta Academiae Medicinae Sinicae</i> , 2015, 37, 133-9. | 0.2 | 2 |
| 48 | How to Deal With Cerebrospinal Fluid Leak During Pedicle Screw Fixation in Spinal Deformities Surgery With Intraoperative Neuromonitoring Change. <i>Spine</i> , 2014, 39, E20-E25. | 2.0 | 9 |
| 49 | Long term follow up of clinical outcome between patellar resurfacing and nonresurfacing in total knee arthroplasty: Chinese experience. <i>Chinese Medical Journal</i> , 2014, 127, 3845-51. | 2.3 | 6 |
| 50 | Long-Term Follow-Up of Cemented Fixed-Bearing Total Knee Arthroplasty in a Chinese Population: A Survival Analysis of More Than 10 Years. <i>Journal of Arthroplasty</i> , 2013, 28, 1701-1706. | 3.1 | 31 |
| 51 | 360° fusion for Charcot spine caused by congenital insensitivity to pain with anhidrosis. <i>Chinese Medical Journal</i> , 2013, 126, 3988-9. | 2.3 | 1 |
| 52 | Impact of Multimodal Intraoperative Monitoring During Surgery for Spine Deformity and Potential Risk Factors for Neurological Monitoring Changes. <i>Journal of Spinal Disorders and Techniques</i> , 2012, 25, E108-E114. | 1.9 | 75 |
| 53 | Outcome of total knee arthroplasty combined patelloplasty for end-stage type A hemophilic arthropathy. <i>Knee</i> , 2012, 19, 107-111. | 1.6 | 21 |
| 54 | Preoperative Use of Aspirin in Total Knee Arthroplasty: Safe or Not?. <i>Orthopaedic Surgery</i> , 0, , . | 1.8 | 2 |