

Christopher Sjöwall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7612358/publications.pdf>

Version: 2024-02-01

175
papers

4,281
citations

94433

37
h-index

155660

55
g-index

179
all docs

179
docs citations

179
times ranked

5690
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Transancestral mapping and genetic load in systemic lupus erythematosus. <i>Nature Communications</i> , 2017, 8, 16021. | 12.8 | 314 |
| 2 | DNA methylation mapping identifies gene regulatory effects in patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 736-743. | 0.9 | 135 |
| 3 | Association of EBF1, FAM167A(C8orf13)-BLK and TNFSF4 gene variants with primary Sjögren's syndrome. <i>Genes and Immunity</i> , 2011, 12, 100-109. | 4.1 | 113 |
| 4 | A single nucleotide polymorphism in the <i>NCF1</i> gene leading to reduced oxidative burst is associated with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1607-1613. | 0.9 | 103 |
| 5 | Genes identified in Asian SLE GWASs are also associated with SLE in Caucasian populations. <i>European Journal of Human Genetics</i> , 2013, 21, 994-999. | 2.8 | 90 |
| 6 | Association of STAT4 Polymorphism with Severe Renal Insufficiency in Lupus Nephritis. <i>PLoS ONE</i> , 2013, 8, e84450. | 2.5 | 88 |
| 7 | Stroke in systemic lupus erythematosus: a Swedish population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1544-1549. | 0.9 | 86 |
| 8 | Application of the 2012 Systemic Lupus International Collaborating Clinics classification criteria to patients in a regional Swedish systemic lupus erythematosus register. <i>Arthritis Research and Therapy</i> , 2015, 17, 3. | 3.5 | 84 |
| 9 | Serum levels of autoantibodies against monomeric C-reactive protein are correlated with disease activity in systemic lupus erythematosus. <i>Arthritis Research</i> , 2004, 6, R87. | 2.0 | 82 |
| 10 | Smoking and pre-existing organ damage reduce the efficacy of belimumab in systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2017, 16, 343-351. | 5.8 | 80 |
| 11 | Impact of the COVID-19 pandemic on morbidity and mortality in patients with inflammatory joint diseases and in the general population: a nationwide Swedish cohort study. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1086-1093. | 0.9 | 79 |
| 12 | Interferon- γ mediates suppression of C-reactive protein: Explanation for muted C-reactive protein response in lupus flares?. <i>Arthritis and Rheumatism</i> , 2009, 60, 3755-3760. | 6.7 | 78 |
| 13 | High genetic risk score is associated with early disease onset, damage accrual and decreased survival in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 363-369. | 0.9 | 76 |
| 14 | Altered glycosylation of complexed native IgG molecules is associated with disease activity of systemic lupus erythematosus. <i>Lupus</i> , 2015, 24, 569-581. | 1.6 | 64 |
| 15 | The clinical utility of anti-double-stranded DNA antibodies and the challenges of their determination. <i>Journal of Immunological Methods</i> , 2018, 459, 11-19. | 1.4 | 64 |
| 16 | Whole-genome sequencing identifies complex contributions to genetic risk by variants in genes causing monogenic systemic lupus erythematosus. <i>Human Genetics</i> , 2019, 138, 141-150. | 3.8 | 63 |
| 17 | Genetic variations in A20 DUB domain provide a genetic link to citrullination and neutrophil extracellular traps in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1363-1370. | 0.9 | 60 |
| 18 | Autoantibodies against Modified Histone Peptides in SLE Patients Are Associated with Disease Activity and Lupus Nephritis. <i>PLoS ONE</i> , 2016, 11, e0165373. | 2.5 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Autoantibodies to C-reactive Protein is a Common Finding in SLE, but not in Primary Sjögren's Syndrome, Rheumatoid Arthritis or Inflammatory Bowel Disease. <i>Journal of Autoimmunity</i> , 2002, 19, 155-160. | 6.5 | 58 |
| 20 | Four Anti-dsDNA Antibody Assays in Relation to Systemic Lupus Erythematosus Disease Specificity and Activity. <i>Journal of Rheumatology</i> , 2015, 42, 817-825. | 2.0 | 57 |
| 21 | Sex differences in clinical presentation of systemic lupus erythematosus. <i>Biology of Sex Differences</i> , 2019, 10, 60. | 4.1 | 55 |
| 22 | What to Expect When Expecting With Systemic Lupus Erythematosus (SLE): A Population-Based Study of Maternal and Fetal Outcomes in SLE and Pre-SLE. <i>Arthritis Care and Research</i> , 2016, 68, 988-994. | 3.4 | 54 |
| 23 | Novel risk genes for systemic lupus erythematosus predicted by random forest classification. <i>Scientific Reports</i> , 2017, 7, 6236. | 3.3 | 54 |
| 24 | The diagnostic accuracies of the 2012 SLICC criteria and the proposed EULAR/ACR criteria for systemic lupus erythematosus classification are comparable. <i>Lupus</i> , 2019, 28, 778-782. | 1.6 | 52 |
| 25 | Risk of serious infections in patients with rheumatoid arthritis treated in routine care with abatacept, rituximab and tocilizumab in Denmark and Sweden. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 320-327. | 0.9 | 50 |
| 26 | B Cell Therapy in Systemic Lupus Erythematosus: From Rationale to Clinical Practice. <i>Frontiers in Medicine</i> , 2020, 7, 316. | 2.6 | 50 |
| 27 | Pathogenic implications for autoantibodies against C-reactive protein and other acute phase proteins. <i>Clinica Chimica Acta</i> , 2007, 378, 13-23. | 1.1 | 48 |
| 28 | Association between genetic variants in the tumour necrosis factor/lymphotoxin 1/lymphotoxin 2 locus and primary Sjögren's syndrome in Scandinavian samples. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 981-988. | 0.9 | 47 |
| 29 | Association of Genes in the NF- κ B Pathway with Antibody-Positive Primary Sjögren's Syndrome. <i>Scandinavian Journal of Immunology</i> , 2013, 78, 447-454. | 2.7 | 45 |
| 30 | No Evidence of Pathogenic Involvement of Cathelicidins in Patient Cohorts and Mouse Models of Lupus and Arthritis. <i>PLoS ONE</i> , 2014, 9, e115474. | 2.5 | 45 |
| 31 | Associations between antinuclear antibody staining patterns and clinical features of systemic lupus erythematosus: analysis of a regional Swedish register. <i>BMJ Open</i> , 2013, 3, e003608. | 1.9 | 44 |
| 32 | Complement Opsonization of HIV-1 Results in Decreased Antiviral and Inflammatory Responses in Immature Dendritic Cells via CR3. <i>Journal of Immunology</i> , 2014, 193, 4590-4601. | 0.8 | 44 |
| 33 | Soluble urokinase plasminogen activator receptor levels reflect organ damage in systemic lupus erythematosus. <i>Translational Research</i> , 2013, 162, 287-296. | 5.0 | 43 |
| 34 | Quality of life and acquired organ damage are intimately related to activity limitations in patients with systemic lupus erythematosus. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 188. | 1.9 | 43 |
| 35 | Antibodies against carbamylated proteins and cyclic citrullinated peptides in systemic lupus erythematosus: results from two well-defined European cohorts. <i>Arthritis Research and Therapy</i> , 2016, 18, 289. | 3.5 | 43 |
| 36 | Novel gene variants associated with cardiovascular disease in systemic lupus erythematosus and rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1063-1069. | 0.9 | 41 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Clinical Experience of Sirolimus Regarding Efficacy and Safety in Systemic Lupus Erythematosus. <i>Frontiers in Pharmacology</i> , 2019, 10, 82. | 3.5 | 40 |
| 38 | Reduced anti-TNF α autoantibody levels coincide with flare in systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2004, 22, 315-323. | 6.5 | 39 |
| 39 | Serum levels of autoantibodies against C-reactive protein correlate with renal disease activity and response to therapy in lupus nephritis. <i>Arthritis Research and Therapy</i> , 2009, 11, R188. | 3.5 | 39 |
| 40 | Case definitions in Swedish register data to identify systemic lupus erythematosus. <i>BMJ Open</i> , 2016, 6, e007769. | 1.9 | 39 |
| 41 | Epidemiology of hypocomplementaemic urticarial vasculitis (anti-C1q vasculitis). <i>Rheumatology</i> , 2018, 57, 1400-1407. | 1.9 | 39 |
| 42 | Shared and Unique Patterns of DNA Methylation in Systemic Lupus Erythematosus and Primary Sjögren's Syndrome. <i>Frontiers in Immunology</i> , 2019, 10, 1686. | 4.8 | 39 |
| 43 | Cytokine induction by circulating immune complexes and signs of in-vivo complement activation in systemic lupus erythematosus are associated with the occurrence of anti-Sjögren's syndrome A antibodies. <i>Clinical and Experimental Immunology</i> , 2007, 147, 513-520. | 2.6 | 38 |
| 44 | Dynamic Response Genes in CD4+ T Cells Reveal a Network of Interactive Proteins that Classifies Disease Activity in Multiple Sclerosis. <i>Cell Reports</i> , 2016, 16, 2928-2939. | 6.4 | 38 |
| 45 | Common Genetic Variations in the NALP3 Inflammasome Are Associated with Delayed Apoptosis of Human Neutrophils. <i>PLoS ONE</i> , 2012, 7, e31326. | 2.5 | 37 |
| 46 | Abnormal antinuclear antibody titers are less common than generally assumed in established cases of systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2008, 35, 1994-2000. | 2.0 | 37 |
| 47 | Solid-phase classical complement activation by C-reactive protein (CRP) is inhibited by fluid-phase CRP-C1q interaction. <i>Biochemical and Biophysical Research Communications</i> , 2007, 352, 251-258. | 2.1 | 35 |
| 48 | C-reactive protein, immunoglobulin G and complement co-localize in renal immune deposits of proliferative lupus nephritis. <i>Autoimmunity</i> , 2013, 46, 205-214. | 2.6 | 35 |
| 49 | Molecular pathways in patients with systemic lupus erythematosus revealed by gene-centred DNA sequencing. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 109-117. | 0.9 | 35 |
| 50 | Association of Serum C-reactive Protein Levels With Lupus Disease Activity in the Absence of Measurable Interferon α and a C-reactive Protein Gene Variant. <i>Arthritis and Rheumatology</i> , 2014, 66, 1568-1573. | 5.6 | 30 |
| 51 | NCF1-339 polymorphism is associated with altered formation of neutrophil extracellular traps, high serum interferon activity and antiphospholipid syndrome in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 254-261. | 0.9 | 30 |
| 52 | Longitudinal anti-nuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of Swedish cases with recent-onset disease. <i>Clinical and Experimental Immunology</i> , 2020, 199, 245-254. | 2.6 | 29 |
| 53 | Contribution of IKBKE and IFIH1 gene variants to SLE susceptibility. <i>Genes and Immunity</i> , 2013, 14, 217-222. | 4.1 | 28 |
| 54 | Nod2 deficiency protects mice from cholestatic liver disease by increasing renal excretion of bile acids. <i>Journal of Hepatology</i> , 2014, 60, 1259-1267. | 3.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Soluble urokinase plasminogen activator receptor levels are associated with severity of fibrosis in nonalcoholic fatty liver disease. <i>Translational Research</i> , 2015, 165, 658-666. | 5.0 | 28 |
| 56 | Belimumab may not prevent lupus nephritis in serologically active patients with ongoing non-renal disease activity. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 428-430. | 1.1 | 27 |
| 57 | Antibodies against High Mobility Group Box protein-1 (HMGB1) versus other anti-nuclear antibody fine-specificities and disease activity in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2015, 17, 338. | 3.5 | 27 |
| 58 | Soluble urokinase plasminogen activator receptor "A valuable biomarker in systemic lupus erythematosus?. <i>Clinica Chimica Acta</i> , 2015, 444, 234-241. | 1.1 | 27 |
| 59 | Soluble urokinase plasminogen activator receptor (suPAR) levels predict damage accrual in patients with recent-onset systemic lupus erythematosus. <i>Journal of Autoimmunity</i> , 2020, 106, 102340. | 6.5 | 27 |
| 60 | The Complex Role of C-Reactive Protein in Systemic Lupus Erythematosus. <i>Journal of Clinical Medicine</i> , 2021, 10, 5837. | 2.4 | 27 |
| 61 | Systemic Lupus Erythematosus Prevalence in Sweden in 2010: What Do National Registers Say?. <i>Arthritis Care and Research</i> , 2014, 66, 1710-1717. | 3.4 | 26 |
| 62 | International multi-center evaluation of a novel chemiluminescence assay for the detection of anti-dsDNA antibodies. <i>Lupus</i> , 2016, 25, 864-872. | 1.6 | 26 |
| 63 | Altered glycan accessibility on native immunoglobulin G complexes in early rheumatoid arthritis and its changes during therapy. <i>Clinical and Experimental Immunology</i> , 2017, 189, 372-382. | 2.6 | 26 |
| 64 | Autoantibody and Cytokine Profiles during Treatment with Belimumab in Patients with Systemic Lupus Erythematosus. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3463. | 4.1 | 26 |
| 65 | C-Reactive Protein Levels in Systemic Lupus Erythematosus Are Modulated by the Interferon Gene Signature and CRP Gene Polymorphism rs1205. <i>Frontiers in Immunology</i> , 2020, 11, 622326. | 4.8 | 26 |
| 66 | High prevalence of autoantibodies to C-reactive protein in patients with chronic hepatitis C infection: association with liver fibrosis and portal inflammation. <i>Human Immunology</i> , 2012, 73, 382-388. | 2.4 | 25 |
| 67 | Successful treatment of refractory systemic lupus erythematosus using proteasome inhibitor bortezomib followed by belimumab: description of two cases. <i>Lupus</i> , 2017, 26, 1333-1338. | 1.6 | 25 |
| 68 | Direct and indirect costs for systemic lupus erythematosus in Sweden. A nationwide health economic study based on five defined cohorts. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 45, 684-690. | 3.4 | 23 |
| 69 | Neutrophil Extracellular Traps (NETs) in the Cerebrospinal Fluid Samples from Children and Adults with Central Nervous System Infections. <i>Cells</i> , 2020, 9, 43. | 4.1 | 23 |
| 70 | Low Production of Reactive Oxygen Species Drives Systemic Lupus Erythematosus. <i>Trends in Molecular Medicine</i> , 2019, 25, 826-835. | 6.7 | 22 |
| 71 | The majority of Swedish systemic lupus erythematosus patients are still affected by irreversible organ impairment: factors related to damage accrual in two regional cohorts. <i>Lupus</i> , 2019, 28, 1261-1272. | 1.6 | 22 |
| 72 | Clinical Experience of Proteasome Inhibitor Bortezomib Regarding Efficacy and Safety in Severe Systemic Lupus Erythematosus: A Nationwide Study. <i>Frontiers in Immunology</i> , 2021, 12, 756941. | 4.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Smoking reduces the efficacy of belimumab in mucocutaneous lupus. <i>Expert Opinion on Biological Therapy</i> , 2018, 18, 911-920. | 3.1 | 21 |
| 74 | C-reactive protein and C1q regulate platelet adhesion and activation on adsorbed immunoglobulin G and albumin. <i>Immunology and Cell Biology</i> , 2008, 86, 466-474. | 2.3 | 20 |
| 75 | Cervical neoplasia in systemic lupus erythematosus: a nationwide study. <i>Rheumatology</i> , 2017, 56, kew459. | 1.9 | 19 |
| 76 | Osteopontin is associated with disease severity and antiphospholipid syndrome in well characterised Swedish cases of SLE. <i>Lupus Science and Medicine</i> , 2017, 4, e000225. | 2.7 | 18 |
| 77 | Reduced serum levels of autoantibodies against monomeric C-reactive protein (CRP) in patients with acute coronary syndrome. <i>Clinica Chimica Acta</i> , 2009, 400, 128-131. | 1.1 | 17 |
| 78 | Interferon- γ coincides with suppressed levels of pentraxin-3 (PTX3) in systemic lupus erythematosus and regulates leucocyte PTX3 <i>in vitro</i> . <i>Clinical and Experimental Immunology</i> , 2017, 189, 83-91. | 2.6 | 17 |
| 79 | Beware of Antibodies to Dietary Proteins in "Antigen-specific" Immunoassays! Falsely Positive Anticytokine Antibody Tests Due to Reactivity with Bovine Serum Albumin in Rheumatoid Arthritis (The) Tj ETQq1 12007843146gBT /Ove | | |
| 80 | Immunoglobulin A anti-phospholipid antibodies in Swedish cases of systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. <i>Clinical and Experimental Immunology</i> , 2018, 194, 27-38. | 2.6 | 16 |
| 81 | Increased levels of anti-dsDNA antibodies in immune complexes before treatment with belimumab associate with clinical response in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2019, 21, 259. | 3.5 | 16 |
| 82 | Lymphopenia as a risk factor for neurologic involvement and organ damage accrual in patients with systemic lupus erythematosus: A multi-center observational study. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 1387-1393. | 3.4 | 16 |
| 83 | Complement Opsonization Promotes Herpes Simplex Virus 2 Infection of Human Dendritic Cells. <i>Journal of Virology</i> , 2016, 90, 4939-4950. | 3.4 | 15 |
| 84 | Osteopontin and Disease Activity in Patients with Recent-onset Systemic Lupus Erythematosus: Results from the SLICC Inception Cohort. <i>Journal of Rheumatology</i> , 2019, 46, 492-500. | 2.0 | 15 |
| 85 | The Diagnostic Performance of an Extended Ultrasound Protocol in Patients With Clinically Suspected Giant Cell Arteritis. <i>Frontiers in Medicine</i> , 2021, 8, 807996. | 2.6 | 15 |
| 86 | <i>De novo</i> lupus nephritis during treatment with belimumab. <i>Rheumatology</i> , 2021, 60, 4348-4354. | 1.9 | 14 |
| 87 | Resistin is Associated with Breach of Tolerance and Anti-nuclear Antibodies in Patients with Hepatobiliary Inflammation. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 463-470. | 2.7 | 13 |
| 88 | Long-term outcomes of destructive seronegative (rheumatoid) arthritis " description of four clinical cases. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 246. | 1.9 | 13 |
| 89 | Two-Parametric Immunological Score Development for Assessing Renal Involvement and Disease Activity in Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2018, 2018, 1-9. | 2.2 | 13 |
| 90 | SARS-CoV-2 Antibody Isotypes in Systemic Lupus Erythematosus Patients Prior to Vaccination: Associations With Disease Activity, Antinuclear Antibodies, and Immunomodulatory Drugs During the First Year of the Pandemic. <i>Frontiers in Immunology</i> , 2021, 12, 724047. | 4.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Effects of the COVID-19 pandemic on patients with inflammatory joint diseases in Sweden: from infection severity to impact on care provision. <i>RMD Open</i> , 2021, 7, e001987. | 3.8 | 13 |
| 92 | Uptake of rheumatology biosimilars in the absence of forced switching. <i>Expert Opinion on Biological Therapy</i> , 2018, 18, 499-504. | 3.1 | 12 |
| 93 | A rare regulatory variant in the MEF2D gene affects gene regulation and splicing and is associated with a SLE sub-phenotype in Swedish cohorts. <i>European Journal of Human Genetics</i> , 2019, 27, 432-441. | 2.8 | 12 |
| 94 | Adverse Pregnancy Outcomes after Multi-Professional Follow-Up of Women with Systemic Lupus Erythematosus: An Observational Study from a Single Centre in Sweden. <i>Journal of Clinical Medicine</i> , 2020, 9, 2598. | 2.4 | 12 |
| 95 | Comparison of Surrogate Markers of the Type I Interferon Response and Their Ability to Mirror Disease Activity in Systemic Lupus Erythematosus. <i>Frontiers in Immunology</i> , 2021, 12, 688753. | 4.8 | 12 |
| 96 | Plasma C-Reactive Protein and Pentraxin-3 Reference Intervals During Normal Pregnancy. <i>Frontiers in Immunology</i> , 2021, 12, 722118. | 4.8 | 12 |
| 97 | Multicentre study to improve clinical interpretation of rheumatoid factor and anti-citrullinated protein/peptide antibodies test results. <i>RMD Open</i> , 2022, 8, e002099. | 3.8 | 12 |
| 98 | Active NET formation in Libmanâ€™Sacks endocarditis without antiphospholipid antibodies: A dramatic onset of systemic lupus erythematosus. <i>Autoimmunity</i> , 2018, 51, 310-318. | 2.6 | 11 |
| 99 | High-Frequency Ultrasound of Multiple Arterial Areas Reveals Increased Intima Media Thickness, Vessel Wall Appearance, and Atherosclerotic Plaques in Systemic Lupus Erythematosus. <i>Frontiers in Medicine</i> , 2020, 7, 581336. | 2.6 | 11 |
| 100 | Adult-Onset Anti-Citrullinated Peptide Antibody-Negative Destructive Rheumatoid Arthritis Is Characterized by a Disease-Specific CD8+ T Lymphocyte Signature. <i>Frontiers in Immunology</i> , 2020, 11, 578848. | 4.8 | 11 |
| 101 | Autoantibodies associated with primary biliary cholangitis are common among patients with systemic lupus erythematosus even in the absence of elevated liver enzymes. <i>Clinical and Experimental Immunology</i> , 2020, 203, 22-31. | 2.6 | 11 |
| 102 | Interaction between the <i>STAT4</i> rs11889341(T) risk allele and smoking confers increased risk of myocardial infarction and nephritis in patients with systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1183-1189. | 0.9 | 10 |
| 103 | Relationship between remission, disease activity and patient-reported outcome measures in patients with recent-onset systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 625-630. | 1.6 | 9 |
| 104 | Variants in BANK1 are associated with lupus nephritis of European ancestry. <i>Genes and Immunity</i> , 2021, 22, 194-202. | 4.1 | 9 |
| 105 | Associations of C-reactive protein isoforms with systemic lupus erythematosus phenotypes and disease activity. <i>Arthritis Research and Therapy</i> , 2022, 24, . | 3.5 | 9 |
| 106 | Incidence and disease severity of anti-neutrophil cytoplasmic antibody-associated nephritis are higher than in lupus nephritis in Sweden. <i>Nephrology Dialysis Transplantation</i> , 2014, 30 Suppl 1, i23-30. | 0.7 | 8 |
| 107 | Pronounced Diurnal Pattern of Salivary C-Reactive Protein (CRP) With Modest Associations to Circulating CRP Levels. <i>Frontiers in Immunology</i> , 2020, 11, 607166. | 4.8 | 8 |
| 108 | Activated low-density granulocytes in peripheral and intervillous blood and neutrophil inflammation in placentas from SLE pregnancies. <i>Lupus Science and Medicine</i> , 2021, 8, e000463. | 2.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | CRP and Anti-CRP Autoantibodies in Systemic Lupus Erythematosus. <i>Current Rheumatology Reviews</i> , 2005, 1, 81-89. | 0.8 | 7 |
| 110 | Synthesis of an Array of Triple-Helical Peptides from Type II Collagen for Multiplex Analysis of Autoantibodies in Rheumatoid Arthritis. <i>ACS Chemical Biology</i> , 2020, 15, 2605-2615. | 3.4 | 7 |
| 111 | Toll-like receptors revisited; a possible role for TLR1 in lupus nephritis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 404-406. | 0.9 | 7 |
| 112 | Impaired Microcirculation and Vascular Hemodynamics in Relation to Macrocirculation in Patients With Systemic Lupus Erythematosus. <i>Frontiers in Medicine</i> , 2021, 8, 722758. | 2.6 | 7 |
| 113 | Comparison of treatment retention of originator <i>vs</i> biosimilar products in clinical rheumatology practice in Sweden. <i>Rheumatology</i> , 2022, 61, 3596-3605. | 1.9 | 7 |
| 114 | Anti-CRP Autoantibody Levels Correlate with Disease Activity in Systemic Lupus Erythematosus. <i>Seminars in Arthritis and Rheumatism</i> , 2005, 35, 65-66. | 3.4 | 6 |
| 115 | Contributions of de novo variants to systemic lupus erythematosus. <i>European Journal of Human Genetics</i> , 2021, 29, 184-193. | 2.8 | 6 |
| 116 | Disease activity trajectories in rheumatoid arthritis: a tool for prediction of outcome. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 1-10. | 1.1 | 6 |
| 117 | IgA rheumatoid factor in rheumatoid arthritis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 1617-1626. | 2.3 | 6 |
| 118 | Secretory antibodies to citrullinated peptides in plasma and saliva from rheumatoid arthritis patients and their unaffected first-degree relatives. <i>Clinical and Experimental Immunology</i> , 2020, 199, 143-149. | 2.6 | 5 |
| 119 | Plasma osteopontin versus intima media thickness of the common carotid arteries in well-characterised patients with systemic lupus erythematosus. <i>Lupus</i> , 2021, 30, 096120332110138. | 1.6 | 5 |
| 120 | Elevated free secretory component in early rheumatoid arthritis and prior to arthritis development in patients at increased risk. <i>Rheumatology</i> , 2020, 59, 979-987. | 1.9 | 4 |
| 121 | Longitudinal Analysis of Anti-cardiolipin and Anti- β 2-glycoprotein-I Antibodies in Recent-Onset Systemic Lupus Erythematosus: A Prospective Study in Swedish Patients. <i>Frontiers in Medicine</i> , 2021, 8, 646846. | 2.6 | 4 |
| 122 | Quick Systemic Lupus Activity Questionnaire (Q-SLAQ): a simplified version of SLAQ for patient-reported disease activity. <i>Lupus Science and Medicine</i> , 2021, 8, e000471. | 2.7 | 4 |
| 123 | Usefulness of Clinical and Laboratory Criteria for Diagnosing Autoimmune Liver Disease among Patients with Systemic Lupus Erythematosus: An Observational Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3820. | 2.4 | 4 |
| 124 | Comparing longitudinal patient-reported outcome measures between Swedish patients with recent-onset systemic lupus erythematosus and early rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2022, 41, 1561-1568. | 2.2 | 4 |
| 125 | Clinically suspected recurrence of gastric carcinoid proved to be hypocomplementaemic urticarial vasculitis syndrome with pulmonary involvement. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 337-339. | 1.1 | 3 |
| 126 | Successful Treatment of AA Amyloidosis in Ankylosing Spondylitis Using Tocilizumab: Report of Two Cases and Review of the Literature. <i>Frontiers in Medicine</i> , 2021, 8, 661101. | 2.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | S4D:5â€¦Targeted next-generation sequencing suggests novel risk loci in juvenile onset systemic lupus erythematosus. , 2018, , . | | 2 |
| 128 | P137â€¦De novo lupus nephritis during belimumab treatment. , 2020, , . | | 2 |
| 129 | Pentraxinâ€³ detected in human saliva shows limited correlation with biomarkers associated with systemic inflammation. <i>Apmis</i> , 2021, 129, 304-313. | 2.0 | 2 |
| 130 | Individual variations in treatment decisions by Swedish rheumatologists regarding biological drugs for rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 265-70. | 1.1 | 2 |
| 131 | Standardisation of ACPA tests: evaluation of a new candidate reference preparation. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1379-1384. | 0.9 | 2 |
| 132 | Affected Microcirculation and Vascular Hemodynamics in Takayasu Arteritis. <i>Frontiers in Physiology</i> , 0, 13, . | 2.8 | 2 |
| 133 | Editorial: The Effect of Ethnicity on Cardiovascular Outcomes in Systemic Lupus Erythematosus Is Perhaps Not a Paradox. <i>Arthritis and Rheumatology</i> , 2017, 69, 1707-1709. | 5.6 | 1 |
| 134 | 207â€¦A high genetic risk score is associated with early disease onset, organ damage and decreased survival in systemic lupus erythematosus. , 2019, , . | | 1 |
| 135 | P86â€¦The NCF1â€“339 polymorphism is associated with altered formation of neutrophil extracellular traps, high serum interferon activity and antiphospholipid syndrome in systemic lupus erythematosus. , 2020, , . | | 1 |
| 136 | Correspondence on â€”Performance of the 2019 EULAR/ACR classification criteria for systemic lupus erythematosus in early disease, across sexes and ethnicitiesâ€™. <i>Annals of the Rheumatic Diseases</i> , 2020, , annrheumdis-2020-219296. | 0.9 | 1 |
| 137 | Case Report: <i>Borrelia</i> -DNA Revealed the Cause of Arthritis and Dermatitis During Treatment With Rituximab. <i>Frontiers in Neurology</i> , 2021, 12, 645298. | 2.4 | 1 |
| 138 | POS0601â€¦DIFFERENCES IN DRUG SURVIVAL BETWEEN ORIGINATOR AND BIOSIMILAR PRODUCTS AMONG FIRST USERS OF EACH MOLECULE. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 535.2-535. | 0.9 | 1 |
| 139 | POS1169â€¦IMPACT OF THE COVID-19 PANDEMIC ON MORBIDITY AND MORTALITY AMONG SWEDISH PATIENTS WITH INFLAMMATORY JOINT DISEASES VERSUS THE GENERAL POPULATION. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 864-865. | 0.9 | 1 |
| 140 | A rare case of idiopathic multicentric Castleman disease in a patient with long-standing systemic autoimmunity. <i>Scandinavian Journal of Rheumatology</i> , 2021, , 1-3. | 1.1 | 1 |
| 141 | OP0362â€¦Novel gene variants associated with cardiovascular disease in systemic lupus erythematosus and rheumatoid arthritis. , 2018, , . | | 1 |
| 142 | Comment on â€”Systemic autoimmunity with Castleman-like lymphadenopathy: a diagnostic and therapeutic challengeâ€™: reply. <i>Scandinavian Journal of Rheumatology</i> , 2021, , 1-2. | 1.1 | 1 |
| 143 | Galectin-3-binding protein is a novel predictor of venous thromboembolism in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 1360-1368. | 0.8 | 1 |
| 144 | Variation of Complement Protein Levels in Maternal Plasma and Umbilical Cord Blood during Normal Pregnancy: An Observational Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 3611. | 2.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Autoantibodies Associated with Autoimmune Liver Diseases in a Healthy Population: Evaluation of a Commercial Immunoblot Test. <i>Diagnostics</i> , 2022, 12, 1572. | 2.6 | 1 |
| 146 | Tu-P10:452 C-reactive protein inhibit complement-mediated platelet activation suggesting a protective role in atherogenesis. <i>Atherosclerosis Supplements</i> , 2006, 7, 284. | 1.2 | 0 |
| 147 | Dr. Skogh, <i>et al,</i> reply. <i>Journal of Rheumatology</i> , 2009, 36, 1834-1834. | 2.0 | 0 |
| 148 | A3.7â€¦No evidence of cathelicidin being involved in the pathogenesis of lupus and arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A44.2-A45. | 0.9 | 0 |
| 149 | THU0042â€¦Autoantibodies against High Mobility Group Box Protein-1 in Systemic Lupus Erythematosus: Association with Disease Activity and Other Antinuclear Antibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 191.1-191. | 0.9 | 0 |
| 150 | FRIO172â€¦Utility of Swedish Register Data in Classifying Systemic Lupus. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 444.2-444. | 0.9 | 0 |
| 151 | THU0345â€¦Presence of Immunoglobulin (IG) A Antibodies against Cardiolipin and Î²2-Glycoprotein-I in The Absence of IGG and IGM in Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 312.1-312. | 0.9 | 0 |
| 152 | OPO189â€¦Rate of Cervical Neoplasia in Systemic Lupus Erythematosus: A Nationwide Cohort-Study: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 128.2-128. | 0.9 | 0 |
| 153 | P1_144 Hypocomplementemic Urticarial Vasculitis (HUV) Syndrome in Two Geographically Defined Populations of Sweden. <i>Rheumatology</i> , 2017, 56, iii88-iii88. | 1.9 | 0 |
| 154 | 103â€¦Smoking and pre-existing organ damage reduce the efficacy of belimumab in systemic lupus erythematosus. , 2017, , . | | 0 |
| 155 | THU0652â€¦Assessment of biosimilars using real world data: the complexity of choosing a comparator and understanding uptake. , 2017, , . | | 0 |
| 156 | THU0663â€¦Serum galectin-3 binding protein is a novel predictor of venous thromboembolism in patients with systemic lupus erythematosus (SLE). , 2017, , . | | 0 |
| 157 | SAT0233â€¦High anti-dsDNA content in SLE immune complexes is associated with clinical remission following belimumab treatment. , 2017, , . | | 0 |
| 158 | Response to: â€œIncreased stroke incidence in systemic lupus erythematosus patients: risk factors or disease itself?â€™ by Bruzzese and Zullo. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, e72-e72. | 0.9 | 0 |
| 159 | SAT0209â€¦A SIMPLIFIED APPROACH FOR SLE PATIENTS TO REPORT DISEASE ACTIVITY USING A REVISED VERSION OF THE SWEDISH SYSTEMIC LUPUS ACTIVITY QUESTIONNAIRE. , 2019, , . | | 0 |
| 160 | 12â€¦Epigenome-wide association study reveals differential DNA methylation in systemic lupus erythematosus patients with a history of ischemic heart disease. , 2019, , . | | 0 |
| 161 | 264â€¦Damage accrual in Swedish systemic lupus erythematosus: secondary Sjögrens syndrome is among the factors associated with increased risk. , 2019, , . | | 0 |
| 162 | 43â€¦The diagnostic accuracy of the 2012 SLICC and the proposed EULAR/ACR criteria for systemic lupus erythematosus classification is comparable. , 2019, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | P96...Cerebral hemodynamics and microcirculatory function in Swedish patients with systemic lupus erythematosus. , 2019, , . | | 0 |
| 164 | P82...Anti-phospholipid antibodies and renal involvement are the main features associated with adverse pregnancy outcomes in patients with systemic lupus erythematosus " a long-term longitudinal study in Southern Sweden. , 2020, , . | | 0 |
| 165 | P23...Longitudinal antinuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of swedish cases with recent-onset disease. , 2020, , . | | 0 |
| 166 | P91...The development and validation of a polygenic risk score for myocardial infarction in SLE. , 2020, , . | | 0 |
| 167 | P89...Epigenome-wide association study reveals differential DNA methylation in systemic lupus erythematosus patients with a history of ischemic heart disease. , 2020, , . | | 0 |
| 168 | P106...Pentameric, but not monomeric C-reactive protein, limits the snRNP-immune complex triggered type I interferon response: implications for lupus pathogenesis. , 2020, , . | | 0 |
| 169 | P174...Extended arterial ultrasound revealing increased intima media thickness and relation to impaired microcirculation in systemic lupus erythematosus. , 2020, , . | | 0 |
| 170 | P190...A simplified approach for patients with SLE to report disease activity using a revised version of the swedish systemic lupus activity questionnaire. , 2020, , . | | 0 |
| 171 | O34...Variants in <i>BANK1</i> are associated with lupus nephritis. , 2020, , . | | 0 |
| 172 | P33...Cytokine and autoantibody profiles during treatment with belimumab in patients with systemic lupus erythematosus. , 2020, , . | | 0 |
| 173 | THU0196...Do contextual factors influence survival on drug of biosimilars in clinical practice?. , 2018, , . | | 0 |
| 174 | AB0321...EFFECT ON RETENTION RATES OF A NOVEL AUTOINJECTOR E-DEVICE IMPLEMENTED IN CLINICAL PRACTICE IN PATIENTS WITH CHRONIC ARTHRITIS TREATED WITH CERTOLIZUMAB PEGOL; A MULTI-CENTRE STUDY. Annals of the Rheumatic Diseases, 2020, 79, 1459.1-1459. | 0.9 | 0 |
| 175 | AB0400...PATIENT-REPORTED OUTCOME MEASURES IN SWEDISH PATIENTS WITH RECENT-ONSET SLE VERSUS RA IN THE FIRST 60 MONTHS AFTER DIAGNOSIS. Annals of the Rheumatic Diseases, 2020, 79, 1499.2-1500. | 0.9 | 0 |