

# Jin Man Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7615150/publications.pdf>

Version: 2024-02-01

82  
papers

3,839  
citations

117625

34  
h-index

128289

60  
g-index

84  
all docs

84  
docs citations

84  
times ranked

7616  
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcriptomic Analysis of Papillary Thyroid Cancer: A Focus on Immune-Subtyping, Oncogenic Fusion, and Recurrence. <i>Clinical and Experimental Otorhinolaryngology</i> , 2022, 15, 183-193.	2.1	7
2	Immunohistochemical expression of CD44, matrix metalloproteinase2 and matrix metalloproteinase9 in renal cell carcinomas. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 742-748.	1.6	20
3	Cationic amino acid transporter PQLC 2 is a potential therapeutic target in gastric cancer. <i>Cancer Science</i> , 2019, 110, 1453-1463.	3.9	6
4	LAMB3 is associated with disease progression and cisplatin cytotoxic sensitivity in head and neck squamous cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2019, 45, 359-365.	1.0	23
5	Rab25 augments cancer cell invasiveness through a $\beta$ 1 integrin/EGFR/VEGF-A/Snail signaling axis and expression of fascin. <i>Experimental and Molecular Medicine</i> , 2018, 50, e435-e435.	7.7	45
6	Association of PD-L1 expression and PD-L1 gene polymorphism with poor prognosis in lung adenocarcinoma and squamous cell carcinoma. <i>Human Pathology</i> , 2017, 68, 103-111.	2.0	60
7	Inhibitor of DNA binding 2 is a novel therapeutic target for stemness of head and neck squamous cell carcinoma. <i>British Journal of Cancer</i> , 2017, 117, 1810-1818.	6.4	11
8	ERCC1 expression status predicts the response and survival of patients with metastatic or recurrent cervical cancer treated via platinum-based chemotherapy. <i>Medicine (United States)</i> , 2017, 96, e9402.	1.0	16
9	Peroxiredoxin 5 overexpression enhances tumorigenicity and correlates with poor prognosis in gastric cancer. <i>International Journal of Oncology</i> , 2017, 51, 298-306.	3.3	27
10	Two Cases of Intravascular Lymphoma Presenting with Pulmonary Involvement. <i>Journal of Korean Medical Science</i> , 2016, 31, 1011.	2.5	0
11	Scaffold-Free Coculture Spheroids of Human Colonic Adenocarcinoma Cells and Normal Colonic Fibroblasts Promote Tumorigenicity in Nude Mice. <i>Translational Oncology</i> , 2016, 9, 79-88.	3.7	28
12	Effect of acteoside on the re-localization and abnormal morphology of mitochondria in porcine oocytes during in vitro maturation. <i>Journal of Assisted Reproduction and Genetics</i> , 2016, 33, 939-948.	2.5	13
13	Carboxyl-Terminal Modulator Protein Positively Acts as an Oncogenic Driver in Head and Neck Squamous Cell Carcinoma via Regulating Akt phosphorylation. <i>Scientific Reports</i> , 2016, 6, 28503.	3.3	13
14	EZH2 is associated with poor prognosis in head-and-neck squamous cell carcinoma via regulating the epithelial-to-mesenchymal transition and chemosensitivity. <i>Oral Oncology</i> , 2016, 52, 66-74.	1.5	51
15	Defective ciliogenesis in thyroid h $\frac{1}{4}$ rthle cell tumors is associated with increased autophagy. <i>Oncotarget</i> , 2016, 7, 79117-79130.	1.8	37
16	Up-regulation of Cytoplasmic CD24 Expression Is Associated with Malignant Transformation but Favorable Prognosis of Colorectal Adenocarcinoma. <i>Anticancer Research</i> , 2016, 36, 6593-6598.	1.1	8
17	An atypical nonsebaceous lymphadenoma with diffuse lymphoepithelial differentiation. <i>Indian Journal of Pathology and Microbiology</i> , 2016, 59, 521.	0.2	3
18	Decreased efficacy of drugs targeting the vascular endothelial growth factor pathway by the epigenetic silencing of FLT1 in renal cancer cells. <i>Clinical Epigenetics</i> , 2015, 7, 99.	4.1	10

#	ARTICLE	IF	CITATIONS
19	Dysregulation of Parkin-mediated mitophagy in thyroid H <sub>2</sub> O <sub>2</sub> cell tumors. <i>Carcinogenesis</i> , 2015, 36, 1407-1418.	2.8	25
20	APE1/Ref-1 as a Serological Biomarker for the Detection of Bladder Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 823-833.	3.0	58
21	Î²-Lapachone alleviates alcoholic fatty liver disease in rats. <i>Cellular Signalling</i> , 2014, 26, 295-305.	3.6	14
22	Upregulation of HGF and c-MET is Associated with Subclinical Central Lymph Node Metastasis in Papillary Thyroid Microcarcinoma. <i>Annals of Surgical Oncology</i> , 2014, 21, 2310-2317.	1.5	27
23	Wnt/Î²-catenin signalling maintains self-renewal and tumorigenicity of head and neck squamous cell carcinoma stem-like cells by activating Oct4. <i>Journal of Pathology</i> , 2014, 234, 99-107.	4.5	118
24	Expression of matrix metalloproteinase-12 is correlated with extracapsular spread of tumor from nodes with metastasis in head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 1137-1142.	1.6	28
25	Crif1 Deficiency Reduces Adipose OXPHOS Capacity and Triggers Inflammation and Insulin Resistance in Mice. <i>PLoS Genetics</i> , 2013, 9, e1003356.	3.5	55
26	Differential Immune Responses to <i>Segniliparus rotundus</i> and <i>Segniliparus rugosus</i> Infection and Analysis of Their Comparative Virulence Profiles. <i>PLoS ONE</i> , 2013, 8, e59646.	2.5	7
27	Dual specificity phosphatase 6 as a predictor of invasiveness in papillary thyroid cancer. <i>European Journal of Endocrinology</i> , 2012, 167, 93-101.	3.7	28
28	AMPK activation with glabridin ameliorates adiposity and lipid dysregulation in obesity. <i>Journal of Lipid Research</i> , 2012, 53, 1277-1286.	4.2	83
29	A Proposal for Creating a Guideline for Cancer Registration of the Fibromatosis, PEComa Group, Malignant Lymphoma <i>In Situ</i> and Dendritic Cell Tumors (III). <i>Korean Journal of Pathology</i> , 2012, 46, 436.	1.3	1
30	Overexpression of IL-32 is a novel prognostic factor in patients with localized clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2012, 3, 490-496.	1.8	21
31	CD44 is associated with tumor recurrence and is an independent poor prognostic factor for patients with localized clear cell renal cell carcinoma after nephrectomy. <i>Experimental and Therapeutic Medicine</i> , 2012, 3, 811-817.	1.8	14
32	The clinicopathologic differences in papillary thyroid carcinoma with or without co-existing chronic lymphocytic thyroiditis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 1013-1017.	1.6	57
33	NDRG2 Is Involved in the Oncogenic Properties of Renal Cell Carcinoma and Its Loss Is a Novel Independent Poor Prognostic Factor After Nephrectomy. <i>Annals of Surgical Oncology</i> , 2012, 19, 2763-2772.	1.5	17
34	Transcription coactivator Eya2 is a critical regulator of physiological hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 718-726.	1.9	18
35	Cucurbitacin induces autophagy through mitochondrial ROS production which counteracts to limit caspase-dependent apoptosis. <i>Autophagy</i> , 2012, 8, 559-576.	9.1	107
36	DJ-1 Null Dopaminergic Neuronal Cells Exhibit Defects in Mitochondrial Function and Structure: Involvement of Mitochondrial Complex I Assembly. <i>PLoS ONE</i> , 2012, 7, e32629.	2.5	86

#	ARTICLE	IF	CITATIONS
37	Beta-Lapachone, a Modulator of NAD Metabolism, Prevents Health Declines in Aged Mice. <i>PLoS ONE</i> , 2012, 7, e47122.	2.5	49
38	Proposal for Creating a Guideline for Cancer Registration of Microinvasive Tumors of the Breast and Ovary (II). <i>Korean Journal of Pathology</i> , 2012, 46, 226.	1.3	3
39	The Immunohistochemical Expression of STAT3, Bcl-xL, and MMP-2 Proteins in Colon Adenoma and Adenocarcinoma. <i>Gut and Liver</i> , 2012, 6, 45-51.	2.9	16
40	Is there any synergic effect for coadministration of mitomycin C and halofuginone on the skin wound healing?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2011, 32, 130-134.	1.3	2
41	A case of chronic inflammatory demyelinating polyneuropathy associated with immune-mediated thrombocytopenia and cutaneous T-cell lymphoma. <i>Clinical Neurology and Neurosurgery</i> , 2011, 113, 596-598.	1.4	4
42	Differential expression of Yes-associated protein is correlated with expression of cell cycle markers and pathologic TNM staging in non-small-cell lung carcinoma. <i>Human Pathology</i> , 2011, 42, 315-323.	2.0	32
43	Evaluation of the combined expression of chemokine SDF-1 $\alpha$ and its receptor CXCR4 as a prognostic marker for gastric cancer. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 499-504.	1.8	13
44	Cross-Regulation between Oncogenic BRAFV600E Kinase and the MST1 Pathway in Papillary Thyroid Carcinoma. <i>PLoS ONE</i> , 2011, 6, e16180.	2.5	36
45	Excision repair cross-complementation group 1 expression predicts response and survival in locally advanced cervical carcinoma patients treated with concurrent chemoradiotherapy. <i>Histopathology</i> , 2011, 59, 564-567.	2.9	8
46	Overexpression of Jazf1 induces cardiac malformation through the upregulation of pro-apoptotic genes in mice. <i>Transgenic Research</i> , 2011, 20, 1019-1031.	2.4	16
47	Conversion of <i>Mycobacterium smegmatis</i> to a pathogenic phenotype via passage of epithelial cells during macrophage infection. <i>Medical Microbiology and Immunology</i> , 2011, 200, 177-191.	4.8	5
48	Low-intensity ultrasound stimulation prevents osteoporotic bone loss in young adult ovariectomized mice. <i>Journal of Orthopaedic Research</i> , 2011, 29, 116-125.	2.3	20
49	Differential expression of DUSP6 with expression of ERK and Ki-67 in non-small cell lung carcinoma. <i>Pathology Research and Practice</i> , 2011, 207, 428-432.	2.3	7
50	Mitochondrial Localization and Regulation of BRAFV600E in Thyroid Cancer: A Clinically Used RAF Inhibitor Is Unable to Block the Mitochondrial Activities of BRAFV600E. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E19-E30.	3.6	51
51	Newly identified tumor-associated role of human Sharpin. <i>Molecular and Cellular Biochemistry</i> , 2010, 340, 161-167.	3.1	56
52	Ultrasound-stimulated peripheral nerve regeneration within asymmetrically porous PLGA/Pluronic F127 nerve guide conduit. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010, 94B, 359-366.	3.4	42
53	Tumor Suppressor Serine/Threonine Kinase LKB1 Expression, Not Kinase Activity, Increased in the Vascular Smooth Muscle Cells and Neointima in the Rat Carotid Artery Injury Model. <i>Korean Circulation Journal</i> , 2010, 40, 552.	1.9	3
54	Pharmacological Stimulation of NADH Oxidation Ameliorates Obesity and Related Phenotypes in Mice. <i>Diabetes</i> , 2009, 58, 965-974.	0.6	144

#	ARTICLE	IF	CITATIONS
55	Expression of Sonic hedgehog signaling molecules in normal, hyperplastic and carcinomatous endometrium. <i>Pathology International</i> , 2009, 59, 279-287.	1.3	26
56	Identification of novel candidate target genes, including EPHB3, MASP1 and SSTAT3 in squamous cell carcinoma of the lung. <i>BMC Cancer</i> , 2009, 9, 237.	2.6	65
57	Novel fabrication of PCL porous beads for use as an injectable cell carrier system. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2009, 90B, 521-530.	3.4	55
58	Comparative analysis of immune responses to <i>Mycobacterium abscessus</i> infection and its antigens in two murine models. <i>Journal of Microbiology</i> , 2009, 47, 633-40.	2.8	10
59	High virulent clinical isolates of <i>Mycobacterium abscessus</i> from patients with the upper lobe fibrocavitary form of pulmonary disease. <i>Microbial Pathogenesis</i> , 2009, 47, 321-328.	2.9	24
60	Modulatory role of phospholipase D in the activation of signal transducer and activator of transcription (STAT)-3 by thyroid oncogenic kinase RET/PTC. <i>BMC Cancer</i> , 2008, 8, 144.	2.6	33
61	Gain at chromosomal region 5p15.33, containing TERT, is the most frequent genetic event in early stages of non-small cell lung cancer. <i>Cancer Genetics and Cytogenetics</i> , 2008, 182, 1-11.	1.0	162
62	Alteration of APE1/ref-1 expression in non-small cell lung cancer: The implications of impaired extracellular superoxide dismutase and catalase antioxidant systems. <i>Lung Cancer</i> , 2008, 60, 277-284.	2.0	115
63	Sustained activation of protein kinase C downregulates nuclear factor- $\kappa$ B signaling by dissociation of IKK- $\alpha$ and Hsp90 complex in human colonic epithelial cells. <i>Carcinogenesis</i> , 2007, 28, 71-80.	2.8	39
64	Extramammary Paget's disease of the scrotum with adenocarcinoma of the stomach. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, S43-S45.	1.2	11
65	In vitro and in vivo characteristics of PCL scaffolds with pore size gradient fabricated by a centrifugation method. <i>Biomaterials</i> , 2007, 28, 1664-1671.	11.4	617
66	Asymmetrically porous PLGA/Pluronic F127 membrane for effective guided bone regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006, 17, 1375-1387.	3.5	55
67	The Expression of Estrogen Receptors in Hepatocellular Carcinoma in Korean Patients. <i>Yonsei Medical Journal</i> , 2006, 47, 811.	2.2	28
68	Expression of the RERG Gene is Gender-Dependent in Hepatocellular Carcinoma and Regulated by Histone Deacetyltransferases. <i>Journal of Korean Medical Science</i> , 2006, 21, 891.	2.5	8
69	Mouse emi1 Has an Essential Function in Mitotic Progression during Early Embryogenesis. <i>Molecular and Cellular Biology</i> , 2006, 26, 5373-5381.	2.3	47
70	Expression of hepatitis C virus nonstructural 4B in transgenic mice. <i>Experimental and Molecular Medicine</i> , 2006, 38, 241-246.	7.7	10
71	Parkin negatively regulates JNK pathway in the dopaminergic neurons of <i>Drosophila</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10345-10350.	7.1	227
72	Bax, a predictive marker for therapeutic response to preoperative chemoradiotherapy in patients with rectal carcinoma. <i>Human Pathology</i> , 2005, 36, 364-371.	2.0	70

#	ARTICLE	IF	CITATIONS
73	Regulation of Signal Transducer and Activator of Transcription 1 (STAT1) and STAT1-Dependent Genes by RET/PTC (Rearranged in Transformation/Papillary Thyroid Carcinoma) Oncogenic Tyrosine Kinases. <i>Molecular Endocrinology</i> , 2004, 18, 2672-2684.	3.7	35
74	Increased expression of cyclin G1 in leiomyoma compared with normal myometrium. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 634-639.	1.3	37
75	CR6-interacting Factor 1 Interacts with Gadd45 Family Proteins and Modulates the Cell Cycle. <i>Journal of Biological Chemistry</i> , 2003, 278, 28079-28088.	3.4	80
76	Regulation of the Phosphatidylinositol 3-Kinase, Akt/Protein Kinase B, FRAP/Mammalian Target of Rapamycin, and Ribosomal S6 Kinase 1 Signaling Pathways by Thyroid-stimulating Hormone (TSH) and Stimulating type TSH Receptor Antibodies in the Thyroid Gland. <i>Journal of Biological Chemistry</i> , 2003, 278, 21960-21971.	3.4	75
77	RET/PTC (Rearranged in Transformation/Papillary Thyroid Carcinomas) Tyrosine Kinase Phosphorylates and Activates Phosphoinositide-Dependent Kinase 1 (PDK1): An Alternative Phosphatidylinositol 3-Kinase-Independent Pathway to Activate PDK1. <i>Molecular Endocrinology</i> , 2003, 17, 1382-1394.	3.7	50
78	Activation of Signal Transducer and Activator of Transcription 3 by Oncogenic RET/PTC (Rearranged in) Tj ETQq0 0 0 rgBT /Overlock 10 1 Cellular Transformation. <i>Molecular Endocrinology</i> , 2003, 17, 1155-1166.	3.7	61
79	Gadd45 <sup>Δ3</sup> Expression Is Reduced in Anaplastic Thyroid Cancer and Its Reexpression Results in Apoptosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3913-3920.	3.6	30
80	Primary Extranodal Marginal Zone B-cell Lymphoma of Mucosa-Associated Lymphoid Tissue-type in the Thymus of a Patient with Sjögren's Syndrome and Rheumatoid Arthritis. <i>Journal of Korean Medical Science</i> , 2003, 18, 897.	2.5	29
81	Purification and properties of extracellular phytase from <i>Bacillus</i> sp. KHU-10. <i>The Protein Journal</i> , 2001, 20, 287-292.	1.1	133
82	Genetic alterations in hepatocellular carcinoma and intrahepatic cholangiocarcinoma. <i>Cancer Genetics and Cytogenetics</i> , 2001, 130, 22-28.	1.0	51