

Peter Fickert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7615379/publications.pdf>

Version: 2024-02-01

161
papers

10,596
citations

36691

53
h-index

38517

99
g-index

164
all docs

164
docs citations

164
times ranked

9446
citing authors

#	ARTICLE	IF	CITATIONS
1	Bile Acids Are Important Contributors to AKI Associated with Liver Disease: PRO. <i>Kidney360</i> , 2022, 3, 17-20.	0.9	3
2	A novel score predicts mortality after transjugular intrahepatic portosystemic shunt: MOTS â€• Modified TIPS Score. <i>Liver International</i> , 2022, 42, 1849-1860.	1.9	10
3	Acute Liver Failure after Ingestion of Fried Rice Balls: A Case Series of <i>Bacillus cereus</i> Food Poisonings. <i>Toxins</i> , 2022, 14, 12.	1.5	16
4	Liver Fibrosisâ€•4 index indicates atrial fibrillation in acute ischemic stroke. <i>European Journal of Neurology</i> , 2022, 29, 2283-2288.	1.7	5
5	Regulation of autophagy by bile acids and in cholestasis - CholestoPHAGY or CholeSTOPagy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166017.	1.8	16
6	Non-invasive markers of liver fibrosis and outcome in large vessel occlusion stroke. <i>Therapeutic Advances in Neurological Disorders</i> , 2021, 14, 175628642110372.	1.5	19
7	Secondary (iso)BAs cooperate with endogenous ligands to activate FXR under physiological and pathological conditions. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021, 1867, 166153.	1.8	5
8	Downregulation of TGR5 (GPBAR1) in biliary epithelial cells contributes to the pathogenesis of sclerosing cholangitis. <i>Journal of Hepatology</i> , 2021, 75, 634-646.	1.8	51
9	Impaired Bile Acid Metabolism and Gut Dysbiosis in Mice Lacking Lysosomal Acid Lipase. <i>Cells</i> , 2021, 10, 2619.	1.8	8
10	Clinical-Pathological Conference Series from the Medical University of Graz. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 515-522.	1.0	0
11	Hypercortisolism in patients with cholestasis is associated with disease severity. <i>BMC Gastroenterology</i> , 2021, 21, 460.	0.8	3
12	Drug Therapies for Chronic Cholestatic Liver Diseases. <i>Annual Review of Pharmacology and Toxicology</i> , 2020, 60, 503-527.	4.2	44
13	Cholemic Nephropathy Reloaded. <i>Seminars in Liver Disease</i> , 2020, 40, 091-100.	1.8	19
14	Histological demonstration of BSEP/ABCB11 inhibition in transient neonatal cholestasis: a case report. <i>BMC Pediatrics</i> , 2020, 20, 340.	0.7	3
15	Secondary Sclerosing Cholangitis in Critically Ill Patients Alters the Gutâ€•Liver Axis: A Case Control Study. <i>Nutrients</i> , 2020, 12, 2728.	1.7	5
16	Clinical-Pathological Conference Series from the Medical University of Graz. <i>Wiener Klinische Wochenschrift</i> , 2020, 132, 551-559.	1.0	0
17	Changes in the Intestinal Microbiome during a Multispecies Probiotic Intervention in Compensated Cirrhosis. <i>Nutrients</i> , 2020, 12, 1874.	1.7	25
18	FXR-dependent Rubicon induction impairs autophagy in models of human cholestasis. <i>Journal of Hepatology</i> , 2020, 72, 1122-1131.	1.8	47

#	ARTICLE	IF	CITATIONS
19	Norursodeoxycholic acid versus placebo in the treatment of non-alcoholic fatty liver disease: a double-blind, randomised, placebo-controlled, phase 2 dose-finding trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 781-793.	3.7	58
20	Biomarkers for oralization during long-term proton pump inhibitor therapy predict survival in cirrhosis. <i>Scientific Reports</i> , 2019, 9, 12000.	1.6	53
21	Bile acids increase steroidogenesis in cholemic mice and induce cortisol secretion in adrenocortical H295R cells via S1PR ₂ , ERK and SF β 1. <i>Liver International</i> , 2019, 39, 2112-2123.	1.9	12
22	Obeticholic acid may increase the risk of gallstone formation in susceptible patients. <i>Journal of Hepatology</i> , 2019, 71, 986-991.	1.8	44
23	A novel way to avoid reoperation for biliary strictures after liver transplantation: cholangioscopy-assisted guidewire placement. <i>Endoscopy</i> , 2019, 51, E314-E316.	1.0	5
24	Metabolic disease and ABHD6 alter the circulating bis(monoacylglycerol)phosphate profile in mice and humans. <i>Journal of Lipid Research</i> , 2019, 60, 1020-1031.	2.0	25
25	Preface - Animal models in liver disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 867-868.	1.8	1
26	Gut pathobionts as triggers for liver diseases. <i>Nature Microbiology</i> , 2019, 4, 380-381.	5.9	1
27	Future Medical Treatment of PSC. <i>Current Hepatology Reports</i> , 2019, 18, 96-106.	0.4	6
28	Chronic gastric ulcer disease complicating selective internal radiation therapy (SIRT) in a patient with cholangiocellular carcinoma. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, 1304-1308.	0.2	4
29	Bile acids and glucocorticoid metabolism in health and disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 243-251.	1.8	18
30	Pharmacologic IL-6R β inhibition in cholangiocarcinoma promotes cancer cell growth and survival. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 308-321.	1.8	11
31	Is This the Last Requiem for Simtuzumab?. <i>Hepatology</i> , 2019, 69, 476-479.	3.6	15
32	Case of nasogastric tube dysfunction. <i>Gut</i> , 2019, 68, 206-262.	6.1	1
33	To salt or not to salt?â€”That is the question in cirrhosis. <i>Liver International</i> , 2018, 38, 1148-1159.	1.9	27
34	Lysyl oxidase-like protein 2 (LOXL2) modulates barrier function in cholangiocytes in cholestasis. <i>Journal of Hepatology</i> , 2018, 69, 368-377.	1.8	27
35	Genetic loss of the muscarinic M ₃ receptor markedly alters bile formation and cholestatic liver injury in mice. <i>Hepatology Research</i> , 2018, 48, E68-E77.	1.8	10
36	Cholemic nephropathy â€” Historical notes and novel perspectives. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 1356-1366.	1.8	39

#	ARTICLE	IF	CITATIONS
37	Calnexin Depletion by Endoplasmic Reticulum Stress During Cholestasis Inhibits the Na ⁺ /taurocholate Cotransporting Polypeptide. <i>Hepatology Communications</i> , 2018, 2, 1550-1566.	2.0	13
38	NorUDCA promotes degradation of Δ 1-antitrypsin mutant Z protein by inducing autophagy through AMPK/ULK1 pathway. <i>PLoS ONE</i> , 2018, 13, e0200897.	1.1	27
39	Clinical-Pathological Conference Series from the Medical University of Graz. <i>Wiener Klinische Wochenschrift</i> , 2018, 130, 545-556.	1.0	0
40	Time for the dawn of multimodal therapies and the dusk for mono-therapeutic trials for cholestatic liver diseases?. <i>Liver International</i> , 2018, 38, 991-994.	1.9	5
41	NorUrsodeoxycholic acid ameliorates cholemic nephropathy in bile duct ligated mice. <i>Journal of Hepatology</i> , 2017, 67, 110-119.	1.8	44
42	Role of endoscopy in primary sclerosing cholangitis: European Society of Gastrointestinal Endoscopy (ESGE) and European Association for the Study of the Liver (EASL) Clinical Guideline. <i>Journal of Hepatology</i> , 2017, 66, 1265-1281.	1.8	87
43	Role of endoscopy in primary sclerosing cholangitis: European Society of Gastrointestinal Endoscopy (ESGE) and European Association for the Study of the Liver (EASL) Clinical Guideline. <i>Endoscopy</i> , 2017, 49, 588-608.	1.0	154
44	Animal Models of Biliary Disease: Current Approaches and Limitations. , 2017, , 63-84.		0
45	norUrsodeoxycholic acid improves cholestasis in primary sclerosing cholangitis. <i>Journal of Hepatology</i> , 2017, 67, 549-558.	1.8	202
46	Austrian consensus guidelines on the management and treatment of portal hypertension (Billroth-III). <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 135-158.	1.0	111
47	Biliary bile acids in hepatobiliary injury – What is the link?. <i>Journal of Hepatology</i> , 2017, 67, 619-631.	1.8	141
48	New liver cancer biomarkers: PI3K/AKT/mTOR pathway members and eukaryotic translation initiation factors. <i>European Journal of Cancer</i> , 2017, 83, 56-70.	1.3	82
49	NOD2 gene variants confer risk for secondary sclerosing cholangitis in critically ill patients. <i>Scientific Reports</i> , 2017, 7, 7026.	1.6	9
50	Niacin-Associated Acute Hepatotoxicity Leading to Emergency Liver Transplantation. <i>American Journal of Gastroenterology</i> , 2017, 112, 1345-1346.	0.2	10
51	Structural and functional differences in gut microbiome composition in patients undergoing haemodialysis or peritoneal dialysis. <i>Scientific Reports</i> , 2017, 7, 15601.	1.6	59
52	Life-threatening sinusoidal obstruction syndrome after high-dose chemotherapy linked to compound heterozygous mutations in <i>ABC11</i> . <i>Pediatric Blood and Cancer</i> , 2017, 64, e26666.	0.8	1
53	Bad memories from the gut may cause nightmares for the bile ducts. <i>Journal of Hepatology</i> , 2017, 66, 5-7.	1.8	2
54	Separation of low and high grade colon and rectum carcinoma by eukaryotic translation initiation factors 1, 5 and 6. <i>Oncotarget</i> , 2017, 8, 101224-101243.	0.8	34

#	ARTICLE	IF	CITATIONS
55	Secretin and cholestasis, two sides of a coin. <i>Hepatology</i> , 2016, 64, 714-716.	3.6	0
56	Autophagy induced by exogenous bile acids is therapeutic in a model of Î±1-AT deficiency liver disease. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, G156-G165.	1.6	27
57	Reply. <i>Hepatology</i> , 2016, 63, 346-347.	3.6	1
58	Indications for liver transplantation in adults. <i>Wiener Klinische Wochenschrift</i> , 2016, 128, 679-690.	1.0	39
59	Inhibition of intestinal bile acid absorption improves cholestatic liver and bile duct injury in a mouse model of sclerosing cholangitis. <i>Journal of Hepatology</i> , 2016, 64, 674-681.	1.8	143
60	Lysosomal Acid Lipase Hydrolyzes Retinyl Ester and Affects Retinoid Turnover. <i>Journal of Biological Chemistry</i> , 2016, 291, 17977-17987.	1.6	40
61	Role of interleukin-1 and its antagonism of hepatic stellate cell proliferation and liver fibrosis in the Abcb4 ^{-/-} mouse model. <i>World Journal of Hepatology</i> , 2016, 8, 401.	0.8	40
62	The chronic kidney disease epidemiology collaboration equation combining creatinine and cystatin C accurately assesses renal function in patients with cirrhosis. <i>BMC Nephrology</i> , 2015, 16, 196.	0.8	30
63	Loss of keratin 19 favours the development of cholestatic liver disease through decreased ductular reaction. <i>Journal of Pathology</i> , 2015, 237, 343-354.	2.1	24
64	<i>Lactobacillus casei</i> Shirota Supplementation Does Not Restore Gut Microbiota Composition and Gut Barrier in Metabolic Syndrome: A Randomized Pilot Study. <i>PLoS ONE</i> , 2015, 10, e0141399.	1.1	45
65	24-nor-ursodeoxycholic acid ameliorates inflammatory response and liver fibrosis in a murine model of hepatic schistosomiasis. <i>Journal of Hepatology</i> , 2015, 62, 871-878.	1.8	55
66	Clinical Pathological Conference Series from the Medical University of Graz. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 151-159.	1.0	4
67	Bile Acid-Induced Cholemic Nephropathy. <i>Digestive Diseases</i> , 2015, 33, 367-375.	0.8	48
68	Potential of Ursodeoxycholic Acid in Cholestatic and Metabolic Disorders. <i>Digestive Diseases</i> , 2015, 33, 433-439.	0.8	38
69	Emergency Double-Stenting and Surgery for the Successful Management of Massive Upper Gastrointestinal Bleeding Caused by Mycotic Aortic Aneurysm. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, e171-e172.	2.4	0
70	Serum alkaline phosphatase levels accurately reflect cholestasis in mice. <i>Hepatology</i> , 2015, 62, 981-983.	3.6	20
71	Animal Models in Primary Biliary Cirrhosis and Primary Sclerosing Cholangitis. <i>Clinical Reviews in Allergy and Immunology</i> , 2015, 48, 207-217.	2.9	42
72	Inflammatory Bowel Disease Alters Intestinal Bile Acid Transporter Expression. <i>Drug Metabolism and Disposition</i> , 2014, 42, 1423-1431.	1.7	70

#	ARTICLE	IF	CITATIONS
73	Alterations of Canalicular ATP-Binding Cassette Transporter Expression in Drug-Induced Liver Injury. <i>Digestion</i> , 2014, 90, 81-88.	1.2	19
74	Osteopontin is an initial mediator of inflammation and liver injury during obstructive cholestasis after bile duct ligation in mice. <i>Toxicology Letters</i> , 2014, 224, 186-195.	0.4	52
75	Chronic cholestatic liver diseases: Clues from histopathology for pathogenesis. <i>Molecular Aspects of Medicine</i> , 2014, 37, 35-56.	2.7	37
76	Vitamin D modulates biliary fibrosis in ABCB4-deficient mice. <i>Hepatology International</i> , 2014, 8, 443-452.	1.9	32
77	Time to say goodbye to the drug or the model? “ Why do drugs fail to live up to their promise in bile duct ligated mice?. <i>Journal of Hepatology</i> , 2014, 60, 12-15.	1.8	5
78	Molecular pathogenesis of chronic cholestatic liver disease: Impact on novel therapeutic approaches. <i>Molecular Aspects of Medicine</i> , 2014, 37, 1-2.	2.7	6
79	Characterization of animal models for primary sclerosing cholangitis (PSC). <i>Journal of Hepatology</i> , 2014, 60, 1290-1303.	1.8	129
80	Lithocholic acid feeding results in direct hepato-toxicity independent of neutrophil function in mice. <i>Toxicology Letters</i> , 2014, 228, 56-66.	0.4	81
81	Differential effects of norUDCA and UDCA in obstructive cholestasis in mice. <i>Journal of Hepatology</i> , 2013, 58, 1201-1208.	1.8	84
82	Animal Models of Cholestasis. , 2013, , 331-349.		3
83	PDX-1/Hes-1 interactions determine cholangiocyte proliferative response to injury in rodents: Possible implications for sclerosing cholangitis. <i>Journal of Hepatology</i> , 2013, 58, 750-756.	1.8	24
84	Bile Acids as Modulators of Gut Microbiota Linking Dietary Habits and Inflammatory Bowel Disease: A Potentially Dangerous Liaison. <i>Gastroenterology</i> , 2013, 144, 844-846.	0.6	13
85	Pleuro-Pulmonary Nocardiosis as Opportunistic Infection in a Patient with Chronic Hepatitis C under Combination Treatment with Pegylated Interferon, Ribavirin, and Boceprevir. <i>Case Reports in Hepatology</i> , 2013, 2013, 1-4.	0.4	1
86	Bile acids trigger cholemic nephropathy in common bile-duct-ligated mice. <i>Hepatology</i> , 2013, 58, 2056-2069.	3.6	130
87	Sulphatation Does Not Appear to Be a Protective Mechanism to Prevent Oxysterol Accumulation in Humans and Mice. <i>PLoS ONE</i> , 2013, 8, e68031.	1.1	5
88	Evolving concepts in primary sclerosing cholangitis. <i>Liver International</i> , 2012, 32, 352-369.	1.9	25
89	Genetic background effects of keratin 8 and 18 in a DDC-induced hepatotoxicity and Mallory-Denk body formation mouse model. <i>Laboratory Investigation</i> , 2012, 92, 857-867.	1.7	38
90	Alterations in Lipid Metabolism Mediate Inflammation, Fibrosis, and Proliferation in a Mouse Model of Chronic Cholestatic Liver Injury. <i>Gastroenterology</i> , 2012, 142, 140-151.e12.	0.6	139

#	ARTICLE	IF	CITATIONS
91	Primary Sclerosing Cholangitis: New Approaches to Diagnosis, Surveillance and Treatment. <i>Digestive Diseases</i> , 2012, 30, 39-47.	0.8	26
92	Combined Rifampicin and Ursodeoxycholic Acid Treatment Does Not Amplify Rifampicin Effects on Hepatic Detoxification and Transport Systems in Humans. <i>Digestion</i> , 2012, 86, 244-249.	1.2	6
93	Hepatobiliary transporter expression and postoperative jaundice in patients undergoing partial hepatectomy. <i>Liver International</i> , 2012, 32, 119-127.	1.9	6
94	Will we ever model PSC? â€œâ€™s hard to be a PSC model!â€™. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011, 35, 792-804.	0.7	56
95	Pathogenesis of primary sclerosing cholangitis. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2011, 25, 727-739.	1.0	104
96	Mycosis as a Cause of Secondary Sclerosing Cholangitis Requiring Liver Replantation. <i>Transplantation</i> , 2011, 91, e14-e16.	0.5	2
97	Dual farnesoid X receptor/TGR5 agonist INT-767 reduces liver injury in the <i>Mdr2</i> ^{-/-} (<i>Abcb4</i> ^{-/-}) mouse cholangiopathy model by promoting biliary HCO ₃ ⁻ output. <i>Hepatology</i> , 2011, 54, 1303-1312.	3.6	193
98	Targeting Nuclear Bile Acid Receptors for Liver Disease. <i>Digestive Diseases</i> , 2011, 29, 98-102.	0.8	24
99	Ursodeoxycholic Acid for Treatment of Fatty Liver Disease and Dyslipidemia in Morbidly Obese Patients. <i>Digestive Diseases</i> , 2011, 29, 117-118.	0.8	8
100	Hepatobiliäre Funktionsstörungen und Leberversagen. , 2011, , 567-578.		0
101	Conjugation is essential for the anticholestatic effect of NorUrsodeoxycholic acid in tauro lithocholic acid-induced cholestasis in rat liver. <i>Hepatology</i> , 2010, 52, 1758-1768.	3.6	36
102	The role of osteopontin and tumor necrosis factor alpha receptor-1 in xenobiotic-induced cholangitis and biliary fibrosis in mice. <i>Laboratory Investigation</i> , 2010, 90, 844-852.	1.7	38
103	Curcumin improves sclerosing cholangitis in <i>Mdr2</i> ^{-/-} mice by inhibition of cholangiocyte inflammatory response and portal myofibroblast proliferation. <i>Gut</i> , 2010, 59, 521-530.	6.1	83
104	New Insights into Autoimmune Cholangitis through Animal Models. <i>Digestive Diseases</i> , 2010, 28, 99-104.	0.8	28
105	Signal Transducer and Activator of Transcription 3 Protects From Liver Injury and Fibrosis in a Mouse Model of Sclerosing Cholangitis. <i>Gastroenterology</i> , 2010, 138, 2499-2508.	0.6	71
106	Bile Acids as Regulators of Hepatic Lipid and Glucose Metabolism. <i>Digestive Diseases</i> , 2010, 28, 220-224.	0.8	254
107	Side chain structure determines unique physiologic and therapeutic properties of norursodeoxycholic acid in <i>Mdr2</i> ^{-/-} mice. <i>Hepatology</i> , 2009, 49, 1972-1981.	3.6	135
108	The role of the hepatocyte cytokeratin network in bile formation and resistance to bile acid challenge and cholestasis in mice. <i>Hepatology</i> , 2009, 50, 893-899.	3.6	10

#	ARTICLE	IF	CITATIONS
109	Imbalance of pro- and antifibrogenic genes and bile duct injury in murine <i>Schistosoma mansoni</i> infection-induced liver fibrosis. <i>Tropical Medicine and International Health</i> , 2009, 14, 1418-1425.	1.0	13
110	Impact of experimental colitis on hepatobiliary transporter expression and bile duct injury in mice. <i>Liver International</i> , 2009, 29, 1316-1325.	1.9	31
111	When lightning strikes twice: The plot thickens for a dual role of the anion exchanger 2 (AE2/SLC4A2) in the pathogenesis and treatment of primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2009, 50, 633-635.	1.8	13
112	Farnesoid X Receptor Critically Determines the Fibrotic Response in Mice but Is Expressed to a Low Extent in Human Hepatic Stellate Cells and Periductal Myofibroblasts. <i>American Journal of Pathology</i> , 2009, 175, 2392-2405.	1.9	154
113	Lessons from the toxic bile concept for the pathogenesis and treatment of cholestatic liver diseases. <i>Wiener Medizinische Wochenschrift</i> , 2008, 158, 542-548.	0.5	102
114	Role of hepatic phospholipids in development of liver injury in <i>Mdr2</i> (<i>Abcb4</i>) knockout mice. <i>Liver International</i> , 2008, 28, 948-958.	1.9	23
115	MDR3 (ABCB4) Defects: A Paradigm for the Genetics of Adult Cholestatic Syndromes. <i>Seminars in Liver Disease</i> , 2007, 27, 077-098.	1.8	188
116	Hepatobiliary Transporter Expression in Intercellular Adhesion Molecule 1 Knockout and Fas Receptor-Deficient Mice after Common Bile Duct Ligation Is Independent of the Degree of Inflammation and Oxidative Stress. <i>Drug Metabolism and Disposition</i> , 2007, 35, 1694-1699.	1.7	12
117	A New Xenobiotic-Induced Mouse Model of Sclerosing Cholangitis and Biliary Fibrosis. <i>American Journal of Pathology</i> , 2007, 171, 525-536.	1.9	293
118	Primary sclerosing cholangitis--the arteriosclerosis of the bile duct?. <i>Lipids in Health and Disease</i> , 2007, 6, 3.	1.2	30
119	Expression of bile acid synthesis and detoxification enzymes and the alternative bile acid efflux pump MRP4 in patients with primary biliary cirrhosis. <i>Liver International</i> , 2007, 27, 920-929.	1.9	103
120	Lithocholic Acid Feeding Induces Segmental Bile Duct Obstruction and Destructive Cholangitis in Mice. <i>American Journal of Pathology</i> , 2006, 168, 410-422.	1.9	161
121	24-norUrsodeoxycholic Acid Is Superior to Ursodeoxycholic Acid in the Treatment of Sclerosing Cholangitis in <i>Mdr2</i> (<i>Abcb4</i>) Knockout Mice. <i>Gastroenterology</i> , 2006, 130, 465-481.	0.6	282
122	Mechanisms of Disease: mechanisms and clinical implications of cholestasis in sepsis. <i>Nature Reviews Gastroenterology & Hepatology</i> , 2006, 3, 574-585.	1.7	193
123	Coordinated induction of bile acid detoxification and alternative elimination in mice: role of FXR-regulated organic solute transporter-1 in the adaptive response to bile acids. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G923-G932.	1.6	154
124	<i>Fxr</i> ^{-/-} mice adapt to biliary obstruction by enhanced phase I detoxification and renal elimination of bile acids. <i>Journal of Lipid Research</i> , 2006, 47, 582-592.	2.0	98
125	Hepatobiliary transporter expression in human hepatocellular carcinoma. <i>Liver International</i> , 2005, 25, 367-379.	1.9	112
126	Cytokine-independent repression of rodent <i>Ntcp</i> in obstructive cholestasis. <i>Hepatology</i> , 2005, 41, 470-477.	3.6	40

#	ARTICLE	IF	CITATIONS
127	CAR and PXR agonists stimulate hepatic bile acid and bilirubin detoxification and elimination pathways in mice. <i>Hepatology</i> , 2005, 42, 420-430.	3.6	295
128	Role of nuclear receptors and hepatocyte-enriched transcription factors for Ntcp repression in biliary obstruction in mouse liver. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, G798-G805.	1.6	67
129	Phosphatidylinositol 3-kinase-dependent signaling modulates taurochenodeoxycholic acid-induced liver injury and cholestasis in perfused rat livers. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, G88-G94.	1.6	34
130	Pathophysiological Role of Poly(ADP-Ribose) Polymerase (PARP) Activation during Acetaminophen-Induced Liver Cell Necrosis in Mice. <i>Toxicological Sciences</i> , 2005, 84, 201-208.	1.4	32
131	Molecular Regulation of Hepatobiliary Transport Systems. <i>Journal of Clinical Gastroenterology</i> , 2005, 39, S111-S124.	1.1	148
132	Complementary Stimulation of Hepatobiliary Transport and Detoxification Systems by Rifampicin and Ursodeoxycholic Acid in Humans. <i>Gastroenterology</i> , 2005, 129, 476-485.	0.6	268
133	Oncosis represents the main type of cell death in mouse models of cholestasis. <i>Journal of Hepatology</i> , 2005, 42, 378-385.	1.8	80
134	Mdr2 (Abcb4) ^{-/-} mice spontaneously develop severe biliary fibrosis via massive dysregulation of pro- and antifibrogenic genes. <i>Journal of Hepatology</i> , 2005, 43, 1045-1054.	1.8	228
135	Complementary Stimulation of Hepatobiliary Transport and Detoxification Systems by Rifampicin and Ursodeoxycholic Acid in Humans. <i>Gastroenterology</i> , 2005, 129, 476-485.	0.6	235
136	Thioguanine-Induced Symptomatic Thrombocytopenia. <i>American Journal of Gastroenterology</i> , 2004, 99, 1195-1195.	0.2	7
137	The keratin cytoskeleton in liver diseases. <i>Journal of Pathology</i> , 2004, 204, 367-376.	2.1	121
138	Spontaneous cholecysto- and hepatolithiasis in Mdr2 ^{+/?} mice: A model for low phospholipid-associated cholelithiasis. <i>Hepatology</i> , 2004, 39, 117-128.	3.6	148
139	Regurgitation of bile acids from leaky bile ducts causes sclerosing cholangitis in Mdr2 (Abcb4) knockout mice. <i>Gastroenterology</i> , 2004, 127, 261-274.	0.6	525
140	Acquired Alterations of Transporter Expression and Function in Cholestasis. , 2004, , 266-288.		1
141	Role of farnesoid X receptor in determining hepatic ABC transporter expression and liver injury in bile duct-ligated mice. <i>Gastroenterology</i> , 2003, 125, 825-838.	0.6	252
142	Role of nuclear bile salt receptors Fxr and Pxr in mediating adaptive hepatobiliary transporter response to cholic acid (CA) in mouse liver. <i>Gastroenterology</i> , 2003, 124, A59.	0.6	1
143	Mallory body formation in primary biliary cirrhosis is associated with increased amounts and abnormal phosphorylation and ubiquitination of cytokeratins. <i>Journal of Hepatology</i> , 2003, 38, 387-394.	1.8	46
144	Adaptive changes in hepatobiliary transporter expression in primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2003, 38, 717-727.	1.8	260

#	ARTICLE	IF	CITATIONS
145	Role of nuclear bile acid receptor, FXR, in adaptive ABC transporter regulation by cholic and ursodeoxycholic acid in mouse liver, kidney and intestine. <i>Journal of Hepatology</i> , 2003, 39, 480-488.	1.8	171
146	Successful conservative management of acute hepatic failure following exertional heatstroke. <i>European Journal of Gastroenterology and Hepatology</i> , 2003, 15, 1135-1139.	0.8	21
147	Bile Acid-Induced Mallory Body Formation in Drug-Primed Mouse Liver. <i>American Journal of Pathology</i> , 2002, 161, 2019-2026.	1.9	43
148	Cytokeratins as Targets for Bile Acid-Induced Toxicity. <i>American Journal of Pathology</i> , 2002, 160, 491-499.	1.9	40
149	Ursodeoxycholic acid aggravates bile infarcts in bile duct-ligated and Mdr2 knockout mice via disruption of cholangioles. <i>Gastroenterology</i> , 2002, 123, 1238-1251.	0.6	287
150	Induction of short heterodimer partner 1 precedes downregulation of Ntcp in bile duct-ligated mice. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, G184-G191.	1.6	66
151	Effects of Ursodeoxycholic and Cholic Acid Feeding on Hepatocellular Transporter Expression in Mouse Liver. <i>Gastroenterology</i> , 2001, 121, 170-183.	0.6	254
152	Treatment of patients with chronic hepatitis C not responding to interferon with high-dose interferon alpha with or without ribavirin: final results of a prospective randomized trial. <i>European Journal of Gastroenterology and Hepatology</i> , 2001, 13, 699-705.	0.8	23
153	Hepatobiliary transporter expression in percutaneous liver biopsies of patients with cholestatic liver diseases. <i>Hepatology</i> , 2001, 33, 633-646.	3.6	324
154	Hepatocyte Cytokeratins Are Hyperphosphorylated at Multiple Sites in Human Alcoholic Hepatitis and in a Mallory Body Mouse Model. <i>American Journal of Pathology</i> , 2000, 156, 77-90.	1.9	89
155	Inflammation-induced cholestasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999, 14, 946-959.	1.4	206
156	Vasopressin reverses mesenteric hyperemia and vasoconstrictor hyporesponsiveness in anesthetized portal hypertensive rats. <i>Hepatology</i> , 1998, 28, 646-654.	3.6	17
157	Mycophenolate mofetil in patients with Crohn's disease. <i>American Journal of Gastroenterology</i> , 1998, 93, 2529-2532.	0.2	65
158	Successful steroid treatment of idiopathic thrombocytopenic purpura after orthotopic liver transplantation for primary biliary cirrhosis. <i>American Journal of Gastroenterology</i> , 1998, 93, 1985-1986.	0.2	7
159	Nitric oxide-dependent and -independent vascular hyporeactivity in mesenteric arteries of portal hypertensive rats. <i>British Journal of Pharmacology</i> , 1997, 121, 1031-1037.	2.7	26
160	Biliary Obstruction Due to Duodenojejunal Intussusception in Peutz-Jeghers Syndrome. <i>Journal of Clinical Gastroenterology</i> , 1996, 23, 220-223.	1.1	13
161	Bacteria as key players in primary sclerosing cholangitis?. <i>Gut</i> , 0, , gutjnl-2022-327876.	6.1	0