## Corey J Scholes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/761859/publications.pdf

Version: 2024-02-01

516710 501196 54 863 16 citations g-index h-index papers

67 67 67 1003 docs citations times ranked citing authors all docs

28

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Baseline Analysis of Patients Presenting for Surgical Review of Anterior Cruciate Ligament Rupture Reveals Heterogeneity in Patient-Reported Outcome Measures. Journal of Knee Surgery, 2022, 35, 159-166.   | 1.6 | 1         |
| 2  | Patientâ€reported outcomes of a short hospital stay after total knee replacement in a regional public hospital: a prospective cohort treated 2018–2019. ANZ Journal of Surgery, 2022, , .  | 0.7 | 2         |
| 3  | Factors Affecting Hospital Length of Stay following Total Knee Replacement: A Retrospective Analysis in a Regional Hospital. Journal of Knee Surgery, 2021, 34, 552-560.   | 1.6 | 8         |
| 4  | Efficacy of a Second-Generation Rotating Bearing Tibial Platform in Total Knee Arthroplasty: A Prospective Observational Cohort Study with Registry Analysis. Journal of Knee Surgery, 2020, 33, 513-524.  | 1.6 | 3         |
| 5  | Limited penetration of cobalt and chromium ions into the cerebrospinal fluid following metal on metal arthroplasty: a cross-sectional analysis. Clinical Toxicology, 2020, 58, 233-240.  | 1.9 | 6         |
| 6  | Anatomical Variability of Intercondylar Fossa Geometry in Patients Diagnosed with Primary Anterior Cruciate Ligament Rupture. Clinical Anatomy, 2020, 33, 610-618.   | 2.7 | 3         |
| 7  | Validity of intraoperative imageless navigation (Naviswiss) for component positioning accuracy in primary total hip arthroplasty: protocol for a prospective observational cohort study in a single-surgeon practice. BMJ Open, 2020, 10, e037126.                                     | 1.9 | 10        |
| 8  | Evolution of service metrics and utilisation of objective discharge criteria in anterior cruciate ligament reconstruction rehabilitation: a retrospective cohort study with historical control in a public hospital physiotherapy department. Archives of Physiotherapy, 2020, 10, 23. | 1.8 | 1         |
| 9  | Implementation and quality assessment of a clinical orthopaedic registry in a public hospital department. BMC Health Services Research, 2020, 20, 393.   | 2.2 | 8         |
| 10 | Multimodal thromboprophylaxis in low-risk patients undergoing lower limb arthroplasty: A retrospective observational cohort analysis of 1400 patients with ultrasound screening. Journal of Orthopaedic Surgery, 2020, 28, 230949902092679.  | 1.0 | 6         |
| 11 | Computer navigation re-creates planned glenoid placement and reduces correction variability in total shoulder arthroplasty: an in vivo case-control study. Journal of Shoulder and Elbow Surgery, 2019, 28, e398-e409.   | 2.6 | 33        |
| 12 | Towards a Dynamic Model of the Kangaroo Knee for Clinical Insights into Human Knee Pathology and Treatment: Establishing a Static Biomechanical Profile. Biomimetics, 2019, 4, 52.   | 3.3 | 2         |
| 13 | Role of intraoperative navigation in the fixation of the glenoid component in reverse total shoulder arthroplasty: a clinical case-control study. Journal of Shoulder and Elbow Surgery, 2019, 28, 1685-1691.  | 2.6 | 21        |
| 14 | Efficacy and safety of culture-expanded, mesenchymal stem/stromal cells for the treatment of knee osteoarthritis: a systematic review protocol. Journal of Orthopaedic Surgery and Research, 2019, 14, 34.   | 2.3 | 13        |
| 15 | Letter to the Editor on "Mortality and Implant Survival With Simultaneous and Staged Bilateral Total<br>Knee Arthroplasty Experience From the Australian Orthopedic Association National Joint Replacement<br>Registry― Journal of Arthroplasty, 2019, 34, 2192-2193.                  | 3.1 | O         |
| 16 | Recovery of knee extension and incidence of extension deficits following anterior cruciate ligament injury and treatment: a systematic review protocol. Journal of Orthopaedic Surgery and Research, 2019, 14, 88.   | 2.3 | 9         |
| 17 | Predicting changes in the status of patient-reported outcome measures after Birmingham Hip<br>Resurfacing. Bone and Joint Journal, 2019, 101-B, 1431-1437.   | 4.4 | 4         |
| 18 | Minimally Invasive Inlay Prosthesis Unicompartmental Knee Arthroplasty for the Treatment of Unicompartmental Osteoarthritis: A Prospective Observational Cohort Study with Minimum 2-Year Outcomes and up to 14-Year Survival. Journal of Knee Surgery, 2019, 34, 793-800.             | 1.6 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The outcome and survival of metal-on-metal hip resurfacing in patients aged less than 50 years. Bone and Joint Journal, 2019, 101-B, 113-120.  | 4.4 | 21        |
| 20 | Quality in practice: implementation of a clinical outcomes registry in regenerative medicine. Annals of Translational Medicine, 2019, 7, 130-130.  | 1.7 | 1         |
| 21 | Symptomatic relief in medial opening wedge high tibial osteotomies for the treatment of knee osteoarthritis is influenced by concurrent procedures and preoperative pain level. Journal of ISAKOS, 2018, 3, 8-16.  | 2.3 | 1         |
| 22 | Factors affecting the incidence and management of fixed flexion deformity in total knee arthroplasty: A systematic review. Knee, 2018, 25, 352-359.  | 1.6 | 18        |
| 23 | Non-operative treatment options for knee osteoarthritis: current concepts. Journal of ISAKOS, 2018, 3, 274-281.  | 2.3 | 6         |
| 24 | Gait adaptations following multiple-ligament knee reconstruction occur with altered knee kinematics during level walking. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1489-1499.   | 4.2 | 5         |
| 25 | Multiobjective optimization of cartilage stress for non-invasive, patient-specific recommendations of high tibial osteotomy correction angle $\hat{a} \in \mathbb{R}^m$ a novel method to investigate alignment correction. Medical Engineering and Physics, 2017, 42, 26-34.                  | 1.7 | 20        |
| 26 | Multifactorial analysis of dissatisfaction after primary total knee replacement. Knee, 2017, 24, 856-862.  | 1.6 | 35        |
| 27 | Regression modelling combining MRI measurements and patient anthropometry for patient screening and prediction of graft diameter in hamstring autograft arthroscopic ACL reconstruction.  Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology, 2017, 8, 24-31. | 1.0 | 10        |
| 28 | Limitations in predicting outcome following primary ACL reconstruction with single-bundle hamstring autograft $\hat{a} \in \mathbb{C}^n$ A systematic review. Knee, 2017, 24, 170-178.   | 1.6 | 14        |
| 29 | The Effect of Total Knee Arthroplasty on Active Knee Extension During Treadmill Walking.<br>Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, e149-e150.  | 2.7 | 1         |
| 30 | Lack of agreement between computer navigation and post-operative 2-dimensional computed tomography (CT) measurements for component and limb alignment in total knee arthroplasty (TKA). Knee, 2016, 23, 137-143.   | 1.6 | 6         |
| 31 | Patient outcomes using Wii-enhanced rehabilitation after total knee replacement – The TKR-POWER study. Contemporary Clinical Trials, 2015, 40, 47-53.  | 1.8 | 18        |
| 32 | Meniscal translation during knee flexion: what do we really know?. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 32-40.  | 4.2 | 29        |
| 33 | Young men utilise limited neuromuscular preparation to regulate post-impact knee mechanics during step landing. Gait and Posture, 2014, 39, 284-290.   | 1.4 | 2         |
| 34 | Patient-specific instrumentation for total knee arthroplasty does not match the pre-operative plan as assessed by intra-operative computer-assisted navigation. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 660-665.   | 4.2 | 45        |
| 35 | Unsatisfactory Accuracy With VISIONAIRE Patient-Specific Cutting Jigs for Total Knee Arthroplasty.<br>Journal of Arthroplasty, 2014, 29, 249-250.  | 3.1 | 11        |
| 36 | Evaluation of the Zimmer PSI System for Total Knee Arthroplasty Using Computer Navigation. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, e169.  | 2.7 | 0         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Intraoperative Computer Navigation Parameters Are Poor Predictors of Function 1 Year After Total Knee Arthroplasty. Journal of Arthroplasty, 2013, 28, 56-61.   | 3.1 | 12        |
| 38 | Influence of soft tissues on the proximal bony tibial slope measured with two-dimensional MRI. Knee Surgery, Sports Traumatology, Arthroscopy, 2013, 21, 372-379.   | 4.2 | 31        |
| 39 | Different changes in slope between the medial and lateral tibial plateau after open-wedge high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2013, 21, 32-38.   | 4.2 | 59        |
| 40 | Injury Pattern, Clinical Characteristics And Subjective Outcomes Of A Consecutive Series Of Multi-Ligament Knee Injuries. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, e114-e115.   | 2.7 | 0         |
| 41 | Unsatisfactory Accuracy as Determined by Computer Navigation of VISIONAIRE Patient-Specific Instrumentation for Total Knee Arthroplasty. Journal of Arthroplasty, 2013, 28, 469-473.  | 3.1 | 97        |
| 42 | InÂVivo Assessment of Weight-Bearing Knee Flexion Reveals Compartment-Specific Alterations in Meniscal Slope. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, 1653-1660.   | 2.7 | 7         |
| 43 | Evaluation of the Visionaire Instrumentation for Total Knee Arthroplasty Using Computer Navigation.<br>Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, e170.   | 2.7 | 0         |
| 44 | Incidence and severity of complications due to femoral nerve blocks performed for knee surgery. Knee, 2013, 20, 181-185.  | 1.6 | 40        |
| 45 | A Comparison of the Temperature Rise Generated in Bone by the Use of a Standard Oscillating Saw<br>Blade and the "Precision―Saw Blade. Journal of Medical Devices, Transactions of the ASME, 2013, 7, .   | 0.7 | 2         |
| 46 | Can tibial coverage in total knee replacement be reliably evaluated with three-dimensional image-based digital templating?. Bone and Joint Research, 2013, 2, 1-8.  | 3.6 | 4         |
| 47 | Is Femoral Nerve Block Necessary During Total Knee Arthroplasty?. Journal of Arthroplasty, 2012, 27, 1800-1805.   | 3.1 | 27        |
| 48 | Single-subject analysis reveals variation in knee mechanics during step landing. Journal of Biomechanics, 2012, 45, 2074-2078.  | 2.1 | 15        |
| 49 | Is Femoral Component Rotation in a TKA Reliably Guided by the Functional Flexion Axis?. Clinical Orthopaedics and Related Research, 2012, 470, 3227-3232.   | 1.5 | 33        |
| 50 | Sagittal placement of the femoral component in total knee arthroplasty predicts knee flexion contracture at one-year follow-up. International Orthopaedics, 2012, 36, 1835-1839.  | 1.9 | 42        |
| 51 | Tibial Fixation in Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2011, 39, 1858-1864.   | 4.2 | 22        |
| 52 | Articular Cartilage Changes in Patients With Osteoarthritis After Osteotomy. American Journal of Sports Medicine, 2011, 39, 1039-1045.  | 4.2 | 88        |
| 53 | Magnetic Resonance Imaging (MRI) Based Finite Element Modeling for Analyzing the Influence of Material Properties on Menisci Responses. Applied Mechanics and Materials, 0, 553, 305-309.   | 0.2 | 6         |
| 54 | Agreement between the American Shoulder and Elbow Surgeons Society Standardized Shoulder Assessment score (ASES) and the Oxford Shoulder Score (OSS) in patients presenting with shoulder pathology: A cohort analysis of the Clinical Quality Registry for Outcomes in Shoulder and Elbow Pathology (CROSEP) registry. Shoulder and Elbow, 0, , 175857322110560. | 1.5 | O         |