

# Leif Thuesen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7620303/publications.pdf>

Version: 2024-02-01

147  
papers

13,556  
citations

28274

55  
h-index

20961

115  
g-index

159  
all docs

159  
docs citations

159  
times ranked

9497  
citing authors

#	ARTICLE	IF	CITATIONS
1	Age-Stratified Outcome in Treatment of Left Main Coronary Artery Stenosis: A NOBLE Trial Substudy. <i>Cardiology</i> , 2021, 146, 409-418.	1.4	3
2	Randomized Clinical Comparison of the Dual-Therapy CD34 Antibody-Covered Sirolimus-Eluting Combo Stent With the Sirolimus-Eluting Orsiro Stent in Patients Treated With Percutaneous Coronary Intervention: The SORT OUT X Trial. <i>Circulation</i> , 2021, 143, 2155-2165.	1.6	25
3	16-year follow-up of the Danish Acute Myocardial Infarction 2 (DANAMI-2) trial: primary percutaneous coronary intervention vs. fibrinolysis in ST-segment elevation myocardial infarction. <i>European Heart Journal</i> , 2020, 41, 847-854.	2.2	39
4	Percutaneous coronary angioplasty versus coronary artery bypass grafting in the treatment of unprotected left main stenosis: updated 5-year outcomes from the randomised, non-inferiority NOBLE trial. <i>Lancet, The</i> , 2020, 395, 191-199.	13.7	280
5	Ten-Year Outcomes of Sirolimus-Eluting Versus Zotarolimus-Eluting Coronary Stents in Patients With Versus Without Diabetes Mellitus (SORT OUT III). <i>American Journal of Cardiology</i> , 2020, 125, 349-353.	1.6	5
6	Lower ST-elevation myocardial infarction incidence during COVID-19 epidemic in Northern Europe. <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 358-360.	1.2	8
7	Randomized Comparison of the Polymer-Free Biolimus-Coated BioFreedom Stent With the Ultrathin Strut Biodegradable Polymer Sirolimus-Eluting Orsiro Stent in an All-Comers Population Treated With Percutaneous Coronary Intervention. <i>Circulation</i> , 2020, 141, 2052-2063.	1.6	48
8	Randomised comparison of provisional side branch stenting versus a two-stent strategy for treatment of true coronary bifurcation lesions involving a large side branch: the Nordic-Baltic Bifurcation Study IV. <i>Open Heart</i> , 2020, 7, e000947.	2.3	34
9	Derivation and Validation of a Chronic Total Coronary Occlusion Intervention Procedural Success Score From the 20,000-Patient EuroCTO Registry. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 335-342.	2.9	99
10	Ten-year clinical outcome of patients treated with a drug-eluting stent in the proximal left anterior descending artery segment compared with patients stented in other non-left main coronary segments. <i>EuroIntervention</i> , 2018, 14, 764-771.	3.2	8
11	Comparison of Durable-Polymer Zotarolimus-Eluting and Biodegradable-Polymer Biolimus-Eluting Coronary Stents in Patients With Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 255-264.	2.9	38
12	10-Year Clinical Outcome After Randomization to Treatment by Sirolimus-Åor Paclitaxel-Eluting CoronaryÅStents. <i>Journal of the American College of Cardiology</i> , 2017, 69, 616-624.	2.8	60
13	Chronic total coronary occlusion: treatment results. <i>Scandinavian Cardiovascular Journal</i> , 2017, 51, 197-201.	1.2	8
14	Stents versus bypass surgery for left main stem stenosis â€“ Authors' reply. <i>Lancet, The</i> , 2017, 389, 1609.	13.7	4
15	Clinical outcomes with percutaneous coronary revascularization vs coronary artery bypass grafting surgery in patients with unprotected left main coronary artery disease: A meta-analysis of 6 randomized trials and 4,686 patients. <i>American Heart Journal</i> , 2017, 190, 54-63.	2.7	78
16	Intravascular ultrasound assessment of minimum lumen area and intimal hyperplasia in in-stent restenosis after drug-eluting or bare-metal stent implantation. The Nordic Intravascular Ultrasound Study (NIVUS). <i>Cardiovascular Revascularization Medicine</i> , 2017, 18, 577-582.	0.8	15
17	All-cause mortality and major cardiovascular outcomes comparing percutaneous coronary angioplasty versus coronary artery bypass grafting in the treatment of unprotected left main stenosis: a meta-analysis of short-term and long-term randomised trials. <i>Open Heart</i> , 2017, 4, e000638.	2.3	14
18	Coronary bifurcation lesions treated with simple or complex stenting: 5-year survival from patient-level pooled analysis of the Nordic Bifurcation Study and the British Bifurcation Coronary Study. <i>European Heart Journal</i> , 2016, 37, 1923-1928.	2.2	103

#	ARTICLE	IF	CITATIONS
19	Percutaneous coronary angioplasty versus coronary artery bypass grafting in treatment of unprotected left main stenosis (NOBLE): a prospective, randomised, open-label, non-inferiority trial. <i>Lancet, The</i> , 2016, 388, 2743-2752.	13.7	620
20	Impact of the Everolimus-eluting Bioresorbable Scaffold in Coronary Atherosclerosis. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2016, 69, 109-116.	0.6	6
21	Efecto del armazÃ³n bioabsorbible liberador de everolimus en la aterosclerosis coronaria. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 109-116.	1.2	7
22	Worsening Clinical Outcome with Increasing Number of So-Called Off-Label or Unapproved Indications for Use of Drug Eluting Stents. <i>World Journal of Cardiovascular Diseases</i> , 2016, 06, 224-234.	0.2	0
23	Retrograde Recanalization of Chronic Total Occlusions in Europe. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2388-2400.	2.8	214
24	Zotarolimus-eluting durable-polymer-coated stent versus a biolimus-eluting biodegradable-polymer-coated stent in unselected patients undergoing percutaneous coronary intervention (SORT OUT VI): a randomised non-inferiority trial. <i>Lancet, The</i> , 2015, 385, 1527-1535.	13.7	107
25	Influence of multivessel disease with or without additional revascularization on mortality in patients with ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2015, 170, 70-78.	2.7	21
26	Coronary bifurcation lesions: Present status and future perspectives. <i>International Journal of Cardiology</i> , 2015, 187, 48-57.	1.7	25
27	Unmatched Results After Double Kissing Crush Stenting Technique in Distal Left Main Coronary Artery Treatment?. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 1343-1345.	2.9	0
28	One-year clinical and angiographic results of hybrid coronary revascularization. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 150, 1181-1186.	0.8	20
29	The impact of distal embolization and distal protection on long-term outcome in patients with ST elevation myocardial infarction randomized to primary percutaneous coronary intervention â€” results from a randomized study. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015, 4, 180-188.	1.0	17
30	Feasibility and early safety of hybrid coronary revascularisation combining off-pump coronary surgery through J-hemisternotomy with percutaneous coronary intervention. <i>EuroIntervention</i> , 2015, 10, e1-e6.	3.2	9
31	Stent Thrombosis is the Primary Cause of ST-Segment Elevation Myocardial Infarction following Coronary Stent Implantation: A Five Year Follow-Up of the SORT OUT II Study. <i>PLoS ONE</i> , 2014, 9, e113399.	2.5	8
32	Similar five-year outcome with paclitaxel- and sirolimus-eluting coronary stents. <i>Scandinavian Cardiovascular Journal</i> , 2014, 48, 148-155.	1.2	11
33	Serial optical frequency domain imaging in STEMI patients: the follow-up report of TROFI study. <i>European Heart Journal Cardiovascular Imaging</i> , 2014, 15, 987-995.	1.2	33
34	Differential clinical outcomes after 1 year versus 5 years in a randomised comparison of zotarolimus-eluting and sirolimus-eluting coronary stents (the SORT OUT III study): a multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2014, 383, 2047-2056.	13.7	96
35	Clopidogrel discontinuation within the first year after coronary drug-eluting stent implantation: an observational study. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 100.	1.7	27
36	Long-Term Outcome After Drug-Eluting Versus Bare-Metal Stent Implantation in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 548-553.	2.9	41

#	ARTICLE	IF	CITATIONS
37	Five-Year Clinical and Functional Multislice Computed Tomography Angiographic Results After Coronary Implantation of the Fully Resorbable Polymeric Everolimus-Eluting Scaffold in Patients With De Novo Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 999-1009.	2.9	195
38	In vivo three dimensional optical coherence tomography. A novel imaging modality to visualize the edge vascular response. <i>International Journal of Cardiology</i> , 2013, 164, e35-e37.	1.7	5
39	Biolimus-eluting biodegradable polymer-coated stent versus durable polymer-coated sirolimus-eluting stent in unselected patients receiving percutaneous coronary intervention (SORT OUT V): a randomised non-inferiority trial. <i>Lancet, The</i> , 2013, 381, 661-669.	13.7	173
40	Intravascular ultrasound assessed incomplete stent apposition and stent fracture in stent thrombosis after bare metal versus drug-eluting stent treatment the Nordic Intravascular Ultrasound Study (NIVUS). <i>International Journal of Cardiology</i> , 2013, 168, 1010-1016.	1.7	27
41	Diagnosis and outcome in a prehospital cohort of patients with bundle branch block and suspected acute myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2013, 2, 176-181.	1.0	9
42	Clinical and intravascular imaging outcomes at 1 and 2 years after implantation of absorb everolimus eluting bioresorbable vascular scaffolds in small vessels. Late lumen enlargement: does bioresorption matter with small vessel size? Insight from the ABSORB cohort B trial. <i>Heart</i> , 2013, 99, 98-105.	2.9	72
43	Moderate overweight is beneficial and severe obesity detrimental for patients with documented atherosclerotic heart disease. <i>Heart</i> , 2013, 99, 655-660.	2.9	62
44	Outcomes after primary percutaneous coronary intervention in octogenarians and nonagenarians with ST-segment elevation myocardial infarction: From the Western Denmark heart registry. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 912-919.	1.7	68
45	Incidence of definite stent thrombosis or in-stent restenosis after drug-eluting stent implantation for treatment of coronary in-stent restenosis: From Western Denmark heart registry. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, 260-265.	1.7	13
46	Event detection using population-based health care databases in randomized clinical trials: a novel research tool in interventional cardiology. <i>Clinical Epidemiology</i> , 2013, 5, 357.	3.0	21
47	Dimensions of Socioeconomic Status and Clinical Outcome After Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 641-648.	3.9	46
48	Randomized Comparison of Everolimus-Eluting and Sirolimus-Eluting Stents in Patients Treated With Percutaneous Coronary Intervention. <i>Circulation</i> , 2012, 125, 1246-1255.	1.6	149
49	Influence of pre-infarction angina, collateral flow, and pre-procedural TIMI flow on myocardial salvage index by cardiac magnetic resonance in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 433-443.	1.2	48
50	Analysis of 1-year virtual histology changes in coronary plaque located behind the struts of the everolimus eluting bioresorbable vascular scaffold. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1307-1314.	1.5	13
51	Comparison of zotarolimus-eluting and sirolimus-eluting coronary stents: a study from the Western Denmark Heart Registry. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 84.	1.7	2
52	2-Year Patient-Related Versus Stent-Related Outcomes. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1140-1147.	2.8	42
53	Vascular Response of the Segments Adjacent to the Proximal and Distal Edges of the ABSORB Everolimus-Eluting Bioresorbable Vascular Scaffold: 6-Month and 1-Year Follow-Up Assessment. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 656-665.	2.9	35
54	3-Year Clinical Outcomes in the Randomized SORT OUT III Superiority Trial Comparing Zotarolimus- and Sirolimus-Eluting Coronary Stents. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 812-818.	2.9	43

#	ARTICLE	IF	CITATIONS
55	Influence of Diabetes Mellitus on Clinical Outcomes Following Primary Percutaneous Coronary Intervention in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2012, 109, 629-635.	1.6	54
56	Clinical outcomes after treatment of multiple lesions with zotarolimus-eluting versus sirolimus-eluting coronary stents (a SORT OUT III substudy). <i>BMC Cardiovascular Disorders</i> , 2012, 12, 18.	1.7	0
57	Side branch fractional flow reserve measurements after main vessel stenting: a Nordic-Baltic Bifurcation Study III substudy. <i>EuroIntervention</i> , 2012, 7, 1155-1161.	3.2	59
58	Four-year clinical follow-up of the ABSORB everolimus-eluting bioresorbable vascular scaffold in patients with de novo coronary artery disease: the ABSORB trial. <i>EuroIntervention</i> , 2012, 7, 1060-1061.	3.2	110
59	Culprit only or multivessel percutaneous coronary interventions in patients with ST-segment elevation myocardial infarction and multivessel disease. <i>EuroIntervention</i> , 2012, 8, 456-464.	3.2	37
60	The risk and prognostic impact of definite stent thrombosis or in-stent restenosis after coronary stent implantation. <i>EuroIntervention</i> , 2012, 8, 591-598.	3.2	17
61	Bifurcations – What Have we Learned from Randomised Trials?. <i>Interventional Cardiology Review</i> , 2012, 7, 49.	1.6	0
62	COMMENTARY: Deliver the Drug and Disappear: Is the Bioabsorbable Magnesium Stent Growing Up or Still Shrinking?. <i>Journal of Endovascular Therapy</i> , 2011, 18, 416-417.	1.5	0
63	Health Care System Delay and Heart Failure in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention: Follow-up of Population-Based Medical Registry Data. <i>Annals of Internal Medicine</i> , 2011, 155, 361.	3.9	81
64	System Delay and Timing of Intervention in Acute Myocardial Infarction (from the Danish Acute) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3</i>	1.6	52
65	Transatrial Stent-Valve Implantation in a Stenotic Tricuspid Valve Bioprosthesis. <i>Annals of Thoracic Surgery</i> , 2011, 91, e74-e76.	1.3	8
66	Temporal changes of coronary artery plaque located behind the struts of the everolimus eluting bioresorbable vascular scaffold. <i>International Journal of Cardiovascular Imaging</i> , 2011, 27, 859-866.	1.5	21
67	Randomized Comparison of Final Kissing Balloon Dilatation Versus No Final Kissing Balloon Dilatation in Patients With Coronary Bifurcation Lesions Treated With Main Vessel Stenting. <i>Circulation</i> , 2011, 123, 79-86.	1.6	269
68	Primary Percutaneous Coronary Intervention as a National Reperfusion Strategy in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2011, 4, 570-576.	3.9	37
69	Influence of distance from home to invasive centre on invasive treatment after acute coronary syndrome: a nationwide study of 24 910 patients. <i>Heart</i> , 2011, 97, 27-32.	2.9	16
70	Zotarolimus-eluting versus sirolimus-eluting coronary stent implantation. <i>Interventional Cardiology</i> , 2010, 2, 807-812.	0.0	2
71	Long-Term Outcomes After Percutaneous Coronary Intervention in Patients With and Without Diabetes Mellitus in Western Denmark. <i>American Journal of Cardiology</i> , 2010, 105, 1513-1519.	1.6	41
72	IVUS radiofrequency analysis in the evaluation of the polymeric struts of the bioabsorbable everolimus-eluting device during the bioabsorption process. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 914-918.	1.7	18

#	ARTICLE	IF	CITATIONS
73	Five-year long-term clinical follow-up of the XIENCE V everolimus eluting coronary stent system in the treatment of patients with <i>de novo</i> coronary artery lesions: The SPIRIT FIRST trial. Catheterization and Cardiovascular Interventions, 2010, 75, 997-1003.	1.7	54
74	Existing data sources for clinical epidemiology: The Western Denmark Heart Registry. Clinical Epidemiology, 2010, 2, 137.	3.0	147
75	Review of Registry and Randomised Comparisons of Zotarolimus-eluting and Sirolimus-eluting Coronary Stents in Western Denmark. The European Journal of Cardiovascular Medicine, 2010, 1, .	1.0	0
76	System Delay and Mortality Among Patients With STEMI Treated With Primary Percutaneous Coronary Intervention. JAMA - Journal of the American Medical Association, 2010, 304, 763.	7.4	519
77	Increased Rate of Stent Thrombosis and Target Lesion Revascularization After Filter Protection in Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. Journal of the American College of Cardiology, 2010, 55, 867-871.	2.8	37
78	Sirolimus-eluting versus bare-metal stent implantation in patients with ostial lesions. International Journal of Cardiology, 2010, 145, 162-163.	1.7	1
79	Thrombus Aspiration in ST-Elevation myocardial infarction in Scandinavia (TASTE trial). A multicenter, prospective, randomized, controlled clinical registry trial based on the Swedish angiography and angioplasty registry (SCAAR) platform. Study design and rationale. American Heart Journal, 2010, 160, 1042-1048.	2.7	150
80	Remote ischaemic conditioning before hospital admission, as a complement to angioplasty, and effect on myocardial salvage in patients with acute myocardial infarction: a randomised trial. Lancet, The, 2010, 375, 727-734.	13.7	885
81	Efficacy and safety of zotarolimus-eluting and sirolimus-eluting coronary stents in routine clinical care (SORT OUT III): a randomised controlled superiority trial. Lancet, The, 2010, 375, 1090-1099.	13.7	198
82	Three-year results of clinical follow-up after a bioresorbable everolimus-eluting scaffold in patients with de novo coronary artery disease: the ABSORB trial. EuroIntervention, 2010, 6, 447-453.	3.2	116
83	Paclitaxel and sirolimus eluting stents versus bare metal stents: long-term risk of stent thrombosis and other outcomes. From the Western Denmark Heart Registry. EuroIntervention, 2010, 5, 898-905.	3.2	42
84	Infarct size and myocardial salvage after primary angioplasty in patients presenting with symptoms for <math>\leq 12</math> h vs. 12-72 h. European Heart Journal, 2009, 30, 1322-1330.	2.2	89
85	Randomized Comparison of Coronary Bifurcation Stenting With the Crush Versus the Culotte Technique Using Sirolimus Eluting Stents. Circulation: Cardiovascular Interventions, 2009, 2, 27-34.	3.9	156
86	Clinical Reinfarction according to Infarct Location and Reperfusion Modality in Patients with ST Elevation Myocardial Infarction. Cardiology, 2009, 113, 72-80.	1.4	5
87	ST changes before and during primary percutaneous coronary intervention predict final infarct size in patients with ST elevation myocardial infarction. Journal of Electrocardiology, 2009, 42, 64-72.	0.9	27
88	Comparison of the Sirolimus-Eluting Versus Paclitaxel-Eluting Coronary Stent in Patients With Diabetes Mellitus: The Diabetes and Drug-Eluting Stent (DiabeDES) Randomized Angiography Trial—A list of participating centers and investigators appears in the Appendix.. American Journal of Cardiology, 2009, 103, 345-349.	1.6	55
89	Timing, Causes, and Predictors of Death After Three Years' Follow-Up in the Danish Multicenter Randomized Study of Fibrinolysis Versus Primary Angioplasty in Acute Myocardial Infarction (DANAMI-2) Trial. American Journal of Cardiology, 2009, 104, 210-215.	1.6	18
90	Prevalence and Significance of Accelerated Idioventricular Rhythm in Patients With ST-Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. American Journal of Cardiology, 2009, 104, 1641-1646.	1.6	52

#	ARTICLE	IF	CITATIONS
91	Transapical Transcatheter Treatment of a Stenosed Aortic Valve Bioprosthesis Using the Edwards SAPIEN Transcatheter Heart Valve. <i>Annals of Thoracic Surgery</i> , 2009, 87, 1943-1946.	1.3	29
92	2-Year Clinical Outcomes After Implantation of Sirolimus-Eluting, Paclitaxel-Eluting, and Bare-Metal Coronary Stents. <i>Journal of the American College of Cardiology</i> , 2009, 53, 658-664.	2.8	316
93	A bioabsorbable everolimus-eluting coronary stent system (ABSORB): 2-year outcomes and results from multiple imaging methods. <i>Lancet, The</i> , 2009, 373, 897-910.	13.7	755
94	Assessment of the absorption process following bioabsorbable everolimus-eluting stent implantation: temporal changes in strain values and tissue composition using intravascular ultrasound radiofrequency data analysis A substudy of the ABSORB clinical trial. <i>EuroIntervention</i> , 2009, 4, 443-448.	3.2	57
95	Randomized Comparison of Distal Protection Versus Conventional Treatment in Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2008, 51, 899-905.	2.8	135
96	Long-Term Outcome in Patients Treated With Sirolimus-Eluting Stents in Complex Coronary Artery Lesions. <i>Journal of the American College of Cardiology</i> , 2008, 51, 2011-2016.	2.8	51
97	A bioabsorbable everolimus-eluting coronary stent system for patients with single de-novo coronary artery lesions (ABSORB): a prospective open-label trial. <i>Lancet, The</i> , 2008, 371, 899-907.	13.7	655
98	Diastolic Dysfunction After an Acute Myocardial Infarction in Patients with Antecedent Hypertension. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 171-177.	2.8	4
99	Neointimal hyperplasia after sirolimus-eluting and paclitaxel-eluting stent implantation in diabetic patients: The Randomized Diabetes and Drug-Eluting Stent (DiabeDES) Intravascular Ultrasound Trial. <i>European Heart Journal</i> , 2008, 29, 2733-2741.	2.2	39
100	Comparison of Paclitaxel- and Sirolimus-Eluting Stents in Everyday Clinical Practice. <i>JAMA - Journal of the American Medical Association</i> , 2008, 299, 409-16.	7.4	130
101	Clinical Outcome After Primary Percutaneous Coronary Intervention With Drug-Eluting and Bare Metal Stents in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2008, 1, 176-184.	3.9	30
102	Drug-Eluting Versus Bare Metal Stents in Patients With ST-Segmentâ€™Elevation Myocardial Infarction. <i>Circulation</i> , 2008, 118, 1155-1162.	1.6	66
103	Safety in simple versus complex stenting of coronary artery bifurcation lesions. The Nordic Bifurcation Study 14-month follow-up results. <i>EuroIntervention</i> , 2008, 4, 229-233.	3.2	56
104	Abstract from the Bern-Rotterdam registry. <i>EuroIntervention</i> , 2008, 4 Suppl C, C52-4.	3.2	0
105	Influence of a Pressure Gradient Distal to Implanted Bare-Metal Stent on In-Stent Restenosis After Percutaneous Coronary Intervention. <i>Circulation</i> , 2007, 116, 2802-2808.	1.6	25
106	The Danish multicentre randomized study of fibrinolytic therapy vs. primary angioplasty in acute myocardial infarction (the DANAMI-2 trial): outcome after 3 years follow-up. <i>European Heart Journal</i> , 2007, 29, 1259-1266.	2.2	71
107	Stent Thrombosis, Myocardial Infarction, and Death After Drug-Eluting and Bare-Metal Stent Coronary Interventions. <i>Journal of the American College of Cardiology</i> , 2007, 50, 463-470.	2.8	229
108	Comparison of in vivo acute stent recoil between the bioabsorbable everolimus-eluting coronary stent and the everolimus-eluting cobalt chromium coronary stent: Insights from the ABSORB and SPIRIT trials. <i>Catheterization and Cardiovascular Interventions</i> , 2007, 70, 515-523.	1.7	137

#	ARTICLE	IF	CITATIONS
109	Two-year results of a durable polymer everolimus-eluting stent in de novo coronary artery stenosis (The SPIRIT FIRST Trial). <i>EuroIntervention</i> , 2007, 3, 206-212.	3.2	26
110	Safety and efficacy of multiple, overlapping polymer-based paclitaxel-eluting stents. <i>EuroIntervention</i> , 2007, 3, 213-221.	3.2	11
111	Percutaneous Coronary Intervention (PCI) â€œ The Ugly Duckling?â€• <i>Scandinavian Cardiovascular Journal</i> , 2006, 40, 323-324.	1.2	1
112	The Stenting Coronary Arteries in Non-stress/benestent Disease (SCANDSTENT) Trial. <i>Journal of the American College of Cardiology</i> , 2006, 47, 449-455.	2.8	107
113	Comparison of sirolimus-eluting and bare metal stents in coronary bifurcation lesions: Subgroup analysis of the Stenting Coronary Arteries in Non-Stress/Benestent Disease Trial (SCANDSTENT). <i>American Heart Journal</i> , 2006, 152, 1140-1145.	2.7	76
114	Effectiveness of â€œDirectâ€•Stenting Without Balloon Predilatation (from the Multilink Tetra) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54	1.6	14
115	Potential significance of spontaneous and interventional ST-changes in patients transferred for primary percutaneous coronary intervention: observations from the ST-MONitoring in Acute Myocardial Infarction study (The MONAMI study). <i>European Heart Journal</i> , 2006, 27, 267-275.	2.2	66
116	Randomized Study on Simple Versus Complex Stenting of Coronary Artery Bifurcation Lesions. <i>Circulation</i> , 2006, 114, 1955-1961.	1.6	666
117	Routine Thrombectomy in Percutaneous Coronary Intervention for Acute ST-Segmentâ€œElevation Myocardial Infarction. <i>Circulation</i> , 2006, 114, 40-47.	1.6	242
118	Distal embolic protection during percutaneous coronary intervention in patients with acute coronary syndromes: The RUBY study. <i>Acute Cardiac Care</i> , 2006, 8, 148-154.	0.2	10
119	Clinical Efficacy of Polymer-Based Paclitaxel-Eluting Stents in the Treatment of Complex, Long Coronary Artery Lesions From a Multicenter, Randomized Trial. <i>Circulation</i> , 2005, 112, 3306-3313.	1.6	296
120	Target vessel revascularization following percutaneous coronary intervention. A 10-year report from the Danish Percutaneous Transluminal Coronary Angioplasty Registry. <i>Scandinavian Cardiovascular Journal</i> , 2005, 39, 30-35.	1.2	2
121	Direct intramyocardial plasmid vascular endothelial growth factor-A165gene therapy in patients with stable severe angina pectoris. <i>Journal of the American College of Cardiology</i> , 2005, 45, 982-988.	2.8	436
122	In-laboratory femoral sheath removal after heparin reversal by protamine after percutaneous coronary intervention. <i>EuroIntervention</i> , 2005, 1, 66-9.	3.2	7
123	Randomized comparison of deliverability and in-hospital complications in implantation of BxSonic(R), Express(R), and Flexmaster(R) coronary stents. <i>EuroIntervention</i> , 2005, 1, 273-6.	3.2	0
124	Arterial concentration of 99mTc-sestamibi at rest, during peak exercise and after dipyridamole infusion. <i>Clinical Physiology and Functional Imaging</i> , 2004, 24, 394-397.	1.2	2
125	The NUGGET study: NIR ultra gold-gilded equivalency trial. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 62, 18-25.	1.7	21
126	Randomized comparison of the coil-design Crossflex and the tubular NIR stent. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 59, 8-12.	1.7	6



#	ARTICLE	IF	CITATIONS
127	Catheter-based $^{32}\text{P}$ $\beta$ -radiation after stent implantation in porcine coronary arteries: Role of source-centering and geographical miss. <i>Catheterization and Cardiovascular Interventions</i> , 2003, 60, 247-257.	1.7	4
128	Electromechanical mapping versus positron emission tomography and single photon emission computed tomography for the detection of myocardial viability in patients with ischemic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2003, 41, 843-848.	2.8	38
129	A Comparison of Coronary Angioplasty with Fibrinolytic Therapy in Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2003, 349, 733-742.	27.0	1,191
130	Long Genuine Coronary Artery Lesions Treated with Stiff Tubular or Flexible Coiled Stents. A Randomized Angiographic Follow-up Study. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 91-94.	1.2	6
131	Establishing Primary Angioplasty as the Preferred Treatment for Acute Myocardial Infarction. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 215-220.	1.2	1
132	Myocardial Laser Revascularization ? The End of a New Therapy?. <i>Scandinavian Cardiovascular Journal</i> , 2001, 35, 6-7.	1.2	1
133	Electromechanical Mapping for Detection of Myocardial Viability in Patients With Ischemic Cardiomyopathy. <i>Circulation</i> , 2001, 103, 1631-1637.	1.6	74
134	Growth Hormone Replacement and Cardiac Function in the Growth Hormone Deficient Adults. <i>Growth Hormone</i> , 2001, , 29-32.	0.2	0
135	Functional significance of recruitable collaterals during temporary coronary occlusion evaluated by $^{99\text{m}}\text{Tc}$ -sestamibi single-photon emission computerized tomography. <i>Journal of the American College of Cardiology</i> , 2000, 35, 624-632.	2.8	27
136	Atrioventricular Conduction During Long-Term Follow-Up of Patients With Sick Sinus Syndrome. <i>Circulation</i> , 1998, 98, 1315-1321.	1.6	112
137	Heart Failure and Echocardiographic Changes During Long-term Follow-up of Patients With Sick Sinus Syndrome Randomized to Single-Chamber Atrial or Ventricular Pacing. <i>Circulation</i> , 1998, 97, 987-995.	1.6	210
138	Growth hormone versus placebo treatment for one year in growth hormone deficient adults: increase in exercise capacity and normalization of body composition. <i>Clinical Endocrinology</i> , 1996, 45, 681-688.	2.4	106
139	Three years of growth hormone treatment in growth hormone-deficient adults: near normalization of body composition and physical performance. <i>European Journal of Endocrinology</i> , 1994, 130, 224-228.	3.7	175
140	Short and long-term cardiovascular effects of growth hormone therapy in growth hormone deficient adults. <i>Clinical Endocrinology</i> , 1994, 41, 615-620.	2.4	108
141	The Abnormal Albuminuria Syndrome in Diabetes. <i>Frontiers in Diabetes</i> , 1993, 12, 86-121.	0.4	6
142	The Heart in Diabetic Nephropathy. , 1992, , 205-217.		0
143	THE CARDIOVASCULAR EFFECTS OF OCTREOTIDE TREATMENT IN ACROMEGALY: AN ECHOCARDIOGRAPHIC STUDY. <i>Clinical Endocrinology</i> , 1989, 30, 619-625.	2.4	78
144	A Hyperkinetic Heart in Uncomplicated Active Acromegaly. <i>Acta Medica Scandinavica</i> , 1988, 223, 337-343.	0.0	68

#	ARTICLE	IF	CITATIONS
145	Echocardiographicâ€determined Left Ventricular Wall Characteristics in Insulinâ€dependent Diabetic Patients. Acta Medica Scandinavica, 1988, 224, 343-348.	0.0	20
146	The Heart in Diabetes in Early and Advanced Nephropathy. , 1988, , 303-311.		0
147	BENEFICIAL EFFECT OF A LOW-FAT LOW-CALORIE DIET ON MYOCARDIAL ENERGY METABOLISM IN PATIENTS WITH ANGINA PECTORIS. Lancet, The, 1984, 324, 59-62.	13.7	10