

Louise E Purton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/762438/publications.pdf>

Version: 2024-02-01

81
papers

5,050
citations

126907

33
h-index

88630

70
g-index

103
all docs

103
docs citations

103
times ranked

6921
citing authors

#	ARTICLE	IF	CITATIONS
1	The characterization of distinct populations of murine skeletal cells that have different roles in B lymphopoiesis. <i>Blood</i> , 2021, 138, 304-317.	1.4	20
2	Regulation of murine B lymphopoiesis by stromal cells. <i>Immunological Reviews</i> , 2021, 302, 47-67.	6.0	2
3	From the niche to malignant hematopoiesis and back: reciprocal interactions between leukemia and the bone marrow microenvironment. <i>JBMR Plus</i> , 2021, 5, e10516.	2.7	9
4	Human, mouse, and dog bone marrow show similar mesenchymal stromal cells within a distinctive microenvironment. <i>Experimental Hematology</i> , 2021, 100, 41-51.	0.4	4
5	Sugar Rush: Supercharging Blood Cell Specification via the Inflammasome. <i>Developmental Cell</i> , 2020, 55, 109-111.	7.0	0
6	All-trans retinoic acid in non-promyelocytic acute myeloid leukemia: driver lesion dependent effects on leukemic stem cells. <i>Cell Cycle</i> , 2020, 19, 2573-2588.	2.6	10
7	Effects of chemotherapy agents used to treat pediatric acute lymphoblastic leukemia patients on bone parameters and longitudinal growth of juvenile mice. <i>Experimental Hematology</i> , 2020, 82, 1-7.	0.4	3
8	Loss of Parathyroid Hormone Receptor Signaling in Osteoprogenitors Is Associated With Accumulation of Multiple Hematopoietic Lineages in the Bone Marrow. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 1321-1334.	2.8	3
9	A population of nonneuronal GFR α 3-expressing cells in the bone marrow resembles nonmyelinating Schwann cells. <i>Cell and Tissue Research</i> , 2019, 378, 441-456.	2.9	6
10	Hemopoietic Cell Kinase amplification with Protein Tyrosine Phosphatase Receptor T depletion leads to polycythemia, aberrant marrow erythoid maturation, and splenomegaly. <i>Scientific Reports</i> , 2019, 9, 7050.	3.3	4
11	All-trans retinoic acid enhances, and a pan-RAR antagonist counteracts, the stem cell promoting activity of EVI1 in acute myeloid leukemia. <i>Cell Death and Disease</i> , 2019, 10, 944.	6.3	18
12	The haematopoietic stem cell niche: a new player in cardiovascular disease?. <i>Cardiovascular Research</i> , 2019, 115, 277-291.	3.8	14
13	Modeling human RNA spliceosome mutations in the mouse: not all mice were created equal. <i>Experimental Hematology</i> , 2019, 70, 10-23.	0.4	13
14	Mesenchymal lineage cells and their importance in B lymphocyte niches. <i>Bone</i> , 2019, 119, 42-56.	2.9	13
15	Imaging methods used to study mouse and human HSC niches: Current and emerging technologies. <i>Bone</i> , 2019, 119, 19-35.	2.9	27
16	Inhibition of Endosteal Vascular Niche Remodeling Rescues Hematopoietic Stem Cell Loss in AML. <i>Cell Stem Cell</i> , 2018, 22, 64-77.e6.	11.1	249
17	Extrinsic Regulation of Hematopoietic Stem Cells and Lymphocytes by Vitamin A. <i>Current Stem Cell Reports</i> , 2018, 4, 282-290.	1.6	1
18	mTORC1 plays an important role in osteoblastic regulation of B-lymphopoiesis. <i>Scientific Reports</i> , 2018, 8, 14501.	3.3	17

#	ARTICLE	IF	CITATIONS
19	Protagonist or antagonist? The complex roles of retinoids in the regulation of hematopoietic stem cells and their specification from pluripotent stem cells. <i>Experimental Hematology</i> , 2018, 65, 1-16.	0.4	7
20	Retinoic Acid Receptor $\hat{3}$ Activity in Mesenchymal Stem Cells Regulates Endochondral Bone, Angiogenesis, and B Lymphopoiesis. <i>Journal of Bone and Mineral Research</i> , 2018, 33, 2202-2213.	2.8	20
21	Srsf2 P95H initiates myeloid bias and myelodysplastic/myeloproliferative syndrome from hemopoietic stem cells. <i>Blood</i> , 2018, 132, 608-621.	1.4	45
22	Retinoic acid receptor signalling directly regulates osteoblast and adipocyte differentiation from mesenchymal progenitor cells. <i>Experimental Cell Research</i> , 2017, 350, 284-297.	2.6	39
23	Increased miR-155-5p and reduced miR-148a-3p contribute to the suppression of osteosarcoma cell death. <i>Oncogene</i> , 2016, 35, 5282-5294.	5.9	60
24	PDGF-AB and 5-Azacytidine induce conversion of somatic cells into tissue-regenerative multipotent stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E2306-15.	7.1	40
25	Adenosine-to-inosine RNA editing by ADAR1 is essential for normal murine erythropoiesis. <i>Experimental Hematology</i> , 2016, 44, 947-963.	0.4	52
26	T-cell acute leukaemia exhibits dynamic interactions with bone marrow microenvironments. <i>Nature</i> , 2016, 538, 518-522.	27.8	159
27	Arrested Hematopoiesis and Vascular Relaxation Defects in Mice with a Mutation in <i>Dhfr</i> . <i>Molecular and Cellular Biology</i> , 2016, 36, 1222-1236.	2.3	6
28	Retinoic Acid Receptor $\hat{3}$ Regulates B and T Lymphopoiesis via Nestin-Expressing Cells in the Bone Marrow and Thymic Microenvironments. <i>Journal of Immunology</i> , 2016, 196, 2132-2144.	0.8	16
29	The role of vitamin A and retinoic acid receptor signaling in post-natal maintenance of bone. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 155, 135-146.	2.5	53
30	Myelosuppressive Therapies Significantly Increase Pro-Inflammatory Cytokines and Directly Cause Bone Loss. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 886-897.	2.8	35
31	Ciliary neurotrophic factor has intrinsic and extrinsic roles in regulating B cell differentiation and bone structure. <i>Scientific Reports</i> , 2015, 5, 15529.	3.3	14
32	EphB4 Expressing Stromal Cells Exhibit an Enhanced Capacity for Hematopoietic Stem Cell Maintenance. <i>Stem Cells</i> , 2015, 33, 2838-2849.	3.2	29
33	Src family kinases and their role in hematological malignancies. <i>Leukemia and Lymphoma</i> , 2015, 56, 577-586.	1.3	19
34	Wnt inhibitory factor 1 (WIF1) is a marker of osteoblastic differentiation stage and is not silenced by DNA methylation in osteosarcoma. <i>Bone</i> , 2015, 73, 223-232.	2.9	27
35	The DNA Helicase Recq14 Is Required for Normal Osteoblast Expansion and Osteosarcoma Formation. <i>PLoS Genetics</i> , 2015, 11, e1005160.	3.5	34
36	RAR $\hat{3}$ is a negative regulator of osteoclastogenesis. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 150, 46-53.	2.5	25

#	ARTICLE	IF	CITATIONS
37	Erythroidâ€extrinsic regulation of normal erythropoiesis by retinoic acid receptors. <i>British Journal of Haematology</i> , 2014, 164, 280-285.	2.5	17
38	Myeloma plasma cells alter the bone marrow microenvironment by stimulating the proliferation of mesenchymal stromal cells. <i>Haematologica</i> , 2014, 99, 163-171.	3.5	90
39	The Rothmund-Thomson syndrome helicase RECQL4 is essential for hematopoiesis. <i>Journal of Clinical Investigation</i> , 2014, 124, 3551-3565.	8.2	48
40	Deciphering Hematopoietic Stem Cells in Their Niches: A Critical Appraisal of Genetic Models, Lineage Tracing, and Imaging Strategies. <i>Cell Stem Cell</i> , 2013, 13, 520-533.	11.1	148
41	Modeling distinct osteosarcoma subtypes in vivo using Cre:lox and lineage-restricted transgenic shRNA. <i>Bone</i> , 2013, 55, 166-178.	2.9	65
42	ATRA and the specific RARÎ± agonist, NRX195183, have opposing effects on the clonogenicity of pre-leukemic murine AML1-ETO bone marrow cells. <i>Leukemia</i> , 2013, 27, 1369-1380.	7.2	18
43	The granulocyte-colony stimulating factor receptor (G-CSFR) interacts with retinoic acid receptors (RARs) in the regulation of myeloid differentiation. <i>Journal of Leukocyte Biology</i> , 2013, 93, 235-243.	3.3	9
44	Tug of war in the haematopoietic stem cell niche: do myeloma plasma cells compete for the HSC niche?. <i>Blood Cancer Journal</i> , 2012, 2, e91-e91.	6.2	51
45	A Novel Population of Cells Expressing Both Hematopoietic and Mesenchymal Markers Is Present in the Normal Adult Bone Marrow and Is Augmented in a Murine Model of Marrow Fibrosis. <i>American Journal of Pathology</i> , 2012, 180, 811-818.	3.8	20
46	Effects of the bone marrow microenvironment on hematopoietic malignancy. <i>Bone</i> , 2011, 48, 115-120.	2.9	33
47	Taking HSCs Down a Notch in Leukemia. <i>Cell Stem Cell</i> , 2011, 8, 602-603.	11.1	1
48	Erythropoietin couples erythropoiesis, B-lymphopoiesis, and bone homeostasis within the bone marrow microenvironment. <i>Blood</i> , 2011, 117, 5631-5642.	1.4	123
49	A stressed niche not Wnted. <i>Blood</i> , 2011, 118, 2377-2378.	1.4	1
50	Defining the hematopoietic stem cell niche: The chicken and the egg conundrum. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 1486-1490.	2.6	8
51	GsÎ± enhances commitment of mesenchymal progenitors to the osteoblast lineage but restrains osteoblast differentiation in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 3492-3504.	8.2	91
52	MicroRNA miR-125a controls hematopoietic stem cell number. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14229-14234.	7.1	330
53	What is the true nature of the osteoblastic hematopoietic stem cell niche?. <i>Trends in Endocrinology and Metabolism</i> , 2009, 20, 303-309.	7.1	89
54	The Role of p202 in Regulating Hematopoietic Cell Proliferation and Differentiation. <i>Journal of Interferon and Cytokine Research</i> , 2008, 28, 5-11.	1.2	11

#	ARTICLE	IF	CITATIONS
55	Osteoblastic regulation of B lymphopoiesis is mediated by G _s -dependent signaling pathways. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 16976-16981.	7.1	222
56	Mutations in the neutral sphingomyelinase gene SMPD3 implicate the ceramide pathway in human leukemias. Blood, 2008, 111, 4716-4722.	1.4	89
57	Pharmacologic targeting of a stem/progenitor population in vivo is associated with enhanced bone regeneration in mice. Journal of Clinical Investigation, 2008, 118, 491-504.	8.2	202
58	Roles of Retinoids and Retinoic Acid Receptors in the Regulation of Hematopoietic Stem Cell Self-Renewal and Differentiation. PPAR Research, 2007, 2007, 1-7.	2.4	28
59	Granulocyte Colony-Stimulating Factor and an RAR α Specific Agonist, VTP195183, Synergize to Enhance the Mobilization of Hematopoietic Progenitor Cells. Transplantation, 2007, 83, 375-384.	1.0	21
60	Limiting Factors in Murine Hematopoietic Stem Cell Assays. Cell Stem Cell, 2007, 1, 263-270.	11.1	246
61	A Microenvironment-Induced Myeloproliferative Syndrome Caused by Retinoic Acid Receptor β Deficiency. Cell, 2007, 129, 1097-1110.	28.9	490
62	Rb Regulates Interactions between Hematopoietic Stem Cells and Their Bone Marrow Microenvironment. Cell, 2007, 129, 1081-1095.	28.9	380
63	Osteoclasts eat stem cells out of house and home. Nature Medicine, 2006, 12, 610-611.	30.7	19
64	RAR β is critical for maintaining a balance between hematopoietic stem cell self-renewal and differentiation. Journal of Experimental Medicine, 2006, 203, 1283-1293.	8.5	181
65	RAR β is critical for maintaining a balance between hematopoietic stem cell self-renewal and differentiation. Journal of Cell Biology, 2006, 173, i9-i9.	5.2	0
66	Negative cell-cycle regulators cooperatively control self-renewal and differentiation of haematopoietic stem cells. Nature Cell Biology, 2005, 7, 172-178.	10.3	105
67	Contrasting effects of P-selectin and E-selectin on the differentiation of murine hematopoietic progenitor cells. Experimental Hematology, 2005, 33, 232-242.	0.4	25
68	Cell Division and Hematopoietic Stem Cells: Not Always Exhausting. Cell Cycle, 2005, 4, 893-896.	2.6	15
69	Osteopenia in Siah1a Mutant Mice. Journal of Biological Chemistry, 2004, 279, 29583-29588.	3.4	11
70	Identification of the molecular requirements for an RAR α -mediated cell cycle arrest during granulocytic differentiation. Blood, 2004, 103, 1286-1295.	1.4	36
71	Generation and Analysis of Siah2 Mutant Mice. Molecular and Cellular Biology, 2003, 23, 9150-9161.	2.3	69
72	An Oxysterol-Binding Protein Family Identified in the Mouse. DNA and Cell Biology, 2002, 21, 571-580.	1.9	56

#	ARTICLE	IF	CITATIONS
73	Multipotent hematopoietic cell lines derived from C/EBP β (c/ebpb) knockout mice display granulocyte macrophage colony-stimulating factor, granulocyte colony-stimulating factor, and retinoic acid-induced granulocytic differentiation. Blood, 2001, 98, 2382-2388.	1.4	30
74	All-trans Retinoic Acid Facilitates Oncoretrovirus-Mediated Transduction of Hematopoietic Repopulating Stem Cells. Journal of Hematotherapy and Stem Cell Research, 2001, 10, 815-825.	1.8	2
75	All-trans retinoic acid enhances the long-term repopulating activity of cultured hematopoietic stem cells. Blood, 2000, 95, 470-477.	1.4	124
76	All-Trans Retinoic Acid Delays the Differentiation of Primitive Hematopoietic Precursors (lin ⁻ c-kit+Sca-1+) While Enhancing the Terminal Maturation of Committed Granulocyte/Monocyte Progenitors. Blood, 1999, 94, 483-495.	1.4	107
77	All-Trans Retinoic Acid Delays the Differentiation of Primitive Hematopoietic Precursors (lin ⁻ c-kit+Sca-1+) While Enhancing the Terminal Maturation of Committed Granulocyte/Monocyte Progenitors. Blood, 1999, 94, 483-495.	1.4	6
78	Monocytes are the likely candidate stromal cell in G-CSF-mobilized peripheral blood. Bone Marrow Transplantation, 1998, 21, 1075-1076.	2.4	15
79	The Notch Ligand, Jagged-1, Influences the Development of Primitive Hematopoietic Precursor Cells. Blood, 1998, 91, 4084-4091.	1.4	312
80	The Notch Ligand, Jagged-1, Influences the Development of Primitive Hematopoietic Precursor Cells. Blood, 1998, 91, 4084-4091.	1.4	12
81	The Role of Retinoic Acid Receptors in Myeloid Differentiation. , 0, , 149-161.		0