Rakhi Dandona

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7625008/publications.pdf

Version: 2024-02-01

227 papers 152,411 citations

103 h-index 222 g-index

231 all docs

231 docs citations

times ranked

231

172116 citing authors

#	Article	IF	CITATIONS
1	Global, regional, and national sex differences in the global burden of tuberculosis by HIV status, 1990–2019: results from the Global Burden of Disease Study 2019. Lancet Infectious Diseases, The, 2022, 22, 222-241.	4.6	53
2	Public health priorities for India. Lancet Public Health, The, 2022, 7, e102-e103.	4.7	2
3	The national suicide prevention strategy in India: context and considerations for urgent action. Lancet Psychiatry,the, 2022, 9, 160-168.	3.7	36
4	Estimation of the global prevalence of dementia in 2019 and forecasted prevalence in 2050: an analysis for the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e105-e125.	4.7	1,199
5	Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life Years for 29 Cancer Groups From 2010 to 2019. JAMA Oncology, 2022, 8, 420.	3.4	719
6	Global, regional, and national burden of colorectal cancer and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. The Lancet Gastroenterology and Hepatology, 2022, 7, 627-647.	3.7	177
7	Suicide in India during the first year of the COVID-19 pandemic. Journal of Affective Disorders, 2022, 307, 215-220.	2.0	23
8	Administrative data deficiencies plague understanding of the magnitude of rape-related crimes in Indian women and girls. BMC Public Health, 2022, 22, 788.	1.2	2
9	Domestic violence in Indian women: lessons from nearly 20Âyears of surveillance. BMC Women's Health, 2022, 22, 128.	0.8	11
10	Suicide and self-harm in low- and middle- income countries during the COVID-19 pandemic: A systematic review. PLOS Global Public Health, 2022, 2, e0000282.	0.5	21
11	Implications of the availability and distribution of birth weight on addressing neonatal mortality: population-based assessment from Bihar state of India. BMJ Open, 2022, 12, e061934.	0.8	O
12	Sub-national patterns and correlates of depression among adults aged 45 years and older: findings from wave 1 of the Longitudinal Ageing Study in India. Lancet Psychiatry, the, 2022, 9, 645-659.	3.7	7
13	Estimating patterns in the under-reporting of suicide deaths in India: comparison of administrative data and Global Burden of Disease Study estimates, 2005–2015. Journal of Epidemiology and Community Health, 2021, 75, 550-555.	2.0	12
14	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. The Lancet Global Health, 2021, 9, e130-e143.	2.9	500
15	Counting stillbirths and COVID 19—there has never been a more urgent time. The Lancet Global Health, 2021, 9, e10-e11.	2.9	44
16	COVID-19 offers an opportunity to reform mental health in India. Lancet Psychiatry, the, 2021, 8, 9-11.	3.7	17
17	Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200.	1.8	53
18	Health and economic impact of air pollution in the states of India: the Global Burden of Disease Study 2019. Lancet Planetary Health, The, 2021, 5, e25-e38.	5.1	269

#	Article	IF	Citations
19	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	6.3	358
20	Pesticide surveillance and deaths by suicide. The Lancet Global Health, 2021, 9, e738-e739.	2.9	4
21	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	6.2	24
22	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	6.3	609
23	Guidance for Health Care Leaders During the Recovery Stage of the COVID-19 Pandemic. JAMA Network Open, 2021, 4, e2120295.	2.8	37
24	Measuring routine childhood vaccination coverage in 204 countries and territories, 1980–2019: a systematic analysis for the Global Burden of Disease Study 2020, Release 1. Lancet, The, 2021, 398, 503-521.	6.3	93
25	The burden of neurological disorders across the states of India: the Global Burden of Disease Study 1990–2019. The Lancet Global Health, 2021, 9, e1129-e1144.	2.9	54
26	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	6.3	229
27	Global, regional, and national burden of respiratory tract cancers and associated risk factors from 1990 to 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Respiratory Medicine,the, 2021, 9, 1030-1049.	5.2	86
28	Tracking development assistance for health and for COVID-19: a review of development assistance, government, out-of-pocket, and other private spending on health for 204 countries and territories, 1990–2050. Lancet, The, 2021, 398, 1317-1343.	6.3	79
29	Global, regional, and national burden of bone fractures in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. The Lancet Healthy Longevity, 2021, 2, e580-e592.	2.0	277
30	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	4.9	2,308
31	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	15.2	60
32	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	6.3	92
33	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 37-59.	4.6	104
34	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. Lancet Infectious Diseases, The, 2020, 20, 60-79.	4.6	95
35	The burden of mental disorders across the states of India: the Global Burden of Disease Study 1990–2017. Lancet Psychiatry,the, 2020, 7, 148-161.	3.7	387
36	Mortality due to road injuries in the states of India: the Global Burden of Disease Study 1990–2017. Lancet Public Health, The, 2020, 5, e86-e98.	4.7	72

#	Article	IF	Citations
37	Enabling suicide prevention in India: a call to action. Lancet Psychiatry, the, 2020, 7, 3-4.	3.7	6
38	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	6.3	7,664
39	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	6.3	3,928
40	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
41	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
42	Addressing different types of anaemia in Indian children and adolescents. The Lancet Child and Adolescent Health, 2020, 4, 483-484.	2.7	3
43	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1038-e1060.	2.9	23
44	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	6.3	330
45	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000–17. The Lancet Global Health, 2020, 8, e1162-e1185.	2.9	91
46	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	1.2	4,468
47	Subnational mapping of under-5 and neonatal mortality trends in India: the Global Burden of Disease Study 2000–17. Lancet, The, 2020, 395, 1640-1658.	6.3	96
48	Prevalence and attributable health burden of chronic respiratory diseases, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine,the, 2020, 8, 585-596.	5.2	1,049
49	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.	6.3	72
50	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. Injury Prevention, 2020, 26, i83-i95.	1.2	109
51	Mapping of variations in child stunting, wasting and underweight within the states of India: the Global Burden of Disease Study 2000–2017. EClinicalMedicine, 2020, 22, 100317.	3.2	30
52	The global burden of falls: global, regional and national estimates of morbidity and mortality from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i3-i11.	1.2	185
53	Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 709-733.	6.3	2,858
54	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. Lancet, The, 2020, 396, 693-724.	6.3	87

#	Article	IF	Citations
55	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, 468-471.	3.7	1,054
56	Risk profile for drowning deaths in children in the Indian state of Bihar: results from a population-based study. Injury Prevention, 2019, 25, 364-371.	1.2	8
57	Distinct mortality patterns at 0–2 days versus the remaining neonatal period: results from population-based assessment in the Indian state of Bihar. BMC Medicine, 2019, 17, 140.	2.3	13
58	Suicide by hanging is a priority for suicide prevention: method specific suicide in India (2001–2014). Journal of Affective Disorders, 2019, 257, 1-9.	2.0	30
59	Mind and body go together: the need for integrated care. Lancet Psychiatry, the, 2019, 6, 638-639.	3.7	3
60	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.	13.7	161
61	Global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2017, and forecasts to 2030, for 195 countries and territories: a systematic analysis for the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. Lancet HIV,the, 2019, 6, e831-e859.	2.1	341
62	India's disability estimates: Limitations and way forward. PLoS ONE, 2019, 14, e0222159.	1.1	21
63	Enhancing the National Family Health Survey-5 for policy making. Lancet, The, 2019, 394, 563-564.	6.3	10
64	The burden of child and maternal malnutrition and trends in its indicators in the states of India: the Global Burden of Disease Study 1990–2017. The Lancet Child and Adolescent Health, 2019, 3, 855-870.	2.7	200
65	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 439-458.	4.9	2,005
66	Deferred and referred deliveries contribute to stillbirths in the Indian state of Bihar: results from a population-based survey of all births. BMC Medicine, 2019, 17, 28.	2.3	15
67	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2019, 393, 1958-1972.	6.3	3,062
68	The impact of air pollution on deaths, disease burden, and life expectancy across the states of India: the Global Burden of Disease Study 2017. Lancet Planetary Health, The, 2019, 3, e26-e39.	5.1	536
69	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. Lancet Respiratory Medicine, the, 2019, 7, 69-89.	5.2	326
70	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	4.9	1,064
71	The Geographic Heterogeneity of Suicide Rates in India by Religion, Caste, Tribe, and Other Backward Classes. Crisis, 2019, 40, 370-374.	0.9	13
72	Completeness of death registration in the Civil Registration System, India (2005 to 2015). Indian Journal of Medical Research, 2019, 149, 740.	0.4	22

#	Article	IF	Citations
73	Improving Utility of Data on Cancer Mortality Risk Associated with Smokeless Tobacco: Recommendations for Future Research. Asian Pacific Journal of Cancer Prevention, 2019, 20, 581-588.	0.5	2
74	Spending on health and HIV/AIDS: domestic health spending and development assistance in 188 countries, 1995–2015. Lancet, The, 2018, 391, 1799-1829.	6.3	127
75	Trends in future health financing and coverage: future health spending and universal health coverage in 188 countries, 2016–40. Lancet, The, 2018, 391, 1783-1798.	6.3	172
76	The global burden of tuberculosis: results from the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2018, 18, 261-284.	4.6	246
77	PW 1962â€Urgent need to address injury deaths in children in the indian state of bihar. , 2018, , .		0
78	PW 1972â€Heterogeneity at sub-national level and increasing gender divergence in suicide rates in india. , 2018, , .		1
79	PA 19-6-1973â€Spousal intimate partner violence higher in less developed states in india. , 2018, , .		0
80	PW 1961â€Homicide rates three times higher than suicide rates in adult men in the indian state of bihar. , 2018, , .		0
81	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
82	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
83	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
84	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
85	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
86	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335
87	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
88	Global, regional, and national burden of tuberculosis, 1990–2016: results from the Global Burden of Diseases, Injuries, and Risk Factors 2016 Study. Lancet Infectious Diseases, The, 2018, 18, 1329-1349.	4.6	144
89	Decreasing cost of public sector first-line ART services in India from 2007-2008 to 2015-2016. PLoS ONE, 2018, 13, e0206988.	1.1	1
90	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.	13.9	959

#	Article	IF	CITATIONS
91	Variations in catastrophic health expenditure across the states of India: 2004 to 2014. PLoS ONE, 2018, 13, e0205510.	1.1	35
92	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1191-1210.	4.6	1,084
93	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Infectious Diseases, The, 2018, 18, 1211-1228.	4.6	862
94	The burden of cancers and their variations across the states of India: the Global Burden of Disease Study 1990–2016. Lancet Oncology, The, 2018, 19, 1289-1306.	5.1	265
95	The changing patterns of cardiovascular diseases and their risk factors in the states of India: the Global Burden of Disease Study 1990–2016. The Lancet Global Health, 2018, 6, e1339-e1351.	2.9	283
96	Gender differentials and state variations in suicide deaths in India: the Global Burden of Disease Study 1990–2016. Lancet Public Health, The, 2018, 3, e478-e489.	4.7	131
97	The increasing burden of diabetes and variations among the states of India: the Global Burden of Disease Study 1990–2016. The Lancet Global Health, 2018, 6, e1352-e1362.	2.9	323
98	The burden of chronic respiratory diseases and their heterogeneity across the states of India: the Global Burden of Disease Study 1990–2016. The Lancet Global Health, 2018, 6, e1363-e1374.	2.9	222
99	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
100	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-Years for 29 Cancer Groups, 1990 to 2016. JAMA Oncology, 2018, 4, 1553.	3.4	1,260
101	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	3.8	189
102	Mortality due to snakebite and other venomous animals in the Indian state of Bihar: Findings from a representative mortality study. PLoS ONE, 2018, 13, e0198900.	1.1	25
103	Estimates and 25-year trends of the global burden of disease attributable to ambient air pollution: an analysis of data from the Global Burden of Diseases Study 2015. Lancet, The, 2017, 389, 1907-1918.	6.3	4,187
104	Global Cardiovascular and Renal Outcomes of Reduced GFR. Journal of the American Society of Nephrology: JASN, 2017, 28, 2167-2179.	3.0	194
105	Future and potential spending on health 2015–40: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. Lancet, The, 2017, 389, 2005-2030.	6.3	163
106	Evolution and patterns of global health financing 1995–2014: development assistance for health, and government, prepaid private, and out-of-pocket health spending in 184 countries. Lancet, The, 2017, 389, 1981-2004.	6.3	204
107	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. JAMA Oncology, 2017, 3, 524.	3.4	4,254
108	Global, Regional, and National Burden of Cardiovascular Diseases for 10 Causes, 1990 to 2015. Journal of the American College of Cardiology, 2017, 70, 1-25.	1.2	2,705

#	Article	IF	CITATIONS
109	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
110	Use of antiseptic for cord care and its association with neonatal mortality in a population-based assessment in Bihar State, India. BMJ Open, 2017, 7, e012436.	0.8	4
111	Estimates of global, regional, and national morbidity, mortality, and aetiologies of diarrhoeal diseases: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2017, 17, 909-948.	4.6	837
112	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. New England Journal of Medicine, 2017, 377, 13-27.	13.9	5,014
113	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	3.3	306
114	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 389, 1885-1906.	6.3	1,281
115	The Burden of Primary Liver Cancer and Underlying Etiologies From 1990 to 2015 at the Global, Regional, and National Level. JAMA Oncology, 2017, 3, 1683.	3.4	1,448
116	Global causes of blindness and distance vision impairment 1990–2020: a systematic review and meta-analysis. The Lancet Global Health, 2017, 5, e1221-e1234.	2.9	2,053
117	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory tract infections in 195 countries: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Infectious Diseases, The, 2017, 17, 1133-1161.	4.6	529
118	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
119	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
120	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.	6.3	3,565
121	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
122	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.	6.3	1,879
123	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	4.9	1,521
124	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.	6.3	284
125	Magnitude, temporal trends, and projections of the global prevalence of blindness and distance and near vision impairment: a systematic review and meta-analysis. The Lancet Global Health, 2017, 5, e888-e897.	2.9	1,443
126	Global, regional, and national deaths, prevalence, disability-adjusted life years, and years lived with disability for chronic obstructive pulmonary disease and asthma, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Respiratory Medicine,the, 2017, 5, 691-706.	5.2	1,672

#	Article	IF	Citations
127	Nations within a nation: variations in epidemiological transition across the states of India, 1990–2016 in the Global Burden of Disease Study. Lancet, The, 2017, 390, 2437-2460.	6.3	647
128	Identification of factors associated with stillbirth in the Indian state of Bihar using verbal autopsy: A population-based study. PLoS Medicine, 2017, 14, e1002363.	3.9	27
129	Mapping of health research funding in India. The National Medical Journal of India, 2017, 30, 309.	0.1	17
130	A review of national health surveys in India. Bulletin of the World Health Organization, 2016, 94, 286-296A.	1.5	64
131	A comparative assessment of generalized anxiety, conduct and peer relationship problems among AIDS and other orphaned children in India. BMC Psychiatry, 2016, 16, 330.	1.1	2
132	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	6.3	740
133	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612
134	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
135	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
136	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
137	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1725-1774.	6.3	571
138	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
139	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	2.1	461
140	Survival outcomes for first-line antiretroviral therapy in India's ART program. BMC Infectious Diseases, 2016, 16, 555.	1.3	5
141	Lessons from a decade of suicide surveillance in India: who, why and how?. International Journal of Epidemiology, 2016, 46, dyw113.	0.9	36
142	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
143	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	1.2	898
144	Improving performance of the Tariff Method for assigning causes of death to verbal autopsies. BMC Medicine, 2015, 13, 291.	2.3	80

#	Article	IF	CITATIONS
145	A shortened verbal autopsy instrument for use in routine mortality surveillance systems. BMC Medicine, 2015, 13, 302.	2.3	70
146	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
147	The Global Burden of Cancer 2013. JAMA Oncology, 2015, 1, 505.	3.4	2,269
148	Population and dyadic-based seroincidence of herpes simplex virus-2 and syphilis in southern India. Sexually Transmitted Infections, 2015, 91, 375-382.	0.8	9
149	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
150	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
151	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	6.3	5,847
152	A population-based study of neonatal mortality and maternal care utilization in the Indian state of Bihar. BMC Pregnancy and Childbirth, 2014, 14, 357.	0.9	36
153	Improving the estimation of the tuberculosis burden in India. Bulletin of the World Health Organization, 2014, 92, 817-825.	1.5	25
154	Population-based estimates of still birth, induced abortion and miscarriage in the Indian state of Bihar. BMC Pregnancy and Childbirth, 2014, 14, 413.	0.9	17
155	Social determinants of health in India: progress and inequities across states. International Journal for Equity in Health, 2014, 13, 88.	1.5	26
156	Patterns of condom use by men who have sex with men before and after the Avahan intervention in Andhra Pradesh state of India. BMC Public Health, 2014, 14, 64.	1.2	9
157	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 957-979.	6.3	609
158	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 1005-1070.	6.3	786
159	Predictors of HIV prevalence among street-based female sex workers in Andhra Pradesh state of India: a district-level analysis. BMC Women's Health, 2014, 14, 65.	0.8	7
160	Depression among AIDS-orphaned children higher than among other orphaned children in southern India. International Journal of Mental Health Systems, 2014, 8, 13.	1.1	19
161	The quality of police data on RTC fatalities in India. Injury Prevention, 2014, 20, 293-301.	1.2	14
162	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2014, 384, 980-1004.	6.3	1,230

#	Article	IF	Citations
163	HIV incidence from the first population-based cohort study in India. BMC Infectious Diseases, 2013, 13, 327.	1.3	10
164	The national employment guarantee scheme and inequities in household spending on food and non-food determinants of health in rural India. International Journal for Equity in Health, 2013, 12, 84.	1.5	2
165	Variations in catastrophic health expenditure estimates from household surveys in India. Bulletin of the World Health Organization, 2013, 91, 726-735.	1.5	7 5
166	Social Sector Expenditure and Child Mortality in India: A State-Level Analysis from 1997 to 2009. PLoS ONE, 2013, 8, e56285.	1.1	11
167	Contact with HIV prevention programmes & willingness for new interventions among truckers in India. Indian Journal of Medical Research, 2013, 137, 1061-71.	0.4	11
168	Availability of data for monitoring noncommunicable disease risk factors in India. Bulletin of the World Health Organization, 2012, 90, 20-29.	1.5	28
169	Social Network and Risk-Taking Behavior Most Associated with Rapid HIV Testing, Circumcision, and Preexposure Prophylaxis Acceptability Among High-Risk Indian Men. AIDS Patient Care and STDs, 2012, 26, 631-640.	1.1	20
170	Fall related injuries: A retrospective medical review study in North India. Injury, 2012, 43, 1996-2000.	0.7	24
171	Wives without husbands: Gendered vulnerability to sexually transmitted infections among previously married women in India. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2012, 24, 1103-1110.	0.6	6
172	Burden of out-of-pocket expenditure for road traffic injuries in urban India. BMC Health Services Research, 2012, 12, 285.	0.9	48
173	The Rural Andhra Pradesh Cardiovascular Prevention Study (RAPCAPS). Journal of the American College of Cardiology, 2012, 59, 1188-1196.	1.2	78
174	Research to achieve health care for all in India. Lancet, The, 2011, 377, 1055-1057.	6.3	22
175	Road use pattern and risk factors for non-fatal road traffic injuries among children in urban India. Injury, 2011, 42, 97-103.	0.7	36
176	Crashes involving motorised rickshaws in urban India: Characteristics and injury patterns. Injury, 2011, 42, 104-111.	0.7	26
177	Behavioral Surveillance of Premarital Sex Among Never Married Young Adults in a High HIV Prevalence District in India. AIDS and Behavior, 2011, 15, 228-235.	1.4	23
178	Application of Polymerase Chain Reaction to Detect HIV-1 DNA in Pools of Dried Blood Spots. Indian Journal of Microbiology, 2011, 51, 147-152.	1.5	12
179	Cost-effectiveness of HIV prevention interventions in Andhra Pradesh state of India. BMC Health Services Research, 2010, 10, 117.	0.9	20
180	Population-based seroprevalence of HSV-2 and syphilis in Andhra Pradesh state of India. BMC Infectious Diseases, 2010, 10, 59.	1.3	37

#	Article	IF	CITATIONS
181	Initial Commitment to Pre-Exposure Prophylaxis and Circumcision for HIV Prevention amongst Indian Truck Drivers. PLoS ONE, 2010, 5, e11922.	1.1	31
182	Characteristics of non-fatal fall injuries in rural India. Injury Prevention, 2010, 16, 166-171.	1.2	19
183	Crash characteristics and patterns of injury among hospitalized motorised two-wheeled vehicle users in urban India. BMC Public Health, 2009, 9, 11.	1.2	76
184	Essential health information available for India in the public domain on the internet. BMC Public Health, 2009, 9, 208.	1.2	17
185	Outputs and cost of HIV prevention programmes for truck drivers in Andhra Pradesh, India. BMC Health Services Research, 2009, 9, 82.	0.9	17
186	Trends of public health research output from India during 2001-2008. BMC Medicine, 2009, 7, 59.	2.3	45
187	Economic analysis of HIV prevention interventions in Andhra Pradesh state of India to inform resource allocation. Aids, 2009, 23, 233-242.	1.0	20
188	Application of human immunodeficiency virus type 1 BED enzyme immunoassay on dried blood spots in India. Journal of Medical Microbiology, 2009, 58, 312-317.	0.7	13
189	Verbal autopsy coding: are multiple coders better than one?. Bulletin of the World Health Organization, 2009, 87, 51-57.	1.5	22
190	HIV testing among adults in a high prevalence district in India. The National Medical Journal of India, 2009, 22, 289-93.	0.1	4
191	Outputs, cost and efficiency of public sector centres for prevention of mother to child transmission of HIV in Andhra Pradesh, India. BMC Health Services Research, 2008, 8, 26.	0.9	19
192	Changing cost of HIV interventions in the context of scaling-up in India. Aids, 2008, 22, S43-S49.	1.0	31
193	Risk factors associated with HIV in a population-based study in Andhra Pradesh state of India. International Journal of Epidemiology, 2008, 37, 1274-1286.	0.9	44
194	Estimation of global visual impairment due to uncorrected refractive error. Bulletin of the World Health Organization, 2008, 86, 656-656.	1.5	20
195	Drop of HIV estimate for India to less than half. Lancet, The, 2007, 370, 1811-1813.	6.3	35
196	Demography and sex work characteristics of female sex workers in India. BMC International Health and Human Rights, 2006, 6, 5.	2.5	63
197	Risky behavior of drivers of motorized two wheeled vehicles in India. Journal of Safety Research, 2006, 37, 149-158.	1.7	103
198	Is the HIV burden in India being overestimated?. BMC Public Health, 2006, 6, 308.	1.2	22

#	Article	IF	Citations
199	How much attention is needed towards men who sell sex to men for HIV prevention in India?. BMC Public Health, 2006, 6, 31.	1.2	33
200	A population-based study of human immunodeficiency virus in south India reveals major differences from sentinel surveillance-based estimates. BMC Medicine, 2006, 4, 31.	2.3	60
201	What is the global burden of visual impairment?. BMC Medicine, 2006, 4, 6.	2.3	120
202	Revision of visual impairment definitions in the International Statistical Classification of Diseases. BMC Medicine, 2006, 4, 7.	2.3	164
203	Making road safety a public health concern for policy-makers in India. The National Medical Journal of India, 2006, 19, 126-33.	0.1	18
204	High risk of HIV in non-brothel based female sex workers in India. BMC Public Health, 2005, 5, 87.	1.2	126
205	Traffic law enforcement in Hyderabad, India. International Journal of Injury Control and Safety Promotion, 2005, 12, 167-176.	1.0	23
206	HIV testing among female sex workers in Andhra Pradesh, India. Aids, 2005, 19, 2033-2036.	1.0	21
207	Sex behaviour of men who have sex with men and risk of HIV in Andhra Pradesh, India. Aids, 2005, 19, 611-619.	1.0	128
208	The lack of public health research output from India. BMC Public Health, 2004, 4, 55.	1.2	53
209	Deaths due to road traffic crashed in Hyderabad city in India: need for strengthening surveillance. The National Medical Journal of India, 2004, 17, 74-9.	0.1	34
210	Outcome and number of cataract surgeries in India: policy issues for blindness control. Clinical and Experimental Ophthalmology, 2003, 31, 23-31.	1.3	41
211	Childhood blindness in India: a population based perspective. British Journal of Ophthalmology, 2003, 87, 263-265.	2.1	100
211	Childhood blindness in India: a population based perspective. British Journal of Ophthalmology, 2003, 87, 263-265. Corneal blindness in a southern Indian population: need for health promotion strategies. British Journal of Ophthalmology, 2003, 87, 133-141.	2.1	100
	87, 263-265. Corneal blindness in a southern Indian population: need for health promotion strategies. British		
212	87, 263-265. Corneal blindness in a southern Indian population: need for health promotion strategies. British Journal of Ophthalmology, 2003, 87, 133-141. Moderate visual impairment in India: the Andhra Pradesh Eye Disease Study. British Journal of	2.1	94
212	87, 263-265. Corneal blindness in a southern Indian population: need for health promotion strategies. British Journal of Ophthalmology, 2003, 87, 133-141. Moderate visual impairment in India: the Andhra Pradesh Eye Disease Study. British Journal of Ophthalmology, 2002, 86, 373-377.	2.1	94

#	Article	IF	CITATIONS
217	Population-based study of spectacles use in southern India. Indian Journal of Ophthalmology, 2002, 50, 145-55.	0.5	41
218	Socioeconomic status and blindness. British Journal of Ophthalmology, 2001, 85, 1484-1488.	2.1	95
219	Ocular trauma in an urban population in southern India: the Andhra Pradesh Eye Disease Study. Clinical and Experimental Ophthalmology, 2000, 28, 350-356.	1.3	67
220	Population based assessment of uveitis in an urban population in southern India. British Journal of Ophthalmology, 2000, 84, 706-709.	2.1	100
221	Angle-closure glaucoma in an urban population in southern india. Ophthalmology, 2000, 107, 1710-1716.	2.5	341
222	Open-angle glaucoma in an urban population in southern india. Ophthalmology, 2000, 107, 1702-1709.	2.5	216
223	Population based assessment of diabetic retinopathy in an urban population in southern India. British Journal of Ophthalmology, 1999, 83, 937-940.	2.1	138
224	Awareness of eye donation in an urban population in India. Australian and New Zealand Journal of Ophthalmology, 1999, 27, 166-169.	0.4	48
225	Burden of moderate visual impairment in an urban population in southern India. Ophthalmology, 1999, 106, 497-504.	2.5	90
226	Population-based assessment of the outcome of cataract surgery in an urban population in southern India. American Journal of Ophthalmology, 1999, 127, 650-658.	1.7	125
227	Is current eye-care-policy focus almost exclusively on cataract adequate to deal with blindness in India?. Lancet, The, 1998, 351, 1312-1316.	6.3	136