Barbara Cannon

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/762903/publications.pdf Version: 2024-02-01

| | | 9786 | 5988 |
|----------|----------------|--------------|----------------|
| 211 | 26,822 | 73 | 160 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 214 | 214 | 214 | 18211 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Diet-Induced Thermogenesis: Principles and Pitfalls. Methods in Molecular Biology, 2022, 2448, 177-202. | 0.9 | 8 |
| 2 | Establishing the potency of N-acyl amino acids versus conventional fatty acids as thermogenic uncouplers in cells and mitochondria from different tissues. Biochimica Et Biophysica Acta - Bioenergetics, 2022, 1863, 148542. | 1.0 | 4 |
| 3 | Thermogenic recruitment of brown and brite/beige adipose tissues is not obligatorily associated with macrophage accretion or attrition. American Journal of Physiology - Endocrinology and Metabolism, 2021, 320, E359-E378. | 3.5 | 5 |
| 4 | A PERKy way to make mitochondrial cristae. Trends in Endocrinology and Metabolism, 2021, 32, 417-419. | 7.1 | 2 |
| 5 | On the Validity of Adipogenic Cell Lines as Model Systems for Browning Processes: In Authentic Brown, Brite/Beige, and White Preadipocytes, There is No Cell-Autonomous Thermogenic Recruitment by Green Tea Compounds. Frontiers in Nutrition, 2021, 8, 715859. | 3.7 | 2 |
| 6 | A pyrexic effect of FGF21 independent of energy expenditure and UCP1. Molecular Metabolism, 2021, 53, 101324. | 6.5 | 12 |
| 7 | Regulation of thermogenic capacity in brown and white adipocytes by the prebiotic high-esterified pectin and its postbiotic acetate. International Journal of Obesity, 2020, 44, 715-726. | 3.4 | 17 |
| 8 | UCP1-independent glucose-lowering effect of leptin in type 1 diabetes: only in conditions of hypoleptinemia. American Journal of Physiology - Endocrinology and Metabolism, 2020, 318, E72-E86. | 3.5 | 5 |
| 9 | Leptin: Is It Thermogenic?. Endocrine Reviews, 2020, 41, 232-260. | 20.1 | 47 |
| 10 | Human brown adipose tissue: Classical brown rather than brite/beige?. Experimental Physiology, 2020, 105, 1191-1200. | 2.0 | 44 |
| 11 | Reply to â€~Confounding issues in the â€~humanized' brown fat of mice'. Nature Metabolism, 2020, 2, 305-306. | 11.9 | 7 |
| 12 | Cell proliferation and apoptosis inhibition: essential processes for recruitment of the full thermogenic capacity of brown adipose tissue. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2019, 1864, 51-58. | 2.4 | 29 |
| 13 | Human brown adipose tissue is phenocopied by classical brown adipose tissue in physiologically humanized mice. Nature Metabolism, 2019, 1, 830-843. | 11.9 | 103 |
| 14 | Glucocorticoids and Brown Adipose Tissue: Do glucocorticoids really inhibit thermogenesis?. Molecular Aspects of Medicine, 2019, 68, 42-59. | 6.4 | 30 |
| 15 | No insulating effect of obesity, neither in mice nor in humans. American Journal of Physiology - Endocrinology and Metabolism, 2019, 317, E952-E953. | 3.5 | 9 |
| 16 | At thermoneutrality, acute thyroxine-induced thermogenesis and pyrexia are independent of UCP1. Molecular Metabolism, 2019, 25, 20-34. | 6.5 | 46 |
| 17 | The answer to the question "What is the best housing temperature to translate mouse experiments to humans?―is: thermoneutrality. Molecular Metabolism, 2019, 26, 1-3. | 6.5 | 46 |
| 18 | Glucocorticoid-Induced Obesity Develops Independently of UCP1. Cell Reports, 2019, 27, 1686-1698.e5. | 6.4 | 49 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | In the absence of UCP1-mediated diet-induced thermogenesis, obesity is augmented even in the obesity-resistant 129S mouse strain. American Journal of Physiology - Endocrinology and Metabolism, 2019, 316, E729-E740. | 3.5 | 36 |
| 20 | Intact innervation is essential for diet-induced recruitment of brown adipose tissue. American Journal of Physiology - Endocrinology and Metabolism, 2019, 316, E487-E503. | 3.5 | 54 |
| 21 | Optimal housing temperatures for mice to mimic the thermal environment of humans: AnÂexperimental study. Molecular Metabolism, 2018, 7, 161-170. | 6.5 | 195 |
| 22 | Brown adipose tissue as a heat-producing thermoeffector. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 156, 137-152. | 1.8 | 65 |
| 23 | Promotion of lipid storage rather than of thermogenic competence by fetal versus newborn calf serum in primary cultures of brown adipocytes. Adipocyte, 2018, 7, 166-179. | 2.8 | 3 |
| 24 | UCP1 inhibition in Cidea-overexpressing mice is physiologically counteracted by brown adipose tissue hyperrecruitment. American Journal of Physiology - Endocrinology and Metabolism, 2017, 312, E72-E87. | 3.5 | 41 |
| 25 | UCP1 in adipose tissues: two steps to full browning. Biochimie, 2017, 134, 127-137. | 2.6 | 153 |
| 26 | Leptin-deficient mice are not hypothermic, they are anapyrexic. Molecular Metabolism, 2017, 6, 173. | 6.5 | 13 |
| 27 | Alternatively activated macrophages do not synthesize catecholamines or contribute to adipose tissue adaptive thermogenesis. Nature Medicine, 2017, 23, 623-630. | 30.7 | 282 |
| 28 | The β ₃ -adrenergic receptor is dispensable for browning of adipose tissues. American Journal of Physiology - Endocrinology and Metabolism, 2017, 312, E508-E518. | 3.5 | 61 |
| 29 | What Ignites UCP1?. Cell Metabolism, 2017, 26, 697-698. | 16.2 | 37 |
| 30 | Adaptive facultative diet-induced thermogenesis in wild-type but not in UCP1-ablated mice. American Journal of Physiology - Endocrinology and Metabolism, 2017, 313, E515-E527. | 3.5 | 72 |
| 31 | Brown Adipose Tissue. , 2017, , 354-363.e4. | | 3 |
| 32 | Improved health-span and lifespan in mtDNA mutator mice treated with the mitochondrially targeted antioxidant SkQ1. Aging, 2017, 9, 315-339. | 3.1 | 74 |
| 33 | Reply to letter to the editor: at thermoneutrality, neither the lean nor the obese freeze. American Journal of Physiology - Endocrinology and Metabolism, 2016, 311, E639-E639. | 3.5 | 5 |
| 34 | An AMP-activated protein kinase–stabilizing peptide ameliorates adipose tissue wasting in cancer cachexia in mice. Nature Medicine, 2016, 22, 1120-1130. | 30.7 | 106 |
| 35 | No insulating effect of obesity. American Journal of Physiology - Endocrinology and Metabolism, 2016, 311, E202-E213. | 3.5 | 51 |
| 36 | Essential role of UCP1 modulating the central effects of thyroid hormones on energy balance. Molecular Metabolism, 2016, 5, 271-282. | 6.5 | 96 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Leptin Raises Defended Body Temperature without Activating Thermogenesis. Cell Reports, 2016, 14, 1621-1631. | 6.4 | 116 |
| 38 | An siRNA-based method for efficient silencing of gene expression in mature brown adipocytes. Adipocyte, 2016, 5, 175-185. | 2.8 | 43 |
| 39 | Metabolically inert perfluorinated fatty acids directly activate uncoupling protein 1 in brown-fat mitochondria. Archives of Toxicology, 2016, 90, 1117-1128. | 4.2 | 32 |
| 40 | Adrenergically stimulated blood flow in brown adipose tissue is not dependent on thermogenesis. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E822-E829. | 3.5 | 32 |
| 41 | The Environmental Pollutants Perfluorooctane Sulfonate and Perfluorooctanoic Acid Upregulate Uncoupling Protein 1 (UCP1) in Brown-Fat Mitochondria Through a UCP1-Dependent Reduction in Food Intake. Toxicological Sciences, 2015, 146, 334-343. | 3.1 | 17 |
| 42 | Cidea improves the metabolic profile through expansion of adipose tissue. Nature Communications, 2015, 6, 7433. | 12.8 | 80 |
| 43 | A stringent validation of mouse adipose tissue identity markers. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E1085-E1105. | 3.5 | 242 |
| 44 | Hormone-induced mitochondrial fission is utilized by brown adipocytes as an amplification pathway for energy expenditure. EMBO Journal, 2014, 33, n/a-n/a. | 7.8 | 185 |
| 45 | <i>In vivo</i> levels of mitochondrial hydrogen peroxide increase with age in mt <scp>DNA</scp> mutator mice. Aging Cell, 2014, 13, 765-768. | 6.7 | 94 |
| 46 | ROS production in brown adipose tissue mitochondria: The question of UCP1-dependence. Biochimica Et Biophysica Acta - Bioenergetics, 2014, 1837, 2017-2030. | 1.0 | 51 |
| 47 | The Browning of White Adipose Tissue: Some Burning Issues. Cell Metabolism, 2014, 20, 396-407. | 16.2 | 428 |
| 48 | Contrasting effects of cold acclimation versus obesogenic diets on chemerin gene expression in brown and brite adipose tissues. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2014, 1841, 1691-1699. | 2.4 | 35 |
| 49 | UCP1 in Brite/Beige Adipose Tissue Mitochondria Is Functionally Thermogenic. Cell Reports, 2013, 5, 1196-1203. | 6.4 | 523 |
| 50 | UCP1 mRNA does not produce heat. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2013, 1831, 943-949. | 2.4 | 229 |
| 51 | How brown is brown fat? It depends where you look. Nature Medicine, 2013, 19, 540-541. | 30.7 | 58 |
| 52 | A Classical Brown Adipose Tissue mRNA Signature Partly Overlaps with Brite in the Supraclavicular Region of Adult Humans. Cell Metabolism, 2013, 17, 798-805. | 16.2 | 474 |
| 53 | Mitochondrial dynamics regulate brown adiopcyte energy expenditure. FASEB Journal, 2013, 27, 582.4. | 0.5 | 0 |
| 54 | An essential role for Tbx15 in the differentiation of brown and "brite―but not white adipocytes. American Journal of Physiology - Endocrinology and Metabolism, 2012, 303, E1053-E1060. | 3.5 | 75 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | BMP8B Increases Brown Adipose Tissue Thermogenesis through Both Central and Peripheral Actions. Cell, 2012, 149, 871-885. | 28.9 | 481 |
| 56 | A New Role for Lipocalin Prostaglandin D Synthase in the Regulation of Brown Adipose Tissue Substrate Utilization. Diabetes, 2012, 61, 3139-3147. | 0.6 | 48 |
| 57 | Neither brown nor white. Nature, 2012, 488, 286-287. | 27.8 | 42 |
| 58 | Recruited vs. nonrecruited molecular signatures of brown, "brite,―and white adipose tissues. American Journal of Physiology - Endocrinology and Metabolism, 2012, 302, E19-E31. | 3.5 | 467 |
| 59 | Brown Adipose Tissue: A Seasonal Tissue in Mammals, Including Humans?. , 2012, , 447-458. | | 1 |
| 60 | Yes, even human brown fat is on fire!. Journal of Clinical Investigation, 2012, 122, 486-489. | 8.2 | 52 |
| 61 | New Powers of Brown Fat: Fighting the Metabolic Syndrome. Cell Metabolism, 2011, 13, 238-240. | 16.2 | 165 |
| 62 | Uncoupled respiration, ROS production, acute lipotoxicity and oxidative damage in isolated skeletal muscle mitochondria from UCP3-ablated mice. Biochimica Et Biophysica Acta - Bioenergetics, 2011, 1807, 1095-1105. | 1.0 | 39 |
| 63 | Gene-chip studies of adipogenesis-regulated microRNAs in mouse primary adipocytes and human obesity. BMC Endocrine Disorders, 2011, 11, 7. | 2.2 | 113 |
| 64 | Nonshivering thermogenesis and its adequate measurement in metabolic studies. Journal of Experimental Biology, 2011, 214, 242-253. | 1.7 | 563 |
| 65 | Brown Adipose Tissue: Development and Function. , 2011, , 470-482. | | 1 |
| 66 | Cold tolerance of UCP1-ablated mice: A skeletal muscle mitochondria switch toward lipid oxidation with marked UCP3 up-regulation not associated with increased basal, fatty acid- or ROS-induced uncoupling or enhanced GDP effects. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 968-980. | 1.0 | 83 |
| 67 | Uncoupling protein-1 is not leaky. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 773-784. | 1.0 | 78 |
| 68 | Cardiolipin: Altered content and fatty acid composition in mitochondria from mtDNA mutator mice. Biochimica Et Biophysica Acta - Bioenergetics, 2010, 1797, 64. | 1.0 | 0 |
| 69 | Thyroid hormones: igniting brown fat via the brain. Nature Medicine, 2010, 16, 965-967. | 30.7 | 68 |
| 70 | UCP1 Induction during Recruitment of Brown Adipocytes in White Adipose Tissue Is Dependent on Cyclooxygenase Activity. PLoS ONE, 2010, 5, e11391. | 2.5 | 174 |
| 71 | Chronic Peroxisome Proliferator-activated Receptor Î ³ (PPARÎ ³) Activation of Epididymally Derived White Adipocyte Cultures Reveals a Population of Thermogenically Competent, UCP1-containing Adipocytes Molecularly Distinct from Classic Brown Adipocytes. Journal of Biological Chemistry, 2010, 285, 7153-7164. | 3.4 | 1,131 |
| 72 | Three years with adult human brown adipose tissue. Annals of the New York Academy of Sciences, 2010, 1212, E20-36. | 3.8 | 145 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Caveolin-1-ablated mice survive in cold by nonshivering thermogenesis despite desensitized adrenergic responsiveness. American Journal of Physiology - Endocrinology and Metabolism, 2010, 299, E374-E383. | 3.5 | 12 |
| 74 | The Changed Metabolic World with Human Brown Adipose Tissue: Therapeutic Visions. Cell Metabolism, 2010, 11, 268-272. | 16.2 | 379 |
| 75 | Metabolic and Angiogenic Consequences of the Presence or Absence of UCP1. Research and Perspectives in Endocrine Interactions, 2010, , 111-120. | 0.2 | Ο |
| 76 | The presence of UCP1 demonstrates that metabolically active adipose tissue in the neck of adult humans truly represents brown adipose tissue. FASEB Journal, 2009, 23, 3113-3120. | 0.5 | 667 |
| 77 | Thermogenesis challenges the adipostat hypothesis for body-weight control. Proceedings of the Nutrition Society, 2009, 68, 401-407. | 1.0 | 91 |
| 78 | Distinct expression of muscleâ€specific MicroRNAs (myomirs) in brown adipocytes. Journal of Cellular Physiology, 2009, 218, 444-449. | 4.1 | 138 |
| 79 | Hypoxia-Independent Angiogenesis in Adipose Tissues during Cold Acclimation. Cell Metabolism, 2009, 9, 99-109. | 16.2 | 317 |
| 80 | UCP1 Ablation Induces Obesity and Abolishes Diet-Induced Thermogenesis in Mice Exempt from Thermal Stress by Living at Thermoneutrality. Cell Metabolism, 2009, 9, 203-209. | 16.2 | 1,136 |
| 81 | Random Point Mutations with Major Effects on Protein-Coding Genes Are the Driving Force behind Premature Aging in mtDNA Mutator Mice. Cell Metabolism, 2009, 10, 131-138. | 16.2 | 200 |
| 82 | Neither fat nor flesh. Nature, 2008, 454, 947-948. | 27.8 | 58 |
| 83 | Within brown-fat cells, UCP1-mediated fatty acid-induced uncoupling is independent of fatty acid metabolism. Biochimica Et Biophysica Acta - Bioenergetics, 2008, 1777, 642-650. | 1.0 | 36 |
| 84 | A sequence predicted to form a stem–loop is proposed to be required for formation of an RNA–protein complex involving the 3'UTR of β-subunit F0F1-ATPase mRNA. Biochimica Et Biophysica Acta - Bioenergetics, 2008, 1777, 747-757. | 1.0 | 5 |
| 85 | Studies of Thermogenesis and Mitochondrial Function in Adipose Tissues. Methods in Molecular Biology, 2008, 456, 109-121. | 0.9 | 53 |
| 86 | Mitochondrial ATP synthase levels in brown adipose tissue are governed by the câ€Fo subunit P1 isoform. FASEB Journal, 2008, 22, 55-63. | 0.5 | 64 |
| 87 | Nonshivering thermogenesis protects against defective calcium handling in muscle. FASEB Journal, 2008, 22, 3919-3924. | 0.5 | 59 |
| 88 | Thermogenically competent nonadrenergic recruitment in brown preadipocytes by a PPARÎ ³ agonist. American Journal of Physiology - Endocrinology and Metabolism, 2008, 295, E287-E296. | 3.5 | 125 |
| 89 | è,,,身ã§ã,,ãªã⁵ã,Œã₽è,‰ã§ã,,ãªã,, Nature Digest, 2008, 5, 22-24. | 0.0 | 0 |
| 90 | Altered regulation of the PINK1 locus: a link between type 2 diabetes and neurodegeneration?. FASEB Journal, 2007, 21, 3653-3665. | 0.5 | 83 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Myogenic gene expression signature establishes that brown and white adipocytes originate from distinct cell lineages. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 4401-4406. | 7.1 | 637 |
| 92 | Unexpected evidence for active brown adipose tissue in adult humans. American Journal of Physiology - Endocrinology and Metabolism, 2007, 293, E444-E452. | 3.5 | 1,492 |
| 93 | Adrenergic receptor density in brown adipose tissue of active and hibernating hamsters and ground squirrels. Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2007, 146, 408-414. | 1.8 | 8 |
| 94 | Uncoupling proteins: A role in protection against reactive oxygen species—or not?. Biochimica Et Biophysica Acta - Bioenergetics, 2006, 1757, 449-458. | 1.0 | 167 |
| 95 | Carboxyatractyloside effects on brown-fat mitochondria imply that the adenine nucleotide translocator isoforms ANT1 and ANT2 may be responsible for basal and fatty-acid-induced uncoupling respectively. Biochemical Journal, 2006, 399, 405-414. | 3.7 | 79 |
| 96 | Decreased Brown Adipocyte Recruitment and Thermogenic Capacity in Mice with Impaired Peroxisome Proliferator-Activated Receptor (P465L PPARγ) Function. Endocrinology, 2006, 147, 5708-5714. | 2.8 | 57 |
| 97 | Ablation of PGC-1Î ² Results in Defective Mitochondrial Activity, Thermogenesis, Hepatic Function, and Cardiac Performance. PLoS Biology, 2006, 4, e369. | 5.6 | 249 |
| 98 | UCP1 is essential for adaptive adrenergic nonshivering thermogenesis. American Journal of Physiology - Endocrinology and Metabolism, 2006, 291, E350-E357. | 3.5 | 199 |
| 99 | UCP1 and Defense against Oxidative Stress. Journal of Biological Chemistry, 2006, 281, 13882-13893. | 3.4 | 79 |
| 100 | A Human-Specific Role of Cell Death-Inducing DFFA (DNA Fragmentation Factor-Â)-Like Effector A (CIDEA) in Adipocyte Lipolysis and Obesity. Diabetes, 2005, 54, 1726-1734. | 0.6 | 168 |
| 101 | SOD2 overexpression: enhanced mitochondrial tolerance but absence of effect on UCP activity. EMBO Journal, 2005, 24, 4061-4070. | 7.8 | 98 |
| 102 | PPARÎ ³ in the control of brown adipocyte differentiation. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2005, 1740, 293-304. | 3.8 | 168 |
| 103 | Native UCP1 Displays Simple Competitive Kinetics between the Regulators Purine Nucleotides and Fatty Acids. Journal of Biological Chemistry, 2004, 279, 38236-38248. | 3.4 | 143 |
| 104 | Norepinephrine Increases Glucose Transport in Brown Adipocytes via β3-Adrenoceptors through a cAMP, PKA, and PI3-Kinase-Dependent Pathway Stimulating Conventional and Novel PKCs. Endocrinology, 2004, 145, 269-280. | 2.8 | 112 |
| 105 | Inhibitory effects of halothane on the thermogenic pathway in brown adipocytes: localization to adenylyl cyclase and mitochondrial fatty acid oxidation. Biochemical Pharmacology, 2004, 68, 463-477. | 4.4 | 29 |
| 106 | Brown Adipose Tissue: Function and Physiological Significance. Physiological Reviews, 2004, 84, 277-359. | 28.8 | 5,263 |
| 107 | Depressed Thermogenesis but Competent Brown Adipose Tissue Recruitment in Mice Devoid of All Hormone-Binding Thyroid Hormone Receptors. Molecular Endocrinology, 2004, 18, 384-401. | 3.7 | 142 |
| 108 | Angiogenesis Inhibitor, TNP-470, Prevents Diet-Induced and Genetic Obesity in Mice. Circulation Research, 2004, 94, 1579-1588. | 4.5 | 294 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|-------------------|
| 109 | IL-1 and LPS but not IL-6 inhibit differentiation and downregulate PPAR gamma in brown adipocytes. Cytokine, 2004, 26, 9-15. | 3.2 | 31 |
| 110 | Noradrenaline represses PPAR (peroxisome-proliferator-activated receptor) γ2 gene expression in brown adipocytes: intracellular signalling and effects on PPARγ2 and PPARγ1 protein levels. Biochemical Journal, 2004, 382, 597-606. | 3.7 | 42 |
| 111 | Brown Adipose Tissue: Development and Function. , 2004, , 404-415. | | 2 |
| 112 | The â€~Novel'â€~Uncoupling' Proteins UCP2 and UCP3: What Do They Really do? Pros and Cons for Suggested Functions. Experimental Physiology, 2003, 88, 65-84. | 2.0 | 203 |
| 113 | Thermogenesis Inhibition in Brown Adipocytes Is a Specific Property of Volatile Anesthetics. Anesthesiology, 2003, 98, 437-448. | 2.5 | 49 |
| 114 | Uncoupling protein-1: involvement in a novel pathway for β-adrenergic, cAMP-mediated intestinal relaxation. American Journal of Physiology - Renal Physiology, 2002, 283, G1107-G1116. | 3.4 | 11 |
| 115 | A novel pathway for adrenergic stimulation of cAMP-response-element-binding protein (CREB) phosphorylation: mediation via α1-adrenoceptors and protein kinase C activation. Biochemical Journal, 2002, 364, 73-79. | 3.7 | 85 |
| 116 | Cultures of Adipose Precursor Cells from Brown Adipose Tissue and of Clonal Brown-Adipocyte- Like Cell Lines. , 2001, 155, 213-224. | | 43 |
| 117 | Analysis of inhibition by H89 of UCP1 gene expression and thermogenesis indicates protein kinase A mediation of β3-adrenergic signalling rather than β3-adrenoceptor antagonism by H89. Biochimica Et Biophysica Acta - Molecular Cell Research, 2001, 1538, 206-217. | 4.1 | 35 |
| 118 | UCP1: the only protein able to mediate adaptive non-shivering thermogenesis and metabolic inefficiency. Biochimica Et Biophysica Acta - Bioenergetics, 2001, 1504, 82-106. | 1.0 | 489 |
| 119 | Arotinolol is a weak partial agonist on β3-adrenergic receptors in brown adipocytes. Canadian Journal of Physiology and Pharmacology, 2001, 79, 585-593. | 1.4 | 9 |
| 120 | As the proliferation promoter noradrenaline induces expression of ICER (induced cAMP early) Tj ETQq0 0 0 rgBT , Biochemical Journal, 2001, 354, 169. | Overlock 3.7 | 10 Tf 50 307 5 |
| 121 | As the proliferation promoter noradrenaline induces expression of ICER (induced cAMP early) Tj ETQq1 1 0.7843 Biochemical Journal, 2001, 354, 169-177. | 14 rgBT /(3.7 | Overlock 10 13 |
| 122 | Respiratory and Thermogenic Capacities of Cells and Mitochondria from Brown and White Adipose Tissue. , 2001, 155, 295-303. | | 29 |
| 123 | Only UCP1 can mediate adaptive nonshivering thermogenesis in the cold. FASEB Journal, 2001, 15, 2048-2050. | 0.5 | 411 |
| 124 | Differential adrenergic regulation of the gene expression of the β-adrenoceptor subtypes β1, β2 and β3 in brown adipocytes. Biochemical Journal, 2000, 347, 643. | 3.7 | 20 |
| 125 | A novel principle for conferring selectivity to poly(A)-binding proteins: interdependence of two ATP synthase 1²-subunit mRNA-binding proteins. Biochemical Journal, 2000, 346, 33-39. | 3.7 | 9 |
| 126 | Differential adrenergic regulation of the gene expression of the β-adrenoceptor subtypes β1, β2 and β3 in brown adipocytes. Biochemical Journal, 2000, 347, 643-651. | 3.7 | 56 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Thermogenic Responses in Brown Fat Cells Are Fully UCP1-dependent. Journal of Biological Chemistry, 2000, 275, 25073-25081. | 3.4 | 297 |
| 128 | Role of a New Mammalian Gene Family in the Biosynthesis of Very Long Chain Fatty Acids and Sphingolipids. Journal of Cell Biology, 2000, 149, 707-718. | 5.2 | 196 |
| 129 | β3- and α1-Adrenergic Erk1/2 Activation Is Src- but Not Gi-mediated in Brown Adipocytes. Journal of Biological Chemistry, 2000, 275, 22670-22677. | 3.4 | 79 |
| 130 | Is there a Life in the Cold without UCP1? Uncoupling Proteins and Thermoregulatory Thermogenesis. , 2000, , 387-400. | | 7 |
| 131 | A novel principle for conferring selectivity to poly(A)-binding proteins: interdependence of two ATP synthase β-subunit mRNA-binding proteins. Biochemical Journal, 2000, 346, 33. | 3.7 | 6 |
| 132 | β1 to β3 Switch in Control of Cyclic Adenosine Monophosphate during Brown Adipocyte Development Explains Distinct β-Adrenoceptor Subtype Mediation of Proliferation and Differentiation1. Endocrinology, 1999, 140, 4185-4197. | 2.8 | 109 |
| 133 | The Bioenergetics of Brown Fat Mitochondria from UCP1-ablated Mice. Journal of Biological Chemistry, 1999, 274, 28150-28160. | 3.4 | 103 |
| 134 | A Dual Component Analysis Explains the Distinctive Kinetics of cAMP Accumulation in Brown Adipocytes. Journal of Biological Chemistry, 1999, 274, 37770-37780. | 3.4 | 46 |
| 135 | Benidipine induces thermogenesis in brown adipose tissue by releasing endogenous noradrenaline: a possible mechanism for the anti-obesity effect of calcium antagonists. International Journal of Obesity, 1999, 23, 238-245. | 3.4 | 10 |
| 136 | UCP1: the original uncoupling protein–and perhaps the only one? New perspectives on UCP1, UCP2, and UCP3 in the light of the bioenergetics of the UCP1-ablated mice. Journal of Bioenergetics and Biomembranes, 1999, 31, 475-491. | 2.3 | 58 |
| 137 | Â1 to Â3 Switch in Control of Cyclic Adenosine Monophosphate during Brown Adipocyte Development Explains Distinct Â-Adrenoceptor Subtype Mediation of Proliferation and Differentiation. Endocrinology, 1999, 140, 4185-4197. | 2.8 | 24 |
| 138 | Brown Adipose Tissue: More Than an Effector of Thermogenesis?a. Annals of the New York Academy of Sciences, 1998, 856, 171-187. | 3.8 | 112 |
| 139 | Carteolol is a weak partial agonist on β3-adrenergic receptors in brown adipocytes. Canadian Journal of Physiology and Pharmacology, 1998, 76, 428-433. | 1.4 | 14 |
| 140 | Thermogenesis is β ₃ - but not β ₁ -adrenergically mediated in rat brown fat cells, even after cold acclimation. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1998, 275, R2002-R2011. | 1.8 | 46 |
| 141 | Apparent thermogenic effect of injected glucagon is not due to a direct effect on brown fat cells. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1998, 275, R1674-R1682. | 1.8 | 27 |
| 142 | Carteolol is a weak partial agonist on β ₃ -adrenergic receptors in brown adipocytes. Canadian Journal of Physiology and Pharmacology, 1998, 76, 428-433. | 1.4 | 14 |
| 143 | α1-Adrenergic Stimulation Potentiates the Thermogenic Action of β3-Adrenoreceptor-generated cAMP in Brown Fat Cells. Journal of Biological Chemistry, 1997, 272, 32847-32856. | 3.4 | 94 |
| 144 | Cig30, a Mouse Member of a Novel Membrane Protein Gene Family, Is Involved in the Recruitment of Brown Adipose Tissue. Journal of Biological Chemistry, 1997, 272, 31738-31746. | 3.4 | 93 |

| # | Article | IF | CITATIONS |
|-----|--|--------------------|-------------------|
| 145 | Adrenergic stimulation of lipoprotein lipase gene expression in rat brown adipocytes differentiated in culture: mediation via β3- and α1-adrenergic receptors. Biochemical Journal, 1997, 321, 759-767. | 3.7 | 23 |
| 146 | Differential regulation of the expression of $\hat{l}\pm 1$ -adrenergic receptor subtype genes in brown adipose tissue. Biochemical Journal, 1997, 322, 417-424. | 3.7 | 20 |
| 147 | ATP synthase subunit c expression: physiological regulation of the P1 and P2 genes. Biochemical Journal, 1997, 323, 379-385. | 3.7 | 46 |
| 148 | Contrasting adrenergic effects on lipoprotein lipase gene expression in the brown adipose tissue of intact mice and in cultured brown adipocytes from mice. Lipids and Lipid Metabolism, 1997, 1345, 327-337. | 2.6 | 10 |
| 149 | The Interaction between Thyroid and Brown-Fat Thermogenesis Annals of the New York Academy of Sciences, 1997, 813, 712-717. | 3.8 | 18 |
| 150 | Analysis of the Cellular Mechanism for Halothane Inhibition of Brown Adipose Tissue Thermogenesis. Annals of the New York Academy of Sciences, 1997, 813, 718-721. | 3.8 | 3 |
| 151 | Stimulation of nonshivering thermogenesis in the Syrian hamster by norepinephrine and β-selective adrenergic agents: A phenomenon of refractoriness. Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology, 1996, 113, 37-43. | 0.5 | 4 |
| 152 | Postnatal selective suppression of lipoprotein lipase gene expression in brown adipose tissue (relative) Tj ETQq0 possible specific inhibitory effect of colostrum. Biochemical Journal, 1996, 314, 261-267. | 0 0 rgBT /0 3.7 | Overlock 10 11 |
| 153 | Cold-induced reduction in Giα proteins in brown adipose tissue. Effects on the cellular hypersensitization to noradrenaline caused by pertussis-toxin treatment. Biochemical Journal, 1996, 314, 761-768. | 3.7 | 12 |
| 154 | Down-regulation of β3 Adrenoreceptor Gene Expression in Brown Fat Cells Is Transient and Recovery Is Dependent upon a Short-lived Protein Factor. Journal of Biological Chemistry, 1996, 271, 33366-33375. | 3.4 | 46 |
| 155 | Adrenergic regulation of brown adipocyte differentiation. Biochemical Society Transactions, 1996, 24, 407-412. | 3.4 | 16 |
| 156 | Halothane Selectively Inhibits Nonshivering ThermogenesisÂ. Anesthesiology, 1995, 82, 491-501. | 2.5 | 57 |
| 157 | The Expression of Subunit c Correlates with and Thus May Limit the Biosynthesis of the Mitochondrial F0F1-ATPase in Brown Adipose Tissue. Journal of Biological Chemistry, 1995, 270, 7689-7694. | 3.4 | 69 |
| 158 | Sulfonates are low-affinity ligands for the GDP-binding site of brown-fat mitochondria. Biochimica Et Biophysica Acta - Bioenergetics, 1994, 1185, 311-317. | 1.0 | 9 |
| 159 | Choline+ is a low-affinity ligand for α1-adrenoceptors. Biochemical Pharmacology, 1994, 48, 1519-1523. | 4.4 | 0 |
| 160 | Thermogenesis in Brown Adipocytes Is Inhibited by Volatile Anesthetic Agents A Factor Contributing to Hypothermia in Infants?. Anesthesiology, 1994, 81, 176-183. | 2.5 | 85 |
| 161 | Brown Adipose Tissue: Receptors and Recruitment. , 1994, , 345-350. | | 0 |
| 162 | Chapter 17 The uncoupling protein thermogenin and mitochondrial thermogenesis. New Comprehensive Biochemistry, 1992, , 385-420. | 0.1 | 57 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Norepinephrine-induced synthesis of the uncoupling protein thermogenin (UCP) and its mitochondrial targeting in brown adipocytes differentiated in culture. FEBS Letters, 1990, 268, 296-300. | 2.8 | 42 |
| 164 | Brown adipocytes differentiated in vitro can express the gene for the uncoupling protein thermogenin: Effects of hypothyroidism and norepinephrine. Experimental Cell Research, 1989, 182, 75-83. | 2.6 | 80 |
| 165 | Regulation of the Amount and Activity of the Uncoupling Protein Thermogenin in Brown Adipose Tissue. , 1989, , 269-281. | | 1 |
| 166 | Epididymal white adipose tissue after cold stress in rats I. Nonmitochondrial changes. Journal of Structural Biology, 1988, 101, 109-122. | 0.8 | 73 |
| 167 | Epididymal white adipose tissue after cold stress in rats II. Mitochondrial changes. Journal of Structural Biology, 1988, 101, 199-209. | 0.8 | 76 |
| 168 | Physiological activation of brown adipose tissue destabilizes thermogenin mRNA. FEBS Letters, 1987, 224, 353-356. | 2.8 | 43 |
| 169 | Euthyroid status is essential for the perinatal increase in thermogenin mRNA in brown adipose tissue of rat pups. Biochemical and Biophysical Research Communications, 1987, 148, 9-14. | 2.1 | 42 |
| 170 | Hormone-sensitive lipase in brown adipose tissue: Identification and effect of cold exposure. Bioscience Reports, 1987, 7, 897-904. | 2.4 | 31 |
| 171 | Apparent unmasking of [3H]GDP binding in rat brown-fat mitochondria is due to mitochondrial swelling. FEBS Journal, 1987, 164, 681-686. | 0.2 | 32 |
| 172 | â€~Neuropeptide tyrosine' (NPY) is co-stored with noradrenaline in vascular but not in parenchymal sympathetic nerves of brown adipose tissue. Experimental Cell Research, 1986, 164, 546-550. | 2.6 | 83 |
| 173 | β-adrenergic stimulation of fatty acid release from brown fat cells differentiated in monolayer culture. Life Sciences, 1986, 38, 589-599. | 4.3 | 28 |
| 174 | Partial protection erucoyl-carnitine inhibition in hamster brown-adipose-tissue mitochondria is due to high CoA levels: A comparison with rat brown-adipose-tissue mitochondria. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1986, 83, 191-196. | 0.2 | 4 |
| 175 | Increased respiration in skeletal muscle mitochondria from cold-acclimated ducklings: Uncoupling effects of free fatty acids. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1986, 85, 343-348. | 0.2 | 39 |
| 176 | Brown adipose tissue thermogenesis in neonatal and cold-adapted animals. Biochemical Society Transactions, 1986, 14, 233-236. | 3.4 | 20 |
| 177 | The effect of intermittent cold treatment on the adipose tissue of the cat. Journal of Structural Biology, 1986, 97, 119-129. | 0.8 | 70 |
| 178 | α- and β-adrenergic control of thermogenin mRNA expression in brown adipose tissue. Bioscience Reports, 1986, 6, 621-631. | 2.4 | 74 |
| 179 | Brown adipose tissue: molecular mechanisms controlling activity and thermogenesis. , 1985, , 223-270. | | 9 |
| 180 | Inhibition of acetyl-carnitine oxidation in rat brown-adipose-tissue mitochondria by erucoyl-carnitine is due to sequestration of CoA. Lipids and Lipid Metabolism, 1985, 834, 149-158. | 2.6 | 16 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Parallel increases in amount of (3H)GDP binding and thermogenin antigen in brown-adipose-tissue mitochondria of cafeteria-fed rats. Biochemical and Biophysical Research Communications, 1984, 122, 1328-1336. | 2.1 | 29 |
| 182 | The molecular basis for adrenergic desensitization in hamster brown adipose tissue: Uncoupling of adenylate cyclase activation. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1984, 78, 159-170. | 0.2 | 8 |
| 183 | Enzyme-linked immunosorbent assay (ELISA) studies of the interaction between mammalian and avian anti-thermogenin antibodies and brown-adipose-tissue mitochondria from different species. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1984, 79, 441-445. | 0.2 | 5 |
| 184 | α-Adrenergic effects on 86Rb+(K+) potentials and fluxes in brown fat cells. Biochimica Et Biophysica Acta - Molecular Cell Research, 1984, 804, 291-300. | 4.1 | 24 |
| 185 | Metabolic consequences of limited substrate anion permeability in brown fat mitochondria from a hibernator, the golden hamster. Biochimica Et Biophysica Acta - Bioenergetics, 1984, 766, 483-491. | 1.0 | 14 |
| 186 | A direct comparison between peroxisomal and mitochondrial preferences for fatty-acyl β-oxidation predicts channelling of medium-chain and very-long-chain unsaturated fatty acids to peroxisomes. Lipids and Lipid Metabolism, 1984, 796, 1-10. | 2.6 | 60 |
| 187 | Chapter 10 Thermogenic mitochondria. New Comprehensive Biochemistry, 1984, , 291-314. | 0.1 | 7 |
| 188 | Biochemical aspects of acclimation to cold. Journal of Thermal Biology, 1983, 8, 85-90. | 2.5 | 35 |
| 189 | Development of brown fat cells in monolayer culture. Experimental Cell Research, 1983, 149, 105-118. | 2.6 | 151 |
| 190 | Identification of [3H]prazosin binding sites in crude membranes and isolated cells of brown adipose tissue as α1-adrenergic receptors. European Journal of Pharmacology, 1983, 92, 15-25. | 3.5 | 59 |
| 191 | Quantitative differentiation of α- and β-adrenergic respiratory responses in isolated hamster brown fat cells: Evidence for the presence of an α1-adrenergic component. European Journal of Pharmacology, 1983, 93, 183-193. | 3.5 | 71 |
| 192 | Effects of Dietary Essential Fatty Acids on Active Thermogenin Content in Rat Brown Adipose Tissue. Journal of Nutrition, 1983, 113, 1717-1724. | 2.9 | 41 |
| 193 | Exclusive occurrence of thermogenin antigen in brown adipose tissue. FEBS Letters, 1982, 150, 129-132. | 2.8 | 146 |
| 194 | PEROXISOMAL ?-OXIDATION IN BROWN FAT. Annals of the New York Academy of Sciences, 1982, 386, 40-58. | 3.8 | 43 |
| 195 | Desensitisation of βâ€Adrenergic Responsiveness <i>in vivo</i> . FEBS Journal, 1982, 128, 481-488. | 0.2 | 44 |
| 196 | The β-adrenergic receptor of brown adipose tissue: The effect of cold adaptation on affinity and number of receptors. Cryobiology, 1981, 18, 105. | 0.7 | 0 |
| 197 | Characteristics of Ca2+ uptake in mitochondria of brown adipose tissue. Cell Calcium, 1980, 1, 401-410. | 2.4 | 3 |
| 198 | GDP-binding to the brown fat mitochondria of developing and cold-adapted rats. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1980, 65, 463-471. | 0.2 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Nonshivering thermogenesis in the newborn. Molecular Aspects of Medicine, 1980, 3, 119-223. | 6.4 | 22 |
| 200 | Effects of Monovalent Cations on Ca(2+) Transport in Mitochondria; A Comparison between Brown Fat and Liver Mitochondria from Rat Acta Chemica Scandinavica, 1980, 34b, 149-151. | 0.7 | 20 |
| 201 | Characterization of [3H]Dihydroergocryptine Binding Sites in Brown Adipose Tissue. Evidence for the Presence of alpha-Adrenergic Receptors Acta Chemica Scandinavica, 1980, 34b, 231-232. | 0.7 | 11 |
| 202 | High Number of High-Affinity Binding Sites for (-)-[3H]Dihydroalprenolol on Isolated Hamster Brown-Fat Cells. A Study of the beta-Adrenergic Receptors. FEBS Journal, 1979, 102, 203-210. | 0.2 | 56 |
| 203 | The Physiological Role of Pyruvate Carboxylation in Hamster Brown Adipose Tissue. FEBS Journal, 1979, 94, 419-426. | 0.2 | 53 |
| 204 | [8] Mitochondria from brown adipose tissue: Isolation and properties. Methods in Enzymology, 1979, 55, 65-78. | 1.0 | 203 |
| 205 | [1] Overview—Preparation and properties of mitochondria from different sources. Methods in Enzymology, 1979, 55, 3-28. | 1.0 | 90 |
| 206 | Morphology and biochemical properties of perirenal adipose tissue from lamb (Ovis aries). A comparison with brown adipose tissue. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1977, 56, 87-99. | 0.2 | 19 |
| 207 | The mitochondrial ATPase of brown adipose tissue Purification and comparison with the mitochondrial ATPase from beef heart. FEBS Letters, 1977, 76, 284-289. | 2.8 | 61 |
| 208 | Palmitoyl coenzyme A: A possible physiological regulator of nucleotide binding to brown adipose tissue mitochondria. FEBS Letters, 1977, 74, 43-46. | 2.8 | 87 |
| 209 | Microcalorimetry of isolated mammalian cells. Nature, 1977, 267, 518-520. | 27.8 | 109 |
| 210 | Glycerol-3-Phosphate Shuttle and Its Function in Intermediary Metabolism of Hamster Brown-Adipose Tissue. FEBS Journal, 1975, 54, 11-18. | 0.2 | 68 |
| 211 | The fluidity and organization of mitochondrial membrane lipids of the brown adipose tissue of cold-adapted rats and hamsters as determined by nitroxide spin probes. Archives of Biochemistry and Biophysics, 1975, 167, 505-518. | 3.0 | 134 |