

Eusebio Juaristi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7629791/publications.pdf>

Version: 2024-02-01

192
papers

6,649
citations

71061

41
h-index

88593

70
g-index

211
all docs

211
docs citations

211
times ranked

4096
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanochemistry as a Sustainable Method for the Preparation of Fluorescent Ugi BODIPY Adducts. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 253-265.	1.2	7
2	Mechanoenzymology: State of the Art and Challenges towards Highly Sustainable Biocatalysis. <i>ChemSusChem</i> , 2021, 14, 2682-2688.	3.6	22
3	Recent developments in next generation (S)-proline-derived chiral organocatalysts. <i>Tetrahedron</i> , 2021, 88, 132143.	1.0	50
4	Proline and 1-(2-(benzoxazole-2-yl)phenyl)-3-phenylthiourea supramolecular organocatalyst in asymmetric aldol reactions. <i>Tetrahedron Letters</i> , 2021, 79, 153301.	0.7	2
5	Effect of the Substituent and Amino Group Position on the Lipase-catalyzed Resolution of β -Amino Esters: A Molecular Docking Study Shedding Light on <i>Candida antarctica</i> lipase B Enantioselectivity. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 4790-4802.	1.2	4
6	β -Amino Acids and β -Dipeptides Intercalated into Hydrotalcite: Efficient Catalysts in the Asymmetric Michael Addition Reaction of Aldehydes to <i>N</i> -Substituted Maleimides. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 5117-5126.	1.2	9
7	Thermal and Mechanical Stability of Immobilized <i>Candida antarctica</i> Lipase B: an Approximation to Mechanochemical Energetics in Enzyme Catalysis. <i>ChemCatChem</i> , 2020, 12, 803-811.	1.8	16
8	Dual Mechanoenzymatic Kinetic Resolution of (\pm)-Ketorolac. <i>ChemCatChem</i> , 2020, 12, 1782-1788.	1.8	25
9	New Mesoporous Silica-Supported Organocatalysts Based on (2S)-(1,2,4-Triazol-3-yl)-Proline: Efficient, Reusable, and Heterogeneous Catalysts for the Asymmetric Aldol Reaction. <i>Molecules</i> , 2020, 25, 4532.	1.7	8
10	Preparation of aromatic β -hydroxyketones by means of Heck coupling of aryl halides and 2,3-dihydrofuran, catalyzed by a palladium-glycine complex under microwave irradiation. <i>New Journal of Chemistry</i> , 2020, 44, 13382-13392.	1.4	2
11	Novel Methodologies for Chemical Activation in Organic Synthesis under Solvent-Free Reaction Conditions. <i>Molecules</i> , 2020, 25, 3579.	1.7	42
12	Mechanochemical and Mechanoenzymatic Synthesis of Pharmacologically Active Compounds: A Green Perspective. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8881-8893.	3.2	125
13	Mechanochemically Activated Liebeskind-Srogl (L-S) Cross-Coupling Reaction: Green Synthesis of meso-Substituted BODIPYs. <i>Organometallics</i> , 2020, 39, 2561-2564.	1.1	12
14	Green synthesis of bioactive oligopeptides promoted by recyclable nanocrystalline hydroxyapatite. <i>Future Medicinal Chemistry</i> , 2020, 12, 479-491.	1.1	16
15	Synthesis of a new chiral organocatalyst derived from (S)-proline containing a 1,2,4-triazolyl moiety and its application in the asymmetric aldol reaction. Importance of one molecule of water generated in situ. <i>Tetrahedron Letters</i> , 2019, 60, 151128.	0.7	7
16	Synthesis of novel isoindolone derivatives via cascade reactions. Contrasting diastereoselectivity under solution-phase vis-a-vis solvent-free ball-milling reaction conditions. <i>Tetrahedron</i> , 2019, 75, 130594.	1.0	9
17	Biomimetic Non-Heme Iron-Catalyzed Epoxidation of Challenging Terminal Alkenes Using Aqueous H ₂ O ₂ as an Environmentally Friendly Oxidant. <i>Molecules</i> , 2019, 24, 3182.	1.7	1
18	Recent applications of mechanochemistry in enantioselective synthesis. <i>Tetrahedron Letters</i> , 2019, 60, 1749-1757.	0.7	59

#	ARTICLE	IF	CITATIONS
19	Dendrimeric $\hat{\pm}$, $\hat{1}^2$ -dipeptidic conjugates as organocatalysts in the asymmetric Michael addition reaction of isobutyraldehyde to N-phenylmaleimides. <i>Monatshefte für Chemie</i> , 2019, 150, 777-788.	0.9	6
20	Multifunctional phosphoramidate-(<i>S</i>)-prolinamide derivatives as efficient organocatalysts in asymmetric aldol and Michael reactions. <i>New Journal of Chemistry</i> , 2019, 43, 5455-5465.	1.4	8
21	Optimized Methodologies in Asymmetric Organic Synthesis Applying Microwaves. <i>Journal of the Mexican Chemical Society</i> , 2019, 53, .	0.2	2
22	Stereoelectronic Interactions Exhibited by $\langle \sup 1 \rangle \langle i \rangle \langle sub \rangle \hat{C}^{\text{H}} \langle /sub \rangle$ One-Bond Coupling Constants and Examination of the Possible Existence of the Intramolecular $\hat{\pm}$ -Effect in Six-Membered Oxygen-Containing Heterocycles. <i>Journal of Organic Chemistry</i> , 2018, 83, 3293-3298.	1.7	11
23	(<i>R</i>)- and (<i>S</i>)-Proline-Derived Chiral Phosphoramides as Organocatalysts for the Enantiodivergent Aldol Reaction of Isatins with Cyclohexanone in the Presence of Water. <i>Synthesis</i> , 2018, 50, 1827-1840.	1.2	10
24	Synthesis of a New <i>N</i> - $\hat{\Delta}$ -Diaminophosphoryl- <i>N</i> - $\hat{\epsilon}^2$ -(2- <i>S</i>)- $\hat{\epsilon}^2$ -pyrrolidinylmethyl]thiourea as a Chiral Organocatalyst for the Stereoselective Michael Addition of Cyclohexanone to Nitrostyrenes and Chalcones $\hat{\epsilon}^2$ Application in Cascade Processes for the Synthesis of Polycyclic Systems. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 6890-6900.	1.2	15
25	Mechanoenzymatic resolution of racemic chiral amines, a green technique for the synthesis of pharmaceutical building blocks. <i>Tetrahedron</i> , 2018, 74, 6453-6458.	1.0	41
26	Proline-Glycine Dipeptidic Derivatives of Chiral Phosphoramides as Organocatalysts for the Enantiodivergent Aldol Reaction of Aryl Aldehydes and Isatins with Cyclohexanone in the Presence of Water. <i>Synthesis</i> , 2018, 50, 3445-3459.	1.2	11
27	Density Functional Theory Computational Reexamination of the Anomeric Effect in 2-Methoxy- and 2-Cyano-1,3-dioxanes and 1,3-Dithianes. Stereoelectronic Interactions Involving the Cyano ($\hat{\epsilon}^2$ -N) Group Revealed by Natural Bond Orbital (NBO) Analysis. <i>Journal of Organic Chemistry</i> , 2018, 83, 10326-10333.	1.7	12
28	Chiral Imidazolium Ionic Liquids Derived from (<i>S</i>)-Prolinamine as Organocatalysts in the Asymmetric Michael Reaction and Michael-Aldol Cascade Reaction under Solvent-Free Conditions. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 2692-2697.	1.2	16
29	Improving the Catalytic Performance of (<i>S</i>)-Proline as Organocatalyst in Asymmetric Aldol Reactions in the Presence of Solvate Ionic Liquids: Involvement of a Supramolecular Aggregate. <i>Organic Letters</i> , 2017, 19, 1108-1111.	2.4	60
30	Asymmetric Michael addition reaction organocatalyzed by stereoisomeric pyrrolidine sulfinamides under neat conditions. A brief study of self-disproportionation of enantiomers. <i>Tetrahedron</i> , 2017, 73, 4707-4718.	1.0	23
31	Mechanochemical Synthesis of Dipeptides Using Mg-Al Hydrotalcite as Activating Agent under Solvent-Free Reaction Conditions. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 687-694.	1.2	37
32	(2 <i>S</i> ,4 <i>R</i>)-Hyp-(<i>S</i>)-Phe-OMe dipeptide supported on imidazolium tagged molecules as recoverable organocatalysts for asymmetric aldol reactions using water as reaction medium. <i>Tetrahedron</i> , 2017, 73, 5373-5380.	1.0	13
33	Fundamental Developments of Chiral Phase Chromatography in Connection with Enantioselective Synthesis of $\hat{1}^2$ -Amino Acids. <i>Israel Journal of Chemistry</i> , 2017, 57, 896-912.	1.0	3
34	Stereoelectronic Interactions as a Probe for the Existence of the Intramolecular $\hat{\pm}$ -Effect. <i>Journal of the American Chemical Society</i> , 2017, 139, 10799-10813.	6.6	66
35	Theoretical Evidence for the Relevance of $n(\text{S}) \hat{\sigma}^* \hat{\sigma}^*(\text{C-P})$, $\hat{\sigma}^*(\text{C-S}) \hat{\sigma}^* \hat{\sigma}^*(\text{C-P})$, and $n(\text{F}) \hat{\sigma}^* \hat{\sigma}^*(\text{C-X})$ ($X = \text{H, C, O, S}$) _{0.5} Stereoelectronic Interactions. <i>ACS Symposium Series</i> , 2017, , 3-18.		1
36	Asymmetric Michael Addition Organocatalyzed by $\hat{\pm}$, $\hat{1}^2$ -Dipeptides under Solvent-Free Reaction Conditions. <i>Molecules</i> , 2017, 22, 1328.	1.7	23

#	ARTICLE	IF	CITATIONS
37	One-Pot Lipase-Catalyzed Enantioselective Synthesis of (R)-(α)-N-Benzyl-3-(benzylamino)butanamide: The Effect of Solvent Polarity on Enantioselectivity. <i>Molecules</i> , 2017, 22, 2189.	1.7	12
38	Mechanochemical enzymatic resolution of N-benzylated- β -amino esters. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 1728-1734.	1.3	50
39	Los β -lactamas como promotores catalizadores en sntesis orgnica: una contribucin a la qumica sostenible. <i>Revista Lasallista De Investigacion</i> , 2017, 14, 171.	0.2	0
40	Integrin Ligands with β -Hybrid Peptide Structure: Design, Bioactivity, and Conformational Aspects. <i>Medicinal Research Reviews</i> , 2016, 36, 389-424.	5.0	27
41	The Diamino Analogues of Privileged Corey-Bakshi-Shibata and Jrgensen-Hayashi Catalysts: A Comparison of Their Performance. <i>Synthesis</i> , 2016, 48, 3890-3906.	1.2	14
42	Synthesis of Ugi 4CR and Passerini 3CR Adducts under Mechanochemical Activation. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 1095-1102.	1.2	54
43	In search of diamine analogs of the β -diphenyl prolinol privileged chiral organocatalyst. Synthesis of diamine derivatives of β -diphenyl-(S)-prolinol and their application as organocatalysts in the asymmetric Michael and Mannich reactions. <i>Tetrahedron</i> , 2016, 72, 379-391.	1.0	21
44	Theoretical Evidence for the Relevance of n(F) \rightarrow f*(C=X) (X = H, C, O, S) Stereoelectronic Interactions. <i>Journal of Organic Chemistry</i> , 2016, 81, 1192-1197.	1.7	26
45	Organocatalytic activity of β -dipeptide derivatives of (S)-proline in the asymmetric aldol reaction in absence of solvent. Evidence for non-covalent π - π interactions in the transition state. <i>Tetrahedron Letters</i> , 2015, 56, 1144-1148.	0.7	47
46	Theoretical Examination of the S-C-P Anomeric Effect. <i>Journal of Organic Chemistry</i> , 2015, 80, 2879-2883.	1.7	21
47	Use of (R)-Mandelic Acid as Chiral Co-Catalyst in the Michael Addition Reaction Organocatalyzed by (1S,4S)-2-Tosyl-2,5-diazabicyclo[2.2.1]heptane under Solvent-Free Conditions. <i>Asymmetric Catalysis</i> , 2015, 2, .	0.2	4
48	Structural features of N-benzylated- β -amino acid methyl esters essential for enantiodifferentiation by lipase B from <i>Candida antarctica</i> in hydrolytic reactions. <i>Tetrahedron: Asymmetry</i> , 2015, 26, 325-332.	1.8	17
49	Synthesis and evaluation of (S)-proline-containing dipeptidic organocatalysts bound to MBHA resin in asymmetric aldol reactions. <i>Tetrahedron Letters</i> , 2015, 56, 6047-6051.	0.7	17
50	Synthesis and Evaluation of (<i>S</i>)-Proline-Containing β -Dipeptides as Organocatalysts in Solvent-Free Asymmetric Aldol Reactions Under Ball-Milling Conditions. <i>Asian Journal of Organic Chemistry</i> , 2015, 4, 46-53.	1.3	47
51	<i>trans</i> -Hexahydrobenzoxazolidinones in the Enantioselective Synthesis of β -Amino Acids Containing Proteinogenic Side Chains. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 2275-2283.	1.2	4
52	An Alternative Synthesis of Chiral (<i>S</i>)-Proline Derivatives that Contain a Thiohydantoin Moiety and Their Application as Organocatalysts in the Asymmetric Michael Addition Reaction under Solvent-Free Conditions.. <i>Asian Journal of Organic Chemistry</i> , 2014, 3, 487-496.	1.3	23
53	Convenient Synthesis of the Antibiotic Linezolid via an Oxazolidinone- β -lactone Intermediate Derived from the Chiral Building Block Isoserine. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 7614-7620.	1.2	16
54	Enantiopure 1,2,3-Triazolyl- β -amino Acids via Click Cycloaddition Reaction on Racemic Alkynyl Precursors Followed by Separation of Stereoisomers. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 1257-1270.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Insertion of beta-alanine in model peptides for copper binding to His96 and His111 of the human prion protein. <i>Journal of Inorganic Biochemistry</i> , 2013, 126, 104-110.	1.5	4
56	Computational reexamination of the eclipsed conformation in cis-2-tert-butyl-5-(tert-butylsulfonyl)-1,3-dioxane. <i>Structural Chemistry</i> , 2013, 24, 1855-1862.	1.0	8
57	Stereoselective Synthesis of Chiral Pyrrolidine Derivatives of (+)- β -Pinene Containing a β -Amino Acid Moiety. <i>Synthesis</i> , 2013, 45, 2458-2468.	1.2	11
58	Asymmetric Allylation of α -Ketoesters Derived α -Benzoylhydrazones Promoted by Chiral Sulfoxides/ α -Oxides Lewis Bases: Highly Enantioselective Synthesis of Quaternary α -Substituted α -Allyl α -Amino Acids. <i>Chirality</i> , 2013, 25, 529-540.	1.3	7
59	Solution-phase synthesis of novel seven-membered cyclic dipeptides containing β - and γ -amino acids. <i>Tetrahedron</i> , 2012, 68, 9842-9852.	1.0	9
60	Asymmetric Synthesis of β -homotert-leucine via Radical Addition to Enantiopure α -Fumaroylhexahydrobenzoxazolidinone. <i>Helvetica Chimica Acta</i> , 2012, 95, 1714-1722.	1.0	2
61	The best of physical organic chemistry in Riviera Maya, M \acute{a} xico, November 20-24, 2011. <i>Journal of Physical Organic Chemistry</i> , 2012, 25, 892-893.	0.9	0
62	Synthesis of Versatile Bifunctional Derivatives of Chiral Diamines Obtained through Anchimerically Assisted Nucleophilic Substitution Reactions on Diastereomeric Phenylprolinols. <i>Heterocycles</i> , 2012, 86, 1275.	0.4	12
63	Anomeric Effect in Saturated Heterocyclic Ring Systems. <i>Advances in Heterocyclic Chemistry</i> , 2012, 105, 189-222.	0.9	26
64	Looking for Treasure in Stereochemistry-Land. A Path Marked by Curiosity, Obstinacy, and Serendipity. <i>Journal of Organic Chemistry</i> , 2012, 77, 4861-4884.	1.7	17
65	Recent efforts directed to the development of more sustainable asymmetric organocatalysis. <i>Chemical Communications</i> , 2012, 48, 5396.	2.2	237
66	Solvent-free asymmetric aldol reaction organocatalyzed by (S)-proline-containing thiodipeptides under ball-milling conditions. <i>Tetrahedron</i> , 2012, 68, 92-97.	1.0	119
67	Asymmetric Aldol Reaction Organocatalyzed by (S)-Proline-Containing Dipeptides: Improved Stereinduction under Solvent-Free Conditions. <i>Journal of Organic Chemistry</i> , 2011, 76, 1464-1467.	1.7	166
68	Functionalization of 2-(S)-isopropyl-5-iodo-pyrimidin-4-ones through Cu(I)-mediated 1,3-dipolar azide-alkyne cycloadditions. <i>Tetrahedron Letters</i> , 2011, 52, 6883-6886.	0.7	7
69	Efficient ball-mill procedure in the "green" asymmetric aldol reaction organocatalyzed by (S)-proline-containing dipeptides in the presence of water. <i>Tetrahedron</i> , 2011, 67, 6953-6959.	1.0	94
70	Synthesis of (2S)-isopropyl-5-alkynylpyrimidin-2-ones: precursors of β -aminoacids. <i>Tetrahedron Letters</i> , 2011, 52, 1014-1019.	0.7	2
71	Functionalization of (2S)-isopropyl-5-iodo-2,3-dihydro-4H-pyrimidin-4-ones by a Suzuki-Miyaura Cross-Coupling Reaction Using Aryltrifluoroborate Salts: Convenient Enantioselective Preparation of α -Substituted β -Amino Acids. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6393-6403.	1.2	8
72	Green Synthesis of β , γ - and β , γ -Dipeptides under Solvent-Free Conditions. <i>Journal of Organic Chemistry</i> , 2010, 75, 7107-7111.	1.7	110

#	ARTICLE	IF	CITATIONS
73	Experimental and Computational Thermochemical Study of Sulfur-Containing Amino Acids: α -Cysteine, β -Cystine, and α -Cysteine-Derived Radicals. $S^{\bullet}S$, $S^{\bullet}H$, and $C^{\bullet}S$ Bond Dissociation Enthalpies. <i>Journal of Physical Chemistry B</i> , 2010, 114, 10530-10540.	1.2	46
74	Biostable β -amino acid PK/PBAN analogs: Agonist and antagonist properties. <i>Peptides</i> , 2009, 30, 608-615.	1.2	18
75	Solid phase synthesis of novel α - β -tetrapeptides, electrospray ionization mass spectrometric evaluation of their metal cation complexation behavior, and conformational analysis using density functional theory (DFT). <i>Journal of Physical Organic Chemistry</i> , 2008, 21, 349-358.	0.9	9
76	Synthesis of Novel Derivatives of (1 <i>S</i> ,4 <i>S</i>) α - ϵ -Diazabicyclo[2.2.1]heptane and Their Evaluation as Potential Ligands in Asymmetric Catalysis. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 655-672.	1.2	27
77	Synthesis of three novel chiral diamines derived from (S)-proline and their evaluation as precursors of diazaborolidines for the catalytic borane-mediated enantioselective reduction of prochiral ketones. <i>Tetrahedron</i> , 2008, 64, 9992-9998.	1.0	37
78	Enantioselective synthesis of beta-amino acids using hexahydrobenzoxazolidinones as chiral auxiliaries. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 2839-2849.	1.8	15
79	Synthesis of Novel Chiral (Thio)ureas and Their Application as Organocatalysts and Ligands in Asymmetric Synthesis. <i>Australian Journal of Chemistry</i> , 2008, 61, 364.	0.5	17
80	Identification of selective and non-selective, biostable β -amino acid agonists of recombinant insect kinin receptors from the southern cattle tick <i>Boophilus microplus</i> and mosquito <i>Aedes aegypti</i> . <i>Peptides</i> , 2008, 29, 302-309.	1.2	21
81	Synergy Between Theory and Experiment in Physical Chemistry: Studies on Thermochemistry, Sites of Ionization and Reaction Mechanisms. <i>AIP Conference Proceedings</i> , 2008, , .	0.3	0
82	Application of (1 <i>S</i> ,4 <i>S</i>)-2,5-diazabicyclo[2.2.1]heptane derivatives in asymmetric organocatalysis: the Biginelli reaction. <i>Arkivoc</i> , 2008, 2008, 61-72.	0.3	30
83	Synthesis of 2-Substituted-5-halo-2,3-dihydro-4(H)-pyrimidin-4-ones and Their Derivatization Utilizing the Sonogashira Coupling Reaction in the Enantioselective Synthesis of α -Substituted β -Amino Acids. <i>Journal of Organic Chemistry</i> , 2007, 72, 4822-4825.	1.7	37
84	Enantioselective Amination of α -Phenyl- β -cyanoacetate Catalyzed by Chiral Amines Incorporating the α -Phenylethyl Auxiliary. <i>Journal of Organic Chemistry</i> , 2007, 72, 1522-1525.	1.7	41
85	Calorimetric and Computational Study of 1,3- and 1,4-Oxathiane Sulfones. <i>Journal of Organic Chemistry</i> , 2007, 72, 1143-1147.	1.7	19
86	Manifestations of Stereoelectronic Interactions in $^1J_{C-H}$ One-Bond Coupling Constants. <i>Accounts of Chemical Research</i> , 2007, 40, 961-970.	7.6	49
87	β -amino acid analogs of an insect neuropeptide feature potent bioactivity and resistance to peptidase hydrolysis. <i>Biopolymers</i> , 2007, 88, 76-82.	1.2	45
88	Structurally simple chiral thioureas as chiral solvating agents in the enantiodiscrimination of α -hydroxy and α -amino carboxylic acids. <i>Tetrahedron</i> , 2007, 63, 7673-7678.	1.0	48
89	Preparation of chiral derivatives of β -Ala containing the α -phenylethyl group: useful starting materials for the asymmetric synthesis of β -amino acids. <i>Nature Protocols</i> , 2007, 2, 2759-2766.	5.5	10
90	Computational Study of 1,3-Dithiane 1,1-Dioxide (1,3-Dithiane Sulfone). Description of the Inversion Process and Manifestation of Stereoelectronic Effects on $^1J_{C-H}$ Coupling Constants. <i>Journal of Physical Chemistry A</i> , 2006, 110, 7703-7712.	1.1	22

#	ARTICLE	IF	CITATIONS
91	Calorimetric and Computational Study of 1,4-Dithiacyclohexane 1,1-Dioxide (1,4-Dithiane Sulfone). <i>Journal of Organic Chemistry</i> , 2006, 71, 2581-2586.	1.7	13
92	Thermophysical properties of sulfur heterocycles: Thiane and thiophene derivatives. <i>Thermochimica Acta</i> , 2006, 441, 20-26.	1.2	36
93	Enantioselective synthesis of (S)-2-amino-3-phosphonopropionic acid, (S)-AP-3, and (R)-2-amino-4-phosphonobutanoic acid, (R)-AP-4, via diastereoselective azidation of (4R,5R)-trans-N-[(diethoxyphosphoryl)propionyl]- and (4R,5R)-trans-N-[(diethoxyphosphoryl)butanoyl]hexahydrobenzoxazolidin-2-one. <i>Tetrahedron</i> , 2006, 62, 8404-8409.	1.0	17
94	Asymmetric allylation of N-benzoylhydrazones promoted by novel C2-symmetric bis-sulfoxide organocatalysts. <i>Tetrahedron Letters</i> , 2006, 47, 8235-8238.	0.7	43
95	Chiral 1,2-Amino Alcohols and 1,2-Diamines Derived from Cyclohexene Oxide: Recent Applications in Asymmetric Synthesis. <i>Synlett</i> , 2006, 2006, 2699-2715.	1.0	94
96	Diastereoselective alkylation of cyclo- β^2 -dipeptides en route to enantiopure β^2 -amino acids. <i>Pure and Applied Chemistry</i> , 2005, 77, 1235-1241.	0.9	8
97	Corrigendum to "Enantioselective alkylation and protonation of prochiral enolates in the asymmetric synthesis of β^2 -amino acids" [<i>Tetrahedron</i> 59 (2003) 4223]. <i>Tetrahedron</i> , 2005, 61, 4329-4333.	1.0	4
98	Preparation of both enantiomers of β^2 -(3,4-dihydroxybenzyl)- β^2 -alanine, higher homologues of Dopa. <i>Tetrahedron</i> , 2005, 61, 8372-8381.	1.0	8
99	The Origin of One-Bond C-H Coupling Constants in OCH Fragments: Not Primarily $n\sigma^*$ Delocalization. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 2360-2364.	7.2	48
100	Calorimetric and Computational Study of Sulfur-Containing Six-Membered Rings. <i>ChemInform</i> , 2005, 36, no.	0.1	0
101	β^2 -Amino Acids in Natural Products. , 2005, , 19-91.		31
102	Enantioselective Synthesis of β^2 -Amino Acids via Stereoselective Hydrogenation of β^2 -Aminoacrylic Acid Derivatives. , 2005, , 159-179.		5
103	Calorimetric and computational study of sulfur-containing six-membered rings. <i>Chemical Society Reviews</i> , 2005, 34, 347.	18.7	35
104	An electrochemical interpretation of the mechanism of the chemical decarboxylation of 6-carboxyperhydropyrimidin-4-ones. <i>Tetrahedron</i> , 2004, 60, 3605-3610.	1.0	7
105	cis- and trans-N-(Benzylsulfinyl)hexahydrobenzoxazolidin-2-ones as novel chiral sulfinyl transfer reagents. <i>Tetrahedron</i> , 2004, 60, 12147-12152.	1.0	9
106	Diastereoselective Electrophilic Amination of Chiral 1-Benzoyl-2,3,5,6-tetrahydro-3-methyl-2-(1-methylethyl)pyrimidin-4(1H)-one for the Asymmetric Syntheses of β^2 -Substituted- β^2 -Diaminopropanoic Acids. <i>Helvetica Chimica Acta</i> , 2004, 87, 1016-1024.	1.0	28
107	Calorimetric and Computational Study of 1,3-Dithiacyclohexane 1,1-Dioxide (1,3-Dithiane Sulfone). <i>Journal of Organic Chemistry</i> , 2004, 69, 1670-1675.	1.7	18
108	Thermochemistry of 1,3-Dithiacyclohexane 1-Oxide (1,3-Dithiane Sulfoxide): A Calorimetric and Computational Study. <i>Journal of Organic Chemistry</i> , 2004, 69, 5454-5459.	1.7	28

#	ARTICLE	IF	CITATIONS
109	Salt Effects on the Conformational Behavior of 5-Carboxy- and 5-Hydroxy-1,3-dioxane. <i>Journal of Organic Chemistry</i> , 2004, 69, 9063-9072.	1.7	6
110	Manifestation of Stereoelectronic Effects on the Calculated Carbon-Hydrogen Bond Lengths and One-Bond ¹ J _{C-H} NMR Coupling Constants. Relative Acceptor Ability of the Carbonyl (CO), Thiocarbonyl (CS), and Methylidene (CCH ₂) Groups toward C-H Donor Bonds. <i>Journal of Organic Chemistry</i> , 2004, 69, 7266-7276.	1.7	29
111	Enantioselective Synthesis of β -Amino Acids. Part 13. Diastereoselective Alkylation of Dianions Derived from Chiral Analogues of β -Aminopropanoic Acid Containing the β -Phenylethyl Group.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
112	Enantioselective protonation of prochiral enolates in the asymmetric synthesis of (S)-naproxen. <i>Tetrahedron Letters</i> , 2003, 44, 2023-2026.	0.7	17
113	Enantioselective alkylation and protonation of prochiral enolates in the asymmetric synthesis of β -amino acids. <i>Tetrahedron</i> , 2003, 59, 4223-4229.	1.0	31
114	Alternative procedure for the synthesis of enantiopure 1-benzoyl-2(S)-tert-butyl-3-methylperhydropyrimidin-4-one, a useful starting material for the enantioselective synthesis of β -substituted β -amino acids. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 577-580.	1.8	15
115	Calorimetric and Computational Study of Thiacyclohexane 1-Oxide and Thiacyclohexane 1,1-Dioxide (Thiane Sulfoxide and Thiane Sulfone). Enthalpies of Formation and the Energy of the SO Bond. <i>Journal of Organic Chemistry</i> , 2003, 68, 1762-1770.	1.7	28
116	Increased Enantioselectivity in the Addition of Diethylzinc to Benzaldehyde by the Use of Chiral Ligands Containing the β -Phenylethylamino Group in Combination with Achiral Ligands. <i>Journal of Organic Chemistry</i> , 2003, 68, 3781-3785.	1.7	8
117	Molecular Modeling of Salt (Lithium Chloride) Effects on the Enantioselectivity of Diethylzinc Addition to Benzaldehyde in the Presence of Chiral β -Amino Alcohols. <i>Journal of Organic Chemistry</i> , 2003, 68, 2369-2375.	1.7	27
118	Asymmetric Michael Addition Reactions with Chiral β -Unsaturated N-Acyloxazolidinones. , 2003, , 288.		0
119	Manifestation of Stereoelectronic Effects on the Calculated Carbon-Hydrogen Bond Lengths and One Bond ¹ J _{C-H} NMR Coupling Constants in Cyclohexane, Six-Membered Heterocycles, and Cyclohexanone Derivatives. <i>Journal of the American Chemical Society</i> , 2002, 124, 13088-13096.	6.6	92
120	Preparation of (R)- and (S)- β -methyl-dopa from a chiral hydantoin containing the β -phenylethyl group. <i>Chirality</i> , 2002, 14, 144-150.	1.3	13
121	Enantioselective Synthesis of β -Amino Acids, Part 13. <i>Helvetica Chimica Acta</i> , 2002, 85, 4189-4199.	1.0	20
122	Computational determination of the enthalpic and entropic contributions to the conformational preference of monosubstituted cyclohexanes. Molecular mechanics, semiempirical and density functional theory methods and ab initio calculations. <i>Journal of Physical Organic Chemistry</i> , 2002, 15, 808-819.	0.9	7
123	NMR and X-ray crystallographic studies of axial and equatorial 2-ethoxy-2-oxo-1,4,2-oxazaphosphinane. <i>Tetrahedron</i> , 2002, 58, 8973-8978.	1.0	15
124	Tandem reactions initiated by the oxidative decarboxylation of 1-benzoyl-2(S)-tert-butyl-6(S)-carboxyperhydropyrimidin-4-one. <i>Tetrahedron Letters</i> , 2002, 43, 5297-5300.	0.7	15
125	Calorimetric and Computational Study of 1,3,5-Trithiane. <i>Journal of Organic Chemistry</i> , 2001, 66, 5343-5351.	1.7	29
126	Enantioselective synthesis of beta-Amino acids. 12. experimental and theoretical study of the diastereoselectivity of alkylation of the dianion of N',N'-Bis(alpha-phenylethyl)-N-carbobenzyloxypropionamide. <i>Journal of the Brazilian Chemical Society</i> , 2001, 12, 652-660.	0.6	11

#	ARTICLE	IF	CITATIONS
127	Highly diastereoselective alkylation, acylation and aldol condensation of cis- and trans-(N-acyloyl)hexahydrobenzoxazolidin-2-ones. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 69-79.	1.8	36
128	Synthesis of \hat{I}^2 -lactams and cyclo- \hat{I}^2 -dipeptides from \hat{I}^2 -amino acids: experimental observations and theoretical analysis. <i>Tetrahedron</i> , 2001, 57, 1883-1890.	1.0	35
129	Enantioselective synthesis of \hat{I}^2 -amino acids. Part 11: Diastereoselective alkylation of chiral derivatives of \hat{I}^2 -aminopropionic acid containing the \hat{I}^{\pm} -phenethyl group. <i>Tetrahedron</i> , 2001, 57, 6487-6496.	1.0	32
130	Stereoselective alkylation of C2-symmetric chiral N-phthaloylglycinamides in the preparation of enantiopure \hat{I}^{\pm} -amino acids. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 1411-1423.	1.8	18
131	Effect of Solvent on Aggregation and Reactivity of Two Lithium Enolates ¹ . <i>Organic Letters</i> , 2000, 2, 3739-3741.	2.4	52
132	Enthalpic and Entropic Contributions to the Conformational Free Energies of Methylthio, Methylsulfinyl, Methylsulfonyl, Phenylthio, Phenylsulfinyl, and Phenylsulfonyl [S(O) _n R, n= 0, 1, 2; R = CH ₃ , Ph] Groups in Cyclohexane. <i>Journal of Organic Chemistry</i> , 2000, 65, 969-973.	1.7	18
133	Enthalpic anomeric effect in 2-Y-1,3-dithianes (Y = SC ₆ H ₅ , CO ₂ CH ₂ CH ₃ , and COC ₆ H ₅). Experimental and theoretical evaluation. Solvent effects. <i>Tetrahedron</i> , 1999, 55, 359-372.	1.0	17
134	Stereoselective tandem Michael-intramolecular cyclization approach to functionalized pyrroloisoindolones. <i>Tetrahedron</i> , 1999, 55, 11187-11202.	1.0	10
135	Recent applications of \hat{I}^{\pm} -phenylethylamine (\hat{I}^{\pm} -PEA) in the preparation of enantiopure compounds. Part 3: \hat{I}^{\pm} -PEA as chiral auxiliary. Part 4: \hat{I}^{\pm} -PEA as chiral reagent in the stereodifferentiation of prochiral substrates. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 2441-2495.	1.8	173
136	Enantioselective synthesis of \hat{I}^2 -amino acids. Part 10: Preparation of novel $\hat{I}^{\pm}, \hat{I}^{\pm}$ - and \hat{I}^2, \hat{I}^2 -disubstituted \hat{I}^2 -amino acids from (S)-asparagine. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 3493-3505.	1.8	26
137	Density Functional Calculation of 1J _{C-H} Coupling Constants in Cyclohexane and Diheterocyclohexanes. Repercussion of Stereoelectronic Effects on Coupling Constants. <i>Journal of Physical Chemistry A</i> , 1999, 103, 932-937.	1.1	68
138	Enantioselective Synthesis of \hat{I}^{\pm} -Amino Acids from Chiral 1,4-Benzodiazepine-2,5-diones Containing the \hat{I}^{\pm} -Phenethyl Group. <i>Journal of Organic Chemistry</i> , 1999, 64, 2914-2918.	1.7	22
139	Calorimetric, Computational (G2(MP2) and G3) and Conceptual Study of the Energetics of the Isomeric 1,3- and 1,4-Dithianes. <i>Journal of Organic Chemistry</i> , 1999, 64, 9328-9336.	1.7	38
140	Recent Advances in the Enantioselective Synthesis of \hat{I}^2 -Amino Acids. <i>Current Medicinal Chemistry</i> , 1999, 6, 983-1004.	1.2	193
141	Convenient route for the preparation of C2-symmetric (+)-(2R,3R)- and (?)-(2S,3S)-2,3-diphenylaziridine. <i>Chirality</i> , 1998, 10, 95-99.	1.3	6
142	Recent applications of \hat{I}^{\pm} -phenylethylamine (\hat{I}^{\pm} -PEA) in the preparation of enantiopure compounds. Part 1: Incorporation in chiral catalysts. Part 2: \hat{I}^{\pm} -PEA and derivatives as resolving agents. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 715-740.	1.8	147
143	Enantioselective synthesis of \hat{I}^2 -amino acids. Part 9: Preparation of enantiopure $\hat{I}^{\pm}, \hat{I}^{\pm}$ -disubstituted \hat{I}^2 -amino acids from 1-benzoyl-2(S)-tert-butyl-3-methylperhydropyrimidin-4-one. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 3881-3888.	1.8	32
144	\hat{I}^{\pm} -Alkylation of (S)-Asparagine with Self-Regeneration of the Stereogenic Center: \hat{A} Enantioselective Synthesis of \hat{I}^{\pm} -Substituted Aspartic Acids ^{1,2} . <i>Journal of Organic Chemistry</i> , 1998, 63, 4706-4710.	1.7	38

#	ARTICLE	IF	CITATIONS
145	A Density Functional Study of 2-Lithio-1,3-dithiane and 2-Lithio-2-phenyl-1,3-dithiane: A Conformational Preference of the C ^α -Li Bond and Structural Analysis. <i>Journal of the American Chemical Society</i> , 1997, 119, 7545-7549.	6.6	42
146	Conformational Analysis of 5-Substituted 1,3-Dioxanes. 7. Effect of Lithium Bromide Addition. <i>Journal of Organic Chemistry</i> , 1997, 62, 4029-4035.	1.7	19
147	Preparation of enantiomerically pure cis- and trans-N-(propionyl)hexahydrobenzoxazolidin-2-ones. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 1075-1082.	1.8	25
148	Thermodynamics of the Axial ↔ Equatorial Conformational Equilibria of tert-Butylcyclohexane and tert-Butyl-Substituted Six-Membered Heterocycles. Theoretical Estimation of Non-Zero Entropy Changes. <i>Journal of Organic Chemistry</i> , 1996, 61, 6465-6469.	1.7	18
149	Enantioselective synthesis of β-amino acids. 7. Preparation of enantiopure β-substituted β-amino acids from 1-benzoyl-2(S)-tert-butyl-3-methylperhydropyrimidin-4-one. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2233-2246.	1.8	64
150	Enantioselective addition of Et ₂ Zn to benzaldehyde catalyzed by N-(S)-β-methylbenzyl-β-aminoalcohols. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 1915-1918.	1.8	18
151	Enantioselective synthesis of β-amino acids. 6. High 1,2-stereoselection in the preparation of enantiopure 2(R)-hydroxy-3(R)-N-benzoylamino-3-phenylpropionic acid (like stereoisomer of taxol's side chain). <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2233-2246.	1.8	64
152	Highly Diastereoselective Alkylation of 1-Benzoyl-2-alkyl-3-(1'-methylbenzyl)imidazolidin-4-ones. <i>Journal of Organic Chemistry</i> , 1995, 60, 6408-6415.	1.7	15
153	USE OF (S)-β-Methylbenzylamine in the Resolution of Racemic 2-Octanol and β-Methylbenzyl Alcohol. <i>Synthetic Communications</i> , 1995, 25, 1053-1058.	1.1	6
154	Stereoelectronic Interpretation for the Anomalous 1H NMR Chemical Shifts and One-Bond C-H Coupling Constants (Perlin Effects) in 1,3-Dioxanes, 1,3-Oxathianes, and 1,3-Dithianes. Spectroscopic and Theoretical Observations. <i>Journal of the American Chemical Society</i> , 1994, 116, 5796-5804.	6.6	87
155	Enantioselective Synthesis of β-Amino Acids. 5. Stereoselective Reaction of Chiral Pyrimidinone Enolates with Aldehydes. <i>Heterocycles</i> , 1994, 39, 319.	0.4	23
156	Enantioselective synthesis of β-amino acids. 4. 1,2 Asymmetric induction in the alkylation of 1-benzoyl-3,6(S)-dimethylperhydropyrimidin-4-one. Preparation of the like and unlike stereoisomers of 2-methyl- and 2-benzyl-3(S)-aminobutanoic acid. <i>Journal of Organic Chemistry</i> , 1993, 58, 2282-2285.	1.7	28
157	Conformational analysis of 1,3-dithian-2-yltrimethylphosphonium chloride. Origin of the S-C-P anomeric effect. <i>Journal of the American Chemical Society</i> , 1993, 115, 1313-1316.	6.6	21
158	Use of N,N'-Dimethylpropyleneurea (DMPU) as Solvent in the Efficient Preparation of Enantiomerically Pure Secondary Amines. <i>Synthesis</i> , 1993, 1993, 1243-1246.	1.2	50
159	Enantioselective Aldol and Michael Additions of Achiral Enolates in the Presence of Chiral Lithium Amides and Amines. <i>Synthesis</i> , 1993, 1993, 1271-1290.	1.2	169
160	Conformational analysis of 5-substituted 1,3-dioxanes. 5. Bond eclipsing in tert-butylsulfonyl substituted 1,3-dioxanes and cyclohexanes. X-ray diffraction studies, MMP2 calculations, and interpretation. <i>Journal of the American Chemical Society</i> , 1992, 114, 2157-2162.	6.6	17
161	Enantioselective synthesis of β-amino acids. 2. Preparation of the like stereoisomers of 2-methyl- and 2-benzyl-3(S)-aminobutanoic acid. <i>Journal of Organic Chemistry</i> , 1992, 57, 2396-2398.	1.7	83
162	Conformational analysis of 5-substituted 1,3-dioxanes. 6. Study of the attractive gauche effect in O-C-C-O segments. <i>Tetrahedron</i> , 1992, 48, 5941-5950.	1.0	32

#	ARTICLE	IF	CITATIONS
163	Stereoelectronic interpretation of the unusual perlin effects and ¹ H NMR chemical shifts in 1,3-oxathiane. <i>Tetrahedron Letters</i> , 1992, 33, 6927-6930.	0.7	43
164	Reverse Perlin effects for all C—H bonds in 1,3-Dithiane.. <i>Tetrahedron Letters</i> , 1992, 33, 1847-1850.	0.7	42
165	Enthalpic and entropic contributions to the s-c-p(o) anomeric effect. <i>Tetrahedron Letters</i> , 1992, 33, 2271-2274.	0.7	13
166	Preparation and assignment of configuration of 1-benzoyl-(2S)-tert-butyl-3-methyl-perhydropyrimidin-4-one. Useful starting material for the enantioselective synthesis of l±-substituted ¹² -amino acids. <i>Tetrahedron: Asymmetry</i> , 1992, 3, 723-726.	1.8	43
167	Recent studies of the anomeric effect. <i>Tetrahedron</i> , 1992, 48, 5019-5087.	1.0	535
168	Structure and Reactivity of Five- and Six-Ring N, N-, N, O-, and O, O-acetals: A lesson in allylic 1, 3-strain (A1, 3strain). <i>Helvetica Chimica Acta</i> , 1992, 75, 913-934.	1.0	114
169	Sulfur-carbon phosphorus anomeric interactions. 9. Effect of the coordination at phosphorus in the conformational equilibria of 2-P-substituted-1,3-dithianes. <i>Journal of Organic Chemistry</i> , 1991, 56, 5919-5924.	1.7	15
170	Reexamination of the conformational preference of the benzyl group in cyclohexane. Enthalpic and entropic contributions to .DELTA.G.degree.(CH2Ph). <i>Journal of Organic Chemistry</i> , 1991, 56, 4802-4804.	1.7	16
171	Asymmetric synthesis of .beta.-amino acids. 1. Highly diastereoselective addition of a racemic .beta.-alanine enolate derivative to electrophiles. <i>Journal of Organic Chemistry</i> , 1991, 56, 2553-2557.	1.7	79
172	Alternative method for the resolution of 1-benzoyl-2-tert-butyl-3-methyl-1,3-imidazolidin-4-one. <i>Tetrahedron: Asymmetry</i> , 1991, 2, 821-826.	1.8	14
173	Second-row anomeric interactions: The involvement of phosphorus. <i>Heteroatom Chemistry</i> , 1990, 1, 267-276.	0.4	17
174	Conformational analysis of 5-substituted 1,3-dioxanes. 4. The use of precise structural information for the understanding of the conformational behavior of cis-5-(tert-butylsulfonyl)- and cis-5-(tert-butylsulfinyl)-2-tert-butyl-1,3-dioxane. <i>Journal of Organic Chemistry</i> , 1989, 54, 5963-5967.	1.7	15
175	The existence of second-row anomeric interactions. Conformational analysis of 2-substituted 5-methyl-5-aza-1,3-dithiacyclohexanes. <i>Journal of the American Chemical Society</i> , 1989, 111, 6745-6749.	6.6	28
176	Conformational analysis of six-membered, sulfur-containing saturated heterocycles. <i>Accounts of Chemical Research</i> , 1989, 22, 357-364.	7.6	33
177	Stereochemistry of Electrophilic Reactions of 4-tert-butyl-1-phenylcyclohexyllithium, sodium, potassium and cesium. <i>Israel Journal of Chemistry</i> , 1989, 29, 171-186.	1.0	18
178	Conformational analysis of 1,3-dioxanes with sulfide, sulfoxide and sulfone substitution at C(5). Finding an eclipsed conformation in cis-2-tert-butyl-5-(tert-butylsulfonyl)-1,3-dioxane. <i>Journal of Organic Chemistry</i> , 1987, 52, 3806-3811.	1.7	31
179	Sulfur-carbon-phosphorus anomeric interactions. 5. Conformational preference of the diphenylthiophosphinoyl group [(C6H5)2P(S)] in cyclohexane and in the 1,3-dithian-2-yl ring. <i>Journal of Organic Chemistry</i> , 1987, 52, 5185-5189.	1.7	18
180	Addition of Chiral Glycine, Methionine, and Vinylglycine Enolate Derivatives to Aldehydes and Ketones in the Preparation of Enantiomerically Pure ?-Amino-?-Hydroxy Acids. <i>Helvetica Chimica Acta</i> , 1987, 70, 237-261.	1.0	198

#	ARTICLE	IF	CITATIONS
181	Sulfur-carbon-phosphorus anomeric interactions. 4. Conformational analysis of 2-(diphenylphosphinoyl)-1,3-dithiane. <i>Journal of the American Chemical Society</i> , 1986, 108, 2000-2005.	6.6	33
182	Conformational analysis of sulfur-carbon-phosphorus anomeric interactions. 3. The conformational preference of the diphenylphosphinoyl group in cyclohexane. <i>Journal of Organic Chemistry</i> , 1986, 51, 1357-1360.	1.7	21
183	Relative reactivity of 2-diphenylphosphinoyl- and 2-diphenyl-thiophosphinoyl-2-[1,3]dithianyllithium as reagents wittig-horner/corey-seebach. <i>Tetrahedron</i> , 1986, 42, 1963-1970.	1.0	18
184	Conformational analysis of sulfur-carbon-phosphorus anomeric interactions. 2. X-ray crystallographic evidence against the importance of nS.fwdarw. .sigma.C-P conjugation in axial 2-[1,3]dithianyldiphenylphosphine oxide. <i>Journal of Organic Chemistry</i> , 1984, 49, 3026-3027.	1.7	25
185	Use of 4-biphenylmethanol, 4-biphenylacetic acid and 4-biphenylcarboxylic acid/triphenylmethane as indicators in the titration of lithium alkyls. Study of the dianion of 4-biphenylmethanol. <i>Journal of Organic Chemistry</i> , 1983, 48, 2603-2606.	1.7	83
186	Axial preference of 2-[1,3-dithianyl]diphenylphosphine oxide. A strong S-C-P anomeric interaction. <i>Journal of Organic Chemistry</i> , 1982, 47, 5038-5039.	1.7	32
187	Conformational Interactions in 1,4-Heterobutane Segments. <i>ACS Symposium Series</i> , 1979, , 95-106.	0.5	5
188	The attractive and repulsive gauche effects. <i>Journal of Chemical Education</i> , 1979, 56, 438.	1.1	75
189	Conformational analysis. 37. Gauche-repulsive interactions in 5-methoxy- and 5-methylthio-1,3-dithianes. <i>Journal of the American Chemical Society</i> , 1978, 100, 6114-6119.	6.6	35
190	Highly stereoselective additions of certain 2-lithio-1,3-dithianes to cyclohexanones. Solvent effects. <i>Tetrahedron Letters</i> , 1977, 18, 543-546.	0.7	16
191	Reversible stereoisomerâ€specific Cotton effect of the ligand field transitions at a Cu(II) binding site of the prion protein. <i>European Journal of Inorganic Chemistry</i> , 0, , .	1.0	0
192	Mechanoenzymology in the Kinetic Resolution of Î²-Blockers: Propranolol as a Case Study. <i>ACS Organic & Inorganic Au</i> , 0, , .	1.9	1