Steve P Mcgrath

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7637475/publications.pdf Version: 2024-02-01

		1099	2243
363	46,312	112	201
papers	citations	h-index	g-index
371	371	371	22855
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Revisiting strategies to incorporate gender-responsiveness into maize breeding in southern Africa. Outlook on Agriculture, 2022, 51, 178-186.	3.4	8
2	Portable X-ray fluorescence (pXRF) calibration for analysis of nutrient concentrations and trace element contaminants in fertilisers. PLoS ONE, 2022, 17, e0262460.	2.5	9
3	Potential Coâ€benefits and tradeâ€offs between improved soil management, climate change mitigation and agriâ€food productivity. Food and Energy Security, 2022, 11, .	4.3	6
4	Changes in organic carbon to clay ratios in different soils and land uses in England and Wales over time. Scientific Reports, 2022, 12, 5162.	3.3	13
5	Soil and landscape factors influence geospatial variation in maize grain zinc concentration in Malawi. Scientific Reports, 2022, 12, 7986.	3.3	10
6	The effect of soil organic matter on long-term availability of phosphorus in soil: Evaluation in a biological P mining experiment. Geoderma, 2022, 423, 115965.	5.1	4
7	What is a good level of soil organic matter? An index based on organic carbon to clay ratio. European Journal of Soil Science, 2021, 72, 2493-2503.	3.9	55
8	Dynamics of soil phosphorus measured by ammonium lactate extraction as a function of the soil phosphorus balance and soil properties. Geoderma, 2021, 385, 114855.	5.1	3
9	A comparison of soil texture measurements using mid-infrared spectroscopy (MIRS) and laser diffraction analysis (LDA) in diverse soils. Scientific Reports, 2021, 11, 16.	3.3	20
10	Plant Available Zinc Is Influenced by Landscape Position in the Amhara Region, Ethiopia. Plants, 2021, 10, 254.	3.5	11
11	African soil properties and nutrients mapped at 30Âm spatial resolution using two-scale ensemble machine learning. Scientific Reports, 2021, 11, 6130.	3.3	103
12	Liming impacts barley yield over a wide concentration range of soil exchangeable cations. Nutrient Cycling in Agroecosystems, 2021, 120, 131-144.	2.2	7
13	The nutritional quality of cereals varies geospatially in Ethiopia and Malawi. Nature, 2021, 594, 71-76.	27.8	104
14	The grain mineral composition of barley, oat and wheat on soils with pH and soil phosphorus gradients. European Journal of Agronomy, 2021, 126, 126281.	4.1	18
15	The effect of soil properties on zinc lability and solubility in soils of Ethiopia – an isotopic dilution study. Soil, 2021, 7, 255-268.	4.9	12
16	Continental-scale controls on soil organic carbon across sub-Saharan Africa. Soil, 2021, 7, 305-332.	4.9	30
17	Plastics in biosolids from 1950 to 2016: A function of global plastic production and consumption. Water Research, 2021, 201, 117367.	11.3	77
18	Investigation of the soil properties that affect Olsen P critical values in different soil types and impact on P fertiliser recommendations. Furopean Journal of Soil Science, 2021, 72, 1802-1816	3.9	12

#	Article	IF	CITATIONS
19	On pedagogy of a Soil Science Centre for Doctoral Training. European Journal of Soil Science, 2021, 72, 2320-2329.	3.9	1
20	The Mineral Composition of Wild-Type and Cultivated Varieties of Pasture Species. Agronomy, 2020, 10, 1463.	3.0	12
21	Century long fertilization reduces stochasticity controlling grassland microbial community succession. Soil Biology and Biochemistry, 2020, 151, 108023.	8.8	60
22	Assessing the evolution of wheat grain traits during the last 166Âyears using archived samples. Scientific Reports, 2020, 10, 21828.	3.3	12
23	Spatial prediction of the concentration of selenium (Se) in grain across part of Amhara Region, Ethiopia. Science of the Total Environment, 2020, 733, 139231.	8.0	24
24	Arguments surrounding the essentiality of boron to vascular plants. New Phytologist, 2020, 226, 1225-1227.	7.3	6
25	Comprehensive nutrient analysis in agricultural organic amendments through non-destructive assays using machine learning. PLoS ONE, 2020, 15, e0242821.	2.5	6
26	Simulation of Phosphorus Chemistry, Uptake and Utilisation by Winter Wheat. Plants, 2019, 8, 404.	3.5	11
27	Plant–microbe networks in soil are weakened by centuryâ€long use of inorganic fertilizers. Microbial Biotechnology, 2019, 12, 1464-1475.	4.2	77
28	Yield responses of arable crops to liming – An evaluation of relationships between yields and soil pH from a long-term liming experiment. European Journal of Agronomy, 2019, 105, 176-188.	4.1	80
29	The Effect of Different Organic Fertilizers on Yield and Soil and Crop Nutrient Concentrations. Agronomy, 2019, 9, 776.	3.0	64
30	Risk of Silver Transfer from Soil to the Food Chain Is Low after Long-Term (20 Years) Field Applications of Sewage Sludge. Environmental Science & Technology, 2018, 52, 4901-4909.	10.0	39
31	Long-term Effects of Biosolids on Soil Quality and Fertility. Soil Science, 2018, 183, 89-98.	0.9	19
32	Effective methods to reduce cadmium accumulation in rice grain. Chemosphere, 2018, 207, 699-707.	8.2	170
33	Advancing the Understanding of Environmental Transformations, Bioavailability and Effects of Nanomaterials, an International US Environmental Protection Agency—UK Environmental Nanoscience Initiative Joint Program. Journal of Environmental Protection, 2018, 09, 385-404.	0.7	5
34	Selenium deficiency risk predicted to increase under future climate change. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 2848-2853.	7.1	260
35	Mineral Availability as a Key Regulator of Soil Carbon Storage. Environmental Science & Technology, 2017, 51, 4960-4969.	10.0	167
36	The Nodulin 26-like intrinsic membrane protein OsNIP3;2 is involved in arsenite uptake by lateral roots in rice. Journal of Experimental Botany, 2017, 68, 3007-3016.	4.8	84

#	Article	IF	CITATIONS
37	Historical trends in iodine and selenium in soil and herbage at the Park Grass Experiment, Rothamsted Research, UK. Soil Use and Management, 2017, 33, 252-262.	4.9	15
38	A comparison of soil tests for available phosphorus in longâ€ŧerm field experiments in Europe. European Journal of Soil Science, 2017, 68, 873-885.	3.9	71
39	Determining the fate of selenium in wheat biofortification: an isotopically labelled field trial study. Plant and Soil, 2017, 420, 61-77.	3.7	24
40	Phosphate stable oxygen isotope variability within a temperate agricultural soil. Geoderma, 2017, 285, 64-75.	5.1	29
41	Longâ€ŧerm Impact of Sewage Sludge Application on <i>Rhizobium leguminosarum</i> biovar <i>trifolii</i> : An Evaluation Using Metaâ€Analysis. Journal of Environmental Quality, 2016, 45, 1572-1587.	2.0	4
42	Derivation of ecological standards for risk assessment of molybdate in soil. Environmental Chemistry, 2016, 13, 168.	1.5	11
43	Morphological responses of wheat (<i>Triticum aestivum</i> L.) roots to phosphorus supply in two contrasting soils. Journal of Agricultural Science, 2016, 154, 98-108.	1.3	25
44	Population collapse of Lumbricus terrestris in conventional arable cultivations and response to straw applications. Applied Soil Ecology, 2016, 108, 72-75.	4.3	17
45	Long-term impact of sewage sludge application on soil microbial biomass: An evaluation using meta-analysis. Environmental Pollution, 2016, 219, 1021-1035.	7.5	52
46	Long-Term Impact of Field Applications of Sewage Sludge on Soil Antibiotic Resistome. Environmental Science & Technology, 2016, 50, 12602-12611.	10.0	97
47	Nanoparticles within WWTP sludges have minimal impact on leachate quality and soil microbial community structure and function. Environmental Pollution, 2016, 211, 399-405.	7.5	61
48	Concentrations of metals and metalloids in soils that have the potential to lead to exceedance of maximum limit concentrations of contaminants in food and feed. Soil Use and Management, 2015, 31, 34-45.	4.9	21
49	A review of the impacts of degradation threats on soil properties in the <scp>UK</scp> . Soil Use and Management, 2015, 31, 1-15.	4.9	64
50	Non-labile silver species in biosolids remain stable throughout 50 years of weathering and ageing. Environmental Pollution, 2015, 205, 78-86.	7.5	41
51	Distribution of the stable isotopes 57Fe and 68Zn in grain tissues of various wheat lines differing in their phytate content. Plant and Soil, 2015, 396, 73-83.	3.7	22
52	Monte Carlo simulations of the transformation and removal of Ag, TiO2, and ZnO nanoparticles in wastewater treatment and land application of biosolids. Science of the Total Environment, 2015, 511, 535-543.	8.0	36
53	The role of nodes in arsenic storage and distribution in rice. Journal of Experimental Botany, 2015, 66, 3717-3724.	4.8	99
54	Nanomaterials in Biosolids Inhibit Nodulation, Shift Microbial Community Composition, and Result in Increased Metal Uptake Relative to Bulk/Dissolved Metals. Environmental Science & Technology, 2015, 49, 8751-8758.	10.0	90

#	Article	IF	CITATIONS
55	Over 150ÂYears of Long-Term Fertilization Alters Spatial Scaling of Microbial Biodiversity. MBio, 2015, 6,	4.1	57
56	Soil Contamination in China: Current Status and Mitigation Strategies. Environmental Science & Technology, 2015, 49, 750-759.	10.0	1,488
57	Soil pH Determines Microbial Diversity and Composition in the Park Grass Experiment. Microbial Ecology, 2015, 69, 395-406.	2.8	544
58	Towards bioavailability-based soil criteria: past, present and future perspectives. Environmental Science and Pollution Research, 2015, 22, 8779-8785.	5.3	26
59	Genome Wide Association Mapping of Grain Arsenic, Copper, Molybdenum and Zinc in Rice (Oryza) Tj ETQq1 1	0.784314 2.5	rgBT /Overlo
60	Combined NanoSIMS and synchrotron Xâ€ray fluorescence reveal distinct cellular and subcellular distribution patterns of trace elements in rice tissues. New Phytologist, 2014, 201, 104-115.	7.3	157
61	Silicon has opposite effects on the accumulation of inorganic and methylated arsenic species in rice. Plant and Soil, 2014, 376, 423-431.	3.7	73
62	Agronomic selenium biofortification in Triticum durum under Mediterranean conditions: From grain to cooked pasta. Food Chemistry, 2014, 146, 378-384.	8.2	88
63	Lead in rice: Analysis of baseline lead levels in market and field collected rice grains. Science of the Total Environment, 2014, 485-486, 428-434.	8.0	78
64	Selenium accumulation and speciation in biofortified chickpea (<i>Cicer arietinum</i> L.) under Mediterranean conditions. Journal of the Science of Food and Agriculture, 2014, 94, 1101-1106.	3.5	60
65	Distribution and Speciation of Iron and Zinc in Grain of Two Wheat Genotypes. Journal of Agricultural and Food Chemistry, 2014, 62, 708-716.	5.2	70
66	Effects of Nitrogen on the Distribution and Chemical Speciation of Iron and Zinc in Pearling Fractions of Wheat Grain. Journal of Agricultural and Food Chemistry, 2014, 62, 4738-4746.	5.2	50
67	Selenium Speciation in Malt, Wort, and Beer Made from Selenium-Biofortified Two-Rowed Barley Grain. Journal of Agricultural and Food Chemistry, 2014, 62, 5948-5953.	5.2	33
68	High resolution SIMS analysis of arsenic in rice. Surface and Interface Analysis, 2013, 45, 309-311.	1.8	12
69	Modelling the effects of copper on soil organisms and processes using the free ion approach: Towards a multi-species toxicity model. Environmental Pollution, 2013, 178, 244-253.	7.5	34
70	Ca. Nitrososphaera and Bradyrhizobium are inversely correlated and related to agricultural practices in long-term field experiments. Frontiers in Microbiology, 2013, 4, 104.	3.5	86
71	Variation in Rice Cadmium Related to Human Exposure. Environmental Science & Technology, 2013, 47, 5613-5618.	10.0	365
72	Historical arsenic contamination of soil due to long-term phosphate fertiliser applications. Environmental Pollution, 2013, 180, 259-264.	7.5	59

#	Article	IF	CITATIONS
73	Arsenic Methylation in Soils and Its Relationship with Microbial <i>arsM</i> Abundance and Diversity, and As Speciation in Rice. Environmental Science & Technology, 2013, 47, 7147-7154.	10.0	166
74	Evidence for effects of manufactured nanomaterials on crops is inconclusive. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E3336-E3336.	7.1	16
75	Selenium speciation in soil extracts using LC-ICP-MS. International Journal of Environmental Analytical Chemistry, 2012, 92, 222-236.	3.3	32
76	Biofortification of zinc in wheat grain by the application of sewage sludge. Plant and Soil, 2012, 361, 97-108.	3.7	19
77	Grain and shoot zinc accumulation in winter wheat affected by nitrogen management. Plant and Soil, 2012, 361, 153-163.	3.7	103
78	Contrasting effects of dwarfing alleles and nitrogen availability on mineral concentrations in wheat grain. Plant and Soil, 2012, 360, 93-107.	3.7	25
79	Knocking Out ACR2 Does Not Affect Arsenic Redox Status in Arabidopsis thaliana: Implications for As Detoxification and Accumulation in Plants. PLoS ONE, 2012, 7, e42408.	2.5	34
80	Methylated arsenic species in plants originate from soil microorganisms. New Phytologist, 2012, 193, 665-672.	7.3	312
81	Variation in grain arsenic assessed in a diverse panel of rice (<i>Oryza sativa</i>) grown in multiple sites. New Phytologist, 2012, 193, 650-664.	7.3	126
82	Effect of long-term equilibration on the toxicity of molybdenum to soil organisms. Environmental Pollution, 2012, 162, 1-7.	7.5	37
83	Phytochelatins play a key role in arsenic accumulation and tolerance in the aquatic macrophyte Wolffia globosa. Environmental Pollution, 2012, 165, 18-24.	7.5	47
84	A multi-technique investigation of copper and zinc distribution, speciation and potential bioavailability in biosolids. Environmental Pollution, 2012, 166, 57-64.	7.5	52
85	Localisation of iron in wheat grain using high resolution secondary ion mass spectrometry. Journal of Cereal Science, 2012, 55, 183-187.	3.7	59
86	Arsenic translocation in rice investigated using radioactive 73As tracer. Plant and Soil, 2012, 350, 413-420.	3.7	66
87	Long-term removal of wheat straw decreases soil amorphous silica at Broadbalk, Rothamsted. Plant and Soil, 2012, 352, 173-184.	3.7	99
88	Selenium Hyperaccumulator Plants Stanleya pinnata and Astragalus bisulcatus Are Colonized by Se-Resistant, Se-Excluding Wasp and Beetle Seed Herbivores. PLoS ONE, 2012, 7, e50516.	2.5	37
89	Assessing the Labile Arsenic Pool in Contaminated Paddy Soils by Isotopic Dilution Techniques and Simple Extractions. Environmental Science & Technology, 2011, 45, 4262-4269.	10.0	75
90	High-Resolution Secondary Ion Mass Spectrometry Reveals the Contrasting Subcellular Distribution of Arsenic and Silicon in Rice Roots Â. Plant Physiology, 2011, 156, 913-924.	4.8	122

#	Article	IF	CITATIONS
91	Evaluation of an electrostatic toxicity model for predicting Ni2+ toxicity to barley root elongation in hydroponic cultures and in soils. New Phytologist, 2011, 192, 414-427.	7.3	23
92	Long-term impacts of zinc and copper enriched sewage sludge additions on bacterial, archaeal and fungal communities in arable and grassland soils. Soil Biology and Biochemistry, 2011, 43, 932-941.	8.8	65
93	The dynamics of arsenic in four paddy fields in the Bengal delta. Environmental Pollution, 2011, 159, 947-953.	7.5	95
94	Phytoremediation of arsenic contaminated paddy soils with Pteris vittata markedly reduces arsenic uptake by rice. Environmental Pollution, 2011, 159, 3739-3743.	7.5	98
95	Selenium concentration and speciation in biofortified flour and bread: Retention of selenium during grain biofortification, processing and production of Se-enriched food. Food Chemistry, 2011, 126, 1771-1778.	8.2	110
96	Investigating the Contribution of the Phosphate Transport Pathway to Arsenic Accumulation in Rice Â. Plant Physiology, 2011, 157, 498-508.	4.8	299
97	Development of a Real-Time PCR Assay for Detection and Quantification of Rhizobium leguminosarum Bacteria and Discrimination between Different Biovars in Zinc-Contaminated Soil. Applied and Environmental Microbiology, 2011, 77, 4626-4633.	3.1	24
98	Arsenic as a Food Chain Contaminant: Mechanisms of Plant Uptake and Metabolism and Mitigation Strategies. Annual Review of Plant Biology, 2010, 61, 535-559.	18.7	1,023
99	Rice is more efficient in arsenite uptake and translocation than wheat and barley. Plant and Soil, 2010, 328, 27-34.	3.7	277
100	Soil factors affecting selenium concentration in wheat grain and the fate and speciation of Se fertilisers applied to soil. Plant and Soil, 2010, 332, 19-30.	3.7	84
101	Impact of sulphur fertilisation on crop response to selenium fertilisation. Plant and Soil, 2010, 332, 31-40.	3.7	70
102	Selenium biofortification of high-yielding winter wheat (Triticum aestivum L.) by liquid or granular Se fertilisation. Plant and Soil, 2010, 332, 5-18.	3.7	242
103	Impacts of sulphur nutrition on selenium and molybdenum concentrations in wheat grain. Journal of Cereal Science, 2010, 52, 111-113.	3.7	26
104	Relative impact of soil, metal source and metal concentration on bacterial community structure and community tolerance. Soil Biology and Biochemistry, 2010, 42, 1408-1417.	8.8	19
105	Predicting molybdenum toxicity to higher plants: Influence of soil properties. Environmental Pollution, 2010, 158, 3095-3102.	7.5	61
106	Predicting molybdenum toxicity to higher plants: Estimation of toxicity threshold values. Environmental Pollution, 2010, 158, 3085-3094.	7.5	60
107	The role of the rice aquaporin Lsi1 in arsenite efflux from roots. New Phytologist, 2010, 186, 392-399.	7.3	196
108	Influence of Sulfur Deficiency on the Expression of Specific Sulfate Transporters and the Distribution of Sulfur, Selenium, and Molybdenum in Wheat. Plant Physiology, 2010, 153, 327-336.	4.8	151

#	Article	IF	CITATIONS
109	Complexation of Arsenite with Phytochelatins Reduces Arsenite Efflux and Translocation from Roots to Shoots in Arabidopsis. Plant Physiology, 2010, 152, 2211-2221.	4.8	206
110	Arsenic Speciation in Phloem and Xylem Exudates of Castor Bean. Plant Physiology, 2010, 154, 1505-1513.	4.8	104
111	Molecular Mechanisms of Selenium Tolerance and Hyperaccumulation in <i>Stanleya pinnata</i> . Plant Physiology, 2010, 153, 1630-1652.	4.8	210
112	Accumulation, Distribution, and Speciation of Arsenic in Wheat Grain. Environmental Science & Technology, 2010, 44, 5464-5468.	10.0	86
113	Arsenic Bioavailability to Rice Is Elevated in Bangladeshi Paddy Soils. Environmental Science & Technology, 2010, 44, 8515-8521.	10.0	139
114	Arsenic Influence on Genetic Variation in Grain Trace-Element Nutrient Content in Bengal Delta Grown Rice. Environmental Science & Technology, 2010, 44, 8284-8288.	10.0	29
115	Arsenic Shoot-Grain Relationships in Field Grown Rice Cultivars. Environmental Science & Technology, 2010, 44, 1471-1477.	10.0	54
116	Selenium Speciation in Soil and Rice: Influence of Water Management and Se Fertilization. Journal of Agricultural and Food Chemistry, 2010, 58, 11837-11843.	5.2	118
117	NanoSIMS analysis of arsenic and selenium in cereal grain. New Phytologist, 2010, 185, 434-445.	7.3	126
118	Biofortification and phytoremediation. Current Opinion in Plant Biology, 2009, 12, 373-380.	7.1	277
119	Heavy metals and soil microbes. Soil Biology and Biochemistry, 2009, 41, 2031-2037.	8.8	373
120	Variation in mineral micronutrient concentrations in grain of wheat lines of diverse origin. Journal of Cereal Science, 2009, 49, 290-295.	3.7	423
121	Effect of nitrogen form on the rhizosphere dynamics and uptake of cadmium and zinc by the hyperaccumulator Thlaspi caerulescens. Plant and Soil, 2009, 318, 205-215.	3.7	131
122	Arsenic uptake and metabolism in plants. New Phytologist, 2009, 181, 777-794.	7.3	973
123	Arsenite efflux is not enhanced in the arsenateâ€ŧolerant phenotype of <i>Holcus lanatus</i> . New Phytologist, 2009, 183, 340-348.	7.3	53
124	Toxicity of Trace Metals in Soil as Affected by Soil Type and Aging After Contamination: Using Calibrated Bioavailability Models to Set Ecological Soil Standards. Environmental Toxicology and Chemistry, 2009, 28, 1633-1642.	4.3	333
125	Response to the Comment by Van Geen and Duxbury. Environmental Science & Technology, 2009, 43, 3972-3973.	10.0	3
126	Modelling phytoremediation by the hyperaccumulating fern, Pteris vittata, of soils historically contaminated with arsenic. Environmental Pollution, 2009, 157, 1589-1596.	7.5	76

#	Article	IF	CITATIONS
127	Phytotoxicity and bioavailability of cobalt to plants in a range of soils. Chemosphere, 2009, 75, 979-986.	8.2	127
128	Mitigation of Arsenic Accumulation in Rice with Water Management and Silicon Fertilization. Environmental Science & Technology, 2009, 43, 3778-3783.	10.0	356
129	Environmental and Genetic Control of Arsenic Accumulation and Speciation in Rice Grain: Comparing a Range of Common Cultivars Grown in Contaminated Sites Across Bangladesh, China, and India. Environmental Science & Technology, 2009, 43, 8381-8386.	10.0	146
130	Identification of Low Inorganic and Total Grain Arsenic Rice Cultivars from Bangladesh. Environmental Science & Technology, 2009, 43, 6070-6075.	10.0	151
131	The Rice Aquaporin Lsi1 Mediates Uptake of Methylated Arsenic Species Â. Plant Physiology, 2009, 150, 2071-2080.	4.8	350
132	METHODS FOR THE ANALYSIS OF SELENIUM AND OTHER MINERALS. , 2009, , 95-111.		0
133	Low biodegradability of fluoxetine HCl, diazepam and their human metabolites in sewage sludge-amended soil. Journal of Soils and Sediments, 2008, 8, 217-230.	3.0	86
134	Evidence of decreasing mineral density in wheat grain over the last 160 years. Journal of Trace Elements in Medicine and Biology, 2008, 22, 315-324.	3.0	373
135	Selenium uptake, translocation and speciation in wheat supplied with selenate or selenite. New Phytologist, 2008, 178, 92-102.	7.3	593
136	Variation in rootâ€ŧoâ€shoot translocation of cadmium and zinc among different accessions of the hyperaccumulators <i>Thlaspi caerulescens </i> and <i> Thlaspi praecox</i> . New Phytologist, 2008, 178, 315-325.	7.3	90
137	Highly efficient xylem transport of arsenite in the arsenic hyperaccumulator <i>Pteris vittata</i> . New Phytologist, 2008, 180, 434-441.	7.3	161
138	Historical changes in the concentrations of selenium in soil and wheat grain from the Broadbalk experiment over the last 160Âyears. Science of the Total Environment, 2008, 389, 532-538.	8.0	44
139	Population size of indigenous Rhizobium leguminosarum biovar trifolii in long-term field experiments with sewage sludge cake, metal-amended liquid sludge or metal salts: Effects of zinc, copper and cadmium. Soil Biology and Biochemistry, 2008, 40, 1670-1680.	8.8	52
140	Growing Rice Aerobically Markedly Decreases Arsenic Accumulation. Environmental Science & Technology, 2008, 42, 5574-5579.	10.0	567
141	Atmospheric SO ₂ Emissions Since the Late 1800s Change Organic Sulfur Forms in Humic Substance Extracts of Soils. Environmental Science & Technology, 2008, 42, 3550-3555.	10.0	44
142	Speciation of zinc in contaminated soils. Environmental Pollution, 2008, 155, 208-216.	7.5	54
143	Use of Co speciation and soil properties to explain variation in Co toxicity to root growth of barley (Hordeum vulgare L.) in different soils. Environmental Pollution, 2008, 156, 883-890.	7.5	43
144	Does cadmium play a physiological role in the hyperaccumulator Thlaspi caerulescens?. Chemosphere, 2008, 71, 1276-1283.	8.2	84

#	Article	IF	CITATIONS
145	Transporters of arsenite in rice and their role in arsenic accumulation in rice grain. Proceedings of the United States of America, 2008, 105, 9931-9935.	7.1	1,202
146	Expression and functional analysis of metal transporter genes in two contrasting ecotypes of the hyperaccumulator Thlaspi caerulescens. Journal of Experimental Botany, 2007, 58, 1717-1728.	4.8	119
147	Phytotoxicity of nickel in a range of European soils: Influence of soil properties, Ni solubility and speciation. Environmental Pollution, 2007, 145, 596-605.	7.5	150
148	Estimates of ambient background concentrations of trace metals in soils for risk assessment. Environmental Pollution, 2007, 148, 221-229.	7.5	80
149	Phytoextraction of cadmium and zinc from arable soils amended with sewage sludge using Thlaspi caerulescens: Development of a predictive model. Environmental Pollution, 2007, 150, 363-372.	7.5	71
150	Cadmium availability to wheat grain in soils treated with sewage sludge or metal salts. Chemosphere, 2007, 66, 1415-1423.	8.2	82
151	Rapid reduction of arsenate in the medium mediated by plant roots. New Phytologist, 2007, 176, 590-599.	7.3	340
152	Effects of soil compaction and irrigation on the concentrations of selenium and arsenic in wheat grains. Science of the Total Environment, 2007, 372, 433-439.	8.0	62
153	Phytoextraction of cadmium and zinc by Salix from soil historically amended with sewage sludge. Plant and Soil, 2007, 290, 157-172.	3.7	71
154	Terrestrial Biotic Ligand Model. 2. Application to Ni and Cu Toxicities to Plants, Invertebrates, and Microbes in Soil. Environmental Science & Technology, 2006, 40, 7094-7100.	10.0	164
155	A Terrestrial Biotic Ligand Model. 1. Development and Application to Cu and Ni Toxicities to Barley Root Elongation in Soils. Environmental Science & Technology, 2006, 40, 7085-7093.	10.0	224
156	Effect of soil characteristics on Cd uptake by the hyperaccumulator Thlaspi caerulescens. Environmental Pollution, 2006, 139, 167-175.	7.5	127
157	Field evaluation of Cd and Zn phytoextraction potential by the hyperaccumulators Thlaspi caerulescens and Arabidopsis halleri. Environmental Pollution, 2006, 141, 115-125.	7.5	268
158	Field evaluation of in situ remediation of a heavy metal contaminated soil using lime and red-mud. Environmental Pollution, 2006, 142, 530-539.	7.5	365
159	Initial results from a long-term, multi-site field study of the effects on soil fertility and microbial activity of sludge cakes containing heavy metals. Soil Use and Management, 2006, 22, 11-21.	4.9	50
160	Initial results from long-term field studies at three sites on the effects of heavy metal-amended liquid sludges on soil microbial activity. Soil Use and Management, 2006, 22, 180-187.	4.9	27
161	Cadmium uptake, translocation and tolerance in the hyperaccumulator Arabidopsis halleri. New Phytologist, 2006, 172, 646-654.	7.3	212
162	Synthesis of low molecular weight thiols in response to Cd exposure in Thlaspi caerulescens. Plant, Cell and Environment, 2006, 29, 1422-1429.	5.7	62

#	Article	IF	CITATIONS
163	SOIL FACTORS CONTROLLING THE EXPRESSION OF COPPER TOXICITY TO PLANTS IN A WIDE RANGE OF EUROPEAN SOILS. Environmental Toxicology and Chemistry, 2006, 25, 726.	4.3	159
164	COMPARISON OF SOIL SOLUTION SPECIATION AND DIFFUSIVE GRADIENTS IN THIN-FILMS MEASUREMENT AS AN INDICATOR OF COPPER BIOAVAILABILITY TO PLANTS. Environmental Toxicology and Chemistry, 2006, 25, 733.	4.3	83
165	KINETICS OF METAL FIXATION IN SOILS: MEASUREMENT AND MODELING BY ISOTOPIC DILUTION. Environmental Toxicology and Chemistry, 2006, 25, 659.	4.3	39
166	INFLUENCE OF SOIL PROPERTIES AND AGING ON ARSENIC PHYTOTOXICITY. Environmental Toxicology and Chemistry, 2006, 25, 1663.	4.3	80
167	Sulphur speciation and turnover in soils: evidence from sulphur K-edge XANES spectroscopy and isotope dilution studies. Soil Biology and Biochemistry, 2006, 38, 1000-1007.	8.8	75
168	Effects of sulphur on yield and malting quality of barley. Journal of Cereal Science, 2006, 43, 369-377.	3.7	45
169	Biofortification of UK food crops with selenium. Proceedings of the Nutrition Society, 2006, 65, 169-181.	1.0	378
170	Spatial Imaging, Speciation, and Quantification of Selenium in the Hyperaccumulator Plants Astragalus bisulcatus and Stanleya pinnata. Plant Physiology, 2006, 142, 124-134.	4.8	261
171	COMPARISON OF DIFFERENT MICROBIAL BIOASSAYS TO ASSESS METAL-CONTAMINATED SOILS. Environmental Toxicology and Chemistry, 2005, 24, 530.	4.3	23
172	Comparison of root absorption, translocation and tolerance of arsenic in the hyperaccumulator Pteris vittata and the nonhyperaccumulator Pteris tremula. New Phytologist, 2005, 165, 755-761.	7.3	92
173	Cadmium hyperaccumulation protects Thlaspi caerulescens from leaf feeding damage by thrips () Tj ETQq1 1 0.7	'843]4 rgE 7.3	BT /Qverlock
174	Soil microbial response during the phytoremediation of a PAH contaminated soil. Soil Biology and Biochemistry, 2005, 37, 2334-2336.	8.8	101
175	Subcellular localisation of Cd and Zn in the leaves of a Cd-hyperaccumulating ecotype of Thlaspi caerulescens. Planta, 2005, 220, 731-736.	3.2	217
176	Identification of the form of Cd in the leaves of a superior Cd-accumulating ecotype of Thlaspi caerulescens using 113Cd-NMR. Planta, 2005, 221, 928-936.	3.2	95
177	Sulphur fractionation in calcareous soils and bioavailability to plants. Plant and Soil, 2005, 268, 103-109.	3.7	49
178	Evaluating a â€~Free Ion Activity Model' applied to metal uptake by Lolium perenne L. grown in contaminated soils Plant and Soil, 2005, 270, 1-12.	3.7	73
179	An inter-laboratory study to test the ability of amendments to reduce the availability of Cd, Pb, and Zn in situ. Environmental Pollution, 2005, 138, 34-45.	7.5	208
180	Speciation and solubility of Cu, Ni and Pb in contaminated soils. European Journal of Soil Science, 2004, 55, 579-590.	3.9	57

#	Article	IF	CITATIONS
181	Enhanced dissipation of chrysene in planted soil: the impact of a rhizobial inoculum. Soil Biology and Biochemistry, 2004, 36, 33-38.	8.8	100
182	POLLUTION-INDUCED COMMUNITY TOLERANCE OF SOIL MICROBES IN RESPONSE TO A ZINC GRADIENT. Environmental Toxicology and Chemistry, 2004, 23, 2665.	4.3	43
183	Kinetics of Zn Release in Soils and Prediction of Zn Concentration in Plants Using Diffusive Gradients in Thin Films. Environmental Science & Technology, 2004, 38, 3608-3613.	10.0	137
184	Copper uptake by Elsholtzia splendens and Silene vulgaris and assessment of copper phytoavailability in contaminated soils. Environmental Pollution, 2004, 128, 307-315.	7.5	175
185	Factors affecting the concentrations of lead in British wheat and barley grain. Environmental Pollution, 2004, 131, 461-468.	7.5	59
186	Arsenic hyperaccumulation by Pteris vittata from arsenic contaminated soils and the effect of liming and phosphate fertilisation. Environmental Pollution, 2004, 132, 113-120.	7.5	98
187	A new method for the determination of the34S/32S ratio of water-soluble sulphur in soil. International Journal of Environmental Analytical Chemistry, 2004, 84, 323-329.	3.3	2
188	Coâ€segregation analysis of cadmium and zinc accumulation in Thlaspi caerulescens interecotypic crosses. New Phytologist, 2004, 163, 299-312.	7.3	65
189	Predicting Cadmium Concentrations in Wheat and Barley Grain Using Soil Properties. Journal of Environmental Quality, 2004, 33, 532-541.	2.0	218
190	Assessment of the Use of Industrial Byâ€Products to Remediate a Copper―and Arsenic ontaminated Soil. Journal of Environmental Quality, 2004, 33, 902-910.	2.0	85
191	Predicting Cadmium Concentrations in Wheat and Barley Grain Using Soil Properties. Journal of Environmental Quality, 2004, 33, 532.	2.0	62
192	Title is missing!. Plant and Soil, 2003, 249, 37-43.	3.7	370
193	COMPARISON OF TOXICITY OF ZINC FOR SOIL MICROBIAL PROCESSES BETWEEN LABORATORY-CONTAMINED AND POLLUTED FIELD SOILS. Environmental Toxicology and Chemistry, 2003, 22, 2592.	4.3	60
194	Survival and plasmid stability of rhizobia introduced into a contaminated soil. Soil Biology and Biochemistry, 2003, 35, 49-54.	8.8	18
195	Phytoextraction of metals and metalloids from contaminated soils. Current Opinion in Biotechnology, 2003, 14, 277-282.	6.6	908
196	Uptake and distribution of nickel and other metals in the hyperaccumulator Berkheya coddii. New Phytologist, 2003, 158, 279-285.	7.3	135
197	The role of phytochelatins in arsenic tolerance in the hyperaccumulator Pteris vittata. New Phytologist, 2003, 159, 403-410.	7.3	231
198	Lability of Cd, Cu, and Zn in Polluted Soils Treated with Lime, Beringite, and Red Mud and Identification of a Non-Labile Colloidal Fraction of Metals Using Isotopic Techniques. Environmental Science & amp; Technology, 2003, 37, 979-984.	10.0	190

#	Article	IF	CITATIONS
199	Predicting the activity of Cd2+ and Zn2+ in soil pore water from the radio-labile metal fraction. Geochimica Et Cosmochimica Acta, 2003, 67, 375-385.	3.9	127
200	A Practical Evaluation of Microwave and Conventional Wet Digestion Techniques for the Determination of Cd, Cu And Zn in Wheat Grain. International Journal of Environmental Analytical Chemistry, 2003, 83, 307-314.	3.3	8
201	Accumulation and distribution of aluminium and other elements in tea (Camellia sinensis) leaves. Agronomy for Sustainable Development, 2003, 23, 705-710.	0.8	60
202	Stable Sulfur Isotope Ratio Indicates Longâ€Term Changes in Sulfur Deposition in the Broadbalk Experiment since 1845. Journal of Environmental Quality, 2003, 32, 33-39.	2.0	44
203	Stable Sulfur Isotope Ratio Indicates Long-Term Changes in Sulfur Deposition in the Broadbalk Experiment since 1845. Journal of Environmental Quality, 2003, 32, 33.	2.0	18
204	Influence of Iron Status on Cadmium and Zinc Uptake by Different Ecotypes of the Hyperaccumulator Thlaspi caerulescens. Plant Physiology, 2002, 128, 1359-1367.	4.8	293
205	Characteristics of cadmium uptake in two contrasting ecotypes of the hyperaccumulator Thlaspi caerulescens. Journal of Experimental Botany, 2002, 53, 535-543.	4.8	328
206	Phytoremediation of metals, metalloids, and radionuclides. Advances in Agronomy, 2002, 75, 1-56.	5.2	386
207	Mechanisms of Arsenic Hyperaccumulation in Pteris vittata. Uptake Kinetics, Interactions with Phosphate, and Arsenic Speciation. Plant Physiology, 2002, 130, 1552-1561.	4.8	548
208	Predicting Arsenic Solubility in Contaminated Soils Using Isotopic Dilution Techniques. Environmental Science & Technology, 2002, 36, 982-988.	10.0	36
209	Nematode communities under stress: the long-term effects of heavy metals in soil treated with sewage sludge. Applied Soil Ecology, 2002, 20, 27-42.	4.3	116
210	In situ fixation of metals in soils using bauxite residue: chemical assessment. Environmental Pollution, 2002, 118, 435-443.	7.5	297
211	In situ fixation of metals in soils using bauxite residue: biological effects. Environmental Pollution, 2002, 118, 445-452.	7.5	143
212	Uptake of Metals by Plants Sharing a Rhizosphere with the HyperaccumulatorThlaspi caerulescens. International Journal of Phytoremediation, 2002, 4, 267-281.	3.1	54
213	Evidence of low selenium concentrations in UK bread-making wheat grain. Journal of the Science of Food and Agriculture, 2002, 82, 1160-1165.	3.5	106
214	Arsenic hyperaccumulation by different fern species. New Phytologist, 2002, 156, 27-31.	7.3	361
215	Arsenic distribution and speciation in the fronds of the hyperaccumulator Pteris vittata. New Phytologist, 2002, 156, 195-203.	7.3	285
216	Plant and rhizosphere processes involved in phytoremediation of metal-contaminated soils. , 2002, , 207-214.		16

#	Article	IF	CITATIONS
217	Soil Solid-Phase Controls Lead Activity in Soil Solution. Journal of Environmental Quality, 2002, 31, 162.	2.0	15
218	Leaching of heavy metals from contaminated soils using EDTA. Environmental Pollution, 2001, 113, 111-120.	7.5	429
219	Long-term effects of land use and fertiliser treatments on sulphur transformations in soils from the Broadbalk experiment. Soil Biology and Biochemistry, 2001, 33, 1797-1804.	8.8	56
220	USE OF THE ENRICHED STABLE ISOTOPE34S TO STUDY SULPHUR UPTAKE AND DISTRIBUTION IN WHEAT. Journal of Plant Nutrition, 2001, 24, 1551-1560.	1.9	20
221	A New Method to Measure Effective Soil Solution Concentration Predicts Copper Availability to Plants. Environmental Science & amp; Technology, 2001, 35, 2602-2607.	10.0	435
222	Hyperaccumulation of Zn byThlaspi caerulescensCan Ameliorate Zn Toxicity in the Rhizosphere of CocroppedThlaspi arvense. Environmental Science & Technology, 2001, 35, 3237-3241.	10.0	83
223	Cadmium Content of Wheat Grain from a Longâ€Term Field Experiment with Sewage Sludge. Journal of Environmental Quality, 2001, 30, 1575-1580.	2.0	48
224	Phytoremediation of Heavy Metal–Contaminated Soils: Natural Hyperaccumulation versus Chemically Enhanced Phytoextraction. Journal of Environmental Quality, 2001, 30, 1919-1926.	2.0	493
225	Temporal and spatial prediction of radiocaesium transfer to food products. Radiation and Environmental Biophysics, 2001, 40, 227-235.	1.4	33
226	Trends in 13C/12C ratios and C isotope discrimination of wheat since 1845. Oecologia, 2001, 128, 336-342.	2.0	45
227	Physiological evidence for a highâ€affinity cadmium transporter highly expressed in a Thlaspi caerulescens ecotype. New Phytologist, 2001, 149, 53-60.	7.3	254
228	What's new about cadmium hyperaccumulation?. New Phytologist, 2001, 149, 2-3.	7.3	35
229	Plant and rhizosphere processes involved in phytoremediation of metal-contaminated soils. Plant and Soil, 2001, 232, 207-214.	3.7	455
230	Zinc accumulation by Thlaspi caerulescens from soils with different Zn availability: a pot study. Plant and Soil, 2001, 236, 11-18.	3.7	51
231	Title is missing!. Plant and Soil, 2001, 237, 147-156.	3.7	62
232	The Relationship between Topsoil and Stream Sediment Heavy Metal Concentrations and Acidification. Water, Air, and Soil Pollution, 2001, 130, 1067-1072.	2.4	6
233	Using plant analysis to predict yield losses caused by sulphur deficiency. Annals of Applied Biology, 2001, 138, 123-127.	2.5	31
234	Cellular compartmentation of nickel in the hyperaccumulators Alyssum lesbiacum, Alyssum bertolonii and Thlaspi goesingense. Journal of Experimental Botany, 2001, 52, 2291-2300.	4.8	317

#	Article	IF	CITATIONS
235	Molybdenum Sequestration in BrassicaSpecies. A Role for Anthocyanins?. Plant Physiology, 2001, 126, 1391-1402.	4.8	162
236	INTER-LABORATORY COMPARISON OF SULPHUR AND NITROGEN ANALYSIS IN PLANTS AND SOILS. Communications in Soil Science and Plant Analysis, 2001, 32, 685-695.	1.4	16
237	Sulphur supply and the optimisation of the yield of wheat. , 2001, , 836-837.		2
238	Longâ€Term Changes in the Extractability and Bioavailability of Zinc and Cadmium after Sludge Application. Journal of Environmental Quality, 2000, 29, 875-883.	2.0	129
239	Cadmium accumulation in populations of Thlaspi caerulescens and Thlaspi goesingense. New Phytologist, 2000, 145, 11-20.	7.3	354
240	Positive responses to Zn and Cd by roots of the Zn and Cd hyperaccumulator Thlaspi caerulescens. New Phytologist, 2000, 145, 199-210.	7.3	222
241	Determining uptake of â€~nonâ€labile' soil cadmium by Thlaspi caerulescens using isotopic dilution techniques. New Phytologist, 2000, 146, 453-460.	7.3	84
242	Zinc hyperaccumulation and cellular distribution in Arabidopsis halleri. Plant, Cell and Environment, 2000, 23, 507-514.	5.7	307
243	Comparison of methods to investigate microbial populations in soils under different agricultural management. FEMS Microbiology Ecology, 2000, 33, 129-137.	2.7	70
244	Title is missing!. Plant and Soil, 2000, 221, 167-179.	3.7	116
245	Availability of different forms of sulphur fertilisers to wheat and oilseed rape. Plant and Soil, 2000, 222, 139-147.	3.7	28
246	Title is missing!. Plant and Soil, 2000, 225, 95-107.	3.7	90
247	Cellular compartmentation of cadmium and zinc in relation to other elements in the hyperaccumulator Arabidopsis halleri. Planta, 2000, 212, 75-84.	3.2	618
248	Longâ€Term Effects of Land Use and Fertilizer Treatments on Sulfur Cycling. Journal of Environmental Quality, 2000, 29, 1867-1874.	2.0	55
249	Response of a Rhizobium-based luminescence biosensor to Zn and Cu in soil solutions from sewage sludge treated soils. Soil Biology and Biochemistry, 2000, 32, 383-388.	8.8	39
250	Pentachlorophenol utilization by indigenous soil microorganisms. Soil Biology and Biochemistry, 2000, 32, 429-432.	8.8	14
251	Copper Speciation and Impacts on Bacterial Biosensors in the Pore Water of Copper-Contaminated Soils. Environmental Science & amp; Technology, 2000, 34, 5115-5121.	10.0	150
252	Comparison of methods to investigate microbial populations in soils under different agricultural management. FEMS Microbiology Ecology, 2000, 33, 129-137.	2.7	4

#	Article	IF	CITATIONS
253	Cellular Compartmentation of Zinc in Leaves of the Hyperaccumulator Thlaspi caerulescens1. Plant Physiology, 1999, 119, 305-312.	4.8	428
254	Assessing Risks of Heavy Metal Toxicity in Agricultural Soils: Do Microbes Matter?. Human and Ecological Risk Assessment (HERA), 1999, 5, 683-689.	3.4	63
255	Gene transfer in bacteria from soils contaminated with heavy metals. Letters in Applied Microbiology, 1999, 28, 317-320.	2.2	6
256	Sulphur Assimilation and Effects on Yield and Quality of Wheat. Journal of Cereal Science, 1999, 30, 1-17.	3.7	330
257	Variation in the Breadmaking Quality and Rheological Properties of Wheat in Relation to Sulphur Nutrition under Field Conditions. Journal of Cereal Science, 1999, 30, 19-31.	3.7	93
258	Effects of sulphur nutrition on growth and nitrogen fixation of pea (Pisum sativum L.). Plant and Soil, 1999, 212, 207-217.	3.7	55
259	Metal uptake by plants from sludge-amended soils: caution is required in the plateau interpretation. Plant and Soil, 1999, 216, 53-64.	3.7	59
260	Assessment of the toxicity of metals in soils amended with sewage sludge using a chemical speciation technique and a <i>lux</i> â€based biosensor. Environmental Toxicology and Chemistry, 1999, 18, 659-663.	4.3	94
261	Responses of breadmaking quality to sulphur in three wheat varieties. Journal of the Science of Food and Agriculture, 1999, 79, 1865-1874.	3.5	48
262	Determination of Acute Zn Toxicity in Pore Water from Soils Previously Treated with Sewage Sludge Using Bioluminescence Assays. Environmental Science & Technology, 1999, 33, 1880-1885.	10.0	69
263	Adverse Effects of Cadmium on Soil Microflora and Fauna. , 1999, , 199-218.		16
264	Sampling To Monitor Soil In England And Wales. Quantitative Geology and Geostatistics, 1999, , 465-476.	0.1	5
265	ASSESSMENT OF THE TOXICITY OF METALS IN SOILS AMENDED WITH SEWAGE SLUDGE USING A CHEMICAL SPECIATION TECHNIQUE AND A lux-BASED BIOSENSOR. Environmental Toxicology and Chemistry, 1999, 18, 659.	4.3	67
266	Chrom und Nickel. , 1999, , 183-210.		2
267	Title is missing!. Water, Air, and Soil Pollution, 1998, 102, 105-115.	2.4	30
268	Solubility of zinc and interactions between zinc and phosphorus in the hyperaccumulator Thlaspi caerulescens. Plant, Cell and Environment, 1998, 21, 108-114.	5.7	51
269	Determination of chemical availability of cadmium and zinc in soils using inert soil moisture samplers. Environmental Pollution, 1998, 99, 293-298.	7.5	145
270	Thiosulphate and tetrathionate oxidation in arable soils. Soil Biology and Biochemistry, 1998, 30, 553-559.	8.8	25

#	Article	IF	CITATIONS
271	Toxicity of heavy metals to microorganisms and microbial processes in agricultural soils: a review. Soil Biology and Biochemistry, 1998, 30, 1389-1414.	8.8	1,684
272	Use of Sulfur Isotope Ratios To Determine Anthropogenic Sulfur Signals in a Grassland Ecosystem. Environmental Science & Technology, 1998, 32, 2288-2291.	10.0	45
273	In SituMeasurements of Solution Concentrations and Fluxes of Trace Metals in Soils Using DGT. Environmental Science & Technology, 1998, 32, 704-710.	10.0	288
274	Distribution of Sulfur within Oilseed Rape Leaves in Response to Sulfur Deficiency during Vegetative Growth. Plant Physiology, 1998, 118, 1337-1344.	4.8	167
275	Nitrogen to sulphur ratio in rapeseed and in rapeseed protein and its use in diagnosing sulphur deficiency. Journal of Plant Nutrition, 1997, 20, 549-558.	1.9	48
276	Sulphur nutrition: An important factor for the quality of wheat and rapeseed. Soil Science and Plant Nutrition, 1997, 43, 1137-1142.	1.9	47
277	Effectiveness and genetic diversity of Rhizobium leguminosarum bv. trifolii isolates in Portuguese soils polluted by industrial effluents. Soil Biology and Biochemistry, 1997, 29, 1209-1213.	8.8	20
278	Uptake and transport of zinc in the hyperaccumulator Thlaspi caerulescens and the non-hyperaccumulator Thlaspi ochroleucum. Plant, Cell and Environment, 1997, 20, 898-906.	5.7	257
279	Cadmium and zinc in plants and soil solutions from contaminated soils. Plant and Soil, 1997, 189, 21-31.	3.7	108
280	Title is missing!. Plant and Soil, 1997, 188, 153-159.	3.7	259
281	Title is missing!. Plant and Soil, 1997, 197, 71-78.	3.7	210
282	Development of an acute and chronic ecotoxicity assay using lux â€marked Rhizobium leguminosarum biovar trifolii. Letters in Applied Microbiology, 1997, 24, 296-300.	2.2	51
283	Sulphur nutrition: An important factor for the quality of wheat and rapeseed. , 1997, , 917-922.		8
284	Biomass carbon measurements and substrate utilization patterns of microbial populations from soils amended with cadmium, copper, or zinc. Applied and Environmental Microbiology, 1997, 63, 39-43.	3.1	156
285	Isotopic Character of Lead Deposited from the Atmosphere at a Grassland Site in the United Kingdom Since 1860. Environmental Science & Technology, 1996, 30, 2511-2518.	10.0	120
286	Method to determine elemental sulphur in soils applied to measure sulphur oxidation. Soil Biology and Biochemistry, 1996, 28, 1083-1087.	8.8	18
287	Toxicity of organic compounds to the indigenous population of Rhizobium leguminosarum biovar Trifolii in soil. Soil Biology and Biochemistry, 1996, 28, 1483-1487.	8.8	22
288	Sulphur uptake, yield responses and the interactions between nitrogen and sulphur in winter oilseed rape (<i>Brassica napus</i>). Journal of Agricultural Science, 1996, 126, 53-62.	1.3	174

#	Article	IF	CITATIONS
289	DISJUNCTIVE KRIGING FOR ENVIRONMENTAL MANAGEMENT. Environmetrics, 1996, 7, 333-357.	1.4	18
290	Responses of two wheat varieties to sulphur addition and diagnosis of sulphur deficiency. Plant and Soil, 1996, 181, 317-327.	3.7	80
291	Changes in the sulphur status of British wheat grain in the last decade, and its geographical distribution. Journal of the Science of Food and Agriculture, 1995, 68, 507-514.	3.5	37
292	Long-term effects of metals in sewage sludge on soils, microorganisms and plants. Journal of Industrial Microbiology, 1995, 14, 94-104.	0.9	368
293	Changes in trace metal species and other components of the rhizosphere during growth of radish. Plant, Cell and Environment, 1995, 18, 749-756.	5.7	82
294	A risk assessment of sulphur deficiency in cereals using soil and atmospheric deposition data. Soil Use and Management, 1995, 11, 110-114.	4.9	87
295	The influence of multiple sewage sludge amendments on the PCB content of an agricultural soil over time. Environmental Toxicology and Chemistry, 1995, 14, 553-560.	4.3	25
296	A method to buffer the concentrations of free Zn and Cd ions using a cation exchange resin in bacterial toxicity studies. Environmental Toxicology and Chemistry, 1995, 14, 2033-2039.	4.3	28
297	The Cadmium Content of British Wheat Grain. Journal of Environmental Quality, 1995, 24, 850-855.	2.0	45
298	Speciation of Cadmium and Zinc with Application to Soil Solutions. Journal of Environmental Quality, 1995, 24, 183-190.	2.0	128
299	Comparison of <i>aqua regia</i> digestion with sodium carbonate fusion for the determination of total phosphorus in soils by inductively coupled plasma atomic emission spectroscopy (ICP). Communications in Soil Science and Plant Analysis, 1995, 26, 1357-1368.	1.4	84
300	The Importance of Long and Short-Term Air-Soil Exchanges of Organic Contaminants. International Journal of Environmental Analytical Chemistry, 1995, 59, 167-178.	3.3	9
301	Chlorobenzenes in field soil with a history of multiple sewage sludge applications. Environmental Science & Technology, 1995, 29, 356-362.	10.0	42
302	PCDD/Fs and non-o-PCBs in digested U.K. sewage sludges. Chemosphere, 1995, 30, 51-67.	8.2	44
303	Influence of EDTA complexation on plant uptake of manganese (II). Plant Science, 1995, 109, 231-235.	3.6	14
304	Chromium and Nickel. , 1995, , 152-178.		78
305	Effects of pH and heavy metal concentrations in solution culture on the proton release, growth and elemental composition ofAlyssum murale andRaphanus sativus L Plant and Soil, 1994, 166, 83-92.	3.7	63
306	Extractable sulphate and organic sulphur in soils and their availability to plants. Plant and Soil, 1994, 164, 243-250.	3.7	126

#	Article	IF	CITATIONS
307	Comparison of the chemical changes in the rhizosphere of the nickel hyperaccumulator Alyssum murale with the non-accumulator Raphanus sativus. Plant and Soil, 1994, 164, 251-259.	3.7	82
308	The possibility of in situ heavy metal decontamination of polluted soils using crops of metal-accumulating plants. Resources, Conservation and Recycling, 1994, 11, 41-49.	10.8	562
309	Comparison of three wet digestion methods for the determination of plant sulphur by inductively coupled plasma atomic emission spectroscopy (ICPâ€AES). Communications in Soil Science and Plant Analysis, 1994, 25, 407-418.	1.4	288
310	Comparison of sulphur uptake by oilseed rape and the soil sulphur status of two adjacent fields with different soil series. Soil Use and Management, 1994, 10, 47-50.	4.9	11
311	Applications of fertilizer cations affect cadmium and zinc concentrations in soil solutions and uptake by plants. European Journal of Soil Science, 1994, 45, 159-165.	3.9	116
312	Differences between soil solutions obtained from rhizosphere and non-rhizosphere soils by water displacement and soil centrifugation. European Journal of Soil Science, 1994, 45, 431-438.	3.9	74
313	Land application of sewage sludge: scientific perspectives of heavy metal loading limits in Europe and the United States. Environmental Reviews, 1994, 2, 108-118.	4.5	182
314	Long-term effects of metal contamination on soil microorganisms. Soil Biology and Biochemistry, 1994, 26, 421-422.	8.8	13
315	Modelling the Effect of Cultivation on the Dispersion of Pollutants in Soil. Journal of the Royal Statistical Society: Series D (the Statistician), 1994, 43, 537.	0.2	2
316	SCI agriculture and environmetn group symposium. Use and value of organic materials in agriculture. Journal of the Science of Food and Agriculture, 1993, 63, 97-132.	3.5	1
317	Heavy metals from past applications of sewage sludge decrease the genetic diversity of rhizobium leguminosarum biovar trifolii populations. Soil Biology and Biochemistry, 1993, 25, 1485-1490.	8.8	99
318	Rhizobium meliloti is less sensitive to heavy-metal contamination in soil than R. leguminosarum bv. trifolii or R. loti. Soil Biology and Biochemistry, 1993, 25, 273-278.	8.8	40
319	Enumeration of indigenous Rhizobium leguminosarum biovar Trifolii in soils previously treated with metal-contaminated sewage sludge. Soil Biology and Biochemistry, 1993, 25, 301-309.	8.8	184
320	Inoculation effects on legumes grown in soil previously treated with sewage sludge. Soil Biology and Biochemistry, 1993, 25, 575-580.	8.8	38
321	Screening of isolates and strains of <i>Rhizobium leguminosarum</i> biovar <i>Trifolii</i> for heavy metal resistance using buffered media. Environmental Toxicology and Chemistry, 1993, 12, 1643-1651.	4.3	12
322	Long-term changes in the polychlorinated biphenyl content of United Kingdom soils. Environmental Science & Technology, 1993, 27, 1918-1923.	10.0	132
323	The Potential for the Use of Metal-Accumulating Plants for the in Situ Decontamination of Metal-Polluted Soils. Soil & Environment, 1993, , 673-676.	0.0	105
324	An Interlaboratory Comparison of a Standardised EDTA Extraction Procedure for the Analysis of Available Trace Elements in Two Quality Control Soils. International Journal of Environmental Analytical Chemistry, 1993, 51, 153-160.	3.3	15

#	Article	IF	CITATIONS
325	Soil Quality in Relation to Agricultural Uses. Soil & Environment, 1993, , 187-200.	0.0	11
326	SCREENING OF ISOLATES AND STRAINS OF RHIZOBIUMLEGUMINOSARUM BIOVAR TRIFOLII FOR HEAVY METAL RESISTANCE USING BUFFERED MEDIA. Environmental Toxicology and Chemistry, 1993, 12, 1643.	4.3	13
327	The chlorobenzene content of archived sewage sludges. Science of the Total Environment, 1992, 121, 159-175.	8.0	16
328	Contact uptake of metal compounds and their molluscicidal effect on the field slug, Deroceras reticulatum (Müller) (Pulmonata: Limacidae). Crop Protection, 1992, 11, 329-334.	2.1	12
329	Polynuclear aromatic hydrocarbons in crops from long-term field experiments amended with sewage sludge. Environmental Pollution, 1992, 76, 25-32.	7.5	89
330	Survival of the indigenous population of rhizobium leguminosarum biovar trifolii in soil spiked with Cd, Zn, Cu and Ni salts. Soil Biology and Biochemistry, 1992, 24, 625-632.	8.8	95
331	Assessment of free-living nitrogen fixation activity as a biological indicator of heavy metal toxicity in soil. Soil Biology and Biochemistry, 1992, 24, 601-606.	8.8	61
332	Metal tolerance of isolates of Rhizobium leguminosarum biovar Trifolii from soil contaminated by past applications of sewage sludge. Soil Biology and Biochemistry, 1992, 24, 83-88.	8.8	59
333	Effects of media components on toxicity of Cd to rhizobia. Water, Air, and Soil Pollution, 1992, 64, 627-633.	2.4	20
334	Chemical extractability of heavy metals during and after long-term applications of sewage sludge to soil. Journal of Soil Science, 1992, 43, 313-321.	1.2	245
335	Influence of Complexation on the Uptake by Plants of Iron, Manganese, Copper and Zinc. Journal of Experimental Botany, 1991, 42, 509-513.	4.8	71
336	Studies of the distribution and bioavailability of soil zinc fractions. Journal of the Science of Food and Agriculture, 1991, 57, 325-334.	3.5	9
337	Influence of Complexation on the Uptake by Plants of Iron, Manganese, Copper and Zinc. Journal of Experimental Botany, 1991, 42, 515-519.	4.8	34
338	New Culture Medium Containing Ionic Concentrations of Nutrients Similar to Concentrations Found in the Soil Solution. Applied and Environmental Microbiology, 1991, 57, 3674-3676.	3.1	82
339	Mycorrhizal infection of clover is delayed in soils contaminated with heavy metals from past sewage sludge applications. Soil Biology and Biochemistry, 1990, 22, 871-873.	8.8	94
340	Predicting the lime requirement of soils under permanent grassland and arable crops. Soil Use and Management, 1989, 5, 54-58.	4.9	33
341	An explanation for the apparent losses of metals in a long-term field experiment with sewage sludge. Environmental Pollution, 1989, 60, 235-256.	7.5	130
342	Absence of nitrogen fixation in clover grown on soil subject to long-term contamination with heavy metals is due to survival of only ineffective Rhizobium. Soil Biology and Biochemistry, 1989, 21, 841-848.	8.8	172

#	Article	IF	CITATIONS
343	Pollution by toxic metals on agricultural soils. Nature, 1988, 335, 676-676.	27.8	34
344	The effects of soil organic matter levels on soil solution concentrations and extractabilities of manganese, zinc and copper. Geoderma, 1988, 42, 177-188.	5.1	121
345	Effects of potentially toxic metals in soil derived from past applications of sewage sludge on nitrogen fixation by trifolium repens L. Soil Biology and Biochemistry, 1988, 20, 415-424.	8.8	204
346	Experimental measurements and computer predictions of copper complex formation by soluble soil organic matter. Environmental Pollution, 1988, 49, 63-76.	7.5	7
347	Adenylate energy charge in metal-contaminated soil. Soil Biology and Biochemistry, 1987, 19, 219-220.	8.8	24
348	Zinc, copper and nickel concentrations in soil extracts and crops grown on four soils treated with metalloaded sewage sludges. Environmental Pollution, 1987, 44, 193-210.	7.5	71
349	A survey of the sulphur content of wheat grown in Britain. Journal of the Science of Food and Agriculture, 1987, 38, 151-166.	3.5	21
350	Computerized quality control, statistics and regional mapping of the concentrations of trace and major elements in the soil of England and Wales. Soil Use and Management, 1987, 3, 31-38.	4.9	11
351	The use of acid insoluble residue to correct for the presence of soil-derived metals in the gut of earthworms used as bio-indicator organisms. Environmental Pollution Series A, Ecological and Biological, 1986, 42, 233-246.	0.7	18
352	Experimental determinations and computer predictions of trace metal ion concentrations in dilute complex solutions. Analyst, The, 1986, 111, 459.	3.5	29
353	Metal residues in soils previously treated with sewage-sludge and their effects on growth and nitrogen fixation by blue-green algae. Soil Biology and Biochemistry, 1986, 18, 345-353.	8.8	86
354	Soil microbial biomass estimates in soils contaminated with metals. Soil Biology and Biochemistry, 1986, 18, 383-388.	8.8	68
355	Zinc, copper and nickel concentrations in ryegrass grown on sewage sludge-contaminated soils of different pH. Journal of the Science of Food and Agriculture, 1986, 37, 961-968.	3.5	70
356	A simplified method for the extraction of the metals Fe, Zn, Cu, Ni, Cd, Pb, Cr, Co and Mn from soils and sewage sludges. Journal of the Science of Food and Agriculture, 1985, 36, 794-798.	3.5	531
357	The effects of increasing yields on the macro- and microelement concentrations and offtakes in the grain of winter wheat. Journal of the Science of Food and Agriculture, 1985, 36, 1073-1083.	3.5	39
358	Metal concentrations in sludges and soil from a long-term field trial. Journal of Agricultural Science, 1984, 103, 25-35.	1.3	79
359	Effect of metal toxicity on the size of the soil microbial biomass. Journal of Soil Science, 1984, 35, 341-346.	1.2	359
360	A comparison of the extractabilities of Zn, Cu, Ni and Cr from sewage sludges prepared by treating raw sewage with the metal salts before or after anaerobic digestion. Environmental Pollution Series B: Chemical and Physical, 1982, 3, 193-198.	0.7	13

#	Article	IF	CITATIONS
361	THE INFLUENCE OF NITROGEN SOURCE ON THE TOLERANCE OF HOLCUS LANATUS L.* AND BROMUS ERECTUS HUDS. TO MANGANESE. New Phytologist, 1982, 91, 443-452.	7.3	30
362	THE UPTAKE AND TRANSLOCATION OF TRI-AND HEXA-VALENT CHROMIUM AND EFFECTS ON THE GROWTH OF OAT IN FLOWING NUTRIENT SOLUTION AND IN SOIL. New Phytologist, 1982, 92, 381-390.	7.3	61
363	The effects of interactions between cadmium and aluminium on the growth of two metal-tolerant races of Holcus lanatus L. Environmental Pollution Series A, Ecological and Biological, 1980, 23, 267-277.	0.7	14