

# David M Glover

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7638935/publications.pdf>

Version: 2024-02-01

92  
papers

8,981  
citations

36303

51  
h-index

54911

84  
g-index

97  
all docs

97  
docs citations

97  
times ranked

7607  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutations in aurora prevent centrosome separation leading to the formation of monopolar spindles. <i>Cell</i> , 1995, 81, 95-105.	28.9	752
2	<i>Drosophila</i> Aurora B Kinase Is Required for Histone H3 Phosphorylation and Condensin Recruitment during Chromosome Condensation and to Organize the Central Spindle during Cytokinesis. <i>Journal of Cell Biology</i> , 2001, 152, 669-682.	5.2	590
3	Polo-like kinases: conservation and divergence in their functions and regulation. <i>Nature Reviews Molecular Cell Biology</i> , 2009, 10, 265-275.	37.0	554
4	<i>Drosophila</i> Aurora A kinase is required to localize D-TACC to centrosomes and to regulate astral microtubules. <i>Journal of Cell Biology</i> , 2002, 156, 437-451.	5.2	302
5	Asterless is a scaffold for the onset of centriole assembly. <i>Nature</i> , 2010, 467, 714-718.	27.8	275
6	Self-assembly of embryonic and two extra-embryonic stem cell types into gastrulating embryo-like structures. <i>Nature Cell Biology</i> , 2018, 20, 979-989.	10.3	248
7	The SCF/Slimb Ubiquitin Ligase Limits Centrosome Amplification through Degradation of SAK/PLK4. <i>Current Biology</i> , 2009, 19, 43-49.	3.9	226
8	The 55 kd regulatory subunit of <i>Drosophila</i> protein phosphatase 2A is required for anaphase. <i>Cell</i> , 1993, 72, 621-633.	28.9	225
9	Structured illumination of the interface between centriole and peri-centriolar material. <i>Open Biology</i> , 2012, 2, 120104.	3.6	225
10	twine, a cdc25 homolog that functions in the male and female germline of <i>drosophila</i> . <i>Cell</i> , 1992, 69, 977-988.	28.9	219
11	The Centrosome and Its Duplication Cycle. <i>Cold Spring Harbor Perspectives in Biology</i> , 2015, 7, a015800.	5.5	203
12	Arrangements and rearrangements of sequences flanking the two types of rDNA insertion in <i>D. melanogaster</i> . <i>Nature</i> , 1981, 290, 749-754.	27.8	194
13	The dissociation of nuclear and centrosomal division in <i>gnu</i> , a mutation causing giant nuclei in <i>Drosophila</i> . <i>Cell</i> , 1986, 46, 457-468.	28.9	181
14	Centrosomes, and not nuclei, initiate pole cell formation in <i>Drosophila</i> embryos. <i>Cell</i> , 1989, 57, 611-619.	28.9	172
15	DSAS-6 Organizes a Tube-like Centriole Precursor, and Its Absence Suggests Modularity in Centriole Assembly. <i>Current Biology</i> , 2007, 17, 1465-1472.	3.9	172
16	Self-Organization of Mouse Stem Cells into an Extended Potential Blastoid. <i>Developmental Cell</i> , 2019, 51, 698-712.e8.	7.0	157
17	Abnormal Spindle Protein, Asp, and the Integrity of Mitotic Centrosomal Microtubule Organizing Centers. <i>Science</i> , 1999, 283, 1733-1735.	12.6	156
18	Plk4 Phosphorylates Ana2 to Trigger Sas6 Recruitment and Procentriole Formation. <i>Current Biology</i> , 2014, 24, 2526-2532.	3.9	152

#	ARTICLE	IF	CITATIONS
19	<i>P</i> -Element Insertion Alleles of Essential Genes on the Third Chromosome of <i>Drosophila melanogaster</i> Correlation of Physical and Cytogenetic Maps in Chromosomal Region 86E-87F. <i>Genetics</i> , 1997, 147, 1697-1722.	2.9	152
20	Homologous regions of Fen1 and p21Cip1 compete for binding to the same site on PCNA: a potential mechanism to co-ordinate DNA replication and repair. <i>Oncogene</i> , 1997, 14, 2313-2321.	5.9	151
21	The <i>Drosophila</i> Gene abnormal spindle Encodes a Novel Microtubule-associated Protein That Associates with the Polar Regions of the Mitotic Spindle. <i>Journal of Cell Biology</i> , 1997, 137, 881-890.	5.2	142
22	Mutations in orbit/mast reveal that the central spindle is comprised of two microtubule populations, those that initiate cleavage and those that propagate furrow ingression. <i>Journal of Cell Biology</i> , 2004, 166, 49-60.	5.2	139
23	A conserved mitotic kinase active at late anaphase–telophase in syncytial <i>Drosophila</i> embryos. <i>Nature</i> , 1993, 363, 637-640.	27.8	137
24	Transcripts of one of two <i>Drosophila</i> cyclin genes become localized in pole cells during embryogenesis. <i>Nature</i> , 1989, 338, 337-340.	27.8	132
25	Over-expression of Plk4 induces centrosome amplification, loss of primary cilia and associated tissue hyperplasia in the mouse. <i>Open Biology</i> , 2015, 5, 150209.	3.6	130
26	Conserved molecular interactions in centriole-to-centrosome conversion. <i>Nature Cell Biology</i> , 2016, 18, 87-99.	10.3	121
27	Molecular Analysis of Core Kinetochores Composition and Assembly in <i>Drosophila melanogaster</i> . <i>PLoS ONE</i> , 2007, 2, e478.	2.5	119
28	Polo kinase and Asp are needed to promote the mitotic organizing activity of centrosomes. <i>Nature Cell Biology</i> , 2001, 3, 421-424.	10.3	117
29	Establishment of Centromeric Chromatin by the CENP-A Assembly Factor CAL1 Requires FACT-Mediated Transcription. <i>Developmental Cell</i> , 2015, 34, 73-84.	7.0	113
30	The mitotic roles of Polo-like kinase. <i>Journal of Cell Science</i> , 2001, 114, 2357-2358.	2.0	108
31	CARM1 is Required in Embryonic Stem Cells to Maintain Pluripotency and Resist Differentiation. <i>Stem Cells</i> , 2009, 27, 2637-2645.	3.2	101
32	Metaphase Arrest with Centromere Separation in polo Mutants of <i>Drosophila</i> . <i>Journal of Cell Biology</i> , 2001, 153, 663-676.	5.2	100
33	Mutations in <i>Drosophila</i> Greatwall/Scant Reveal Its Roles in Mitosis and Meiosis and Interdependence with Polo Kinase. <i>PLoS Genetics</i> , 2007, 3, e200.	3.5	95
34	The RNA binding protein Larp1 regulates cell division, apoptosis and cell migration. <i>Nucleic Acids Research</i> , 2010, 38, 5542-5553.	14.5	94
35	Polo kinase and progression through M phase in <i>Drosophila</i> : a perspective from the spindle poles. <i>Oncogene</i> , 2005, 24, 230-237.	5.9	85
36	The SCF ubiquitin ligase protein Slimb regulates centrosome duplication in <i>Drosophila</i> . <i>Current Biology</i> , 2000, 10, 1131-1134.	3.9	83

#	ARTICLE	IF	CITATIONS
37	A requirement for the Abnormal Spindle protein to organise microtubules of the central spindle for cytokinesis in <i>Drosophila</i> . <i>Journal of Cell Science</i> , 2002, 115, 913-922.	2.0	82
38	CARM1 and Paraspeckles Regulate Pre-implantation Mouse Embryo Development. <i>Cell</i> , 2018, 175, 1902-1916.e13.	28.9	78
39	The chromosome passenger complex is required for fidelity of chromosome transmission and cytokinesis in meiosis of mouse oocytes. <i>Journal of Cell Science</i> , 2010, 123, 4292-4300.	2.0	77
40	Insight into the Architecture of the NuRD Complex. <i>Journal of Biological Chemistry</i> , 2014, 289, 21844-21855.	3.4	75
41	<i>Drosophila</i> Larp associates with poly(A)-binding protein and is required for male fertility and syncytial embryo development. <i>Developmental Biology</i> , 2009, 334, 186-197.	2.0	73
42	The Centrioles, Centrosomes, Basal Bodies, and Cilia of <i>Drosophila melanogaster</i> . <i>Genetics</i> , 2017, 206, 33-53.	2.9	73
43	Expression of SARS-CoV-2 receptor <i>ACE2</i> and the protease <i>TMPRSS2</i> suggests susceptibility of the human embryo in the first trimester. <i>Open Biology</i> , 2020, 10, 200162.	3.6	71
44	RacGAP50C is sufficient to signal cleavage furrow formation during cytokinesis. <i>Journal of Cell Science</i> , 2006, 119, 4402-4408.	2.0	68
45	Sequestration of Polo kinase to microtubules by phosphopriming-independent binding to Map205 is relieved by phosphorylation at a CDK site in mitosis. <i>Genes and Development</i> , 2008, 22, 2707-2720.	5.9	67
46	From centriole biogenesis to cellular function: Centrioles are essential for cell division at critical developmental stages. <i>Cell Cycle</i> , 2008, 7, 11-16.	2.6	67
47	Spindle Formation in the Mouse Embryo Requires Plk4 in the Absence of Centrioles. <i>Developmental Cell</i> , 2013, 27, 586-597.	7.0	63
48	Two-step phosphorylation of Ana2 by Plk4 is required for the sequential loading of Ana2 and Sas6 to initiate procentriole formation. <i>Open Biology</i> , 2017, 7, 170247.	3.6	63
49	Mouse polo-like kinase 1 associates with the acentriolar spindle poles, meiotic chromosomes and spindle midzone during oocyte maturation. <i>Chromosoma</i> , 1998, 107, 430-439.	2.2	61
50	The <i>Drosophila</i> <i>mus101</i> Gene, Which Links DNA Repair, Replication and Condensation of Heterochromatin in Mitosis, Encodes a Protein With Seven BRCA1 C-Terminus Domains. <i>Genetics</i> , 2000, 156, 711-721.	2.9	59
51	Mutation of a <i>Drosophila</i> gamma tubulin ring complex subunit encoded by discs degenerate-4 differentially disrupts centrosomal protein localization. <i>Genes and Development</i> , 2000, 14, 3126-3139.	5.9	58
52	Plk4 and Aurora A cooperate in the initiation of acentriolar spindle assembly in mammalian oocytes. <i>Journal of Cell Biology</i> , 2017, 216, 3571-3590.	5.2	58
53	The overlooked greatwall: a new perspective on mitotic control. <i>Open Biology</i> , 2012, 2, 120023.	3.6	56
54	Suppression of Scant Identifies Endos as a Substrate of Greatwall Kinase and a Negative Regulator of Protein Phosphatase 2A in Mitosis. <i>PLoS Genetics</i> , 2011, 7, e1002225.	3.5	55

#	ARTICLE	IF	CITATIONS
55	Klp10A, a Microtubule-Depolymerizing Kinesin-13, Cooperates with CP110 to Control <i>Drosophila</i> Centriole Length. <i>Current Biology</i> , 2012, 22, 502-509.	3.9	54
56	Maternal-zygotic knockout reveals a critical role of Cdx2 in the morula to blastocyst transition. <i>Developmental Biology</i> , 2015, 398, 147-152.	2.0	48
57	Targeting of Fzr/Cdh1 for timely activation of the APC/C at the centrosome during mitotic exit. <i>Nature Communications</i> , 2016, 7, 12607.	12.8	38
58	Centromeric binding and activity of Protein Phosphatase 4. <i>Nature Communications</i> , 2015, 6, 5894.	12.8	37
59	Rab1 interacts with GOLPH3 and controls Golgi structure and contractile ring constriction during cytokinesis in <i>Drosophila melanogaster</i> . <i>Open Biology</i> , 2017, 7, 160257.	3.6	35
60	The Dawn of Aurora Kinase Research: From Fly Genetics to the Clinic. <i>Frontiers in Cell and Developmental Biology</i> , 2015, 3, 73.	3.7	34
61	Isolation of Protein Complexes Involved in Mitosis and Cytokinesis from <i>Drosophila</i> Cultured Cells. <i>Methods in Molecular Biology</i> , 2009, 545, 99-112.	0.9	34
62	Mutations in New Cell Cycle Genes That Fail to Complement a Multiply Mutant Third Chromosome of <i>Drosophila</i> . <i>Genetics</i> , 1996, 144, 1097-1111.	2.9	32
63	Mutual Correction of Faulty PCNA Subunits in Temperature-Sensitive Lethal <i>mus209</i> Mutants of <i>Drosophila melanogaster</i> . <i>Genetics</i> , 2000, 154, 1721-1733.	2.9	32
64	giant nuclei essential in the cell cycle transition from meiosis to mitosis. <i>Development (Cambridge)</i> , 2003, 130, 2997-3005.	2.5	29
65	The Pentameric Nucleoplasmin Fold Is Present in <i>Drosophila</i> FKBP39 and a Large Number of Chromatin-Related Proteins. <i>Journal of Molecular Biology</i> , 2015, 427, 1949-1963.	4.2	29
66	Interactions between mgr , asp , and polo : asp function modulated by polo and needed to maintain the poles of monopolar and bipolar spindles. <i>Chromosoma</i> , 1998, 107, 452-460.	2.2	28
67	Constitutive regulation of mitochondrial morphology by Aurora A kinase depends on a predicted cryptic targeting sequence at the N-terminus. <i>Open Biology</i> , 2018, 8, .	3.6	25
68	A New Genetic Method for Isolating Functionally Interacting Genes: High plo1+-Dependent Mutants and Their Suppressors Define Genes in Mitotic and Septation Pathways in Fission Yeast. <i>Genetics</i> , 2000, 155, 1521-1534.	2.9	24
69	Network of protein interactions within the <i>Drosophila</i> inner kinetochore. <i>Open Biology</i> , 2016, 6, 150238.	3.6	22
70	Analysis of the <i>Drosophila</i> rDNA promoter by transient expression. <i>Nucleic Acids Research</i> , 1988, 16, 4253-4268.	14.5	19
71	Novel perspectives of target-binding by the evolutionarily conserved PP4 phosphatase. <i>Open Biology</i> , 2020, 10, 200343.	3.6	19
72	Inhibition of Polo kinase by BI2536 affects centriole separation during <i>Drosophila</i> male meiosis. <i>Cell Cycle</i> , 2014, 13, 2064-2263.	2.6	18

#	ARTICLE	IF	CITATIONS
73	Affinity Purification of Protein Complexes from Drosophila Embryos in Cell Cycle Studies. <i>Methods in Molecular Biology</i> , 2014, 1170, 571-588.	0.9	17
74	Gorab is a Golgi protein required for structure and duplication of Drosophila centrioles. <i>Nature Genetics</i> , 2018, 50, 1021-1031.	21.4	15
75	Differing requirements for Augmin in male meiotic and mitotic spindle formation in <i>Drosophila</i> . <i>Open Biology</i> , 2014, 4, 140047.	3.6	12
76	Mauve/LYST limits fusion of lysosome-related organelles and promotes centrosomal recruitment of microtubule nucleating proteins. <i>Developmental Cell</i> , 2021, 56, 1000-1013.e6.	7.0	11
77	Aurora A on the Mitotic Spindle Is Activated by the Way It Holds Its Partner. <i>Molecular Cell</i> , 2003, 12, 797-799.	9.7	9
78	Girds <i>actin</i> cleeks o' cytokinesis: microtubule sticks and contractile hoops in cell division. <i>Biochemical Society Transactions</i> , 2008, 36, 400-404.	3.4	5
79	DAPPER: a data-mining resource for protein-protein interactions. <i>BioData Mining</i> , 2015, 8, 30.	4.0	5
80	The dimeric Golgi protein Gorab binds to Sas6 as a monomer to mediate centriole duplication. <i>ELife</i> , 2021, 10, .	6.0	5
81	Tissue specific requirement of Drosophila Rcd4 for centriole duplication and ciliogenesis. <i>Journal of Cell Biology</i> , 2020, 219, .	5.2	5
82	Does prepatterning occur in the mouse egg? (Reply). <i>Nature</i> , 2006, 442, E4-E4.	27.8	3
83	Interaction interface in the C-terminal parts of centriole proteins Sas6 and Ana2. <i>Open Biology</i> , 2020, 10, 200221.	3.6	3
84	THE CENTROSOME CYCLE. <i>Biochemical Society Transactions</i> , 1996, 24, 507S-507S.	3.4	0
85	A new world for Open Biology. <i>Open Biology</i> , 2017, 7, 170002.	3.6	0
86	Reviewers in 2016. <i>Open Biology</i> , 2017, 7, 170092.	3.6	0
87	New Year's revolution. <i>Open Biology</i> , 2018, 8, 180005.	3.6	0
88	2018: a year in review for Open Biology. <i>Open Biology</i> , 2019, 9, 190015.	3.6	0
89	Reviewers in 2018. <i>Open Biology</i> , 2019, 9, 190032.	3.6	0
90	Open Biology in a new decade. <i>Open Biology</i> , 2020, 10, 200025.	3.6	0

#	ARTICLE	IF	CITATIONS
91	Mutations in Drosophila Greatwall/Scant reveal its roles in mitosis and meiosis and interdependence with Polo kinase. PLoS Genetics, 2005, preprint, e200.	3.5	0
92	Aurora C Promotes Condensation and Separation of Homologues in Meiosis I of Mouse Oocytes.. Biology of Reproduction, 2008, 78, 192-192.	2.7	0