

# Lars Bjerrum

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7645167/publications.pdf>

Version: 2024-02-01

133  
papers

4,188  
citations

147801

31  
h-index

133252

59  
g-index

146  
all docs

146  
docs citations

146  
times ranked

5377  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Antibiotic treatment of community-acquired pneumonia: A questionnaire survey in Danish general practice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 130, 151-157.  | 2.5  | 1         |
| 2  | Influence of Antimicrobial Resistance on the Course of Symptoms in Female Patients Treated for Uncomplicated Cystitis Caused by <i>Escherichia coli</i> . <i>Antibiotics</i> , 2022, 11, 188.   | 3.7  | 3         |
| 3  | Use and quality of point-of-care microscopy, urine culture and susceptibility testing for urinalysis in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2022, 40, 3-10.  | 1.5  | 3         |
| 4  | The Procalcitonin-guided Antibiotics in Respiratory Infections (PARI) project in general practice – a study protocol. , 2022, 23, 43.   |      | 1         |
| 5  | Clinical presentation, microbiological aetiology and disease course in patients with flu-like illness: a post hoc analysis of randomised controlled trial data. <i>British Journal of General Practice</i> , 2022, 72, e217-e224.   | 1.4  | 3         |
| 6  | Health alliance for prudent prescribing and yield of antibiotics in a patient-centred perspective (HAPPY) Tj ETQq0 0 0 rgBT /Overlock 10 T  |      | 4         |
| 7  | OUP accepted manuscript. <i>Family Practice</i> , 2021, , .   | 1.9  | 0         |
| 8  | Trend in antibiotic prescription to children aged 0-6 years old in the capital region of Denmark between 2009 and 2018: Differences between municipalities and association with socioeconomic composition. <i>European Journal of General Practice</i> , 2021, 27, 257-263. | 2.0  | 1         |
| 9  | Similarities and Differences between Danish and American Physicians – Religious Characteristics and Clinical Communication: Two Cross-Sectional Surveys. <i>Religions</i> , 2021, 12, 116.  | 0.6  | 2         |
| 10 | Danish GPs – Experiences When Managing Patients Presenting to General Practice with Symptoms of Acute Lower Respiratory Tract Infections: A Qualitative Study. <i>Antibiotics</i> , 2021, 10, 661.  | 3.7  | 2         |
| 11 | Effectiveness of a tailored intervention to reduce antibiotics for urinary tract infections in nursing home residents: a cluster, randomised controlled trial. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1549-1556.  | 9.1  | 24        |
| 12 | Correlation between Previous Antibiotic Exposure and COVID-19 Severity. A Population-Based Cohort Study. <i>Antibiotics</i> , 2021, 10, 1364.   | 3.7  | 17        |
| 13 | Antibiotic prescribing in Danish general practice in the elderly population from 2010 to 2017. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 498-505.  | 1.5  | 8         |
| 14 | Use of point-of-care tests and antibiotic prescribing in sore throat and lower respiratory infections by general practitioners. <i>Enfermedades Infecciosas Y Microbiología Clínica</i> , 2020, 38, 21-24.  | 0.5  | 4         |
| 15 | Oseltamivir plus usual care versus usual care for influenza-like illness in primary care: an open-label, pragmatic, randomised controlled trial. <i>Lancet</i> , The, 2020, 395, 42-52.   | 13.7 | 85        |
| 16 | Development of a Tailored, Complex Intervention for Clinical Reflection and Communication about Suspected Urinary Tract Infections in Nursing Home Residents. <i>Antibiotics</i> , 2020, 9, 360.  | 3.7  | 7         |
| 17 | Short- vs. Long-Course Antibiotic Treatment for Acute Streptococcal Pharyngitis: Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Antibiotics</i> , 2020, 9, 733.  | 3.7  | 14        |
| 18 | Predicting the use of antibiotics after initial symptomatic treatment of an uncomplicated urinary tract infection: analyses performed after a randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035074.   | 1.9  | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Use of point-of-care tests and antibiotic prescribing in sore throat and lower respiratory infections by general practitioners. <i>Enfermedades Infecciosas Y Microbiologia Clinica (English Ed )</i> , 2020, 38, 21-24.                                 | 0.3 | 0         |
| 20 | Association Between Danish Physicians' Religiosity and Spirituality and Their Attitudes Toward End-of-Life Procedures. <i>Journal of Religion and Health</i> , 2020, 59, 2654-2663.  | 1.7 | 9         |
| 21 | Availability of point-of-care culture and microscopy in general practice - does it lead to more appropriate use of antibiotics in patients with suspected urinary tract infection?. <i>European Journal of General Practice</i> , 2020, 26, 175-181.     | 2.0 | 5         |
| 22 | Reducing Antibiotic Prescriptions for Urinary Tract Infection in Nursing Homes Using a Complex Tailored Intervention Targeting Nursing Home Staff: Protocol for a Cluster Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17710. | 1.0 | 7         |
| 23 | Characteristics of Religious and Spiritual Beliefs of Danish Physicians: And Likelihood of Addressing Religious and Spiritual Issues with Patients. <i>Journal of Religion and Health</i> , 2019, 58, 333-342.   | 1.7 | 12        |
| 24 | Three versus five days of pivmecillinam for community-acquired uncomplicated lower urinary tract infection: A randomised, double-blind, placebo-controlled superiority trial. <i>EClinicalMedicine</i> , 2019, 12, 62-69.                                | 7.1 | 10        |
| 25 | Is CRP-guided antibiotic treatment a safe way to reduce antibiotic use in severe hospitalised patients with exacerbations of COPD?. <i>European Respiratory Journal</i> , 2019, 54, 1901405.   | 6.7 | 0         |
| 26 | Reducing antibiotic prescribing for lower respiratory tract infections 6 years after a multifaceted intervention. <i>International Journal of Clinical Practice</i> , 2019, 73, e13312.  | 1.7 | 2         |
| 27 | Short-course vs long-course antibiotic treatment for community-acquired pneumonia: A literature review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 550-559.  | 2.5 | 11        |
| 28 | Pivmecillinam for Uncomplicated Lower Urinary Tract Infections Caused by <i>Staphylococcus saprophyticus</i> : Cumulative Observational Data from Four Recent Clinical Studies. <i>Antibiotics</i> , 2019, 8, 57.  | 3.7 | 7         |
| 29 | General practitioners' opinions and perceptions about antibiotic use for respiratory tract infections in primary care. <i>Atencion Primaria</i> , 2019, 51, 460-461.   | 1.4 | 0         |
| 30 | Antibiotic Prescribing for Respiratory Tract Infections and Encounter Length. <i>Annals of Internal Medicine</i> , 2019, 171, 149.   | 3.9 | 0         |
| 31 | Effectiveness and cost-effectiveness of Improving clinicians' diagnostic and communication Skills on Antibiotic prescribing Appropriateness in patients with acute Cough in primary care in CATalonia (the Tj ETQq1 1 0.784314 kgBT /Ov                  | 1.7 | 14        |
| 32 | Are previous episodes of bacterial vaginosis a predictor for vaginal symptoms in breast cancer patients treated with aromatase inhibitors?. <i>Post Reproductive Health</i> , 2018, 24, 67-71.   | 0.9 | 0         |
| 33 | Short courses of penicillin for streptococcal pharyngitis are not supported by the evidence. <i>Family Practice</i> , 2018, 35, 228-229.   | 1.9 | 1         |
| 34 | Long-term effect of a practice-based intervention (HAPPY AUDIT) aimed at reducing antibiotic prescribing in patients with respiratory tract infections. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2215-2222.                              | 3.0 | 11        |
| 35 | General Practitioners' Views on the Acceptability and Applicability of Using Quality Indicators as an Intervention to Reduce Unnecessary Prescription of Antibiotics in Four South American Countries. <i>Antibiotics</i> , 2018, 7, 57.                 | 3.7 | 5         |
| 36 | Quality assessment in general practice: diagnosis and antibiotic treatment of acute respiratory tract infections. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 372-379.  | 1.5 | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Comparison of antibiotic prescribing and antimicrobial resistance in urinary tract infections at the municipal level among women in two Nordic regions. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 2207-2214.                          | 3.0 | 8         |
| 38 | Ibuprofen versus pivmecillinam for uncomplicated urinary tract infection in women—A double-blind, randomized non-inferiority trial. <i>PLoS Medicine</i> , 2018, 15, e1002569.   | 8.4 | 88        |
| 39 | Use of diagnostic tests and the appropriateness of the treatment decision in patients with suspected urinary tract infection in primary care in Denmark—a observational study. <i>BMC Family Practice</i> , 2018, 19, 65.                            | 2.9 | 16        |
| 40 | Microbiological point of care testing before antibiotic prescribing in primary care: considerable variations between practices. <i>BMC Family Practice</i> , 2017, 18, 9.  | 2.9 | 30        |
| 41 | Identifying practice-related factors for high-volume prescribers of antibiotics in Danish general practice. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2385-2391.  | 3.0 | 28        |
| 42 | Characterisation of antibiotic prescriptions for acute respiratory tract infections in Danish general practice: a retrospective registry based cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2017, 27, 37.                            | 2.6 | 32        |
| 43 | Quality indicators for the diagnosis and antibiotic treatment of acute respiratory tract infections in general practice: a RAND Appropriateness Method. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 192-200.                      | 1.5 | 14        |
| 44 | Clinical accuracy of point-of-care urine culture in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 170-177.  | 1.5 | 12        |
| 45 | Effect of point-of-care susceptibility testing in general practice on appropriate prescription of antibiotics for patients with uncomplicated urinary tract infection: a diagnostic randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e018028. | 1.9 | 16        |
| 46 | Development of the EMAP tool facilitating existential communication between general practitioners and cancer patients. <i>European Journal of General Practice</i> , 2017, 23, 261-268.  | 2.0 | 16        |
| 47 | Delayed antibiotic prescription for upper respiratory tract infections in children under primary care: Physicians' views. <i>European Journal of General Practice</i> , 2017, 23, 191-196.   | 2.0 | 14        |
| 48 | Clinical indications for antibiotic use in Danish general practice: results from a nationwide electronic prescription database. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 162-169.  | 1.5 | 38        |
| 49 | Antibiotic prescriptions for suspected respiratory tract infection in primary care in South America. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 305-310.   | 3.0 | 16        |
| 50 | Decreasing Inappropriate Use of Antibiotics in Primary Care in Four Countries in South America—Cluster Randomized Controlled Trial. <i>Antibiotics</i> , 2017, 6, 38.  | 3.7 | 8         |
| 51 | Prevalence of antimicrobial resistant <i>Escherichia coli</i> from patients with suspected urinary tract infection in primary care, Denmark. <i>BMC Infectious Diseases</i> , 2017, 17, 670.   | 2.9 | 37        |
| 52 | Tuberculosis screening in patients with HIV: use of audit and feedback to improve quality of care in Ghana. <i>Global Health Action</i> , 2016, 9, 32390.  | 1.9 | 9         |
| 53 | Parents' socioeconomic factors related to high antibiotic prescribing in primary health care among children aged 0–6 years in the Capital Region of Denmark. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 274-281.                 | 1.5 | 30        |
| 54 | Quality assessment of diagnosis and antibiotic treatment of infectious diseases in primary care: a systematic review of quality indicators. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 258-266.                                  | 1.5 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | The efficacy of pivmecillinam: 3 days or 5 days against community acquired uncomplicated lower urinary tract infections – a randomized, double-blinded, placebo-controlled clinical trial study protocol. BMC Infectious Diseases, 2016, 16, 727.                                       | 2.9 | 6         |
| 56 | The existential dimension in general practice: identifying understandings and experiences of general practitioners in Denmark. Scandinavian Journal of Primary Health Care, 2016, 34, 385-393.  | 1.5 | 32        |
| 57 | Antibiotic prescribing in Danish general practice 2004–13. Journal of Antimicrobial Chemotherapy, 2016, 71, 2286-2294.  | 3.0 | 40        |
| 58 | Antibiotic prescribing for acute bronchitis. Expert Review of Anti-Infective Therapy, 2016, 14, 633-642.  | 4.4 | 12        |
| 59 | Exploring the feasibility and synergistic value of the One Health approach in clinical research: protocol for a prospective observational study of diagnostic pathways in human and canine patients with suspected urinary tract infection. Pilot and Feasibility Studies, 2015, 1, 38. | 1.2 | 6         |
| 60 | Which treatment strategy for women with symptoms of urinary tract infection?. BMJ, The, 2015, 351, h6888.   | 6.0 | 5         |
| 61 | Use of Antibiotics in Children. Pediatric Infectious Disease Journal, 2015, 34, e16-e22.  | 2.0 | 53        |
| 62 | Appropriateness of antibiotic prescribing for upper respiratory tract infections in general practice: Comparison between Denmark and Iceland. Scandinavian Journal of Primary Health Care, 2015, 33, 269-274.   | 1.5 | 26        |
| 63 | Compliance with Recommendations on Outpatient Antibiotic Prescribing for Respiratory Tract Infections: The Case of Spain. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 337-342.   | 2.5 | 21        |
| 64 | Interventions to improve adherence to first-line antibiotics in respiratory tract infections. The impact depends on the intensity of the intervention. European Journal of General Practice, 2015, 21, 12-18.   | 2.0 | 5         |
| 65 | Prescribing style and variation in antibiotic prescriptions for sore throat: cross-sectional study across six countries. BMC Family Practice, 2015, 16, 7.  | 2.9 | 40        |
| 66 | Inappropriate antibiotic prescribing and demand for antibiotics in patients with upper respiratory tract infections is hardly different in female versus male patients as seen in primary care. European Journal of General Practice, 2015, 21, 118-123.                                | 2.0 | 25        |
| 67 | An intervention with access to C-reactive protein rapid test reduces antibiotic overprescribing in acute exacerbations of chronic bronchitis and COPD. Family Practice, 2015, 32, cmv020.   | 1.9 | 5         |
| 68 | Point of care susceptibility testing in primary care - does it lead to a more appropriate prescription of antibiotics in patients with uncomplicated urinary tract infections? Protocol for a randomized controlled trial. BMC Family Practice, 2015, 16, 106.                          | 2.9 | 19        |
| 69 | Response to “Reduced Prescribing of Benzodiazepines in Denmark and Norway”. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 459-459.   | 2.5 | 1         |
| 70 | Dangers of over-the-counter nitrofurantoin for urinary tract infection. BMJ, The, 2015, 351, h4186.   | 6.0 | 2         |
| 71 | Safe and effective use of medicines for patients with type 2 diabetes – A randomized controlled trial of two interventions delivered by local pharmacies. Research in Social and Administrative Pharmacy, 2015, 11, 47-62.  | 3.0 | 37        |
| 72 | Reducing Prescriptions of Long-Acting Benzodiazepine Drugs in Denmark: A Descriptive Analysis of Nationwide Prescriptions during a 10-Year Period. Basic and Clinical Pharmacology and Toxicology, 2015, 116, 499-502.  | 2.5 | 20        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Incidence of Genital Warts in Young Danish Women. <i>Clinical Infectious Diseases</i> , 2014, 58, 601-602.  | 5.8 | 1         |
| 74 | Access to Point-of-Care Tests Reduces the Prescription of Antibiotics Among Antibiotic-Requesting Subjects With Respiratory Tract Infections. <i>Respiratory Care</i> , 2014, 59, 1918-1923.                      | 1.6 | 18        |
| 75 | Response to "Antibiotic Use and Resistance". <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 441-441.  | 2.5 | 0         |
| 76 | Antimicrobial resistance: risk associated with antibiotic overuse and initiatives to reduce the problem. <i>Therapeutic Advances in Drug Safety</i> , 2014, 5, 229-241.   | 2.4 | 1,050     |
| 77 | Biomarkers as point-of-care tests to guide prescription of antibiotics in patients with acute respiratory infections in primary care. <i>The Cochrane Library</i> , 2014, , CD010130.                             | 2.8 | 134       |
| 78 | General practitioners uses and perceptions of voluntary electronic feedback on treatment outcomes " a qualitative study. <i>BMC Family Practice</i> , 2014, 15, 193.  | 2.9 | 3         |
| 79 | Ibuprofen versus mecillinam for uncomplicated cystitis - a randomized controlled trial study protocol. <i>BMC Infectious Diseases</i> , 2014, 14, 693.  | 2.9 | 16        |
| 80 | The quality of outpatient antimicrobial prescribing: a comparison between two areas of northern and southern Europe. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 347-353.                        | 1.9 | 23        |
| 81 | Effectiveness of two types of intervention on antibiotic prescribing in respiratory tract infections in Primary Care in Spain. <i>Happy Audit Study. Atencion Primaria</i> , 2014, 46, 492-500.                   | 1.4 | 18        |
| 82 | High Antibiotic Consumption: A Characterization of Heavy Users in Spain. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 231-236.  | 2.5 | 19        |
| 83 | Differences in outpatient antibiotic use between a Spanish region and a Nordic country. <i>Enfermedades Infecciosas Y Microbiologa Clnica</i> , 2014, 32, 412-417.  | 0.5 | 12        |
| 84 | Antibiotic prescribing in patients with acute rhinosinusitis is not in agreement with European recommendations. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 101-105.                           | 1.5 | 21        |
| 85 | Quality indicators for treatment of respiratory tract infections? An assessment by Danish general practitioners. <i>European Journal of General Practice</i> , 2013, 19, 85-91.                                   | 2.0 | 11        |
| 86 | Different recommendations for empiric first-choice antibiotic treatment of uncomplicated urinary tract infections in Europe. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 235-240.              | 1.5 | 48        |
| 87 | Predictors for antibiotic prescribing in patients with exacerbations of COPD in general practice. <i>Therapeutic Advances in Respiratory Disease</i> , 2013, 7, 131-137.  | 2.6 | 25        |
| 88 | Enabling factors for antibiotic prescribing for upper respiratory tract infections: Perspectives of Lithuanian and Russian general practitioners. <i>Uppsala Journal of Medical Sciences</i> , 2013, 118, 98-104. | 0.9 | 10        |
| 89 | Marked differences in GPs' diagnosis of pneumonia between Denmark and Spain: a cross-sectional study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 454-458. | 2.3 | 13        |
| 90 | Low Request of Antibiotics from Patients with Respiratory Tract Infections in Six Countries: Results from the Happy Audit Study. <i>Antibiotics</i> , 2013, 2, 477-484.   | 3.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Lower threshold for rapid antigen detection testing in patients with sore throats would reduce antibiotic use. <i>BMJ</i> , The, 2013, 347, f7055-f7055.  | 6.0 | 3         |
| 92  | Treatment of acute otitis media in general practice: quality variations across countries. <i>Family Practice</i> , 2012, 29, 63-68.   | 1.9 | 20        |
| 93  | C-reactive protein testing in patients with acute rhinosinusitis leads to a reduction in antibiotic use. <i>Family Practice</i> , 2012, 29, 653-658.  | 1.9 | 19        |
| 94  | A study of antibiotic prescribing: the experience of Lithuanian and Russian GPs. <i>Open Medicine (Poland)</i> , 2012, 7, 790-799.  | 1.3 | 2         |
| 95  | Long term use of drugs affecting the renin-angiotensin system and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 180-188.                     | 2.4 | 60        |
| 96  | Development of new concepts of non-adherence measurements among users of antihypertensives medicines. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 565-572.  | 2.1 | 14        |
| 97  | Health Alliance for prudent antibiotic prescribing in patients with respiratory tract infections (HAPPY) <i>TJ ETQq1 1 0.784314 rgBT /Ove</i><br>12, 52.  | 2.9 | 52        |
| 98  | Health Alliance for Prudent Prescribing, Yield and Use of Antimicrobial Drugs in the Treatment of Respiratory Tract Infections (HAPPY AUDIT). <i>BMC Family Practice</i> , 2010, 11, 29.                              | 2.9 | 48        |
| 99  | Quality indicators for diagnosis and treatment of respiratory tract infections in general practice: A modified Delphi study. <i>Scandinavian Journal of Primary Health Care</i> , 2010, 28, 4-11.                     | 1.5 | 30        |
| 100 | Cancer Risk in Long-term Users of Valproate: A Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1714-1719.   | 2.5 | 28        |
| 101 | Variability in the Prescription of Cholinesterase Inhibitors and Memantine. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 373-379.  | 1.5 | 10        |
| 102 | Antibiotic prescribing in paediatric populations: a comparison between Viareggio, Italy and Funen, Denmark. <i>European Journal of Public Health</i> , 2009, 19, 434-438.   | 0.3 | 46        |
| 103 | Pivmecillinam versus sulfamethizole for short-term treatment of uncomplicated acute cystitis in general practice: A randomized controlled trial. <i>Scandinavian Journal of Primary Health Care</i> , 2009, 27, 6-11. | 1.5 | 27        |
| 104 | Combined intervention programme reduces inappropriate prescribing in elderly patients exposed to polypharmacy in primary care. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 199-207.                  | 1.9 | 65        |
| 105 | Risk factors for potential drug interactions in general practice. <i>European Journal of General Practice</i> , 2008, 14, 23-29.  | 2.0 | 55        |
| 106 | Use of a Prescribed Ephedrine/Caffeine Combination and the Risk of Serious Cardiovascular Events: A Registry-based Case-Crossover Study. <i>American Journal of Epidemiology</i> , 2008, 168, 966-973.                | 3.4 | 47        |
| 107 | 58Cancer risk in long-term users of Valproate: A population-based case-control study. <i>Apmis</i> , 2008, 116, 440-440.  | 2.0 | 1         |
| 108 | Prevalence of inappropriate prescribing in primary care. <i>International Journal of Clinical Pharmacy</i> , 2007, 29, 109-115.   | 1.4 | 51        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Hormone therapy and cerebrovascular events. <i>Menopause</i> , 2006, 13, 730-736.  | 2.0 | 35        |
| 110 | Trends in utilization of antiepileptic drugs in Denmark. <i>Acta Neurologica Scandinavica</i> , 2006, 113, 405-411.  | 2.1 | 93        |
| 111 | Antibiotics active against Chlamydia do not reduce the risk of myocardial infarction. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 43-49.  | 1.9 | 4         |
| 112 | Effect of intervention promoting a reduction in antibiotic prescribing by improvement of diagnostic procedures: a prospective, before and after study in general practice. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 913-918. | 1.9 | 19        |
| 113 | Background for Different Use of Antibiotics in Different Countries. <i>Clinical Infectious Diseases</i> , 2005, 40, 333-333.   | 5.8 | 12        |
| 114 | Respiratory tract infections in general practice: considerable differences in prescribing habits between general practitioners in Denmark and Spain. <i>European Journal of Clinical Pharmacology</i> , 2004, 60, 23-28.                         | 1.9 | 41        |
| 115 | C-reactive protein measurement in general practice may lead to lower antibiotic prescribing for sinusitis. <i>British Journal of General Practice</i> , 2004, 54, 659-62.  | 1.4 | 52        |
| 116 | Patient information leaflets-helpful guidance or a source of confusion?. <i>Pharmacoepidemiology and Drug Safety</i> , 2003, 12, 55-59.  | 1.9 | 35        |
| 117 | Exposure to potential drug interactions in primary health care. <i>Scandinavian Journal of Primary Health Care</i> , 2003, 21, 153-158.  | 1.5 | 107       |
| 118 | Insufficient Use of Lipid-Lowering Drugs and Measurement of Serum Cholesterol Among Patients with a History of Myocardial Infarction. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 61-64.                 | 2.8 | 2         |
| 119 | Title is missing!. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 61-64.  | 1.5 | 6         |
| 120 | Antibiotic prescribing in general practice: striking differences between Italy (Ravenna) and Denmark (Funen). <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 989-997.  | 3.0 | 51        |
| 121 | Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.   | 1.5 | 17        |
| 122 | Do general practitioner and patient agree about the risk factors for ischaemic heart disease?. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 16-21.   | 1.5 | 16        |
| 123 | Non-antiarrhythmic drugs prolonging the QT interval:considerable use in seven countries. <i>British Journal of Clinical Pharmacology</i> , 2002, 54, 171-177.  | 2.4 | 39        |
| 124 | Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.   | 1.5 | 2         |
| 125 | Treatment failures after antibiotic therapy of uncomplicated urinary tract infections. A prescription database study. <i>Scandinavian Journal of Primary Health Care</i> , 2002, 20, 97-101.   | 1.5 | 10        |
| 126 | Detection of bacteriuria by microscopy and dipslide culture in general practice. <i>European Journal of General Practice</i> , 2001, 7, 55-58.   | 2.0 | 8         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Deviations from evidence-based prescribing of non-steroidal anti-inflammatory drugs in three European regions. <i>European Journal of Clinical Pharmacology</i> , 2000, 56, 269-272.              | 1.9 | 29        |
| 128 | Standardised procedures can improve the validity of susceptibility testing of uropathogenic bacteria in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2000, 18, 242-246. | 1.5 | 9         |
| 129 | Polypharmacy: correlations with sex, age and drug regimen. <i>European Journal of Clinical Pharmacology</i> , 1998, 54, 197-202.  | 1.9 | 200       |
| 130 | The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666.  | 2.7 | 47        |
| 131 | Methods for estimating the occurrence of polypharmacy by means of a prescription database. <i>European Journal of Clinical Pharmacology</i> , 1997, 53, 7-11.                                     | 1.9 | 143       |
| 132 | Methods and validity of dietary assessments in four Scandinavian populations. <i>Nutrition and Cancer</i> , 1982, 4, 23-33.   | 2.0 | 31        |
| 133 | Dietary patterns in them and Copenhagen, Denmark. <i>Nutrition and Cancer</i> , 1982, 4, 34-40.   | 2.0 | 18        |