

Pascal Martin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7665174/publications.pdf>

Version: 2024-02-01

64
papers

2,493
citations

257450

24
h-index

189892

50
g-index

65
all docs

65
docs citations

65
times ranked

3100
citing authors

#	ARTICLE	IF	CITATIONS
1	Insights on asymmetric BTB-based molecular junctions: Effect of electrode coupling. <i>Chemical Physics Letters</i> , 2022, 787, 139273.	2.6	3
2	Organic-Inorganic Hybrid Interfaces for Spin Injection into Carbon Nanotubes and Graphene. <i>Advanced Quantum Technologies</i> , 2022, 5, .	3.9	1
3	Nanometer-Thick Bilayers by Stepwise Electrochemical Reduction of Diazonium Compounds for Molecular Junctions. <i>ACS Applied Nano Materials</i> , 2021, 4, 13861-13870.	5.0	4
4	Plasmon-Induced Grafting in the Gap of Gold Nanoparticle Dimers for Plasmonic Molecular Junctions. <i>ACS Applied Nano Materials</i> , 2020, 3, 7789-7794.	5.0	10
5	Giant spin signals in chemically functionalized multiwall carbon nanotubes. <i>Science Advances</i> , 2020, 6, eaba5494.	10.3	4
6	Dithienylpyrrole Electrografting on a Surface through the Electroreduction of Diazonium Salts. <i>Electrochem</i> , 2020, 1, 20-31.	3.3	3
7	Molecular Signature and Activationless Transport in Cobalt-Terpyridine-Based Molecular Junctions. <i>Advanced Electronic Materials</i> , 2020, 6, 1901416.	5.1	27
8	Large-area in plane molecular junctions by electrografting in 10 nm metallic nanotrenches. <i>AIP Advances</i> , 2020, 10, .	1.3	3
9	Nanostructured Mixed Layers of Organic Materials Obtained by Nanosphere Lithography and Electrochemical Reduction of Aryldiazonium Salts. <i>Langmuir</i> , 2019, 35, 15071-15077.	3.5	10
10	Charge injection and transport properties of large area organic junctions based on aryl thin films covalently attached to a multilayer graphene electrode. <i>Nanoscale Advances</i> , 2019, 1, 414-420.	4.6	5
11	Improved adhesion of poly(3,4-ethylenedioxythiophene) (PEDOT) thin film to solid substrates using electrografted promoters and application to efficient nanoplasmonic devices. <i>Synthetic Metals</i> , 2019, 248, 45-52.	3.9	25
12	From active plasmonic devices to plasmonic molecular electronics. <i>Polymer International</i> , 2019, 68, 607-619.	3.1	16
13	Experimental Life Improvement Quantification of Shot Peening and Fastener Modifications. <i>MATEC Web of Conferences</i> , 2018, 165, 18005.	0.2	0
14	Ultrathin Molecular Layer Junctions Based on Cyclometalated Ruthenium Complexes. <i>Journal of Physical Chemistry C</i> , 2018, 122, 29069-29074.	3.1	14
15	Highly Efficient Long-Range Electron Transport in a Viologen-Based Molecular Junction. <i>Journal of the American Chemical Society</i> , 2018, 140, 10131-10134.	13.7	54
16	Topology-Selective, Fluorescent Light-Probes for G-Quadruplex DNA Based on Photoinduced Electron Transfer. <i>Chemistry - A European Journal</i> , 2018, 24, 12638-12651.	3.3	37
17	Tailored Surfaces/Assemblies for Molecular Plasmonics and Plasmonic Molecular Electronics. <i>Annual Review of Analytical Chemistry</i> , 2017, 10, 201-224.	5.4	8
18	Plasmon-Induced Nanolocalized Reduction of Diazonium Salts. <i>ACS Omega</i> , 2017, 2, 1947-1955.	3.5	59

#	ARTICLE	IF	CITATIONS
19	Anisotropy and Damping of Molecules/Cobalt Hybrid Thin Films. IEEE Transactions on Magnetics, 2017, 53, 1-5.	2.1	4
20	Bottom-Up Electrochemical Fabrication of Conjugated Ultrathin Layers with Tailored Switchable Properties. ACS Applied Materials & Interfaces, 2017, 9, 610-617.	8.0	7
21	Inelastic electron tunneling spectroscopy in molecular junctions showing quantum interference. Physical Review B, 2017, 95, .	3.2	12
22	Electrografted monolayer based on a naphthalene diimide-ruthenium terpyridine complex dyad: efficient creation of large-area molecular junctions with high current densities. Chemical Communications, 2017, 53, 10997-11000.	4.1	23
23	Control of Rectification in Molecular Junctions: Contact Effects and Molecular Signature. Journal of the American Chemical Society, 2017, 139, 11913-11922.	13.7	61
24	Comparing plasmonic electrodes prepared by electron-beam lithography and electrochemical reduction of an Au (iii) salt: application in active plasmonic devices. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2016, 7, 015005.	1.5	6
25	Inducing injection barrier by covalent functionalization of multiwall carbon nanotubes acting as Moiré crystals. Applied Physics Letters, 2016, 109, .	3.3	2
26	Probing electron-phonon excitations in molecular junctions by quantum interference. Scientific Reports, 2016, 6, 20899.	3.3	16
27	Large-area plasmonic electrodes and active plasmonic devices generated by electrochemical processes. Electrochimica Acta, 2015, 179, 282-287.	5.2	16
28	Highly Resolved Nanostructured PEDOT on Large Areas by Nanosphere Lithography and Electrodeposition. ACS Applied Materials & Interfaces, 2015, 7, 21673-21681.	8.0	33
29	Dual electrochemical modulation of reflectivity and luminescence on plasmonic gratings investigated by fluorescence microscopy coupled to electrochemistry. Electrochimica Acta, 2015, 179, 618-625.	5.2	4
30	Electrografting of conductive oligomers and polymers using diazonium electroreduction. Advances in Natural Sciences: Nanoscience and Nanotechnology, 2014, 5, 015001.	1.5	4
31	Tuning the thickness of electrochemically grafted layers in large area molecular junctions. Journal of Applied Physics, 2014, 116, 114509.	2.5	16
32	Gold nanoparticles and poly(3,4-ethylenedioxythiophene) (PEDOT) hybrid films as counter-electrodes for enhanced efficiency in dye-sensitized solar cells. Electrochimica Acta, 2014, 125, 601-605.	5.2	22
33	Tunable Plasmon Resonance of Gold Nanoparticles Functionalized by Electroactive Bisthienylbenzene Oligomers or Polythiophene. Journal of Physical Chemistry C, 2014, 118, 25158-25166.	3.1	36
34	Direct Observation of Large Quantum Interference Effect in Anthraquinone Solid-State Junctions. Journal of the American Chemical Society, 2013, 135, 10218-10221.	13.7	72
35	Electrochemically monitored fluorescence on plasmonic gratings: A first step toward smart displays with multiple inputs. Electrochimica Acta, 2013, 110, 56-62.	5.2	13
36	Micro/Nano-Structured Polypyrrole Surfaces on Oxidizable Metals as Smart Electroswitchable Coatings. ACS Applied Materials & Interfaces, 2013, 5, 10159-10164.	8.0	25

#	ARTICLE	IF	CITATIONS
37	Activationless charge transport across 4.5 to 22 nm in molecular electronic junctions. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 5326-5330.	7.1	149
38	AFM, Tapping Mode. , 2012, , 99-99.		2
39	Electrografted nanostructured platforms for click chemistry. Electrochemistry Communications, 2012, 23, 141-144.	4.7	25
40	Ab Initio DFT Simulations of Nanostructures. , 2012, , 11-17.		3
41	AFM. , 2012, , 83-83.		0
42	AC Electroosmosis: Basics and Lab-on-a-Chip Applications. , 2012, , 25-30.		1
43	Organic Electrodes Based on Grafted Oligothiophene Units in Ultrathin, Large-Area Molecular Junctions. Journal of the American Chemical Society, 2012, 134, 154-157.	13.7	64
44	Medium Effects on the Nucleation and Growth Mechanisms during the Redox Switching Dynamics of Conducting Polymers: Case of Poly(3,4-ethylenedioxythiophene). Journal of Physical Chemistry B, 2011, 115, 205-216.	2.6	17
45	Electrochemical generation of stable copper nanowires with quantized conductance in DNA media. Electrochemistry Communications, 2011, 13, 272-274.	4.7	5
46	Electrosynthesis of well-organized nanoporous poly(3,4-ethylenedioxythiophene) by nanosphere lithography. Electrochemistry Communications, 2010, 12, 872-875.	4.7	39
47	Electrochemical oxidation of primary amine in ionic liquid media: Formation of organic layer attached to electrode surface. Electrochemistry Communications, 2010, 12, 246-249.	4.7	36
48	Role of S π -Au labile bonding in stochastic switching of molecular conductance studied by STM. Physica Status Solidi (B): Basic Research, 2010, 247, 1867-1870.	1.5	3
49	Giant Plasmon Resonance Shift Using Poly(3,4-ethylenedioxythiophene) Electrochemical Switching. Journal of the American Chemical Society, 2010, 132, 10224-10226.	13.7	101
50	Host π -Guest Complexation: A Convenient Route for the Electroreduction of Diazonium Salts in Aqueous Media and the Formation of Composite Materials. Journal of the American Chemical Society, 2010, 132, 1690-1698.	13.7	36
51	Ionic Liquid Viscosity Effects on the Functionalization of Electrode Material through the Electroreduction of Diazonium. Langmuir, 2010, 26, 18542-18549.	3.5	62
52	Electrochemical Investigation of Thin PANI Film onto Insulating Substrate Using Scanning Electrochemical Microscopy. ECS Transactions, 2009, 25, 89-95.	0.5	2
53	Electrochemical investigation of thin PEDOT film above an insulating substrate using scanning electrochemical microscopy. Electrochemistry Communications, 2009, 11, 2304-2307.	4.7	10
54	Mass transport and heterogeneous electron transfer of a ferrocene derivative in a room-temperature ionic liquid. Journal of Electroanalytical Chemistry, 2009, 632, 88-96.	3.8	88

#	ARTICLE	IF	CITATIONS
55	Grafting Oligothiophenes on Surfaces by Diazonium Electroreduction: A Step toward Ultrathin Junction with Well-Defined Metal/Oligomer Interface. <i>Journal of the American Chemical Society</i> , 2009, 131, 14920-14927.	13.7	76
56	Formation of negative oxidation states of platinum and gold in redox ionic liquid: Electrochemical evidence. <i>Electrochemistry Communications</i> , 2008, 10, 1205-1209.	4.7	27
57	Modification of carbon electrode in ionic liquid through the reduction of phenyl diazonium salt. Electrochemical evidence in ionic liquid. <i>Electrochemistry Communications</i> , 2008, 10, 1060-1063.	4.7	47
58	Combing and self-assembly phenomena in dry films of Taxol-stabilized microtubules. <i>Nanoscale Research Letters</i> , 2007, 2, 135-143.	5.7	2
59	Adsorption and combing of DNA on HOPG surfaces of bulk crystals and nanosheets: application to the bridging of DNA between HOPG/Si heterostructures. <i>Nanotechnology</i> , 2006, 17, 3325-3332.	2.6	11
60	Suspended HOPG nanosheets for HOPG nanoresonator engineering and new carbon nanostructure synthesis. <i>Nanotechnology</i> , 2006, 17, 5192-5200.	2.6	8
61	Experimental determination of conservative and dissipative parts in the tapping mode on a grafted layer: comparison with frequency modulation data. <i>Nanotechnology</i> , 2005, 16, 901-907.	2.6	13
62	Liquid Mechanical Behavior of Mixed Monolayers of Amino and Alkyl Silanes by Atomic Force Microscopy. <i>Langmuir</i> , 2005, 21, 6934-6943.	3.5	27
63	Covalent Modification of Carbon Surfaces by Aryl Radicals Generated from the Electrochemical Reduction of Diazonium Salts. <i>Journal of the American Chemical Society</i> , 1997, 119, 201-207.	13.7	978
64	High performance room temperature p-type injection in few-layered tungsten diselenide films from cobalt and palladium contacts. <i>Materials Research Express</i> , 0, , .	1.6	2