Ken-ichi Sugiura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7665365/publications.pdf

Version: 2024-02-01

58	857	15	28
papers	citations	h-index	g-index
59	59	59	857 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	Conductive gold nanoparticle assembly linked through interactions between the radical cations of ethylene- and propylene-3,4-dioxythiophene mixed tetramer thiolate. Materials Advances, 2022, 3, 2056-2062.	5.4	O
2	Remote Steric Effect Propagation through Naphthalene Hydrogens and/or Molecular Skeleton: Structural Determination of Brominated Product of Dinaphtho[2,1â \in b:1â \in 2,2â \in 2â \in d]furan. Asian Journal of Organic Chemistry, 2022, 11, .	2.7	1
3	Pyreneâ€Fused Furan: Simple Synthesis of Ï€â€Expanded Heterohelicene. ChemistrySelect, 2022, 7, .	1.5	О
4	Synthesis of Porphyrinquinone and Doublyâ€Fused Diporphyrin Quinone Through Oxidation of Diarylporphyrins Using a Hypervalent Iodine Compound. Chemistry - an Asian Journal, 2020, 15, 3037-3043.	3.3	7
5	[2.2]Paracyclophane-Based Chiral Platforms for Circularly Polarized Luminescence Fluorophores and Their Chiroptical Properties: Past and Future. Frontiers in Chemistry, 2020, 8, 700.	3.6	37
6	Functionalization of Bipyrenol: Potential Precursors for Advanced Chiral Molecules. Synthesis, 2020, 52, 3452-3460.	2.3	4
7	Metal Complexes of 5,15â€Porphyrinquinones: Systematic Study of Crystal Structure, Electronic Structure, and Lewis Acidity. European Journal of Inorganic Chemistry, 2020, 2020, 3507-3516.	2.0	8
8	Efficient Synthesis of Arylenedioxyâ€Bridged Porphyrin Dimers through Catalystâ€Free Nucleophilic Aromatic Substitution. ChemPlusChem, 2020, 85, 217-226.	2.8	3
9	Crystal Structure of 3-(3-Methyl-1 <i>H</i> -indole-1-yl)phthalonitrile. X-ray Structure Analysis Online, 2020, 36, 11-13.	0.2	O
10	Crystal Structure Refinement of 1,4,5,8-Tetrabromonaphthalene: A Twisted Chiral Naphthalene Induced by Steric Repulsion. X-ray Structure Analysis Online, 2020, 36, 35-37.	0.2	0
11	Syntheses and characterization of 1- and 2-hydroxypyren-coordinated Sn(IV) porphyrins: Transmission-like motion of alcoholato-coordinated Sn(IV) porphyrin. Polyhedron, 2019, 171, 128-136.	2.2	1
12	Photochemical reaction of anthracene with dioxygen catalyzed by platinum(II) porphyrin. Tetrahedron Letters, 2019, 60, 151081.	1.4	5
13	Unexpected Oxidation Reaction of 1,6â€Diarylpyrene withCu(BF ₄) ₂ â< <i>n</i> H ₂ O Affording Pyrenequinones. ChemistrySelect, 2019, 4, 279-284.	1.5	O
14	butterfly-shaped Thiele's hydrocarbon derivative. Tetrahedron, 2019, 75, 357-362.	1.9	1
15	Crystal Structure of Dinaphtho[2,1,1′,2′]furan Picrate. X-ray Structure Analysis Online, 2019, 35, 69-71.	0.2	2
16	Synthesis, Optical Resolution, and Circularly Polarized Luminescence of an Axially Chiral Porphyrin Dimer. ChemistrySelect, 2018, 3, 3576-3581.	1.5	11
17	Synthesis of Tetra(3â€thienyl)biphenoquinone and its Charge Transfer Complex with Perylene. Asian Journal of Organic Chemistry, 2018, 7, 171-178.	2.7	0
18	Syntheses, structural characterization, and basic properties of unsymmetrically substituted biphenoquinones. Journal of Molecular Structure, 2018, 1156, 559-563.	3.6	1

#	Article	IF	CITATIONS
19	Unexpected phenyl group rearrangement of Thiele's hydrocarbon derivative under polycyclic aromatic hydrocarbon synthesis. Tetrahedron Letters, 2018, 59, 4251-4254.	1.4	3
20	Versatile and Catalystâ€Free Methods for the Introduction of Groupâ€16 Elements at themesoâ€Positions of Diarylporphyrins. Asian Journal of Organic Chemistry, 2018, 7, 2468-2478.	2.7	6
21	Basic Photophysical Properties of meso-Bis(pyren-2-yl)porphyrin: An Isomer of Pyrene-Substituted Porphyrins. Synthesis, 2017, 49, 2182-2186.	2.3	0
22	An Alternative Synthesis of Bipyrenol: A High-Yield Oxidative Coupling Reaction of a Pyrene Derivative with Cu(BF4)2·nH2O. Synthesis, 2017, 49, 3145-3148.	2.3	12
23	Molecular Design and Syntheses of Tetracyanoâ€5,10â€porphyrinquinodimethane Showing Stabilized LUMO. Chemistry - an Asian Journal, 2016, 11, 1004-1007.	3.3	13
24	Pyrenâ€2â€ylâ€Substituted Biphenoquinone and <i>p</i> à€Benzoquinone: Pyrenâ€2â€yl as a Weak Electronâ€Withdrawing Substituent. ChemistrySelect, 2016, 1, 6859-6865.	1.5	1
25	Oligomerization Reactions of Bis(ethynyl)tetraphenylporphyrin Derivatives by Glaser–Hay Coupling Reaction: Isolation and Characterization of Dimer, Trimer, and Tetramer. Synthesis, 2016, 48, 2461-2465.	2.3	3
26	Thermal reductive disproportionation of $3,3\hat{a}\in^2$, $5,5\hat{a}\in^2$ -tetraphenyldiphenoquinone with drastic color change: Potential prototype of data storage advanced materials. ChemistrySelect, 2016, 1, 3784-3790.	1.5	4
27	Synthesis of 3,3′′,5,5′′-Tetraphenyl-4,4′′-terphenoquinone and Its Reductive Disproportionation I ChemistrySelect, 2016, 1, 4137-4142.	Reaction.	1
28	Metal-Free Synthesis of <i>meso</i> -Aminoporphyrins through Reduction of <i>meso</i> -Azidoporphyrins Generated <i>in Situ</i> by Nucleophilic Substitution Reactions of <i>meso</i> -Bromoporphyrins. Journal of Organic Chemistry, 2016, 81, 11176-11184.	3.2	9
29	Oxo(porphyrinato)vanadium(IV) as a standard for geoporphyrins. Inorganica Chimica Acta, 2016, 439, 173-177.	2.4	10
30	Stepwise Synthesis of Structurally Well-defined Porphyrin Wires Connected by Platinum Acetylides. Chemistry Letters, 2015, 44, 1226-1228.	1.3	1
31	Oxidative Intramolecular C–C Bond Formation Reaction of 1,2-Bis(pyren-2-yl)benzene: Synthesis and Characterization of Benzodinaphthopentaphene. Bulletin of the Chemical Society of Japan, 2015, 88, 1083-1085.	3.2	11
32	π-Expanded Axially Chiral Biaryls and Their Emissions: Molecular Design, Syntheses, Optical Resolution, Absolute Configuration, and Circularly Polarized Luminescence of 1,1′-Bipyrene-2,2′-diols. Chemistry Letters, 2015, 44, 1607-1609.	1.3	32
33	Facile and Practical Synthesis of Platinum(II) Porphyrins under Mild Conditions. Chemistry Letters, 2015, 44, 492-494.	1.3	12
34	Regioselective Oxidative Oligomerization Reaction of 2- <i>tert</i> -Alkylpyrene and Isolation of Structurally Well-defined 1,3-Pyrenylenes. Chemistry Letters, 2015, 44, 303-305.	1.3	9
35	Syntheses of a pyrene-based π-expanded ligand and the corresponding platinum(II) complex, bis[2-[(octylimino)methyl]-1-pyrenolato-N,O] platinum(II). Inorganica Chimica Acta, 2015, 432, 103-108.	2.4	5
36	Metal complexes of i€-expanded ligands (2): Synthesis and characterizations of bis[2-[(octylimino)methyl]-1-pyrenolato-N,O] palladium(II) and the stabilized vacant <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow< td=""><td>2.2 :msup><m< td=""><td>2 nml:mrow> <</td></m<></td></mml:mrow<></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:math>	2.2 :msup> <m< td=""><td>2 nml:mrow> <</td></m<>	2 nml:mrow> <

3

#	Article	IF	CITATIONS
37	Oxidation of <i>meso</i> -Diarylporphyrins by a Hypervalent Iodine Compound: Facile Synthesis of <i>meso</i> -Acyloxyporphyrins and Dioxoporphodimethenes. Chemistry Letters, 2014, 43, 1049-1051.	1.3	8
38	Nuclear Magnetic Shielding and Aromaticity of [18]Annulene and Its Quasi-Möbius-Type Analogues. Bulletin of the Chemical Society of Japan, 2012, 85, 1244-1244.	3.2	0
39	Catalyst-Free Aromatic Nucleophilic Substitution of meso-Bromoporphyrins with Azide Anion: Efficient Synthesis and Structural Analyses of meso-Azidoporphyrins. Organic Letters, 2012, 14, 190-193.	4.6	32
40	Facile Aromatic Finkelstein Iodination (AFI) Reaction in 1,3-Dimethyl-2-imidazolidinone (DMI). Synthetic Communications, 2012, 42, 170-175.	2.1	22
41	Nuclear Magnetic Shielding and Aromaticity of [18]Annulene and Its Quasi-Möbius-Type Analogues. Bulletin of the Chemical Society of Japan, 2011, 84, 845-854.	3.2	3
42	A proposal for a new porphine substitution motif aimed at advanced materials: introduction of 4-alkoxy-3,5-diisopropylphenyl groups on porphine. Journal of Porphyrins and Phthalocyanines, 2010, 14, 1040-1051.	0.8	7
43	Controlled Adsorption Orientation for Double-Decker Complexes. Journal of Physical Chemistry C, 2007, 111, 2077-2080.	3.1	35
44	Unusual regioselective mercuration of metalloporphyrins and its potential applications. Chemical Communications, 2007, , 2046.	4.1	16
45	Selective <i>meso</i> -monobromination of 5,15-diarylporphyrins via organopalladium porphyrins. Journal of Porphyrins and Phthalocyanines, 2004, 08, 1222-1227.	0.8	22
46	Pyrene-Fused Porphyrins: Annulation Reactions ofmeso-Pyrenylporphyrins. Chemistry Letters, 2004, 33, 40-41.	1.3	87
47	A Square Cyclic Porphyrin Dodecamer: Synthesis and Single-Molecule Characterization. Chemistry Letters, 2004, 33, 578-579.	1.3	58
48	An Adventure in Macromolecular Chemistry Based on the Achievements of Dendrimer Science: Molecular Design, Synthesis, and Some Basic Properties of Cyclic Porphyrin Oligomers to Create a Functional Nano-Sized Space. Topics in Current Chemistry, 2003, 228, 65-85.	4.0	21
49	Synthesis and Structural Determination of a Porphyrinatoplatinum(II). Bulletin of the Chemical Society of Japan, 2003, 76, 2123-2127.	3.2	9
50	Systematic Synthesis of Porphyrin Dimers Linked by Conjugated Oligoacetylene Bridges. Chemistry Letters, 2003, 32, 694-695.	1.3	29
51	Out-of-plane Dimer Structures and Magnetic Properties of Mn(III) Quadridentate Schiff Base Compounds with N , N \hat{a} \in 2-(1, 1, 2, 2-Tetramethylethylene)bis(5-chlorosalicylideneiminato). Molecular Crystals and Liquid Crystals, 2002, 379, 171-178.	0.9	12
52	Reactions of Mn(III) Quadridentate Schiff Base Compounds with TCNQ Anion to Form Unusual TCNQ Derivatives by Alcoholysis. Molecular Crystals and Liquid Crystals, 2002, 379, 197-204.	0.9	9
53	Fullerene C60 exhibiting a strong intermolecular interaction in a cocrystallite with C4 symmetrical cobalt tetrakis(di-tert-butylphenyl)porphyrin. Dalton Transactions RSC, 2001, , 2975-2980.	2.3	23
54	A porphyrin square: synthesis of a square-shaped π-conjugated porphyrin tetramer connected by diacetylene linkages. Chemical Communications, 2000, , 1105-1106.	4.1	97

#	Article	IF	CITATION
55	Synthesis, properties, molecular structure and electron transfer salts of 13,13,14,14-tetracyano-1,6-and -1,8-pyrenoquinodimethanes (1,6-TCNP and 1,8-TCNP). Journal of Materials Chemistry, 2000, 10, 315-319.	6.7	14
56	Synthesis of the porphyrin-fused porphyrin, [2]porphyracene. Chemical Communications, 1999, , 1957-1958.	4.1	52
57	AMandala-PatternedBandanna-Shaped Porphyrin Oligomer, C1244H1350N84Ni20O88, Having a Unique Size and Geometry. Chemistry Letters, 1999, 28, 1193-1194.	1.3	86
58	Oxidative Intramolecular C–C Bond Formation Reactions of 1,2-Diarylbenzenes: Syntheses of Highly Conjugated Double-Bridged Polycyclic Aromatic Hydrocarbons. Synthesis, 0, , .	2.3	0