

# Kazuyuki Maeda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7667617/publications.pdf>

Version: 2024-02-01

101  
papers

2,457  
citations

236925

25  
h-index

206112

48  
g-index

101  
all docs

101  
docs citations

101  
times ranked

2536  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interlayer Modification of a Layered Silicate RUB-18 with 4-Phosphonophenylsilane and Its Surface Acidic Functions. <i>Inorganic Chemistry</i> , 2022, 61, 5255-5261.	4.0	2
2	Isolation of <i>Fusarium asiaticum</i> from creeping bentgrass with blight symptom and its trichothecene chemotype. <i>Mycotoxins</i> , 2021, , .	0.2	0
3	Elucidation of Nitrogen Adsorption Behavior of AlMepO-1± by In-Situ Powder X-ray Diffraction Study. <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 1499-1501.	3.2	0
4	Accumulation of 4-Deoxy-7-hydroxytrichothecenes, but Not 4,7-Dihydroxytrichothecenes, in Axenic Culture of a Transgenic Nivalenol Chemotype Expressing the NX-Type FgTri1 Gene. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11428.	4.1	0
5	Impact of nitrogen metabolism-associated culture pH changes on regulation of <i>Fusarium trichothecene</i> biosynthesis: revision of roles of polyamine agmatine and transcription factor AreA. <i>Current Genetics</i> , 2020, 66, 1179-1190.	1.7	4
6	First preparation of microporous AFY-type MeAPOs by topotactic pillaring of lamellar aluminophosphate precursors. <i>CrystEngComm</i> , 2020, 22, 3419-3423.	2.6	1
7	Substrate specificities of <i>Fusarium</i> biosynthetic enzymes explain the genetic basis of a mixed chemotype producing both deoxynivalenol and nivalenol-type trichothecenes. <i>International Journal of Food Microbiology</i> , 2020, 320, 108532.	4.7	6
8	Synthetic liquid media for the study of trichothecene biosynthesis regulation in <i>Fusarium graminearum</i> . <i>Mycotoxins</i> , 2020, 70, 57-59.	0.2	0
9	Reduced Toxicity of Trichothecenes, Isotrichodermol, and Deoxynivalenol, by Transgenic Expression of the Tri101 3-O-Acetyltransferase Gene in Cultured Mammalian FM3A Cells. <i>Toxins</i> , 2019, 11, 654.	3.4	7
10	Inhibition of <i>Fusarium trichothecene</i> biosynthesis by yeast extract components extractable with ethyl acetate. <i>International Journal of Food Microbiology</i> , 2019, 289, 24-29.	4.7	7
11	Identification of amino acids negatively affecting <i>Fusarium trichothecene</i> biosynthesis. <i>Antonie Van Leeuwenhoek</i> , 2019, 112, 471-478.	1.7	10
12	Comparison of HPLC-UV and LC-MS methods for evaluating the amount of deoxynivalenol-type trichothecenes in axenic solid culture of <i>Fusarium graminearum</i> . <i>Mycotoxins</i> , 2019, 69, 15-17.	0.2	1
13	Selective molecular-gating adsorption in a novel copper-based metal-organic framework. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5910-5918.	10.3	23
14	Exploring an Artificial Metabolic Route in <i>Fusarium sporotrichioides</i> : Production and Characterization of 7-Hydroxy T-2 Toxin. <i>Journal of Natural Products</i> , 2018, 81, 1041-1044.	3.0	7
15	Identification and Characterization of Small Molecule Compounds That Modulate Trichothecene Production by <i>Fusarium graminearum</i> . <i>ACS Chemical Biology</i> , 2018, 13, 1260-1269.	3.4	5
16	Studies on <i>Fusarium</i> trichothecene biosynthesis: functional characterization of orthologous pathway genes and development of various types of inhibitors. <i>Mycotoxins</i> , 2018, 68, 77-82.	0.2	2
17	Liquid/vapor-induced reversible dynamic structural transformation of a three-dimensional Cu-based MOF to a one-dimensional MOF showing gate adsorption. <i>Dalton Transactions</i> , 2017, 46, 6762-6768.	3.3	21
18	l-Threonine and its analogue added to autoclaved solid medium suppress trichothecene production by <i>Fusarium graminearum</i> . <i>Archives of Microbiology</i> , 2017, 199, 945-952.	2.2	12

#	ARTICLE	IF	CITATIONS
19	Identification of a trichothecene production inhibitor by chemical array and library screening using trichodiene synthase as a target protein. <i>Pesticide Biochemistry and Physiology</i> , 2017, 138, 1-7.	3.6	7
20	Accumulation of an unusual trichothecene shunt metabolite in liquid culture of <i>Fusarium graminearum</i> with methionine as the sole nitrogen source. <i>Mycotoxins</i> , 2017, 67, 7-9.	0.2	1
21	Molecular genetic characterization of <i>Fusarium graminearum</i> genes identified as encoding a precocene II-binding protein. <i>Mycotoxins</i> , 2017, 67, 1-3.	0.2	7
22	Acetyltransferase activity in <i>Pseudomonas</i> sp. capable of acetylating the C-4 hydroxyl group of nivalenol-type trichothecenes. <i>Journal of General and Applied Microbiology</i> , 2016, 62, 326-329.	0.7	3
23	Characterization of the acivicin effects on trichothecene production by <i>Fusarium graminearum</i> species complex. <i>Journal of General and Applied Microbiology</i> , 2016, 62, 272-276.	0.7	6
24	Structural Investigation of a Flexible MOF [Cu(BF <sub>4</sub> ) <sub>2</sub> (1,3-bis(4-pyridyl)propane) <sub>2</sub> ] Showing Selective Gate Adsorption with Dynamic Pore-Opening/Pore-Closing Processes. <i>Journal of Physical Chemistry C</i> , 2016, 120, 21571-21579.	3.1	26
25	Oligosaccharides containing an $\alpha$ -(1 $\rightarrow$ 2) (glucosyl/xylosyl)-fructosyl linkage as inducer molecules of trichothecene biosynthesis for <i>Fusarium graminearum</i> . <i>International Journal of Food Microbiology</i> , 2016, 238, 215-221.	4.7	11
26	Nuclear localization and relative stability of the zinc finger domain of TRI6 trichothecene regulator. <i>Mycotoxins</i> , 2016, 66, 13-15.	0.2	2
27	Trichothecene production in axenic liquid culture of <i>Fusarium graminearum</i> using xylose as a carbon source. <i>Mycotoxins</i> , 2016, 66, 17-19.	0.2	4
28	Introduction of a leptomycin-sensitive mutation into <i>Fusarium graminearum</i> . <i>Mycotoxins</i> , 2016, 66, 9-11.	0.2	0
29	Hydroxylations of trichothecene rings in the biosynthesis of <i>Fusarium</i> trichothecenes: evolution of alternative pathways in the nivalenol chemotype. <i>Environmental Microbiology</i> , 2016, 18, 3798-3811.	3.8	20
30	Re-examination of genetic and nutritional factors related to trichothecene biosynthesis in <i>Fusarium graminearum</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 414-417.	1.3	4
31	A New Synthetic Route to Microporous Silica with Well-Defined Pores by Replication of a Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2015, 21, 12148-12152.	3.3	9
32	Mesoporous Zirconium Phenylsilylate-Phosphonate Hybrids with Ordered Lamellar Nanostructures. <i>Chemistry - A European Journal</i> , 2015, 21, 17091-17099.	3.3	8
33	Effect of disrupting the trichothecene efflux pump encoded by <i>FgTri12</i> in the nivalenol chemotype of <i>Fusarium graminearum</i> . <i>Journal of General and Applied Microbiology</i> , 2015, 61, 93-96.	0.7	11
34	New layered copper 1,3,5-benzenetriphosphonates pillared with N-donor ligands: their synthesis, crystal structures, and adsorption properties. <i>Dalton Transactions</i> , 2015, 44, 12717-12725.	3.3	17
35	Ordered Microporous Layered Lanthanide 1,3,5-Benzenetriphosphonates Pillared with Cationic Organic Molecules. <i>Chemistry - A European Journal</i> , 2015, 21, 6257-6264.	3.3	6
36	2,4-Dihydroxy-7-methoxy-2H-1,4-benzoxazin-3(4H)-one (DIMBOA) inhibits trichothecene production by <i>Fusarium graminearum</i> through suppression of Tri6 expression. <i>International Journal of Food Microbiology</i> , 2015, 214, 123-128.	4.7	34

#	ARTICLE	IF	CITATIONS
37	Evaluation of toxicities of 7-hydroxyisotrichodermin and 8-hydroxyisotrichodermin, shunt intermediates in the biosynthetic grid of deoxynivalenol, by using a sensitive yeast assay. <i>Mycotoxins</i> , 2015, 65, 7-9.	0.2	5
38	Anisotropic thermal expansion of a 3D metal-organic framework with hydrophilic and hydrophobic pores. <i>Journal of Solid State Chemistry</i> , 2015, 221, 126-131.	2.9	7
39	A set of heterologous promoters useful for investigating gene functions in <i>Fusarium graminearum</i> . <i>Mycotoxins</i> , 2014, 64, 147-152.	0.2	21
40	Tuning of gate adsorption: modification of a flexible metal-organic framework by secondary organic ligands. <i>Dalton Transactions</i> , 2014, 43, 8174-8177.	3.3	8
41	Difference of the responses between SnO <sub>2</sub> and ZnO to reducing gases at 300°C and below via optical and electrical approaches. <i>Journal of the Ceramic Society of Japan</i> , 2014, 122, 96-103.	1.1	4
42	Visually Recognizable Anion Exchange of a Three-dimensional Copper-based Interpenetrated Porous Coordination Polymer. <i>Chemistry Letters</i> , 2014, 43, 857-859.	1.3	0
43	Preparation of Nanoporous Inorganic-Organic Hybrids Containing Zirconium and Asymmetrically Linking O <sub>3</sub> P-C <sub>6</sub> H <sub>4</sub> -SiO <sub>3</sub> Unit. <i>Bulletin of the Chemical Society of Japan</i> , 2014, 87, 570-572.	3.2	3
44	The effect of chemicals on somatic homologous recombination in the rice blast fungus: its possible application for detection of mycotoxins. <i>Mycotoxins</i> , 2014, 64, 141-146.	0.2	1
45	Basic research of the regulation mechanisms of trichothecene production for reduction of the mycotoxin contamination. <i>Mycotoxins</i> , 2014, 64, 69-74.	0.2	0
46	The first lanthanide organophosphonate nanosheet by exfoliation of layered compounds. <i>Chemical Communications</i> , 2013, 49, 552-554.	4.1	72
47	Fabrication of metal-organic framework nanosheets and nanorolls with N-donor type bridging ligands. <i>Dalton Transactions</i> , 2013, 42, 15267.	3.3	69
48	Microporous Brookite-Phase Titania Made by Replication of a Metal-Organic Framework. <i>Journal of the American Chemical Society</i> , 2013, 135, 16276-16279.	13.7	98
49	Formation of zeolite-like zinc 1,3,5-benzenetriphosphonate open-frameworks by topotactic pillaring of anionic layers. <i>Dalton Transactions</i> , 2013, 42, 10424.	3.3	9
50	Identification and Characterization of an Inhibitor of Trichothecene 3-O-Acetyltransferase, TRI101, by the Chemical Array Approach. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1958-1960.	1.3	11
51	A promoter of <i>Fusarium graminearum</i> Tri4 does not function when placed at the end of the trichothecene gene cluster. <i>Mycotoxins</i> , 2013, 63, 17-25.	0.2	2
52	Genome engineering of <i>Fusarium</i> species by using positive and negative selection approaches for studying regulation of mycotoxin production. <i>Mycotoxins</i> , 2013, 63, 85-92.	0.2	1
53	Characterization and adsorption properties of organosilyl aluminophosphate hybrids. <i>Journal of Porous Materials</i> , 2012, 19, 935-942.	2.6	1
54	Gas Adsorption Mechanism and Kinetics of an Elastic Layer-Structured Metal-Organic Framework. <i>Journal of Physical Chemistry C</i> , 2012, 116, 4157-4162.	3.1	44

#	ARTICLE	IF	CITATIONS
55	New insight into mesoporous silica for nano metal-organic framework. <i>Journal of Colloid and Interface Science</i> , 2012, 384, 110-115.	9.4	34
56	Gate adsorption of CO <sub>2</sub> on a flexible one-dimensional copper-based coordination polymer crystal. <i>Chemical Communications</i> , 2012, 48, 11316.	4.1	32
57	Production of 3-acetylvalenol by transgenic <i>Fusarium graminearum</i> expressing Tri13 of type A trichothecene-producer: participation of the encoded cytochrome P450 monooxygenase in type B trichothecene biosynthesis. <i>Mycotoxins</i> , 2012, 62, 83-90.	0.2	4
58	Super Flexibility of a 2D Cu-Based Porous Coordination Framework on Gas Adsorption in Comparison with a 3D Framework of Identical Composition: Framework Dimensionality-Dependent Gas Adsorptivities. <i>Journal of the American Chemical Society</i> , 2011, 133, 10512-10522.	13.7	112
59	Preparation and Intercalation Properties of Novel Layered Zinc 1,3,5-Benzenetriphosphonates Composed of Anionic Hybrid Layers. <i>Chemistry Letters</i> , 2011, 40, 215-217.	1.3	13
60	Preparation of Hybrid Ordered Inorganic-Organic Mesostructures from an Asymmetrically Bridged Organic Precursor Containing Both Silanolate and Phosphonate. <i>Chemistry Letters</i> , 2010, 39, 496-497.	1.3	4
61	Appearance of a new leaf rot disease on common ice plant. <i>Journal of General Plant Pathology</i> , 2010, 76, 303-309.	1.0	7
62	Preparation of mesoporous silica replica using ordered mesoporous carbon by vapor phase transport of silica source. <i>Journal of Porous Materials</i> , 2010, 17, 305-312.	2.6	3
63	Preparation of mesostructured silica/anodic alumina composite membranes in mild conditions using acetic acid. <i>Microporous and Mesoporous Materials</i> , 2008, 112, 603-611.	4.4	10
64	The first synthesis of organosilyl-substituted aluminophosphate molecular sieves. <i>Chemical Communications</i> , 2007, , 283-285.	4.1	12
65	Synthesis and microencapsulation of organo-silica particles. <i>Journal of Materials Chemistry</i> , 2006, 16, 2170.	6.7	3
66	Reversible Photoswitching Liquid-phase Adsorption on Azobenzene Derivative-grafted Mesoporous Silica. <i>Chemistry Letters</i> , 2006, 35, 736-737.	1.3	14
67	Metal phosphonate open-framework materials. <i>Microporous and Mesoporous Materials</i> , 2004, 73, 47-55.	4.4	337
68	Synthesis and characterization of a new layered aluminophosphate templated with 1,3-diaminopropane: [H <sub>3</sub> N(CH <sub>2</sub> ) <sub>3</sub> NH <sub>3</sub> ] <sub>0.5</sub> [AlPO <sub>4</sub> (OH)(OH <sub>2</sub> )]·H <sub>2</sub> O. <i>Dalton Transactions RSC</i> , 2000, , 2457-2462.	2.3	22
69	Comment on <sup>27</sup> Al Multiple-Quantum Magic Angle Spinning NMR Study of the Thermal Transformation between Microporous Aluminum Methylphosphonates AlMepO-I <sup>2</sup> and AlMepO-I. <i>Journal of Physical Chemistry B</i> , 2000, 104, 9765-9766.	2.6	0
70	Organozeolite materials and their properties. <i>Catalysis Surveys From Asia</i> , 1999, 3, 119-126.	1.2	15
71	Critical nuclei size effect in the densification of nanostructured niobia ceramics. <i>Materials Research Bulletin</i> , 1999, 34, 225-231.	5.2	4
72	Control of the size of platinum particles on silica surfaces using organic-inorganic composites. <i>Journal of Materials Chemistry</i> , 1999, 9, 995-1000.	6.7	5

#	ARTICLE	IF	CITATIONS
73	Postsynthesis Hydrothermal Restructuring of M41S Mesoporous Molecular Sieves in Water. <i>Journal of Physical Chemistry B</i> , 1999, 103, 1216-1222.	2.6	156
74	Synthesis, Crystal Structure, and Characterization of Layered Aluminum Methylphosphonate. <i>Bulletin of the Chemical Society of Japan</i> , 1997, 70, 345-349.	3.2	34
75	Synthesis of Microporous Aluminum Methylphosphonate $\text{AlMepO} \cdot \frac{1}{2}$ by Steam-Induced Topotactic Transformation of $\text{AlMepO} \cdot \frac{1}{2}$ . <i>Chemistry Letters</i> , 1997, 26, 879-880.	1.3	13
76	Preparation and characterization of porous silica spheres by the sol-gel method in the presence of tartaric acid. <i>Journal of Materials Chemistry</i> , 1997, 7, 767-771.	6.7	43
77	Characterization and Gas Adsorption Properties of Aluminum Methylphosphonates with Organically Lined Unidimensional Channels. <i>Journal of Physical Chemistry B</i> , 1997, 101, 4402-4412.	2.6	77
78	Preparation and characterization of L-tartaric acid-silica composites recognizing molecular asymmetry. <i>Journal of Materials Chemistry</i> , 1997, 7, 1519-1525.	6.7	9
79	Effect of malic acid on structure of silicon alkoxide derived silica. <i>Journal of Non-Crystalline Solids</i> , 1997, 212, 40-48.	3.1	48
80	Structure and properties of $\text{TiO}_2 \cdot \text{SiO}_2$ prepared by sol-gel method in the presence of tartaric acid. <i>Materials Research Bulletin</i> , 1997, 32, 1303-1311.	5.2	47
81	Effect of Organic Ligands Used in Sol-Gel Process on the Formation of Mullite. <i>Journal of Sol-Gel Science and Technology</i> , 1997, 8, 101-106.	2.4	0
82	Selective formation of spinel iron oxide in thin films by complexing agent-assisted sol-gel processing. <i>Journal of Sol-Gel Science and Technology</i> , 1997, 8, 77-81.	2.4	19
83	Effect of Organic Ligands on Properties of Alumina-Zirconia Composite Powder by Sol-Gel Method. <i>Journal of the Ceramic Society of Japan</i> , 1996, 104, 781-784.	1.3	0
84	Synthesis of a zeolite film on a mercury surface. <i>Advanced Materials</i> , 1996, 8, 517-520.	21.0	30
85	Transformation of intercalated layered silicates to zeolites in the solid state. <i>Advanced Materials</i> , 1996, 8, 759-762.	21.0	57
86	$\text{AlMepO} \cdot \frac{1}{2}$ : A Novel Open-Framework Aluminum Methylphosphonate with Organo-Lined Unidimensional Channels. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1199-1201.	4.4	166
87	Preparation of silicas combined with optically active organic compounds: optical resolution of metal chelate complexes on the silica composites. <i>Journal of Chromatography A</i> , 1995, 697, 279-287.	3.7	8
88	Control of the specific surface area of silica by a sol-gel process using 2-methylpentane-2,4-diol. <i>Journal of Materials Chemistry</i> , 1995, 5, 1893-1897.	6.7	16
89	Structure of aluminium methylphosphonate, $\text{AlMepO} \cdot \frac{1}{2}$ , with unidimensional channels formed from ladder-like organic-inorganic polymer chains. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1033-1034.	2.0	91
90	Synthesis of the First Microporous Aluminum Phosphonate with Organic Groups Covalently Bonded to the Skeleton. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 2335-2337.	4.4	131

#	ARTICLE	IF	CITATIONS
91	The formation of rings of platinum dots and the control of the size of platinum particles on silica surfaces using organic/Inorganic composites. <i>Advanced Materials</i> , 1994, 6, 856-858.	21.0	3
92	The effect of preparation methods on the properties of zirconia/silicas. <i>Journal of Molecular Catalysis</i> , 1994, 94, 85-96.	1.2	35
93	Effect of preparation methods on properties of alumina/titanias. <i>Journal of Materials Chemistry</i> , 1994, 4, 585.	6.7	35
94	Effect of preparation methods on properties of amorphous alumina/silicas. <i>Journal of Materials Chemistry</i> , 1994, 4, 1131.	6.7	21
95	Materials chemistry communications. New preparation method for highly siliceous zeolite films. <i>Journal of Materials Chemistry</i> , 1992, 2, 141.	6.7	33
96	Thermal behaviour of alumina from aluminium alkoxide reacted with complexing agent. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1992, 88, 97.	1.7	48
97	Selective formation of thin film iron garnet by complexing agent-assisted sol-gel processing. <i>Journal of Non-Crystalline Solids</i> , 1992, 147-148, 442-446.	3.1	19
98	Synthesis of cordierite by complexing agent-assisted sol-gel procedure. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 1268-1269.	2.0	15
99	Formation of size-controlled micro-pores in amorphous mixed oxides by an advanced sol-gel method. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 1211-1212.	2.0	16
100	Syntheses, Spectroscopic Properties, Crystal Structures, and Antitumor Activities of the Optically Isomeric Mandelate Chelates, Mandelato(trans-1,2-diaminocyclohexane)platinum(II). <i>Bulletin of the Chemical Society of Japan</i> , 1989, 62, 3239-3246.	3.2	14
101	Syntheses, Crystal Structures, and Antitumor Activities of the Optically Isomeric Mandelate Chelates, Mandelato(trans-1,2-diaminocyclohexane)platinum(II). <i>Chemistry Letters</i> , 1989, 18, 1377-1380.	1.3	2