Wolfgang Maier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7668063/publications.pdf

Version: 2024-02-01

222 papers 21,183 citations

26630 56 h-index 132 g-index

230 all docs

230 docs citations

times ranked

230

28391 citing authors

#	Article	IF	CITATIONS
1	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228.	9.0	97
2	Incidence and risk factors of depressive symptoms in the highest age groups and competing mortality risk. Evidence from the AgeCoDe-AqeQualiDe prospective cohort study. Journal of Affective Disorders, 2022, 308, 494-501.	4.1	2
3	A Comparison of Operational Definitions for Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2022, 88, 1663-1678.	2.6	4
4	Associations and correlates of general versus specific successful ageing components. European Journal of Ageing, 2021, 18, 549-563.	2.8	9
5	Help-seeking for psychological distress and its association with anxiety in the oldest old – results from the AgeQualiDe cohort study. Aging and Mental Health, 2021, 25, 923-929.	2.8	7
6	Depressive Symptoms and Frailty Among the Oldest Old: Evidence From a Multicenter Prospective Study. Journal of the American Medical Directors Association, 2021, 22, 577-582.e2.	2.5	4
7	Disorientation in Time and Place in Old Age: Longitudinal Evidence from Three Old Age Cohorts in Germany (AgeDifferent.de Platform). Journal of Alzheimer's Disease, 2021, 79, 1589-1599.	2.6	1
8	Anticholinergic drug burden according to the anticholinergic drug scale and the German anticholinergic burden and their impact on cognitive function in multimorbid elderly German people: a multicentre observational study. BMJ Open, 2021, 11, e044230.	1.9	7
9	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
10	Health-related quality of life and ego integrity among the oldest old – Evidence from the multicenter AgeCoDe-AgeQualiDe study. Archives of Gerontology and Geriatrics, 2021, 95, 104408.	3.0	2
11	Comparison of FORTA, PRISCUS and EU(7)-PIM lists on identifying potentially inappropriate medication and its impact on cognitive function in multimorbid elderly German people in primary care: a multicentre observational study. BMJ Open, 2021, 11, e050344.	1.9	18
12	Driving status and health-related quality of life among the oldest old: a population-based examination using data from the AgeCoDe–AgeQualiDe prospective cohort study. Aging Clinical and Experimental Research, 2021, 33, 3109-3115.	2.9	8
13	Methodology for clinical genotyping of CYP2D6 and CYP2C19. Translational Psychiatry, 2021, 11, 596.	4.8	15
14	Dimensions of temperament and character as predictors of antidepressant discontinuation, response and adverse reactions during treatment with nortriptyline and escitalopram. Psychological Medicine, 2021, , 1-9.	4.5	3
15	Late-Life Depressive Symptoms Are Associated With Functional Impairment Cross-sectionally and Over Time: Results of the AgeMooDe Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 811-820.	3.9	6
16	What happens with schizophrenia patients after their discharge from hospital? Results on outcome and treatment from a "real-world―2-year follow-up trial. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 661-671.	3.2	7
17	A rare heterozygous <i>TREM2</i> coding variant identified in familial clustering of dementia affects an intrinsically disordered protein region and function of TREM2. Human Mutation, 2020, 41, 169-181.	2.5	4
18	Identification of a Cascade of Changes in Activities of Daily Living Preceding Short-Term Clinical Deterioration in Mild Alzheimer's Disease Dementia via Lead-Lag Analysis. Journal of Alzheimer's Disease, 2020, 76, 1005-1015.	2.6	0

#	Article	IF	CITATIONS
19	EQ-5D-3L health status and health state utilities of the oldest-old (85 +) in Germany: results from the AgeCoDe-AgeQualiDe study. Quality of Life Research, 2020, 29, 3223-3232.	3.1	9
20	Prediction of dementia of Alzheimer type by different types of subjective cognitive decline. Alzheimer's and Dementia, 2020, 16, 1745-1749.	0.8	14
21	Association of a CAMK2A genetic variant with logical memory performance and hippocampal volume in the elderly. Brain Research Bulletin, 2020, 161, 13-20.	3.0	3
22	Which Factors Contribute to Frailty among the Oldest Old? Results of the Multicentre Prospective AgeCoDe and AgeQualiDe Study. Gerontology, 2020, 66, 460-466.	2.8	9
23	Prevalence and factors associated with obesity among the oldest old. Archives of Gerontology and Geriatrics, 2020, 89, 104069.	3.0	12
24	What Is Successful Aging? A Psychometric Validation Study of Different Construct Definitions. Gerontologist, The, 2019, 59, 738-748.	3.9	30
25	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). Journal of Affective Disorders, 2019, 256, 650-657.	4.1	23
26	Does transpersonal trust moderate the association between chronic conditions and general practitioner visits in the oldest old? Results of the AgeCoDe and AgeQualiDe study. Geriatrics and Gerontology International, 2019, 19, 705-710.	1.5	5
27	A combined miRNA–piRNA signature to detect Alzheimer's disease. Translational Psychiatry, 2019, 9, 250.	4.8	74
28	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. British Journal of Psychiatry, 2019, 215, 494-501.	2.8	10
29	A nonsynonymous mutation in PLCG2 reduces the risk of Alzheimer's disease, dementia with Lewy bodies and frontotemporal dementia, and increases the likelihood of longevity. Acta Neuropathologica, 2019, 138, 237-250.	7.7	87
30	Women Outperform Men in Verbal Episodic Memory Even in Oldest-Old Age: 13-Year Longitudinal Results of the AgeCoDe/AgeQualiDe Study. Journal of Alzheimer's Disease, 2019, 69, 857-869.	2.6	17
31	Remission in schizophrenia — What are we measuring? Comparing the consensus remission criteria to a CGI-based definition of remission and to remission in major depression. Schizophrenia Research, 2019, 209, 185-192.	2.0	5
32	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. Psychoneuroendocrinology, 2019, 106, 284-292.	2.7	18
33	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21.4	1,191
34	Prevalence and determinants of driving habits in the oldest old: Results of the multicenter prospective AgeCoDe-AgeQualiDe study. Archives of Gerontology and Geriatrics, 2019, 82, 245-250.	3.0	11
35	Association of anxiety symptoms with health care use and costs in people aged 85 and over. International Journal of Geriatric Psychiatry, 2019, 34, 765-776.	2.7	4
36	Trajectories of Suicidal Ideation During 12 Weeks of Escitalopram or Nortriptyline Antidepressant Treatment Among 811 Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2019, 80, .	2.2	7

3

#	Article	IF	CITATIONS
37	The value of the GP's clinical judgement in predicting dementia: a multicentre prospective cohort study among patients in general practice. British Journal of General Practice, 2019, 69, e786-e793.	1.4	5
38	Antisaccade and prosaccade eye movements in individuals clinically at risk for psychosis: comparison with first-episode schizophrenia and prediction of conversion. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 921-930.	3.2	18
39	Is function in instrumental activities of daily living a useful feature in predicting <scp>A</scp> lzheimer's disease dementia in subjective cognitive decline?. International Journal of Geriatric Psychiatry, 2019, 34, 193-203.	2.7	41
40	Predictors of treatment response to psychological interventions in people at clinical high risk of firstâ€episode psychosis. Microbial Biotechnology, 2019, 13, 120-127.	1.7	5
41	Oxytocin reduces a chemosensory-induced stress bias in social perception. Neuropsychopharmacology, 2019, 44, 281-288.	5.4	26
42	Stigma experiences and perceived stigma in patients with first-episode schizophrenia in the course of $1\hat{A}$ year after their first in-patient treatment. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 459-468.	3.2	19
43	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. Scientific Reports, 2018, 8, 5530.	3.3	51
44	Genetic estimators of DNA methylation provide insights into the molecular basis of polygenic traits. Translational Psychiatry, 2018, 8, 31.	4.8	12
45	Circulating metabolites and general cognitive ability and dementia: Evidence from 11 cohort studies. Alzheimer's and Dementia, 2018, 14, 707-722.	0.8	143
46	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	21.4	2,224
47	Prevalence of the apolipoprotein E $\hat{l}\mu 4$ allele in amyloid \hat{l}^2 positive subjects across the spectrum of Alzheimer's disease. Alzheimer's and Dementia, 2018, 14, 913-924.	0.8	58
48	Unmet needs in the depressed primary care elderly and their relation to severity of depression: results from the AgeMooDe study. Aging and Mental Health, 2018, 22, 1038-1045.	2.8	6
49	Categorical and dimensional perspectives on depression in elderly primary care patients $\hat{a}\in$ Results of the AgeMooDe study. International Journal of Methods in Psychiatric Research, 2018, 27, .	2.1	5
50	Potentially inappropriate medication: Association between the use of antidepressant drugs and the subsequent risk for dementia. Journal of Affective Disorders, 2018, 226, 28-35.	4.1	22
51	Association of Cerebral Amyloid- \hat{l}^2 Aggregation With Cognitive Functioning in Persons Without Dementia. JAMA Psychiatry, 2018, 75, 84.	11.0	133
52	Cognitive functioning in the general population: Factor structure and association with mental disordersâ€"The neuropsychological test battery of the mental health module of the German Health Interview and Examination Survey for Adults (DEGS1â€MH). International Journal of Methods in Psychiatric Research, 2018, 27, .	2.1	6
53	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. Journal of Affective Disorders, 2018, 228, 20-25.	4.1	14
54	Negative schemata about the self and others and paranoid ideation in atâ€risk states and those with persisting positive symptoms. Microbial Biotechnology, 2018, 12, 1157-1165.	1.7	6

#	Article	IF	CITATIONS
55	P1â€140: A GENERIC LATENT VARIABLE APPROACH FOR MEASURING COGNITIVE RESERVE: PHENOTYPE VALIDATION AND GENETIC ASSOCIATION RESULTS. Alzheimer's and Dementia, 2018, 14, P328.	0.8	0
56	Genome-wide significant risk factors on chromosome 19 and the <i>APOE</i> locus. Oncotarget, 2018, 9, 24590-24600.	1.8	22
57	Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. Nature Neuroscience, 2018, 21, 1656-1669.	14.8	490
58	Advance directives for future dementia can be modified by a brief video presentation on dementia care: An experimental study. PLoS ONE, 2018, 13, e0197229.	2.5	6
59	Perspective of elderly patients on chronic use of potentially inappropriate medication – Results of the qualitative CIM-TRIAD study. PLoS ONE, 2018, 13, e0202068.	2.5	16
60	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. European Neuropsychopharmacology, 2018, 28, 945-954.	0.7	64
61	Impact of falls on depressive symptoms among the oldest old: Results from the AgeQualiDe study. International Journal of Geriatric Psychiatry, 2018, 33, 1383-1388.	2.7	13
62	Prospective Associations between Single Foods, Alzheimer's Dementia and Memory Decline in the Elderly. Nutrients, 2018, 10, 852.	4.1	57
63	A qualitative study on older primary care patients' perspectives on depression and its treatments - potential barriers to and opportunities for managing depression. BMC Family Practice, 2018, 19, 2.	2.9	26
64	Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). Translational Psychiatry, 2018, 8, 150.	4.8	19
65	Genetic disposition to inflammation and response to antidepressants in major depressive disorder. Journal of Psychiatric Research, 2018, 105, 17-22.	3.1	18
66	Prevalence of pain and its associated factors among the oldest-olds in different care settings $\hat{a}\in$ " results of the AgeQualiDe study. BMC Family Practice, 2018, 19, 85.	2.9	14
67	Shared genetic etiology between alcohol dependence and major depressive disorder. Psychiatric Genetics, 2018, 28, 66-70.	1.1	19
68	Clinical high risk for psychosis: gender differences in symptoms and social functioning. Microbial Biotechnology, 2017, 11, 306-313.	1.7	54
69	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. World Journal of Biological Psychiatry, 2017, 18, 492-505.	2.6	48
70	Disentangling the complex relation of disability and depressive symptoms in old age – findings of a multicenter prospective cohort study in Germany. International Psychogeriatrics, 2017, 29, 885-895.	1.0	30
71	Impact of coronary heart disease on cognitive decline in Alzheimer's disease: a prospective longitudinal cohort study in primary care. British Journal of General Practice, 2017, 67, e111-e117.	1.4	33
72	Mortality in Incident Cognitive Impairment: Results of the Prospective AgeCoDe Study. Journal of the American Geriatrics Society, 2017, 65, 738-746.	2.6	11

#	Article	IF	Citations
73	Pharmacogenetics of antidepressant response: A polygenic approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 75, 128-134.	4.8	71
74	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. Brain, Behavior, and Immunity, 2017, 62, 344-350.	4.1	202
7 5	Kinetics and Dose Dependency of Intranasal Oxytocin Effects on Amygdala Reactivity. Biological Psychiatry, 2017, 82, 885-894.	1.3	192
76	Add-on Antidepressants in the Naturalistic Treatment of Schizophrenia Spectrum Disorder – When, Who, and How?. Pharmacopsychiatry, 2017, 50, 136-144.	3.3	3
77	Cerebrospinal Fluid Biomarkers and Clinical Progression in Patients with Subjective Cognitive Decline and Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2017, 58, 939-950.	2.6	74
78	How the brain codes intimacy: The neurobiological substrates of romantic touch. Human Brain Mapping, 2017, 38, 4525-4534.	3.6	68
79	Oxytocin drives prosocial biases in favor of attractive people. Behavioral and Brain Sciences, 2017, 40, e30.	0.7	5
80	The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. Neurobiology of Aging, 2017, 56, 33-40.	3.1	27
81	General practitioners' views on (long-term) prescription and use of problematic and potentially inappropriate medication for oldest-old patients—A qualitative interview study with GPs (CIM-TRIAD) Tj ETQq1 1	09 8431	4 zgBT/Ove
82	Treatment preferences for depression in the elderly. International Psychogeriatrics, 2017, 29, 389-398.	1.0	34
83	How does social support affect functional impairment in late life? Findings of a multicenter prospective cohort study in Germany. Age and Ageing, 2017, 46, 813-820.	1.6	23
84	Subjective cognitive decline is longitudinally associated with lower health-related quality of life. International Psychogeriatrics, 2017, 29, 1939-1950.	1.0	35
85	Advance directives and power of attorney for health care in the oldest-old – results of the AgeQualiDe study. BMC Geriatrics, 2017, 17, 85.	2.7	19
86	Prevalence of metabolic syndrome in female and male patients at risk of psychosis. Schizophrenia Research, 2017, 181, 38-42.	2.0	34
87	Validity of remission and recovery criteria for schizophrenia and major depression: comparison of the results of two one-year follow-up naturalistic studies. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 303-313.	3.2	8
88	The Impact of Depressive Symptoms on Healthcare Costs in Late Life: Longitudinal Findings From the AgeMooDe Study. American Journal of Geriatric Psychiatry, 2017, 25, 131-141.	1.2	22
89	Which types of mental work demands may be associated with reduced risk of dementia?. Alzheimer's and Dementia, 2017, 13, 431-440.	0.8	33
90	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. Nature Genetics, 2017, 49, 27-35.	21.4	838

#	Article	IF	CITATIONS
91	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. World Journal of Biological Psychiatry, 2017, 18, 5-28.	2.6	75
92	[P3â€"164]: FUNCTIONAL CHARACTERIZATION OF A RARE GENETIC VARIANT IN PHOSPHOLIPASE \hat{C}^3 2 WHICH IS ASSOCIATED WITH A BENEFICIAL EFFECT ON THE PROGRESSION OF ALZHEIMER's DISEASE. Alzheimer's and Dementia, 2017, 13, P997.	0.8	0
93	[P3â€"528]: PROSPECTIVE ASSOCIATIONS BETWEEN VITAMINS, METABOLITES, AND OVERALL DEMENTIA IN THE OLDESTâ€OLD. Alzheimer's and Dementia, 2017, 13, P1180.	0.8	2
94	[P4â€"139]: APPLICATION OF THE â€~A/T/N' BIOMARKER CLASSIFICATION SYSTEM IN PATIENTS WITH MILD COGNITIVE IMPAIRMENT: CONVERSION RATES TO AD AND OTHER DEMENTIAS. Alzheimer's and Dementia, 2017, 13, P1310.	0.8	O
95	[P1–554]: OPTIMAL HARMONIZATION OF COGNITIVE MEASURES ENHANCES THE DETECTION OF GENETIC EFFECTS ON ALZHEIMER'S DISEASE PROGRESSION: A COMPARISON OF SIX STATISTICAL APPROACHES IN 1796 MCI PATIENTS FROM THREE COHORTS. Alzheimer's and Dementia, 2017, 13, P506.	0.8	O
96	Incremental value of biomarker combinations to predict progression of mild cognitive impairment to Alzheimer's dementia. Alzheimer's Research and Therapy, 2017, 9, 84.	6.2	58
97	Genetic Contribution to Alcohol Dependence: Investigation of a Heterogeneous German Sample of Individuals with Alcohol Dependence, Chronic Alcoholic Pancreatitis, and Alcohol-Related Cirrhosis. Genes, 2017, 8, 183.	2.4	11
98	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. PLoS ONE, 2017, 12, e0171595.	2.5	77
99	The impact of social engagement on health-related quality of life and depressive symptoms in old age - evidence from a multicenter prospective cohort study in Germany. Health and Quality of Life Outcomes, 2017, 15, 140.	2.4	48
100	Incident Subjective Cognitive Decline Does Not Predict Mortality in the Elderly – Results from the Longitudinal German Study on Ageing, Cognition, and Dementia (AgeCoDe). PLoS ONE, 2016, 11, e0147050.	2.5	20
101	Unmet care needs of the oldest old with late-life depression: A comparison of patient, caring relative and general practitioner perceptions – Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 205, 182-189.	4.1	10
102	Challenging the understanding of significant improvement and outcome in schizophrenia $\hat{a} \in \text{``the}$ concept of reliable and clinically significant change methods. International Journal of Methods in Psychiatric Research, 2016, 25, 3-11.	2.1	5
103	Late-Life Depressive Symptoms andÂLifetime History of Major Depression: Cognitive Deficits are Largely Due toÂlncipient Dementia rather than Depression. Journal of Alzheimer's Disease, 2016, 54, 185-199.	2.6	23
104	Differential Risk of Incident Alzheimer's Disease Dementia in Stable Versus Unstable Patterns of Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2016, 54, 1135-1146.	2.6	70
105	Interactions of noradrenaline and cortisol and the induction of indelible memories. Behavioral and Brain Sciences, 2016, 39, e213.	0.7	1
106	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. Journal of Psychiatric Research, 2016, 78, 94-102.	3.1	149
107	No association of the variant rs11887120 in DNMT3A with cognitive decline in individuals with mild cognitive impairment. Epigenomics, 2016, 8, 593-598.	2.1	5
108	Excess health care costs of late-life depression – Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 199, 139-147.	4.1	40

#	Article	IF	CITATIONS
109	The impact of depressive symptoms on utilization of home care by the elderly: Longitudinal results from the AgeMooDe study. Journal of Affective Disorders, 2016, 204, 247-254.	4.1	6
110	Effect of Visual Impairment on Physical and Cognitive Function in Old Age: Findings of a Populationâ€Based Prospective Cohort Study in Germany. Journal of the American Geriatrics Society, 2016, 64, 2311-2316.	2.6	33
111	Oxytocin enhances cognitive control of food craving in women. Human Brain Mapping, 2016, 37, 4276-4285.	3.6	51
112	Association between multimorbidity patterns and chronic pain in elderly primary care patients: a cross-sectional observational study. BMC Family Practice, 2016, 17, 68.	2.9	65
113	Longitudinal predictors of informal and formal caregiving time in community-dwelling dementia patients. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 607-616.	3.1	46
114	Gender differences in the effect of social support on health-related quality of life: results of a population-based prospective cohort study in old age in Germany. Quality of Life Research, 2016, 25, 1159-1168.	3.1	61
115	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. Human Molecular Genetics, 2016, 25, 3383-3394.	2.9	182
116	Coping as a predictor of treatment outcome in people at clinical high risk of psychosis. Microbial Biotechnology, 2016, 10, 17-27.	1.7	19
117	Transcriptomics and the mechanisms of antidepressant efficacy. European Neuropsychopharmacology, 2016, 26, 105-112.	0.7	19
118	Association of Proton Pump Inhibitors With Risk of Dementia. JAMA Neurology, 2016, 73, 410.	9.0	459
119	TREM2 rare variant p.R47H is not associated with Parkinson's disease. Parkinsonism and Related Disorders, 2016, 23, 109-111.	2.2	17
120	Predictors for symptom re-exacerbation after targeted stepwise drug discontinuation in first-episode schizophrenia. Schizophrenia Research, 2016, 170, 168-176.	2.0	34
121	The assessment of met and unmet care needs in the oldest old with and without depression using the Camberwell Assessment of Need for the Elderly (CANE): Results of the AgeMooDe study. Journal of Affective Disorders, 2016, 193, 309-317.	4.1	49
122	Alzheimer's disease risk variants modulate endophenotypes in mild cognitive impairment. Alzheimer's and Dementia, 2016, 12, 872-881.	0.8	50
123	Oxytocin Facilitates Pavlovian Fear Learning in Males. Neuropsychopharmacology, 2016, 41, 932-939.	5.4	92
124	Smaller than expected cognitive deficits in schizophrenia patients from the population-representative ABC catchment cohort. European Archives of Psychiatry and Clinical Neuroscience, 2016, 266, 423-431.	3.2	7
125	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. Biological Psychiatry, 2016, 79, 329-336.	1.3	21
126	No Reliable Association between Runs of Homozygosity and Schizophrenia in a Well-Powered Replication Study. PLoS Genetics, 2016, 12, e1006343.	3.5	24

#	Article	IF	CITATIONS
127	Determinants of health-related quality of life in older primary care patients: results of the longitudinal observational AgeCoDe Study. British Journal of General Practice, 2015, 65, e716-e723.	1.4	59
128	Is the Short Form of the Mini-Mental State Examination (MMSE) a better screening instrument for dementia in older primary care patients than the original MMSE? Results of the German study on ageing, cognition, and dementia in primary care patients (AgeCoDe) Psychological Assessment, 2015, 27, 895-904.	1.5	9
129	Elevated HbA1c is Associated with Increased Risk of Incident Dementia in Primary Care Patients. Journal of Alzheimer's Disease, 2015, 44, 1203-1212.	2.6	52
130	Investigation of the role of <i>TCF4</i> rare sequence variants in schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 354-362.	1.7	12
131	Mild Depressive Symptoms Predict Mortality from Heart Failure in Elderly Men but Not Women. Journal of the American Geriatrics Society, 2015, 63, 2408-2410.	2.6	2
132	Twelveâ€months prevalence of mental disorders in the German Health Interview and Examination Survey for Adults – Mental Health Module (DEGS1â€MH): a methodological addendum and correction. International Journal of Methods in Psychiatric Research, 2015, 24, 305-313.	2.1	110
133	The Latent Dementia Phenotype δ is Associated with Cerebrospinal Fluid Biomarkers of Alzheimer's Disease and Predicts Conversion to Dementia in Subjects with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 49, 547-560.	2.6	23
134	Self-efficacy in multimorbid elderly patients with osteoarthritis in primary careâ€"influence on pain-related disability. Clinical Rheumatology, 2015, 34, 1761-1767.	2.2	11
135	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. BMC Medicine, 2015, 13, 86.	5.5	56
136	Cognitive performance before and after the onset of subjective cognitiveÂdecline in old age. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2015, 1, 194-205.	2.4	110
137	Neurocognitive functioning in parents of schizophrenia patients: Attentional and executive performance vary with genetic loading. Psychiatry Research, 2015, 230, 885-891.	3.3	12
138	Cerebrospinal fluid cortisol and clinical disease progression in MCI and dementia of Alzheimer's type. Neurobiology of Aging, 2015, 36, 601-607.	3.1	125
139	Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. Brain, 2015, 138, 1327-1338.	7.6	284
140	Subjective cognitive decline is related to CSF biomarkers of AD in patients with MCI. Neurology, 2015, 84, 1261-1268.	1.1	41
141	A human tendency to anthropomorphize is enhanced by oxytocin. European Neuropsychopharmacology, 2015, 25, 1817-1823.	0.7	51
142	Prevalence of Cerebral Amyloid Pathology in Persons Without Dementia. JAMA - Journal of the American Medical Association, 2015, 313, 1924.	7.4	1,166
143	Apolipoprotein E-dependent load of white matter hyperintensities in Alzheimer's disease: a voxel-based lesion mapping study. Alzheimer's Research and Therapy, 2015, 7, 27.	6.2	13
144	Diminished appetitive startle modulation following targeted inhibition of prefrontal cortex. Scientific Reports, 2015, 5, 8954.	3.3	13

#	Article	IF	CITATIONS
145	XRCC5 as a Risk Gene for Alcohol Dependence: Evidence from a Genome-Wide Gene-Set-Based Analysis and Follow-up Studies in Drosophila and Humans. Neuropsychopharmacology, 2015, 40, 361-371.	5.4	12
146	PLD3 in non-familial Alzheimer's disease. Nature, 2015, 520, E3-E5.	27.8	58
147	Common polygenic variation enhances risk prediction for Alzheimer's disease. Brain, 2015, 138, 3673-3684.	7.6	359
148	Complex coevolution of depression and health-related quality of life in old age. Quality of Life Research, 2015, 24, 2713-2722.	3.1	20
149	Computational dissection of human episodic memory reveals mental process-specific genetic profiles. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E4939-48.	7.1	16
150	Prevalence and determinants of overweight and obesity in old age in Germany. BMC Geriatrics, 2015, 15, 83.	2.7	41
151	Duration of unspecific prodromal and clinical high risk states, and early help-seeking in first-admission psychosis patients. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1831-1841.	3.1	56
152	Genetic Analysis of Association Between Calcium Signaling and Hippocampal Activation, Memory Performance in the Young and Old, and Risk for Sporadic Alzheimer Disease. JAMA Psychiatry, 2015, 72, 1029.	11.0	23
153	Functional Disability and Quality of Life Decrements in Mental Disorders: Results From the Mental Health Module of the German Health Interview and Examination Survey for Adults (Degs1-Mh). European Psychiatry, 2015, 30, 793-800.	0.2	35
154	Convergent genetic and expression data implicate immunity in Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 658-671.	0.8	173
155	Oxytocin Facilitates the Extinction of Conditioned Fear in Humans. Biological Psychiatry, 2015, 78, 194-202.	1.3	210
156	Longitudinal Predictors of Institutionalization in Old Age. PLoS ONE, 2015, 10, e0144203.	2.5	128
157	Memory Concerns, Memory Performance and Risk of Dementia in Patients with Mild Cognitive Impairment. PLoS ONE, 2014, 9, e100812.	2.5	41
158	Impact of Depression on Health Care Utilization and Costs among Multimorbid Patients – Results from the MultiCare Cohort Study. PLoS ONE, 2014, 9, e91973.	2.5	88
159	Obesity and Associated Lifestyle in a Large Sample of Multi-Morbid German Primary Care Attendees. PLoS ONE, 2014, 9, e102587.	2.5	19
160	Oxytocin facilitates social approach behavior in women. Frontiers in Behavioral Neuroscience, 2014, 8, 191.	2.0	83
161	SUCLG2 identified as both a determinator of CSF Aβ1–42 levels and an attenuator of cognitive decline in Alzheimer's disease. Human Molecular Genetics, 2014, 23, 6644-6658.	2.9	45
162	Selected issues of the DGPPN Congress in 2013. European Archives of Psychiatry and Clinical Neuroscience, 2014, 264, 1-2.	3.2	0

#	Article	IF	Citations
163	Investigation of the involvement of <i>MIR185</i> and its target genes in the development of schizophrenia. Journal of Psychiatry and Neuroscience, 2014, 39, 386-396.	2.4	23
164	Integrated Pathway-Based Approach Identifies Association between Genomic Regions at CTCF and CACNB2 and Schizophrenia. PLoS Genetics, 2014, 10, e1004345.	3.5	44
165	Associations between Dementia Outcomes and Depressive Symptoms, Leisure Activities, and Social Support. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 481-493.	1.3	19
166	Further Evidence for the Impact of a Genome-Wide-Supported Psychosis Risk Variant in ZNF804A on the Theory of Mind Network. Neuropsychopharmacology, 2014, 39, 1196-1205.	5.4	42
167	The role of spousal loss in the development of depressive symptoms in the elderly — Implications for diagnostic systems. Journal of Affective Disorders, 2014, 161, 97-103.	4.1	41
168	Genome-wide association study reveals two new risk loci for bipolar disorder. Nature Communications, 2014, 5, 3339.	12.8	294
169	Converging Genetic and Functional Brain Imaging Evidence Links Neuronal Excitability to Working Memory, Psychiatric Disease, and Brain Activity. Neuron, 2014, 81, 1203-1213.	8.1	86
170	Rates and predictors of remission in first-episode schizophrenia within 1 year of antipsychotic maintenance treatment. Results of a randomized controlled trial within the German Research Network on Schizophrenia. Schizophrenia Research, 2014, 152, 478-486.	2.0	33
171	5-HT3 receptor influences the washing phenotype and visual organization in obsessive-compulsive disorder supporting 5-HT3 receptor antagonists as novel treatment option. European Neuropsychopharmacology, 2014, 24, 86-94.	0.7	23
172	Stratified medicine for mental disorders. European Neuropsychopharmacology, 2014, 24, 5-50.	0.7	152
173	An Oxytocin-Induced Facilitation of Neural and Emotional Responses to Social Touch Correlates Inversely with Autism Traits. Neuropsychopharmacology, 2014, 39, 2078-2085.	5.4	214
174	Investigation of the role of rare TREM2 variants in frontotemporal dementia subtypes. Neurobiology of Aging, 2014, 35, 2657.e13-2657.e19.	3.1	34
175	A comparison of GP and GDS diagnosis of depression in late life among multimorbid patients – Results of the MultiCare study. Journal of Affective Disorders, 2014, 168, 276-283.	4.1	12
176	Investigating the genetic variation underlying episodicity in major depressive disorder: Suggestive evidence for a bipolar contribution. Journal of Affective Disorders, 2014, 155, 81-89.	4.1	15
177	The CERAD Neuropsychological Assessment Battery Total Score Detects and Predicts Alzheimer Disease Dementia with High Diagnostic Accuracy. American Journal of Geriatric Psychiatry, 2014, 22, 1017-1028.	1.2	56
178	The Costs of Dementia From the Societal Perspective: Is Care Provided in the Community Really Cheaper than Nursing Home Care?. Journal of the American Medical Directors Association, 2014, 15, 117-126.	2.5	35
179	Genetic interaction of <i>PICALM</i> and <i>APOE</i> is associated with brain atrophy and cognitive impairment in Alzheimer's disease. Alzheimer's and Dementia, 2014, 10, S269-76.	0.8	47
180	AD dementia risk in late MCI, in early MCI, and in subjective memory impairment. Alzheimer's and Dementia, 2014, 10, 76-83.	0.8	414

#	Article	IF	CITATIONS
181	Gene-Wide Analysis Detects Two New Susceptibility Genes for Alzheimer's Disease. PLoS ONE, 2014, 9, e94661.	2.5	155
182	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. PLoS ONE, 2014, 9, e104326.	2.5	34
183	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer's disease. Nature Genetics, 2013, 45, 1452-1458.	21.4	3,741
184	Inferior frontal gyrus preserves working memory and emotional learning under conditions of impaired noradrenergic signaling. Frontiers in Behavioral Neuroscience, 2013, 7, 197.	2.0	22
185	Schizophrenia and bipolar disorder: differences and overlaps. Current Opinion in Psychiatry, 2006, 19, 165-170.	6.3	127
186	Clinical impact of recently detected susceptibility genes for schizophrenia. Dialogues in Clinical Neuroscience, 2006, 8, 79-84.	3.7	15
187	Genetic models of schizophrenia and bipolar disorder. European Archives of Psychiatry and Clinical Neuroscience, 2005, 255, 159-166.	3.2	85
188	Transition to Schizophrenia and Related Disorders: Toward a Taxonomy of Risk. Schizophrenia Bulletin, 2003, 29, 693-701.	4.3	24
189	Schizophrenia Spectrum Disorders: A Review. , 2003, , 317-411.		1
190	Psychiatric genetics. Overview on achievements, problems, perspectives. Methods in Molecular Medicine, 2003, 77, 3-20.	0.8	0
191	The dichotomy of schizophrenia and affective disorders in extended pedigrees. Schizophrenia Research, 2002, 57, 259-266.	2.0	70
192	Impact of overlapping recruitment on psychiatric genetic studies. American Journal of Medical Genetics Part A, 2001, 105, 139-140.	2.4	2
193	Schizophrenia Spectrum Disorders: A Review. , 2001, , 311-405.		9
194	Major psychoses symptomatology: factor analysis of 2241 psychotic subjects. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 193-198.	3.2	38
195	Identification of items which predict later development of depression in primary health care. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 21-26.	3.2	25
196	Caught in the trio trap? Potential selection bias inherent to association studies usings parentâ€offspring trios. American Journal of Medical Genetics Part A, 2001, 105, 351-353.	2.4	21
197	Lack of association between a functional polymorphism of the cytochrome P450 1A2 (CYP1A2) gene and tardive dyskinesia in schizophrenia. American Journal of Medical Genetics Part A, 2001, 105, 498-501.	2.4	56
198	Gene polymorphisms of interleukin-l \hat{l}_{\pm} influence the course of Alzheimer's disease. Annals of Neurology, 2001, 49, 818-819.	5.3	33

#	Article	IF	CITATIONS
199	Association analysis of NOTCH4 loci in schizophrenia using family and population-based controls. Nature Genetics, 2001, 28, 126-128.	21.4	62
200	Advanced Parental Age: A Risk Factor for Alzheimer's Disease or Depression in the Elderly?. International Psychogeriatrics, 2000, 12, 445-451.	1.0	13
201	Investigation of the human serotonin 6 (5-HT6) receptor gene in bipolar affective disorder and schizophrenia., 2000, 96, 217-221.		62
202	Association study of the tryptophan hydroxylase gene and bipolar affective disorder using family-based internal controls. American Journal of Medical Genetics Part A, 2000, 96, 310-311.	2.4	17
203	Identical distribution of the ?2-macroglobulin pentanucleotide deletion in subjects with alzheimer disease and controls in a German population. American Journal of Medical Genetics Part A, 2000, 96, 775-777.	2.4	18
204	Association between a functional polymorphism in the monoamine oxidase A gene promoter and major depressive disorder. American Journal of Medical Genetics Part A, 2000, 96, 801-803.	2.4	168
205	Gene-gene interaction between interleukin-6 and ?2-macroglobulin influences the risk for Alzheimer's disease. Annals of Neurology, 2000, 47, 138-139.	5.3	14
206	A genetic variation of cathepsin D is a major risk factor for Alzheimer's disease. Annals of Neurology, 2000, 47, 399-403.	5.3	110
207	The genetic epidemiology of schizophrenia and of schizophrenia spectrum disorders. European Archives of Psychiatry and Clinical Neuroscience, 2000, 250, 304-310.	3.2	67
208	Polymorphic MAO-A and 5-HT-Transporter Genes: Analysis of Interactions in Panic Disorder. World Journal of Biological Psychiatry, 2000, 1, 147-150.	2.6	19
209	Association between a functional polymorphism in the monoamine oxidase A gene promoter and major depressive disorder. American Journal of Medical Genetics Part A, 2000, 96, 801-803.	2.4	1
210	A genetic variation of the inflammatory cytokine interleukin-6 delays the initial onset and reduces the risk for sporadic Alzheimer's disease. Annals of Neurology, 1999, 45, 666-668.	5.3	205
211	Allelic variants of dopamine receptor D4 (DRD4) and serotonin receptor 5HT2c (HTR2c) and temperament factors: Replication tests. American Journal of Medical Genetics Part A, 1999, 88, 168-172.	2.4	83
212	Human ?-opioid receptor gene and susceptibility to heroin and alcohol dependence., 1999, 88, 462-464.		59
213	Excess of High Activity Monoamine Oxidase A Gene Promoter Alleles in Female Patients with Panic Disorder. Human Molecular Genetics, 1999, 8, 621-624.	2.9	563
214	Adenosine A1 receptor and bipolar affective disorder: systematic screening of the gene and association studies., 1998, 81, 18-23.		15
215	Further evidence for a susceptibility locus on chromosome 10p14-p11 in 72 families with schizophrenia by nonparametric linkage analysis. American Journal of Medical Genetics Part A, 1998, 81, 302-307.	2.4	111
216	Genetic research in relation to ICD-10 and DSM III/IV classification. European Psychiatry, 1998, 13, 177s-177s.	0.2	0

#	Article	IF	CITATIONS
217	Further evidence for a susceptibility locus on chromosome 10p14–p11 in 72 families with schizophrenia by nonparametric linkage analysis. American Journal of Medical Genetics Part A, 1998, 81, 302-307.	2.4	3
218	Neuronal nicotinic acetylcholine receptor $\hat{l}\pm 4$ subunit (CHRNA4) and panic disorder: An association study., 1997, 74, 199-201.		37
219	Systematic screening for mutations in the 5′-regulatory region of the human dopamine D1 receptor (DRD1) gene in patients with schizophrenia and bipolar affective disorder. American Journal of Medical Genetics Part A, 1996, 67, 424-428.	2.4	57
220	Fragile-X carrier females: Evidence for a distinct psychopathological phenotype?. American Journal of Medical Genetics Part A, 1996, 64, 334-339.	2.4	85
221	Additional support for schizophrenia linkage on chromosomes 6 and 8: A multicenter study. , 1996, 67, 580-594.		166
222	CNTF and psychiatric disorders. Nature Genetics, 1996, 13, 142-143.	21.4	11