List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7670721/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The Essential Medicinal Chemistry of Curcumin. Journal of Medicinal Chemistry, 2017, 60, 1620-1637. | 6.4 | 1,291 |
| 2 | Natural Deep Eutectic Solvents: Properties, Applications, and Perspectives. Journal of Natural Products, 2018, 81, 679-690. | 3.0 | 719 |
| 3 | Quantitative1H NMR: Development and Potential of a Method for Natural Products Analysis§. Journal of Natural Products, 2005, 68, 133-149. | 3.0 | 442 |
| 4 | Quantitative ¹ H NMR. Development and Potential of an Analytical Method: An Update. Journal of Natural Products, 2012, 75, 834-851. | 3.0 | 296 |
| 5 | Importance of Purity Evaluation and the Potential of Quantitative ¹ H NMR as a Purity Assay. Journal of Medicinal Chemistry, 2014, 57, 9220-9231. | 6.4 | 289 |
| 6 | Low-Oxygen-Recovery Assay for High-Throughput Screening of Compounds against Nonreplicating Mycobacterium tuberculosis. Antimicrobial Agents and Chemotherapy, 2007, 51, 1380-1385. | 3.2 | 286 |
| 7 | Universal quantitative NMR analysis of complex natural samples. Current Opinion in Biotechnology, 2014, 25, 51-59. | 6.6 | 272 |
| 8 | G.U.E.S.S.—A Generally Useful Estimate of Solvent Systems for CCC. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 2777-2806. | 1.0 | 252 |
| 9 | Countercurrent Separation of Natural Products: An Update. Journal of Natural Products, 2015, 78, 1765-1796. | 3.0 | 241 |
| 10 | Dentin biomodification: strategies, renewable resources and clinical applications. Dental Materials, 2014, 30, 62-76. | 3.5 | 205 |
| 11 | Can Invalid Bioactives Undermine Natural Product-Based Drug Discovery?. Journal of Medicinal Chemistry, 2016, 59, 1671-1690. | 6.4 | 195 |
| 12 | Phytochemistry and biological properties of glabridin. Fìtoterapìâ, 2013, 90, 160-184. | 2.2 | 190 |
| 13 | Xanthohumol Isolated from Humulus lupulus Inhibits Menadione-Induced DNA Damage through Induction of Quinone Reductase. Chemical Research in Toxicology, 2005, 18, 1296-1305. | 3.3 | 183 |
| 14 | Countercurrent Separation of Natural Products. Journal of Natural Products, 2008, 71, 1489-1508. | 3.0 | 180 |
| 15 | Safety and efficacy of black cohosh and red clover for the management of vasomotor symptoms. Menopause, 2009, 16, 1156-1166. | 2.0 | 159 |
| 16 | The Cyclic Peptide Ecumicin Targeting ClpC1 Is Active against Mycobacterium tuberculosis In Vivo. Antimicrobial Agents and Chemotherapy, 2015, 59, 880-889. | 3.2 | 148 |
| 17 | qNMR ? a versatile concept for the validation of natural product reference compounds. Phytochemical Analysis, 2001, 12, 28-42. | 2.4 | 134 |
| 18 | Elutionâ^'Extrusion Countercurrent Chromatography:  Theory and Concepts in Metabolic Analysis. Analytical Chemistry, 2007, 79, 3371-3382. | 6.5 | 134 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|-------------|
| 19 | Cyanogenic allosides and glucosides from Passiflora edulis and Carica papaya. Phytochemistry, 2002, 60, 873-882. | 2.9 | 127 |
| 20 | Serotonergic Activity-Guided Phytochemical Investigation of the Roots of Angelica sinensis. Journal of Natural Products, 2006, 69, 536-541. | 3.0 | 127 |
| 21 | Rational development of solvent system families in counter-current chromatography. Journal of Chromatography A, 2007, 1151, 51-59. | 3.7 | 127 |
| 22 | Major Flavonoids fromArabidopsis thalianaLeavesâ€. Journal of Natural Products, 1999, 62, 1301-1303. | 3.0 | 126 |
| 23 | Metabolism of xanthohumol and isoxanthohumol, prenylated flavonoids from hops (Humulus) Tj ETQq1 1 0.784 | 314 rgBT / 1.6 | Overlock 10 |
| 24 | New perspectives on natural products in TB drug research. Life Sciences, 2005, 78, 485-494. | 4.3 | 120 |
| 25 | Estrogens and Congeners from Spent Hops (Humuluslupulus). Journal of Natural Products, 2004, 67, 2024-2032. | 3.0 | 116 |
| 26 | A Routine Experimental Protocol for qHNMR Illustrated with Taxol⊥. Journal of Natural Products, 2007, 70, 589-595. | 3.0 | 116 |
| 27 | Valerian extract and valerenic acid are partial agonists of the 5-HT5a receptor in vitro. Molecular Brain Research, 2005, 138, 191-197. | 2.3 | 113 |
| 28 | Cimicifuga species identification by high performance liquid chromatography–photodiode array/mass spectrometric/evaporative light scattering detection for quality control of black cohosh products. Journal of Chromatography A, 2006, 1112, 241-254. | 3.7 | 113 |
| 29 | Comparison of the in Vitro Estrogenic Activities of Compounds from Hops (Humulus lupulus) and Red Clover (Trifolium pratense). Journal of Agricultural and Food Chemistry, 2005, 53, 6246-6253. | 5.2 | 112 |
| 30 | Fukiic and Piscidic Acid Esters from the Rhizome ofCimicifuga racemosaand thein vitroEstrogenic Activity of Fukinolic Acid. Planta Medica, 1999, 65, 763-764. | 1.3 | 107 |
| 31 | Galloyl moieties enhance the dentin biomodification potential of plant-derived catechins. Acta Biomaterialia, 2014, 10, 3288-3294. | 8.3 | 103 |
| 32 | Biochemical characterization and anti-inflammatory properties of an isothiocyanate-enriched moringa (Moringa oleifera) seed extract. PLoS ONE, 2017, 12, e0182658. | 2.5 | 102 |
| 33 | Seasonal Variation of Red Clover (Trifolium pratenseL., Fabaceae) Isoflavones and Estrogenic Activity. Journal of Agricultural and Food Chemistry, 2006, 54, 1277-1282. | 5.2 | 100 |
| 34 | Factors in Maintaining Indigenous Knowledge Among Ethnic Communities of Manus island. Economic Botany, 2005, 59, 356-365. | 1.7 | 98 |
| 35 | IDENTIFICATION OF HUMAN HEPATIC CYTOCHROME P450 ENZYMES INVOLVED IN THE METABOLISM OF 8-PRENYLNARINGENIN AND ISOXANTHOHUMOL FROM HOPS (HUMULUS LUPULUS L.). Drug Metabolism and Disposition, 2006, 34, 1152-1159. | 3.3 | 96 |
| 36 | The value of universally available raw NMR data for transparency, reproducibility, and integrity in natural product research. Natural Product Reports, 2019, 36, 35-107. | 10.3 | 92 |

| # | Article | IF | CITATIONS |
|----|--|-----------------|-------------|
| 37 | The LOTUS initiative for open knowledge management in natural products research. ELife, 0, 11, . | 6.0 | 90 |
| 38 | Pharmacokinetics of prenylated hop phenols in women following oral administration of a standardized extract of hops. Molecular Nutrition and Food Research, 2014, 58, 1962-1969. | 3.3 | 89 |
| 39 | The Chemical and Biologic Profile of a Red Clover (Trifolium pratense L.) Phase II Clinical Extract. Journal of Alternative and Complementary Medicine, 2006, 12, 133-139. | 2.1 | 85 |
| 40 | HiFSA Fingerprinting Applied to Isomers with Near-Identical NMR Spectra: The Silybin/Isosilybin Case. Journal of Organic Chemistry, 2013, 78, 2827-2839. | 3.2 | 84 |
| 41 | Complete ¹ H NMR spectral analysis of ten chemical markers of <i>Ginkgo biloba</i> . Magnetic Resonance in Chemistry, 2012, 50, 569-575. | 1.9 | 81 |
| 42 | Anti-Tuberculosis Constituents from the Stem Bark ofMicromelum hirsutum. Planta Medica, 2005, 71, 261-267. | 1.3 | 80 |
| 43 | In Vitro Serotonergic Activity of Black Cohosh and Identification of <i>N</i> _{ï‰} -Methylserotonin as a Potential Active Constituent. Journal of Agricultural and Food Chemistry, 2008, 56, 11718-11726. | 5.2 | 79 |
| 44 | The Essential Medicinal Chemistry of Cannabidiol (CBD). Journal of Medicinal Chemistry, 2020, 63, 12137-12155. | 6.4 | 79 |
| 45 | In vivo estrogenic comparisons of Trifolium pratense (red clover) Humulus lupulus (hops), and the pure compounds isoxanthohumol and 8-prenylnaringenin. Chemico-Biological Interactions, 2008, 176, 30-39. | 4.0 | 78 |
| 46 | Essential Parameters for Structural Analysis and Dereplication by ¹ H NMR Spectroscopy. Journal of Natural Products, 2014, 77, 1473-1487. | 3.0 | 77 |
| 47 | Cannabidiol inhibits SARS-CoV-2 replication through induction of the host ER stress and innate immune responses. Science Advances, 2022, 8, . | 10.3 | 77 |
| 48 | Evaluation of Estrogenic Activity of Licorice Species in Comparison with Hops Used in Botanicals for Menopausal Symptoms. PLoS ONE, 2013, 8, e67947. | 2.5 | 75 |
| 49 | Screening Natural Products for Inhibitors of Quinone Reductase-2 Using Ultrafiltration LCâ^'MS. Analytical Chemistry, 2011, 83, 1048-1052. | 6.5 | 70 |
| 50 | The Tandem of Full Spin Analysis and qHNMR for the Quality Control of Botanicals Exemplified withGinkgo biloba. Journal of Natural Products, 2012, 75, 238-248. | 3.0 | 70 |
| 51 | Mass spectrometric dereplication of nitrogen-containing constituents of black cohosh (Cimicifuga) Tj ETQq1 1 | 0.784314 2.2 | rgBT/Overlo |
| 52 | Rufomycin Targets ClpC1 Proteolysis in Mycobacterium tuberculosis and M. abscessus. Antimicrobial Agents and Chemotherapy, 2019, 63, . | 3.2 | 68 |
| 53 | <i>Angelica sinensis</i> and Its Alkylphthalides Induce the Detoxification Enzyme NAD(P)H: Quinone Oxidoreductase 1 by Alkylating Keap1. Chemical Research in Toxicology, 2008, 21, 1939-1948. | 3.3 | 65 |
| 54 | Unbiased evaluation of bioactive secondary metabolites in complex matrices. Fìtoterapìâ, 2012, 83, 1218-1225. | 2.2 | 65 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Mimicking the Hierarchical Functions of Dentin Collagen Cross-Links with Plant Derived Phenols and Phenolic Acids. Langmuir, 2014, 30, 14887-14893. | 3.5 | 64 |
| 56 | Solvent effects in the structure dereplication of caffeoyl quinic acids. Magnetic Resonance in Chemistry, 1999, 37, 827-836. | 1.9 | 63 |
| 57 | Analysis and Purification of Bioactive Natural Products: The AnaPurNa Study. Journal of Natural Products, 2012, 75, 1243-1255. | 3.0 | 61 |
| 58 | Stereochemical Analysis of Leubethanol, an Anti-TB-Active Serrulatane, fromLeucophyllum frutescens. Journal of Natural Products, 2011, 74, 1842-1850. | 3.0 | 60 |
| 59 | Phytoconstituents from Vitex agnus-castus fruits. Fìtoterapìâ, 2011, 82, 528-533. | 2.2 | 60 |
| 60 | The Multiple Biological Targets of Hops and Bioactive Compounds. Chemical Research in Toxicology, 2019, 32, 222-233. | 3.3 | 60 |
| 61 | Purityâ^ Activity Relationships of Natural Products: The Case of Anti-TB Active Ursolic Acid. Journal of Natural Products, 2008, 71, 1742-1748. | 3.0 | 59 |
| 62 | Counter-current chromatography based analysis of synergy in an anti-tuberculosis ethnobotanical. Journal of Chromatography A, 2007, 1151, 211-215. | 3.7 | 56 |
| 63 | Validation of a Generic Quantitative ¹ H NMR Method for Natural Products Analysis. Phytochemical Analysis, 2013, 24, 581-597. | 2.4 | 56 |
| 64 | Coumaroyl Iridoids and a Depside from Cranberry (Vaccinium macrocarpon). Journal of Natural Products, 2007, 70, 253-258. | 3.0 | 55 |
| 65 | Performance Characteristics of Countercurrent Separation in Analysis of Natural Products of Agricultural Significance. Journal of Agricultural and Food Chemistry, 2008, 56, 19-28. | 5.2 | 54 |
| 66 | Opioidergic mechanisms underlying the actions of Vitex agnus-castus L Biochemical Pharmacology, 2011, 81, 170-177. | 4.4 | 53 |
| 67 | Cytochrome P450 inhibition by three licorice species and fourteen licorice constituents. European Journal of Pharmaceutical Sciences, 2017, 109, 182-190. | 4.0 | 53 |
| 68 | Cyanogenic glycosides and menisdaurin from Guazuma ulmifolia, Ostrya virginiana, Tiquilia plicata, and Tiquilia canescens. Phytochemistry, 2005, 66, 1567-1580. | 2.9 | 52 |
| 69 | Inhibition of UropathogenicEscherichia coliby Cranberry Juice:Â A New Antiadherence Assay. Journal of Agricultural and Food Chemistry, 2005, 53, 8940-8947. | 5.2 | 52 |
| 70 | Cimipronidine, a Cyclic Guanidine Alkaloid from Cimicifuga racemosa. Journal of Natural Products, 2005, 68, 1266-1270. | 3.0 | 50 |
| 71 | Ethnopharmacological evaluation of the informant consensus model on anti-tuberculosis claims among the Manus. Journal of Ethnopharmacology, 2006, 106, 82-89. | 4.1 | 50 |
| 72 | Binding of the hop (Humulus lupulus L.) chalcone xanthohumol to cytosolic proteins in Caco-2 intestinal epithelial cells. Molecular Nutrition and Food Research, 2007, 51, 872-879. | 3.3 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Solubility study of phytochemical cross-linking agents on dentin stiffness. Journal of Dentistry, 2010, 38, 431-436. | 4.1 | 50 |
| 74 | Discovery and Characterization of the Tuberculosis Drug Lead Ecumicin. Organic Letters, 2014, 16, 6044-6047. | 4.6 | 50 |
| 75 | Strategies in anti-Mycobacterium tuberculosis drug discovery based on phenotypic screening. Journal of Antibiotics, 2019, 72, 719-728. | 2.0 | 50 |
| 76 | Sesquiterpenes from <i>Oplopanax horridus</i> . Journal of Natural Products, 2010, 73, 563-567. | 3.0 | 49 |
| 77 | Integrated analytical assets aid botanical authenticity and adulteration management. Fìtoterapìâ, 2018, 129, 401-414. | 2.2 | 49 |
| 78 | Higher Order and Substituent Chemical Shift Effects in the Proton NMR of Glycosides. Journal of Natural Products, 2000, 63, 834-838. | 3.0 | 48 |
| 79 | Dynamic Residual Complexity of the Isoliquiritigenin–Liquiritigenin Interconversion During Bioassay. Journal of Agricultural and Food Chemistry, 2013, 61, 2146-2157. | 5.2 | 46 |
| 80 | Orthogonal analytical methods for botanical standardization: Determination of green tea catechins by qNMR and LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2014, 93, 59-67. | 2.8 | 46 |
| 81 | Qualitative and quantitative evaluation of solvent systems for countercurrent separation. Journal of Chromatography A, 2015, 1377, 55-63. | 3.7 | 45 |
| 82 | Improving natural product research translation: From source to clinical trial. FASEB Journal, 2020, 34, 41-65. | 0.5 | 45 |
| 83 | Proton Fingerprints Portray Molecular Structures: Enhanced Description of the ¹ H NMR Spectra of Small Molecules. Journal of Organic Chemistry, 2013, 78, 9963-9968. | 3.2 | 44 |
| 84 | Subtle Chemical Shifts Explain the NMR Fingerprints of Oligomeric Proanthocyanidins with High Dentin Biomodification Potency. Journal of Organic Chemistry, 2015, 80, 7495-7507. | 3.2 | 44 |
| 85 | Countercurrent assisted quantitative recovery of metabolites from plant-associated natural deep eutectic solvents. FA¬toterapA¬A¢, 2016, 112, 30-37. | 2.2 | 44 |
| 86 | Occurrence of Progesterone and Related Animal Steroids in Two Higher Plants [,] . Journal of Natural Products, 2010, 73, 338-345. | 3.0 | 43 |
| 87 | Metabolite Profiling and Classification of DNA-Authenticated Licorice Botanicals. Journal of Natural Products, 2015, 78, 2007-2022. | 3.0 | 43 |
| 88 | Bioautography with TLC-MS/NMR for Rapid Discovery of Anti-tuberculosis Lead Compounds from Natural Sources. ACS Infectious Diseases, 2016, 2, 294-301. | 3.8 | 43 |
| 89 | Silymarin content in Silybum marianum populations growing in Egypt. Industrial Crops and Products, 2016, 83, 729-737. | 5.2 | 43 |
| 90 | A galloylated dimeric proanthocyanidin from grape seed exhibits dentin biomodification potential. FA¬toterapA¬A¢, 2015, 101, 169-178. | 2.2 | 42 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Evolution of Quantitative Measures in NMR: Quantum Mechanical qHNMR Advances Chemical Standardization of a Red Clover (<i>Trifolium pratense</i>) Extract. Journal of Natural Products, 2017, 80, 634-647. | 3.0 | 42 |
| 92 | Solvent System Selection Strategies in Countercurrent Separation. Planta Medica, 2015, 81, 1582-1591. | 1.3 | 41 |
| 93 | Diarylheptanoids from <i>Dioscorea villosa</i> (Wild Yam). Journal of Natural Products, 2012, 75, 2168-2177. | 3.0 | 40 |
| 94 | Dereplication, Residual Complexity, and Rational Naming: The Case of the <i>Actaea</i> Triterpenes. Journal of Natural Products, 2012, 75, 432-443. | 3.0 | 40 |
| 95 | Hop (<i>Humulus lupulus</i> L.) Extract and 6-Prenylnaringenin Induce P450 1A1 Catalyzed Estrogen 2-Hydroxylation. Chemical Research in Toxicology, 2016, 29, 1142-1150. | 3.3 | 40 |
| 96 | High-Resolution Structure of ClpC1-Rufomycin and Ligand Binding Studies Provide a Framework to Design and Optimize Anti-Tuberculosis Leads. ACS Infectious Diseases, 2019, 5, 829-840. | 3.8 | 40 |
| 97 | Hops (<i>Humulus lupulus</i>) Inhibits Oxidative Estrogen Metabolism and Estrogen-Induced Malignant Transformation in Human Mammary Epithelial cells (MCF-10A). Cancer Prevention Research, 2012, 5, 73-81. | 1.5 | 39 |
| 98 | Development of an extraction method for mycobacterial metabolome analysis. Journal of Pharmaceutical and Biomedical Analysis, 2006, 41, 196-200. | 2.8 | 38 |
| 99 | Reciprocal Symmetry Plots as a Representation of Countercurrent Chromatograms. Analytical Chemistry, 2007, 79, 2320-2324. | 6.5 | 38 |
| 100 | Antiâ€TB polyynes from the roots of <i>Angelica sinensis</i> . Phytotherapy Research, 2008, 22, 878-882. | 5.8 | 38 |
| 101 | Dynamic Nature of the Ligustilide Complex. Journal of Natural Products, 2008, 71, 1604-1611. | 3.0 | 38 |
| 102 | Chlorinated Coumarins from the Polypore Mushroom <i>Fomitopsis officinalis</i> and Their Activity against <i>Mycobacterium tuberculosis</i> . Journal of Natural Products, 2013, 76, 1916-1922. | 3.0 | 38 |
| 103 | Structure and Anti-TB Activity of Trachylobanes from the Liverwort <i>Jungermannia exsertifolia ssp. cordifolia</i> . Journal of Natural Products, 2010, 73, 656-663. | 3.0 | 37 |
| 104 | GUESSmix-guided optimization of elution–extrusion counter-current separations. Journal of Chromatography A, 2009, 1216, 4225-4231. | 3.7 | 36 |
| 105 | Guanidine Alkaloids and Pictetâ^'Spengler Adducts from Black Cohosh (<i>Cimicifuga racemosa</i>). Journal of Natural Products, 2009, 72, 433-437. | 3.0 | 36 |
| 106 | Trypanoside, anti-tuberculosis, leishmanicidal, and cytotoxic activities of tetrahydrobenzothienopyrimidines. Bioorganic and Medicinal Chemistry, 2010, 18, 2880-2886. | 3.0 | 36 |
| 107 | Differential regulation of detoxification enzymes in hepatic and mammary tissue by hops (<i><scp>H</scp>umulus lupulus</i>) in vitro and in vivo. Molecular Nutrition and Food Research, 2013, 57, 1055-1066. | 3.3 | 36 |
| 108 | Toward Structural Correctness: Aquatolide and the Importance of 1D Proton NMR FID Archiving. Journal of Organic Chemistry, 2016, 81, 878-889. | 3.2 | 36 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Inhibition of human cytochrome P450 enzymes by hops (Humulus lupulus) and hop prenylphenols. European Journal of Pharmaceutical Sciences, 2014, 53, 55-61. | 4.0 | 35 |
| 110 | Dissemination of original NMR data enhances reproducibility and integrity in chemical research. Natural Product Reports, 2016, 33, 1028-1033. | 10.3 | 35 |
| 111 | The antibiofilm activity of lingonberry flavonoids against oral pathogens is a case connected to residual complexity. FA¬toterapA¬A¢, 2014, 97, 78-86. | 2.2 | 34 |
| 112 | Pharmacognosy in the digital era: shifting to contextualized metabolomics. Current Opinion in Biotechnology, 2018, 54, 57-64. | 6.6 | 34 |
| 113 | Evidence to the role of interflavan linkages and galloylation of proanthocyanidins at sustaining long-term dentin biomodification. Dental Materials, 2019, 35, 328-334. | 3.5 | 33 |
| 114 | Absolute Configuration of Native Oligomeric Proanthocyanidins with Dentin Biomodification Potency. Journal of Organic Chemistry, 2017, 82, 1316-1329. | 3.2 | 32 |
| 115 | <i>In vitro</i> metabolic interactions between black cohosh (<i>Cimicifuga racemosa</i>) and tamoxifen via inhibition of cytochromes P450 2D6 and 3A4. Xenobiotica, 2011, 41, 1021-1030. | 1.1 | 31 |
| 116 | Quantification of a Botanical Negative Marker without an Identical Standard: Ginkgotoxin in <i>Ginkgo biloba</i> . Journal of Natural Products, 2014, 77, 611-617. | 3.0 | 31 |
| 117 | Phytochemistry of cimicifugic acids and associated bases in <i>Cimicifuga racemosa</i> root extracts. Phytochemical Analysis, 2009, 20, 120-133. | 2.4 | 30 |
| 118 | Induction of NAD(P)H:Quinone Oxidoreductase 1 (NQO1) by Glycyrrhiza Species Used for Women's Health: Differential Effects of the Michael Acceptors Isoliquiritigenin and Licochalcone A. Chemical Research in Toxicology, 2015, 28, 2130-2141. | 3.3 | 30 |
| 119 | Curcumin May (Not) Defy Science. ACS Medicinal Chemistry Letters, 2017, 8, 467-470. | 2.8 | 30 |
| 120 | Advanced applications of counter-current chromatography in the isolation of anti-tuberculosis constituents from Dracaena angustifolia. Journal of Chromatography A, 2007, 1151, 169-174. | 3.7 | 28 |
| 121 | Integrated standardization concept for Angelica botanicals using quantitative NMR. Fìtoterapìâ, 2012, 83, 18-32. | 2.2 | 28 |
| 122 | Antimycobacterial Rufomycin Analogues from <i>Streptomyces atratus</i> Strain MJM3502. Journal of Natural Products, 2020, 83, 657-667. | 3.0 | 28 |
| 123 | Quantitative Purity–Activity Relationships of Natural Products: The Case of Anti-Tuberculosis Active Triterpenes from <i>Oplopanax horridus</i> . Journal of Natural Products, 2013, 76, 413-419. | 3.0 | 27 |
| 124 | Biological and chemical standardization of a hop (<i>Humulus lupulus</i>) botanical dietary supplement. Biomedical Chromatography, 2014, 28, 729-734. | 1.7 | 27 |
| 125 | 2D NMR Barcoding and Differential Analysis of Complex Mixtures for Chemical Identification: The <i>Actaea</i> Triterpenes. Analytical Chemistry, 2014, 86, 3964-3972. | 6.5 | 27 |
| 126 | Dynamic Residual Complexity of Natural Products by qHNMR: Solution Stability of Desmethylxanthohumol. Planta Medica, 2009, 75, 757-762. | 1.3 | 26 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Design of countercurrent separation of Ginkgo biloba terpene lactones by nuclear magnetic resonance. Journal of Chromatography A, 2012, 1242, 26-34. | 3.7 | 26 |
| 128 | The Generally Useful Estimate of Solvent Systems (GUESS) method enables the rapid purification of methylpyridoxine regioisomers by countercurrent chromatography. Journal of Chromatography A, 2015, 1426, 248-251. | 3.7 | 26 |
| 129 | Silybum marianum pericarp yields enhanced silymarin products. Fìtoterapìâ, 2016, 112, 136-143. | 2.2 | 26 |
| 130 | Centrifugal partition chromatography enables selective enrichment of trimeric and tetrameric proanthocyanidins for biomaterial development. Journal of Chromatography A, 2018, 1535, 55-62. | 3.7 | 26 |
| 131 | GABAergic phthalide dimers fromAngelica sinensis (Oliv.) Diels. Phytochemical Analysis, 2006, 17, 398-405. | 2.4 | 25 |
| 132 | Differential Effects of Glycyrrhiza Species on Genotoxic Estrogen Metabolism: Licochalcone A Downregulates P450 1B1, whereas Isoliquiritigenin Stimulates It. Chemical Research in Toxicology, 2015, 28, 1584-1594. | 3.3 | 25 |
| 133 | Sweet spot matching: A thin-layer chromatography-based countercurrent solvent system selection strategy. Journal of Chromatography A, 2017, 1504, 46-54. | 3.7 | 25 |
| 134 | Oligomeric proanthocyanidins released from dentin induce regenerative dental pulp cell response. Acta Biomaterialia, 2017, 55, 262-270. | 8.3 | 25 |
| 135 | Metabolism of the tomato saponin α-tomatine by Gibberella pulicaris. Phytochemistry, 1998, 48, 1321-1328. | 2.9 | 24 |
| 136 | DESIGNER Extracts as Tools to Balance Estrogenic and Chemopreventive Activities of Botanicals for Women's Health. Journal of Natural Products, 2017, 80, 2284-2294. | 3.0 | 24 |
| 137 | A standardized Humulus lupulus (L.) ethanol extract partially prevents ovariectomy-induced bone loss in the rat without induction of adverse effects in the uterus. Phytomedicine, 2017, 34, 50-58. | 5.3 | 24 |
| 138 | Residual Complexity Does Impact Organic Chemistry and Drug Discovery: The Case of Rufomyazine and Rufomycin. Journal of Organic Chemistry, 2018, 83, 6664-6672. | 3.2 | 24 |
| 139 | Evaluation of Glucoiberin Reference Material fromIberisamaraby Spectroscopic Fingerprinting. Journal of Natural Products, 2002, 65, 517-522. | 3.0 | 23 |
| 140 | The University of Illinois at Chicago/National Institutes of Health Center for Botanical Dietary Supplements Research for Women's Health: from plant to clinical use. American Journal of Clinical Nutrition, 2008, 87, 504S-508S. | 4.7 | 23 |
| 141 | New finding of an anti-TB compound in the genus Marsypopetalum (Annonaceae) from a traditional herbal remedy of Laos. Journal of Ethnopharmacology, 2014, 151, 903-911. | 4.1 | 23 |
| 142 | Red Clover Aryl Hydrocarbon Receptor (AhR) and Estrogen Receptor (ER) Agonists Enhance Genotoxic Estrogen Metabolism. Chemical Research in Toxicology, 2017, 30, 2084-2092. | 3.3 | 23 |
| 143 | SAR Study on Estrogen Receptor α/β Activity of (Iso)flavonoids: Importance of Prenylation, C-Ring (Un)Saturation, and Hydroxyl Substituents. Journal of Agricultural and Food Chemistry, 2020, 68, 10651-10663. | 5.2 | 23 |
| 144 | Structure of the N-terminal domain of ClpC1 in complex with the antituberculosis natural product ecumicin reveals unique binding interactions. Acta Crystallographica Section D: Structural Biology, 2020, 76, 458-471. | 2.3 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Quantitative NMR (qNMR) for pharmaceutical analysis: The pioneering work of George Hanna at the US FDA. Magnetic Resonance in Chemistry, 2021, 59, 7-15. | 1.9 | 22 |
| 146 | Speciesâ€specific Standardisation of Licorice by Metabolomic Profiling of Flavanones and Chalcones. Phytochemical Analysis, 2014, 25, 378-388. | 2.4 | 21 |
| 147 | The influence of natural deep eutectic solvents on bioactive natural products: studying interactions between a hydrogel model and Schisandra chinensis metabolites. FA¬toterapA¬A¢, 2018, 127, 212-219. | 2.2 | 21 |
| 148 | An NMR method towards the routine chiral determination of natural products. Phytochemical Analysis, 2004, 15, 213-219. | 2.4 | 20 |
| 149 | Estrogen Receptor (ER) Subtype Selectivity Identifies 8-Prenylapigenin as an ERβ Agonist from <i>Clycyrrhiza inflata</i> and Highlights the Importance of Chemical and Biological Authentication. Journal of Natural Products, 2018, 81, 966-975. | 3.0 | 20 |
| 150 | Suadimins A–C, Unprecedented Dimeric Quinoline Alkaloids with Antimycobacterial Activity from <i>Melodinus suaveolens</i> . Organic Letters, 2019, 21, 7065-7068. | 4.6 | 20 |
| 151 | The Cardenolides ofSpeirantha convallarioides1. Planta Medica, 1995, 61, 162-166. | 1.3 | 19 |
| 152 | Complete ¹ H NMR spectral fingerprint of huperzine A. Magnetic Resonance in Chemistry, 2007, 45, 878-882. | 1.9 | 19 |
| 153 | Orthogonal Analysis Underscores the Relevance of Primary and Secondary Metabolites in Licorice. Journal of Natural Products, 2014, 77, 1806-1816. | 3.0 | 19 |
| 154 | The 9th International Countercurrent Chromatography Conference held at Dominican University, Chicago, USA, August 1–3, 2016. Journal of Chromatography A, 2017, 1520, 1-8. | 3.7 | 19 |
| 155 | Separation of Natural Products by Countercurrent Chromatography. Methods in Molecular Biology, 2012, 864, 221-254. | 0.9 | 18 |
| 156 | Hytramycins V and I, Anti-Mycobacterium tuberculosisHexapeptides from aStreptomyces hygroscopicusStrain. Journal of Natural Products, 2013, 76, 2009-2018. | 3.0 | 18 |
| 157 | <i>K</i> -Targeted Metabolomic Analysis Extends Chemical Subtraction to DESIGNER Extracts: Selective Depletion of Extracts of Hops (<i>Humulus lupulus</i>). Journal of Natural Products, 2014, 77, 2595-2604. | 3.0 | 18 |
| 158 | Digital NMR Profiles as Building Blocks: Assembling ¹ H Fingerprints of Steviol Glycosides. Journal of Natural Products, 2015, 78, 658-665. | 3.0 | 18 |
| 159 | Quality Control of Therapeutic Peptides by ¹ H NMR HiFSA Sequencing. Journal of Organic Chemistry, 2019, 84, 3055-3073. | 3.2 | 18 |
| 160 | Comprehensive Spectroscopic Investigation of $\hat{1}\pm$ -Onocerin. Planta Medica, 2000, 66, 299-302. | 1.3 | 17 |
| 161 | An experimental implementation of chemical subtraction. Journal of Pharmaceutical and Biomedical Analysis, 2008, 46, 692-698. | 2.8 | 17 |
| 162 | High-Content Screening and Mechanism-Based Evaluation of Estrogenic Botanical Extracts. Combinatorial Chemistry and High Throughput Screening, 2008, 11, 283-293. | 1.1 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Stereochemistry of a Second Riolozane and Other Diterpenoids from <i>Jatropha dioica</i> . Journal of Natural Products, 2017, 80, 2252-2262. | 3.0 | 17 |
| 164 | Dynamics of the isoflavone metabolome of traditional preparations of Trifolium pratense L Journal of Ethnopharmacology, 2019, 238, 111865. | 4.1 | 17 |
| 165 | Preparation of flavone di-C-glycoside isomers from Jian-Gu injection (Premna fulva Craib.) using recycling counter-current chromatography. Journal of Chromatography A, 2019, 1599, 180-186. | 3.7 | 17 |
| 166 | Alepposides, Cardenolide Oligoglycosides from Adonis aleppica. Journal of Natural Products, 1993, 56, 67-75. | 3.0 | 16 |
| 167 | Sulfates as novel steroid metabolites in higher plants. Phytochemistry, 1999, 52, 1075-1084. | 2.9 | 16 |
| 168 | ¹ Hâ€NMR Fingerprinting of <i>Vaccinium vitisâ€idaea</i> Flavonol Glycosides. Phytochemical Analysis, 2013, 24, 476-483. | 2.4 | 16 |
| 169 | Airborne Antituberculosis Activity of <i>Eucalyptus citriodora</i> Essential Oil. Journal of Natural Products, 2014, 77, 603-610. | 3.0 | 16 |
| 170 | Selective Depletion and Enrichment of Constituents in "Curcumin―and Other <i>Curcuma longa</i> Preparations. Journal of Natural Products, 2019, 82, 621-630. | 3.0 | 16 |
| 171 | Cytotoxic Constituents from <i>Lobaria scrobiculata</i> and a Comparison of Two Bioassays for Their Evaluation. Journal of Natural Products, 2014, 77, 1069-1073. | 3.0 | 15 |
| 172 | Chemotaxonomic and biosynthetic relationships between flavonolignans produced by Silybum marianum populations. FA¬toterapA¬A¢, 2017, 119, 175-184. | 2.2 | 15 |
| 173 | Quantum mechanical NMR full spin analysis in pharmaceutical identity testing and quality control. Journal of Pharmaceutical and Biomedical Analysis, 2021, 192, 113601. | 2.8 | 15 |
| 174 | Isolation and Pharmacological Characterization of Six Opioidergic <i>Picralima nitida</i> Alkaloids. Journal of Natural Products, 2021, 84, 71-80. | 3.0 | 15 |
| 175 | Chiral key positions in Uzara steroids. Phytochemical Analysis, 2000, 11, 79-89. | 2.4 | 14 |
| 176 | Chlorination DiversifiesCimicifuga racemosaTriterpene Glycosides. Journal of Natural Products, 2007, 70, 1016-1023. | 3.0 | 14 |
| 177 | Holistic Analysis Enhances the Description of Metabolic Complexity in Dietary Natural Products. Advances in Nutrition, 2016, 7, 179-189. | 6.4 | 14 |
| 178 | Isolation and structural characterization of dihydrobenzofuran congeners of licochalcone A. F¬toterapìâ, 2017, 121, 6-15. | 2.2 | 14 |
| 179 | Proanthocyanidin Dimers and Trimers from <i>Vitis vinifera</i> Provide Diverse Structural Motifs for the Evaluation of Dentin Biomodification. Journal of Natural Products, 2019, 82, 2387-2399. | 3.0 | 14 |
| 180 | Preparation of DESIGNER extracts of red clover (Trifolium pratense L.) by centrifugal partition chromatography. Journal of Chromatography A, 2019, 1605, 360277. | 3.7 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Tri- and Tetrameric Proanthocyanidins with Dentin Bioactivities from <i>Pinus massoniana</i> . Journal of Organic Chemistry, 2020, 85, 8462-8479. | 3.2 | 14 |
| 182 | Rare A-Type, Spiro-Type, and Highly Oligomeric Proanthocyanidins from <i>Pinus massoniana</i> . Organic Letters, 2020, 22, 5304-5308. | 4.6 | 14 |
| 183 | Accurate and Precise External Calibration Enhances the Versatility of Quantitative NMR (qNMR). Analytical Chemistry, 2021, 93, 2733-2741. | 6.5 | 14 |
| 184 | Comprehensive Spectroscopic Investigation of $\hat{1}\pm$ -Onocerin. Planta Medica, 2000, 66, 299-302. | 1.3 | 13 |
| 185 | Extraâ€Column Volume in CCC. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1799-1818. | 1.0 | 13 |
| 186 | Modification of the side chain of micromolide, an anti-tuberculosis natural product. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 5311-5315. | 2.2 | 13 |
| 187 | Studying Mass Balance and the Stability of (<i>Z</i>)-Ligustilide from <i>Angelica sinensis</i> Helps to Bridge a Botanical Instability–Bioactivity Chasm. Journal of Natural Products, 2019, 82, 2400-2408. | 3.0 | 13 |
| 188 | Pharmacognosy of Black Cohosh: The Phytochemical and Biological Profile of a Major Botanical Dietary Supplement. Progress in the Chemistry of Organic Natural Products, 2014, 99, 1-68. | 1.1 | 13 |
| 189 | CCC Sample Cutting for Isolation of Prenylated Phenolics from Hops. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1959-1969. | 1.0 | 12 |
| 190 | CCC in the Phytochemical Analysis of Anti‶uberculosis Ethnobotanicals. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 2017-2028. | 1.0 | 12 |
| 191 | Purification of berry flavonol glycosides by long-bed gel permeation chromatography. Journal of Chromatography A, 2012, 1244, 20-27. | 3.7 | 12 |
| 192 | Nitrogen-Containing Constituents of Black Cohosh: Chemistry, Structure Elucidation, and Biological Activities. , 2015, 45, 31-75. | | 12 |
| 193 | Cycloartane Triterpenes from the Aerial Parts of <i> Actaea racemosa</i> . Journal of Natural Products, 2016, 79, 541-554. | 3.0 | 12 |
| 194 | Evidence for Chemopreventive and Resilience Activity of Licorice: <i>Glycyrrhiza Glabra</i> and G. <i>Inflata</i> Extracts Modulate Estrogen Metabolism in ACI Rats. Cancer Prevention Research, 2018, 11, 819-830. | 1.5 | 12 |
| 195 | The DESIGNER Approach Helps Decipher the Hypoglycemic Bioactive Principles of <i>Artemisia dracunculus</i> (Russian Tarragon). Journal of Natural Products, 2019, 82, 3321-3329. | 3.0 | 12 |
| 196 | Pharmacokinetic Interactions of a Hop Dietary Supplement with Drug Metabolism in Perimenopausal and Postmenopausal Women. Journal of Agricultural and Food Chemistry, 2020, 68, 5212-5220. | 5.2 | 12 |
| 197 | Evidence-Based Herbal Medicine: Challenges in Efficacy and Safety Assessments. Annals of Traditional Chinese Medicine, 2006, , 11-26. | 0.1 | 11 |
| 198 | Distinguishing Vaccinium Species by Chemical Fingerprinting Based on NMR Spectra, Validated with Spectra Collected in Different Laboratories. Planta Medica, 2014, 80, 732-739. | 1.3 | 11 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Evaluation of estrogenic potency of a standardized hops extract on mammary gland biology and on MNU-induced mammary tumor growth in rats. Journal of Steroid Biochemistry and Molecular Biology, 2017, 174, 234-241. | 2.5 | 11 |
| 200 | NMR reveals an undeclared constituent in custom synthetic peptides. Journal of Pharmaceutical and Biomedical Analysis, 2020, 178, 112915. | 2.8 | 11 |
| 201 | A dynamic mechanical method to assess bulk viscoelastic behavior of the dentin extracellular matrix. Dental Materials, 2020, 36, 1536-1543. | 3.5 | 11 |
| 202 | Quantum Mechanics-Based Structure Analysis of Cyclic Monoterpene Glycosides from <i>Rhodiola rosea</i> . Journal of Natural Products, 2020, 83, 1950-1959. | 3.0 | 11 |
| 203 | Unveiling structure–activity relationships of proanthocyanidins with dentin collagen. Dental Materials, 2021, 37, 1633-1644. | 3.5 | 11 |
| 204 | Cannabidiol inhibits SARS-CoV-2 replication through induction of the host ER stress and innate immune responses Science Advances, 2022, , eabi6110. | 10.3 | 11 |
| 205 | Adoligoses, Oligosaccharides of Rare Sugars from Adonis aleppica. Journal of Natural Products, 1995, 58, 483-494. | 3.0 | 10 |
| 206 | Application of Soft Pulse 1D NMR: Sweroside from a Potential Native American Anti-TB Drug. Spectroscopy Letters, 1995, 28, 903-913. | 1.0 | 10 |
| 207 | Computerâ€assisted ¹ H NMR analysis of the antiâ€tuberculosis drug lead ecumicin. Magnetic Resonance in Chemistry, 2017, 55, 239-244. | 1.9 | 10 |
| 208 | Proanthocyanidin Block Arrays (PACBAR) for Comprehensive Capture and Delineation of Proanthocyanidin Structures. Journal of Agricultural and Food Chemistry, 2020, 68, 13541-13549. | 5.2 | 10 |
| 209 | Classification of Flavonoid Metabolomes via Data Mining and Quantification of Hydroxyl NMR Signals. Analytical Chemistry, 2020, 92, 4954-4962. | 6.5 | 10 |
| 210 | Rufomycins or llamycins: Naming Clarifications and Definitive Structural Assignments. Journal of Natural Products, 2021, 84, 2644-2663. | 3.0 | 10 |
| 211 | A novel indigoid anti-tuberculosis agent. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 268-270. | 2.2 | 9 |
| 212 | Structural Sequencing of Oligopeptides Aided by ¹ H Iterative Full-Spin Analysis. Journal of Natural Products, 2017, 80, 2630-2643. | 3.0 | 9 |
| 213 | Rapid determination of growth inhibition of Mycobacterium tuberculosis by GC–MS/MS quantitation of tuberculostearic acid. Tuberculosis, 2013, 93, 322-329. | 1.9 | 8 |
| 214 | Real-Time Volumetric Phase Monitoring: Advancing Chemical Analysis by Countercurrent Separation. Analytical Chemistry, 2015, 87, 7418-7425. | 6.5 | 8 |
| 215 | Selective Chlorophyll Removal Method to "Degreen―Botanical Extracts. Journal of Natural Products, 2020, 83, 1846-1858. | 3.0 | 8 |
| 216 | NMR-Based Quantum Mechanical Analysis Builds Trust and Orthogonality in Structural Analysis: The Case of a Bisdesmosidic Triglycoside as <i>Withania somnifera</i> Aerial Parts Marker. Journal of Natural Products, 2021, 84, 836-845. | 3.0 | 8 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Do Certain Flavonoid IMPS Have a Vital Function?. Frontiers in Nutrition, 2021, 8, 762753. | 3.7 | 8 |
| 218 | Selective Preparation and High Dynamic-Range Analysis of Cannabinoids in "CBD Oil―and Other <i>Cannabis sativa</i> Preparations. Journal of Natural Products, 2022, 85, 634-646. | 3.0 | 8 |
| 219 | In Vitro Activities of Enantiopure and Racemic 1′-Acetoxychavicol Acetate against Clinical Isolates of Mycobacterium tuberculosis. Scientia Pharmaceutica, 2017, 85, 32. | 2.0 | 7 |
| 220 | The qNMR Summit 5.0: Proceedings and Status of qNMRÂTechnology. Analytical Chemistry, 2021, 93, 12162-12169. | 6.5 | 7 |
| 221 | Pharmaceutical analysis by NMR can accommodate strict impurity thresholds: The case of choline. Journal of Pharmaceutical and Biomedical Analysis, 2022, 214, 114709. | 2.8 | 7 |
| 222 | Aleppotrioloside, an aliphatic alcohol glycoside from Adonis aleppica. Phytochemistry, 1992, 31, 2522-2524. | 2.9 | 6 |
| 223 | Tandem of Countercurrent Separation and qHNMR Enables Gravimetric Analyses: Absolute Quantitation of the <i>RhodiolaÂrosea</i> ÂMetabolome. Analytical Chemistry, 2021, 93, 11701-11709. | 6.5 | 6 |
| 224 | Synthesis of Cimiracemate B, A Phenylpropanoid found in Cimicifuga racemosa. Natural Product Research, 2005, 19, 287-290. | 1.8 | 5 |
| 225 | Binary concepts and standardization in counter-current separation technology. Journal of Chromatography A, 2009, 1216, 4237-4244. | 3.7 | 5 |
| 226 | Lipidated steroid saponins from Dioscorea villosa (wild yam). Fìtoterapìâ, 2013, 91, 113-124. | 2.2 | 5 |
| 227 | Formation of (2 <i>R</i>)- and (2 <i>S</i>)-8-Prenylnaringenin Glucuronides by Human UDP-Glucuronosyltransferases. Journal of Agricultural and Food Chemistry, 2019, 67, 11650-11656. | 5.2 | 5 |
| 228 | NMR based quantitation of cycloartane triterpenes in black cohosh extracts. Fìtoterapìâ, 2020, 141, 104467. | 2.2 | 5 |
| 229 | Differentiation of Actaea species by NMR metabolomics analysis. Fìtoterapìâ, 2020, 146, 104686. | 2.2 | 5 |
| 230 | No Clinically Relevant Pharmacokinetic Interactions of a Red Clover Dietary Supplement with Cytochrome P450 Enzymes in Women. Journal of Agricultural and Food Chemistry, 2020, 68, 13929-13939. | 5.2 | 5 |
| 231 | Targeting Trimeric and Tetrameric Proanthocyanidins of <i>Cinnamomum verum</i> Bark as Bioactives for Dental Therapies. Journal of Natural Products, 2020, 83, 3287-3297. | 3.0 | 5 |
| 232 | Effect of dentin biomodification delivered by experimental acidic and neutral primers on resin adhesion. Journal of Dentistry, 2020, 99, 103354. | 4.1 | 5 |
| 233 | Investigation of red clover (Trifolium pratense) isoflavonoid residual complexity by off-line CCS-qHNMR. Fìtoterapì¢, 2022, 156, 105016. | 2.2 | 5 |
| 234 | Countercurrent separation assisted identification of two mammalian steroid hormones in Vitex negundo. Journal of Chromatography A, 2018, 1553, 108-115. | 3.7 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | 6-Prenylnaringenin from Hops Disrupts ERα-Mediated Downregulation of <i>CYP1A1</i> to Facilitate Estrogen Detoxification. Chemical Research in Toxicology, 2020, 33, 2793-2803. | 3.3 | 4 |
| 236 | α-Onocerin chloroform hemisolvate. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1476-1477. | 0.4 | 3 |
| 237 | Medullopressin: A New Pressor Activity from the Renal Medulla. Hypertension Research, 2005, 28, 827-836. | 2.7 | 3 |
| 238 | The Vasodepressor Function of the Kidney: Further Characterization of Medullipin and a Second Hormone Designated Angiolysin. Hypertension Research, 2006, 29, 533-544. | 2.7 | 3 |
| 239 | Prenylated Coumaric Acids from <i>Artemisia scoparia</i> Beneficially Modulate Adipogenesis. Journal of Natural Products, 2021, 84, 1078-1086. | 3.0 | 3 |
| 240 | Plain ¹ H nuclear magnetic resonance analysis streamlines the quality control of antiviral favipiravir and congeneric World Health Organization essential medicines. Magnetic Resonance in Chemistry, 2021, 59, 746-751. | 1.9 | 3 |
| 241 | Auto-hydrolysis of red clover as "green―approach to (iso)flavonoid enriched products. Fìtoterapìâ, 2021, 152, 104878. | 2.2 | 3 |
| 242 | Rufomycin Exhibits Dual Effects Against Mycobacterium abscessus Infection by Inducing Host Defense and Antimicrobial Activities. Frontiers in Microbiology, 2021, 12, 695024. | 3.5 | 3 |
| 243 | Botanical Integrity: Part 2: Traditional and Modern Analytical Approaches. HerbalGram, 2016, 109, 60-64. | 0.0 | 3 |
| 244 | Absolute configuration of naturally occurring glabridin. Acta Crystallographica Section C: Crystal Structure Communications, 2013, 69, 1212-1216. | 0.4 | 2 |
| 245 | Enhancing Natural Product Clinical Trials (P13-037-19). Current Developments in Nutrition, 2019, 3, nzz036.P13-037-19. | 0.3 | 2 |
| 246 | Linear regression analysis of silychristin A, silybin A and silybin B contents in Silybum marianum. Natural Product Research, 2020, 34, 305-310. | 1.8 | 2 |
| 247 | The Untargeted Capability of NMR Helps Recognizing Nefarious Adulteration in Natural Products. Journal of Natural Products, 2021, 84, 846-856. | 3.0 | 2 |
| 248 | Silica Gel-mediated Oxidation of Prenyl Motifs Generates Natural Product-Like Artifacts. Planta Medica, 2021, 87, 998-1007. | 1.3 | 2 |
| 249 | Paradoxical effects of galloyl motifs in the interactions of proanthocyanidins with collagenâ€rich dentin. Journal of Biomedical Materials Research - Part A, 2022, 110, 196-203. | 4.0 | 2 |
| 250 | Proanthocyanidin Tetramers and Pentamers from <i>Cinnamomum verum</i> Bark and Their Dentin Biomodification Bioactivities. Journal of Natural Products, 2022, 85, 391-404. | 3.0 | 2 |
| 251 | Prognoses of malignancy in cases of pheochromocytomas?. Urology, 2000, 56, 891. | 1.0 | 1 |
| 252 | Editorial. Fìtoterapìâ, 2011, 82, 1-4. | 2.2 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Oligomeric proanthocyanidins inhibit endogenous enzymatic activity of deciduous carious dentin. Pediatric Dental Journal, 2021, 31, 73-79. | 0.7 | 1 |
| 254 | Botanical Integrity: The Importance of the Integration of Chemical, Biological, and Botanical Analyses, and the Role of DNA Barcoding. HerbalGram, 2015, 106, 58-60. | 0.0 | 1 |
| 255 | Galloylated proanthocyanidins in dentin matrix exhibit biocompatibility and induce differentiation in dental stem cells. Journal of Bioactive and Compatible Polymers, 2022, 37, 220-230. | 2.1 | 1 |