

Carolyn L Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/767144/publications.pdf>

Version: 2024-02-01

73
papers

6,035
citations

126907

33
h-index

82547

72
g-index

74
all docs

74
docs citations

74
times ranked

5609
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Divergent Ca ²⁺ /calmodulin feedback regulation of CaV1 and CaV2 voltage-gated calcium channels evolved in the common ancestor of Placozoa and Bilateria. <i>Journal of Biological Chemistry</i> , 2022, 298, 101741. | 3.4 | 4 |
| 2 | Microscopy Studies of Placozoans. <i>Methods in Molecular Biology</i> , 2021, 2219, 99-118. | 0.9 | 3 |
| 3 | Placozoan fiber cells: mediators of innate immunity and participants in wound healing. <i>Scientific Reports</i> , 2021, 11, 23343. | 3.3 | 9 |
| 4 | Early Metazoan Origin and Multiple Losses of a Novel Clade of RIM Presynaptic Calcium Channel Scaffolding Protein Homologs. <i>Genome Biology and Evolution</i> , 2020, 12, 1217-1239. | 2.5 | 7 |
| 5 | Insights into the evolution of digestive systems from studies of <i>Trichoplax adhaerens</i> . <i>Cell and Tissue Research</i> , 2019, 377, 353-367. | 2.9 | 20 |
| 6 | Coherent directed movement toward food modeled in <i>Trichoplax</i> , a ciliated animal lacking a nervous system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8901-8908. | 7.1 | 46 |
| 7 | The ventral epithelium of <i>Trichoplax adhaerens</i> deploys in distinct patterns cells that secrete digestive enzymes, mucus or diverse neuropeptides. <i>Biology Open</i> , 2019, 8, . | 1.2 | 29 |
| 8 | A Na ⁺ leak channel cloned from <i>Trichoplax adhaerens</i> extends extracellular pH and Ca ²⁺ sensing for the DEG/ENaC family close to the base of Metazoa. <i>Journal of Biological Chemistry</i> , 2019, 294, 16320-16336. | 3.4 | 23 |
| 9 | Cells containing aragonite crystals mediate responses to gravity in <i>Trichoplax adhaerens</i> (Placozoa), an animal lacking neurons and synapses. <i>PLoS ONE</i> , 2018, 13, e0190905. | 2.5 | 39 |
| 10 | Evolutionary insights into T-type Ca ²⁺ channel structure, function, and ion selectivity from the <i>Trichoplax adhaerens</i> homologue. <i>Journal of General Physiology</i> , 2017, 149, 483-510. | 1.9 | 30 |
| 11 | Neuropeptidergic integration of behavior in <i>Trichoplax adhaerens</i> , an animal without synapses. <i>Journal of Experimental Biology</i> , 2017, 220, 3381-3390. | 1.7 | 98 |
| 12 | Effects of Androgen and Estrogen Receptor Signaling Pathways on Bladder Cancer Initiation and Progression. <i>Bladder Cancer</i> , 2016, 2, 127-137. | 0.4 | 44 |
| 13 | Adherens Junctions Modulate Diffusion between Epithelial Cells in <i>Trichoplax adhaerens</i> . <i>Biological Bulletin</i> , 2016, 231, 216-224. | 1.8 | 44 |
| 14 | HER2 Signaling Drives DNA Anabolism and Proliferation through SRC-3 Phosphorylation and E2F1-Regulated Genes. <i>Cancer Research</i> , 2016, 76, 1463-1475. | 0.9 | 35 |
| 15 | Effects of the Quest to Lava Mountain Computer Game on Dietary and Physical Activity Behaviors of Elementary School Children: A Pilot Group-Randomized Controlled Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015, 115, 1260-1271. | 0.8 | 37 |
| 16 | Coordinated Feeding Behavior in <i>Trichoplax</i> , an Animal without Synapses. <i>PLoS ONE</i> , 2015, 10, e0136098. | 2.5 | 87 |
| 17 | Activation of p53 Transcriptional Activity by SMRT: a Histone Deacetylase 3-Independent Function of a Transcriptional Corepressor. <i>Molecular and Cellular Biology</i> , 2014, 34, 1246-1261. | 2.3 | 22 |
| 18 | Novel Cell Types, Neurosecretory Cells, and Body Plan of the Early-Diverging Metazoan <i>Trichoplax adhaerens</i> . <i>Current Biology</i> , 2014, 24, 1565-1572. | 3.9 | 209 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Chemoprevention of BBN-Induced Bladder Carcinogenesis by the Selective Estrogen Receptor Modulator Tamoxifen. <i>Translational Oncology</i> , 2013, 6, 244-255. | 3.7 | 40 |
| 20 | Raloxifene Inhibits Growth of RT4 Urothelial Carcinoma Cells via Estrogen Receptor-Dependent Induction of Apoptosis and Inhibition of Proliferation. <i>Hormones and Cancer</i> , 2013, 4, 24-35. | 4.9 | 41 |
| 21 | Synthesis of Novel Estrogen Receptor Antagonists Using Metal-Catalyzed Coupling Reactions and Characterization of Their Biological Activity. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 2779-2790. | 6.4 | 20 |
| 22 | Cooperative Activation of Gene Expression by Agonists and Antagonists Mediated by Estrogen Receptor Heteroligand Dimer Complexes. <i>Molecular Pharmacology</i> , 2013, 83, 1066-1077. | 2.3 | 23 |
| 23 | Elevated nuclear expression of the SMRT corepressor in breast cancer is associated with earlier tumor recurrence. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 253-265. | 2.5 | 18 |
| 24 | Coupling of receptor conformation and ligand orientation determine graded activity. <i>Nature Chemical Biology</i> , 2010, 6, 837-843. | 8.0 | 121 |
| 25 | Distinctive functions of p160 steroid receptor coactivators in proliferation of an estrogen-independent, tamoxifen-resistant breast cancer cell line. <i>Endocrine-Related Cancer</i> , 2010, 18, 113-127. | 3.1 | 10 |
| 26 | Cooperative Activation of Cyclin D1 and Progesterone Receptor Gene Expression by the SRC-3 Coactivator and SMRT Corepressor. <i>Molecular Endocrinology</i> , 2010, 24, 1187-1202. | 3.7 | 30 |
| 27 | CK1 δ modulates the transcriptional activity of ER α via AIB1 in an estrogen-dependent manner and regulates ER α -AIB1 interactions. <i>Nucleic Acids Research</i> , 2009, 37, 3110-3123. | 14.5 | 27 |
| 28 | Estradiol downregulation of the tumor suppressor gene <i>BTG2</i> requires estrogen receptor α and the REA corepressor. <i>International Journal of Cancer</i> , 2009, 124, 1841-1851. | 5.1 | 19 |
| 29 | The Cl ⁻ /H ⁺ antiporter CIC-7 is the primary chloride permeation pathway in lysosomes. <i>Nature</i> , 2008, 453, 788-792. | 27.8 | 336 |
| 30 | Reduced calcium-dependent mitochondrial damage underlies the reduced vulnerability of excitotoxicity-tolerant hippocampal neurons. <i>Journal of Neurochemistry</i> , 2008, 104, 1686-1699. | 3.9 | 16 |
| 31 | The Silencing Mediator of Retinoic Acid and Thyroid Hormone Receptor (SMRT) Corepressor Is Required for Full Estrogen Receptor α Transcriptional Activity. <i>Molecular and Cellular Biology</i> , 2007, 27, 5933-5948. | 2.3 | 85 |
| 32 | Efficacy of Selective Estrogen Receptor Modulators in Nude Mice Bearing Human Transitional Cell Carcinoma. <i>Urology</i> , 2007, 69, 1221-1226. | 1.0 | 56 |
| 33 | Marinobufagenin interferes with the function of the mineralocorticoid receptor. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 930-934. | 2.1 | 8 |
| 34 | Synthetic 19-nortestosterone derivatives as estrogen receptor alpha subtype-selective ligands induce similar receptor conformational changes and steroid receptor coactivator recruitment than natural estrogens. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006, 99, 108-114. | 2.5 | 11 |
| 35 | Evolutionary identification of a subtype specific functional site in the ligand binding domain of steroid receptors. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006, 64, 1046-1057. | 2.6 | 18 |
| 36 | The Pure Estrogen Receptor Antagonist ICI 182,780 Promotes a Novel Interaction of Estrogen Receptor- α with the β -Cyclic Adenosine Monophosphate Response Element-Binding Protein-Binding Protein/p300 Coactivators. <i>Molecular Endocrinology</i> , 2006, 20, 2695-2710. | 3.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Androgens Modulate Expression of Transcription Intermediary Factor 2, an Androgen Receptor Coactivator whose Expression Level Correlates with Early Biochemical Recurrence in Prostate Cancer. <i>Cancer Research</i> , 2006, 66, 10594-10602. | 0.9 | 162 |
| 38 | Role of SRC-1 in the Promotion of Prostate Cancer Cell Growth and Tumor Progression. <i>Cancer Research</i> , 2005, 65, 7959-7967. | 0.9 | 186 |
| 39 | Rapid Estrogen-Induced Phosphorylation of the SRC-3 Coactivator Occurs in an Extranuclear Complex Containing Estrogen Receptor. <i>Molecular and Cellular Biology</i> , 2005, 25, 8273-8284. | 2.3 | 71 |
| 40 | Identification of target genes in breast cancer cells directly regulated by the SRC-3/AIB1 coactivator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 1339-1344. | 7.1 | 92 |
| 41 | Differential skeletal responses of hindlimb unloaded rats on a vitamin D-deficient diet to 1,25-dihydroxyvitamin D3 and its analog, seocalcitol (EB1089). <i>Bone</i> , 2004, 35, 134-143. | 2.9 | 14 |
| 42 | Tensile forces attenuate estrogen-stimulated collagen synthesis in the ACL. <i>Biochemical and Biophysical Research Communications</i> , 2004, 317, 1221-1225. | 2.1 | 23 |
| 43 | SRA coactivation of estrogen receptor- β is phosphorylation-independent, and enhances 4-hydroxytamoxifen agonist activity. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 332-338. | 2.1 | 24 |
| 44 | Ligand-Independent Interactions of p160/Steroid Receptor Coactivators and CREB-Binding Protein (CBP) with Estrogen Receptor- β : Regulation by Phosphorylation Sites in the A/B Region Depends on Other Receptor Domains. <i>Molecular Endocrinology</i> , 2003, 17, 1296-1314. | 3.7 | 133 |
| 45 | Mechanistic Differences in the Activation of Estrogen Receptor- β (ER β)- and ER α -dependent Gene Expression by cAMP Signaling Pathway(s). <i>Journal of Biological Chemistry</i> , 2003, 278, 12834-12845. | 3.4 | 60 |
| 46 | Cellular and genetic characterization of human adult bone marrow-derived neural stem-like cells: a potential anti-glioma cellular vector. <i>Cancer Research</i> , 2003, 63, 8877-89. | 0.9 | 69 |
| 47 | SKF-82958 Is a Subtype-selective Estrogen Receptor- β (ER β) Agonist That Induces Functional Interactions between ER β and AP-1. <i>Journal of Biological Chemistry</i> , 2002, 277, 1669-1679. | 3.4 | 22 |
| 48 | Genetic Ablation of the Steroid Receptor Coactivator-Ubiquitin Ligase, E6-AP, Results in Tissue-Selective Steroid Hormone Resistance and Defects in Reproduction. <i>Molecular and Cellular Biology</i> , 2002, 22, 525-535. | 2.3 | 73 |
| 49 | FRAP reveals that mobility of oestrogen receptor- β is ligand- and proteasome-dependent. <i>Nature Cell Biology</i> , 2001, 3, 15-23. | 10.3 | 373 |
| 50 | Ligand-Mediated Assembly and Real-Time Cellular Dynamics of Estrogen Receptor β -Coactivator Complexes in Living Cells. <i>Molecular and Cellular Biology</i> , 2001, 21, 4404-4412. | 2.3 | 141 |
| 51 | The 26S Proteasome Is Required for Estrogen Receptor- β and Coactivator Turnover and for Efficient Estrogen Receptor- β Transactivation. <i>Molecular Cell</i> , 2000, 5, 939-948. | 9.7 | 526 |
| 52 | The Angelman Syndrome-Associated Protein, E6-AP, Is a Coactivator for the Nuclear Hormone Receptor Superfamily. <i>Molecular and Cellular Biology</i> , 1999, 19, 1182-1189. | 2.3 | 394 |
| 53 | Cross-Talk between Peptide Growth Factor and Estrogen Receptor Signaling Pathways. <i>Biology of Reproduction</i> , 1998, 58, 627-632. | 2.7 | 284 |
| 54 | Coactivator and Corepressor Regulation of the Agonist/Antagonist Activity of the Mixed Antiestrogen, 4-Hydroxytamoxifen. <i>Molecular Endocrinology</i> , 1997, 11, 657-666. | 3.7 | 585 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Dopaminergic Regulation of Progesterone Receptors: Brain D5 Dopamine Receptors Mediate Induction of Lordosis by D1-Like Agonists in Rats. <i>Journal of Neuroscience</i> , 1996, 16, 4823-4834. | 3.6 | 88 |
| 56 | Distinct effects of bFGF and PDGF on oligodendrocyte progenitor cells. <i>Glia</i> , 1993, 7, 245-254. | 4.9 | 145 |
| 57 | A Leu → His substitution at residue 93 in human corticosteroid binding globulin results in reduced affinity for cortisol. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1992, 42, 671-676. | 2.5 | 39 |
| 58 | Rabbit Corticosteroid-Binding Globulin: Primary Structure and Biosynthesis during Pregnancy. <i>Molecular Endocrinology</i> , 1990, 4, 1166-1172. | 3.7 | 29 |
| 59 | A Role for Corticosteroid-Binding Globulin in Delivery of Cortisol to Activated Neutrophils*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990, 71, 34-39. | 3.6 | 240 |
| 60 | The critical period for peripheral specification of dorsal root ganglion neurons is related to the period of sensory neurogenesis. <i>Developmental Biology</i> , 1990, 142, 476-480. | 2.0 | 0 |
| 61 | Interaction between corticosteroid binding globulin and activated leukocytes in vitro. <i>Biochemical and Biophysical Research Communications</i> , 1990, 172, 172-177. | 2.1 | 31 |
| 62 | DNA sequencing in HydroLink matrices: Extension of reading ability to > 600 nucleotides. <i>Electrophoresis</i> , 1990, 11, 595-600. | 2.4 | 11 |
| 63 | The Human Sex Hormone-Binding Globulin Gene Contains Exons for Androgen-Binding Protein and Two Other Testicular Messenger RNAs. <i>Molecular Endocrinology</i> , 1989, 3, 1869-1876. | 3.7 | 120 |
| 64 | Rat Corticosteroid Binding Globulin: Primary Structure and Messenger Ribonucleic Acid Levels in the Liver under Different Physiological Conditions. <i>Molecular Endocrinology</i> , 1989, 3, 420-426. | 3.7 | 43 |
| 65 | HydroLink™ gel electrophoresis (HLGE). II. Applications of a new polymer matrix to dsDNA analysis. <i>Journal of Proteomics</i> , 1989, 19, 51-64. | 2.4 | 14 |
| 66 | HydroLink™ gel electrophoresis (HLGE). III. High DNA loading capacity and recovery of dsDNA. <i>Journal of Proteomics</i> , 1989, 19, 65-73. | 2.4 | 14 |
| 67 | Specificity of sensory projections to the spinal cord during development in bullfrogs. <i>Journal of Comparative Neurology</i> , 1988, 269, 96-108. | 1.6 | 36 |
| 68 | Corticosteroid binding globulin, testosterone-estradiol binding globulin, and androgen binding protein belong to protein families distinct from steroid receptors. <i>The Journal of Steroid Biochemistry</i> , 1988, 30, 131-139. | 1.1 | 12 |
| 69 | Peripheral Specification of Sensory Connections in the Spinal Cord. <i>Brain, Behavior and Evolution</i> , 1988, 31, 227-242. | 1.7 | 28 |
| 70 | Sensory neurons supplying touch domes near the body midlines project bilaterally in the thoracic spinal cord of rats. <i>Journal of Comparative Neurology</i> , 1986, 245, 541-552. | 1.6 | 23 |
| 71 | The development and postnatal organization of primary afferent projections to the rat thoracic spinal cord. <i>Journal of Comparative Neurology</i> , 1983, 220, 29-43. | 1.6 | 194 |
| 72 | Dissection of cytochrome P-450 isozymes (RLM) from fractions of untreated rat liver microsomal proteins. <i>Biochemical and Biophysical Research Communications</i> , 1982, 107, 1517-1523. | 2.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Chromosomal nonhistone proteins of rat hepatomas and normal rat liver. Biochemical and Biophysical Research Communications, 1974, 60, 1468-1474. | 2.1 | 24 |