

Johannes Smit

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7685244/publications.pdf>

Version: 2024-02-01

318
papers

21,366
citations

9234

74
h-index

12910

131
g-index

326
all docs

326
docs citations

326
times ranked

24700
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnostic Utility of Molecular and Imaging Biomarkers in Cytological Indeterminate Thyroid Nodules. <i>Endocrine Reviews</i> , 2018, 39, 154-191.	8.9	45
2	Associations of Abdominal Subcutaneous and Visceral Fat with Insulin Resistance and Secretion Differ Between Men and Women: The Netherlands Epidemiology of Obesity Study. <i>Metabolic Syndrome and Related Disorders</i> , 2018, 16, 54-63.	0.5	82
3	Caloric restriction lowers endocannabinoid tonus and improves cardiac function in type 2 diabetes. <i>Nutrition and Diabetes</i> , 2018, 8, 6.	1.5	26
4	Metabolic changes in tumor cells and tumor-associated macrophages: A mutual relationship. <i>Cancer Letters</i> , 2018, 413, 102-109.	3.2	227
5	Digitalislike Compounds Restore hNIS Expression and Iodide Uptake Capacity in Anaplastic Thyroid Cancer. <i>Journal of Nuclear Medicine</i> , 2018, 59, 780-786.	2.8	14
6	Study protocol: a randomised controlled trial on the clinical effects of levothyroxine treatment for subclinical hypothyroidism in people aged 80 years and over. <i>BMC Endocrine Disorders</i> , 2018, 18, 67.	0.9	10
7	Impact of rural-urban environment on metabolic profile and response to a 5-day high-fat diet. <i>Scientific Reports</i> , 2018, 8, 8149.	1.6	11
8	Age-related differences in health-related quality of life among thyroid cancer survivors compared with a normative sample: Results from the PROFILES Registry. <i>Head and Neck</i> , 2018, 40, 2235-2245.	0.9	31
9	Cognitive functioning and quality of life in patients with Hashimoto thyroiditis on long-term levothyroxine replacement. <i>Endocrine</i> , 2018, 62, 136-143.	1.1	49
10	Insights into the role of IL-32 in cancer. <i>Seminars in Immunology</i> , 2018, 38, 24-32.	2.7	54
11	Everolimus in patients with advanced follicular-derived thyroid cancer; results of a phase II clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2525.	1.8	55
12	Study protocol; Thyroid hormone Replacement for Untreated older adults with Subclinical hypothyroidism - a randomised placebo controlled Trial (TRUST). <i>BMC Endocrine Disorders</i> , 2017, 17, 6.	0.9	36
13	Timing of multikinase inhibitor initiation in differentiated thyroid cancer. <i>Endocrine-Related Cancer</i> , 2017, 24, 237-242.	1.6	28
14	Association of NF- κ B polymorphisms with clinical outcome of non-medullary thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2017, 24, 307-318.	1.6	9
15	Effect of Anthelmintic Treatment on Insulin Resistance: A Cluster-Randomized, Placebo-Controlled Trial in Indonesia. <i>Clinical Infectious Diseases</i> , 2017, 65, 764-771.	2.9	41
16	Rare NOX3 Variants Confer Susceptibility to Agranulocytosis During Thyrostatic Treatment of Graves' Disease. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 1017-1024.	2.3	12
17	IGF1 potentiates the pro-inflammatory response in human peripheral blood mononuclear cells via MAPK. <i>Journal of Molecular Endocrinology</i> , 2017, 59, 129-139.	1.1	37
18	Increased Adipocyte Size, Macrophage Infiltration, and Adverse Local Adipokine Profile in Perirenal Fat in Cushing's Syndrome. <i>Obesity</i> , 2017, 25, 1369-1374.	1.5	10

#	ARTICLE	IF	CITATIONS
19	Is Hepatic Triglyceride Content Associated with Aortic Pulse Wave Velocity and Carotid Intima-Media Thickness? The Netherlands Epidemiology of Obesity Study. <i>Radiology</i> , 2017, 285, 73-82.	3.6	3
20	Thyroid Hormone Therapy for Older Adults with Subclinical Hypothyroidism. <i>New England Journal of Medicine</i> , 2017, 376, 2534-2544.	13.9	366
21	The effect of threeâ€monthly albendazole treatment on Th2 responses: Differential effects on IgE and <scp>IL</scp>â€5. <i>Parasite Immunology</i> , 2017, 39, e12428.	0.7	8
22	Serum microRNA-1 and microRNA-133a levels reflect myocardial steatosis in uncomplicated type 2 diabetes. <i>Scientific Reports</i> , 2017, 7, 47.	1.6	88
23	Helminths, hygiene hypothesis and type 2 diabetes. <i>Parasite Immunology</i> , 2017, 39, e12404.	0.7	52
24	Pathological processes and therapeutic advances in radioiodide refractory thyroid cancer. <i>Journal of Molecular Endocrinology</i> , 2017, 59, R141-R154.	1.1	13
25	Digitalis-like Compounds Facilitate Non-Medullary Thyroid Cancer Redifferentiation through Intracellular Ca ²⁺ , FOS, and Autophagy-Dependent Pathways. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 169-181.	1.9	19
26	High prevalence of selfâ€reported shoulder complaints after thyroid carcinoma surgery. <i>Head and Neck</i> , 2017, 39, 260-268.	0.9	10
27	Postural orthostatic tachycardia is not a useful diagnostic marker for chronic fatigue syndrome. <i>Journal of Internal Medicine</i> , 2017, 281, 179-188.	2.7	13
28	Effect of anthelmintic treatment on leptin, adiponectin and leptin to adiponectin ratio: a randomized-controlled trial. <i>Nutrition and Diabetes</i> , 2017, 7, e289-e289.	1.5	21
29	Continuous Monitoring of Vital Signs Using Wearable Devices on the General Ward: Pilot Study. <i>JMIR MHealth and UHealth</i> , 2017, 5, e91.	1.8	154
30	Autophagy activity is associated with membranous sodium iodide symporter expression and clinical response to radioiodine therapy in non-medullary thyroid cancer. <i>Autophagy</i> , 2016, 12, 1195-1205.	4.3	29
31	Pediatric Differentiated Thyroid Carcinoma in The Netherlands: A Nationwide Follow-Up Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2031-2039.	1.8	55
32	Multifocality in Sporadic Medullary Thyroid Carcinoma: An International Multicenter Study. <i>Thyroid</i> , 2016, 26, 1563-1572.	2.4	36
33	Transcriptional and metabolic reprogramming induce an inflammatory phenotype in non-medullary thyroid carcinoma-induced macrophages. <i>Oncolmmunology</i> , 2016, 5, e1229725.	2.1	95
34	Understanding human immune function using the resources from the Human Functional Genomics Project. <i>Nature Medicine</i> , 2016, 22, 831-833.	15.2	63
35	Vascular Health in Patients in Remission of Cushing's Syndrome Is Comparable With That in BMI-Matched Controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4142-4150.	1.8	12
36	Circulating long-non coding RNAs as biomarkers of left ventricular diastolic function and remodelling in patients with well-controlled type 2 diabetes. <i>Scientific Reports</i> , 2016, 6, 37354.	1.6	128

#	ARTICLE	IF	CITATIONS
37	Environmental 24-hr Cycles Are Essential for Health. <i>Current Biology</i> , 2016, 26, 1843-1853.	1.8	101
38	Host and Environmental Factors Influencing Individual Human Cytokine Responses. <i>Cell</i> , 2016, 167, 1111-1124.e13.	13.5	364
39	Glucocorticoid receptor polymorphisms modulate cardiometabolic risk factors in patients in long-term remission of Cushing's syndrome. <i>Endocrine</i> , 2016, 53, 63-70.	1.1	16
40	(Secondary) solid tumors in thyroid cancer patients treated with the multi-kinase inhibitor sorafenib may present diagnostic challenges. <i>BMC Cancer</i> , 2016, 16, 31.	1.1	6
41	Alternatively spliced isoforms of IL-32 differentially influence cell death pathways in cancer cell lines. <i>Carcinogenesis</i> , 2016, 37, 197-205.	1.3	49
42	Modulation of inflammation by autophagy: Consequences for human disease. <i>Autophagy</i> , 2016, 12, 245-260.	4.3	287
43	Persistent self-consciousness about facial appearance, measured with the Derriford appearance scale 59, in patients after long-term biochemical remission of acromegaly. <i>Pituitary</i> , 2015, 18, 366-375.	1.6	24
44	Persistent centripetal fat distribution and metabolic abnormalities in patients in long-term remission of Cushing's syndrome. <i>Clinical Endocrinology</i> , 2015, 82, 180-187.	1.2	24
45	Individual contributions of visceral fat and total body fat to subclinical atherosclerosis: The NEO study. <i>Atherosclerosis</i> , 2015, 241, 547-554.	0.4	41
46	Helminth infections and type 2 diabetes: a cluster-randomized placebo controlled SUGARSPIN trial in Nangapanda, Flores, Indonesia. <i>BMC Infectious Diseases</i> , 2015, 15, 133.	1.3	34
47	Fewer Cancer Reoperations for Medullary Thyroid Cancer After Initial Surgery According to ATA Guidelines. <i>Annals of Surgical Oncology</i> , 2015, 22, 1207-1213.	0.7	25
48	PI3K/Akt/mTOR: A promising therapeutic target for non-medullary thyroid carcinoma. <i>Cancer Treatment Reviews</i> , 2015, 41, 707-713.	3.4	95
49	MR of Multi-Organ Involvement in the Metabolic Syndrome. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2015, 23, 41-58.	0.6	17
50	Cross-cultural validity of the thyroid-specific quality-of-life patient-reported outcome measure, ThyPRO. <i>Quality of Life Research</i> , 2015, 24, 769-780.	1.5	52
51	Three-dimensional facial analysis in acromegaly: a novel tool to quantify craniofacial characteristics after long-term remission. <i>Pituitary</i> , 2015, 18, 126-134.	1.6	19
52	Recombinant TSH Stimulated Remnant Ablation Therapy in Thyroid Cancer: The Success Rate Depends on the Definition of Ablation Success—An Observational Study. <i>PLoS ONE</i> , 2015, 10, e0120184.	1.1	3
53	Infection with Soil-Transmitted Helminths Is Associated with Increased Insulin Sensitivity. <i>PLoS ONE</i> , 2015, 10, e0127746.	1.1	69
54	Role of Genetic Variants of Autophagy Genes in Susceptibility for Non-Medullary Thyroid Cancer and Patients Outcome. <i>PLoS ONE</i> , 2014, 9, e94086.	1.1	33

#	ARTICLE	IF	CITATIONS
55	Reply: Comment on "Chemotherapy for testicular cancer induces acute alterations in diastolic heart function". <i>British Journal of Cancer</i> , 2014, 110, 265-265.	2.9	0
56	Identification of Novel Genetic Loci Associated with Thyroid Peroxidase Antibodies and Clinical Thyroid Disease. <i>PLoS Genetics</i> , 2014, 10, e1004123.	1.5	150
57	Very-Low-Calorie Diet Increases Myocardial Triglyceride Content and Decreases Diastolic Left Ventricular Function in Type 2 Diabetes With Cardiac Complications. <i>Diabetes Care</i> , 2014, 37, e1-e2.	4.3	14
58	The Thyroid Axis "Setpoints" are Significantly Altered After Long-Term Suppressive LT4 Therapy. <i>Hormone and Metabolic Research</i> , 2014, 46, 794-799.	0.7	10
59	P430RP105 deficiency aggravates cardiac dysfunction after myocardial infarction in mice. <i>Cardiovascular Research</i> , 2014, 103, S79.3-S79.	1.8	0
60	mTOR Inhibition Promotes TTF1-Dependent Redifferentiation and Restores Iodine Uptake in Thyroid Carcinoma Cell Lines. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E1368-E1375.	1.8	32
61	Short-term effects of a standardized glucose load on region-specific aortic pulse wave velocity assessed by MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 717-721.	1.9	1
62	Longitudinal trends in thyroid function in relation to iodine intake: ongoing changes of thyroid function despite adequate current iodine status. <i>European Journal of Endocrinology</i> , 2014, 170, 49-54.	1.9	21
63	Abnormal metabolic phenotype in middle-aged GH-deficient adults despite long-term recombinant human GH replacement. <i>European Journal of Endocrinology</i> , 2014, 170, 263-272.	1.9	7
64	GENETICS IN ENDOCRINOLOGY: Genetic variation in deiodinases: a systematic review of potential clinical effects in humans. <i>European Journal of Endocrinology</i> , 2014, 171, R123-R135.	1.9	49
65	A 5-Day High-Fat, High-Calorie Diet Impairs Insulin Sensitivity in Healthy, Young South Asian Men but Not in Caucasian Men. <i>Diabetes</i> , 2014, 63, 248-258.	0.3	59
66	A novel minimal mathematical model of the hypothalamus-pituitary-thyroid axis validated for individualized clinical applications. <i>Mathematical Biosciences</i> , 2014, 249, 1-7.	0.9	38
67	Impact of Metformin and Compound C on NIS Expression and Iodine Uptake In Vitro and In Vivo: A Role for CRE in AMPK Modulation of Thyroid Function. <i>Thyroid</i> , 2014, 24, 78-87.	2.4	33
68	Carotid body tumors are not associated with an increased risk for sleep-disordered breathing. <i>Sleep and Breathing</i> , 2014, 18, 103-109.	0.9	6
69	High levels of procoagulant factors mediate the association between free thyroxine and the risk of venous thrombosis: the MEGA study. <i>Journal of Thrombosis and Haemostasis</i> , 2014, 12, 839-846.	1.9	35
70	Illness perceptions, risk perception and worry in SDH mutation carriers. <i>Familial Cancer</i> , 2014, 13, 83-91.	0.9	1
71	The role of fat mass and skeletal muscle mass in knee osteoarthritis is different for men and women: the NEO study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 197-202.	0.6	54
72	Sorafenib in radioactive iodine-refractory, locally advanced or metastatic differentiated thyroid cancer: a randomised, double-blind, phase 3 trial. <i>Lancet</i> , The, 2014, 384, 319-328.	6.3	1,295

#	ARTICLE	IF	CITATIONS
73	Unmet information needs and impact of cancer in (long-term) thyroid cancer survivors: results of the PROFILES registry. <i>Psycho-Oncology</i> , 2014, 23, 946-952.	1.0	45
74	DIAGNOSIS OF ENDOCRINE DISEASE: Thyroglobulin measurement using highly sensitive assays in patients with differentiated thyroid cancer: a clinical position paper. <i>European Journal of Endocrinology</i> , 2014, 171, R33-R46.	1.9	94
75	Aortic stiffness is associated with white matter integrity in patients with type 1 diabetes. <i>European Radiology</i> , 2014, 24, 2031-2037.	2.3	9
76	Sustained cardiac remodeling after a short-term very low calorie diet in type 2 diabetes mellitus patients. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 121-127.	0.7	10
77	Hypothalamus-Pituitary-Thyroid Feedback Control: Implications of Mathematical Modeling and Consequences for Thyrotropin (TSH) and Free Thyroxine (FT4) Reference Ranges. <i>Bulletin of Mathematical Biology</i> , 2014, 76, 1270-1287.	0.9	22
78	Associations between thyroid function and mortality: the influence of age. <i>European Journal of Endocrinology</i> , 2014, 171, 183-191.	1.9	25
79	Cost-Effectiveness of FDG-PET/CT for Cytologically Indeterminate Thyroid Nodules: A Decision Analytic Approach. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 3263-3274.	1.8	47
80	Updated overall survival analysis of patients with locally advanced or metastatic radioactive iodine-refractory differentiated thyroid cancer (RAI-rDTC) treated with sorafenib on the phase 3 DECISION trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 6060-6060.	0.8	14
81	Safety and tolerability of sorafenib for treatment of locally advanced or metastatic radioactive iodine-refractory differentiated thyroid cancer (RAI-rDTC): Detailed analyses from the phase III DECISION trial. <i>Journal of Clinical Oncology</i> , 2014, 32, 6062-6062.	0.8	4
82	Thyroglobulin Autoantibodies as Surrogate Biomarkers in the Management of Patients with Differentiated Thyroid Carcinoma. <i>Current Medicinal Chemistry</i> , 2014, 21, 3687-3692.	1.2	17
83	Association between tumor BRAF and RAS mutation status and clinical outcomes in patients with radioactive iodine (RAI)-refractory differentiated thyroid cancer (DTC) randomized to sorafenib or placebo: sub-analysis of the phase III DECISION trial. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, .	0.6	1
84	Sorafenib in locally advanced or metastatic patients with radioactive iodine-refractory differentiated thyroid cancer (DTC): The phase III DECISION trial. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, .	0.6	1
85	Treatment of advanced medullary thyroid cancer. <i>Thyroid Research</i> , 2013, 6, S7.	0.7	11
86	Basic haemoglobinopathy diagnostics in Dutch laboratories; providing an informative test result. <i>International Journal of Laboratory Hematology</i> , 2013, 35, 428-435.	0.7	5
87	Aortic stiffness is related to left ventricular diastolic function in patients with diabetes mellitus type 1: assessment with MRI and speckle tracking strain analysis. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 633-641.	0.7	18
88	Abdominal adiposity largely explains associations between insulin resistance, hyperglycemia and subclinical atherosclerosis: The NEO study. <i>Atherosclerosis</i> , 2013, 229, 423-429.	0.4	30
89	Activin a is associated with impaired myocardial glucose metabolism and left ventricular remodeling in patients with uncomplicated type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 150.	2.7	32
90	The Netherlands Epidemiology of Obesity (NEO) study: study design and data collection. <i>European Journal of Epidemiology</i> , 2013, 28, 513-523.	2.5	166

#	ARTICLE	IF	CITATIONS
91	Implications of Thyroglobulin Antibody Positivity in Patients with Differentiated Thyroid Cancer: A Clinical Position Statement. <i>Thyroid</i> , 2013, 23, 1211-1225.	2.4	152
92	Mutational analyses of epidermal growth factor receptor and downstream pathways in adrenocortical carcinoma. <i>European Journal of Endocrinology</i> , 2013, 169, 51-58.	1.9	16
93	Right Ventricular Involvement in Diabetic Cardiomyopathy. <i>Diabetes Care</i> , 2013, 36, 457-462.	4.3	51
94	Regression and local control rates after radiotherapy for jugulotympanic paragangliomas: Systematic review and meta-analysis. <i>Radiotherapy and Oncology</i> , 2013, 106, 161-168.	0.3	41
95	Metabolic Profile in Growth Hormone-Deficient (GHD) Adults after Long-Term Recombinant Human Growth Hormone (rhGH) Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 352-361.	1.8	57
96	Avoiding and Nonexpressing: Coping Styles of Patients With Paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3608-3614.	1.8	3
97	Overexpression of Angiopoietin-Like Protein 4 Protects Against Atherosclerosis Development. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 1529-1537.	1.1	79
98	Quality of life is decreased in patients with paragangliomas. <i>European Journal of Endocrinology</i> , 2013, 168, 689-697.	1.9	18
99	Functional and Metabolic Imaging of the Cardiovascular System in Young Healthy South Asians and Caucasians Unveils Early Differences. <i>Diabetes Care</i> , 2013, 36, e178-e179.	4.3	3
100	Roux-en-Y gastric bypass and calorie restriction induce comparable time-dependent effects on thyroid hormone function tests in obese female subjects. <i>European Journal of Endocrinology</i> , 2013, 169, 339-347.	1.9	41
101	Caspase-1 deficiency in mice reduces intestinal triglyceride absorption and hepatic triglyceride secretion. <i>Journal of Lipid Research</i> , 2013, 54, 448-456.	2.0	29
102	Dietary modulation of plasma angiopoietin-like protein 4 concentrations in healthy volunteers and in patients with type 2 diabetes. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 255-260.	2.2	45
103	Endoscopic transsphenoidal pituitary surgery: a good and safe primary treatment option for Cushing's disease, even in case of macroadenomas or invasive adenomas. <i>European Journal of Endocrinology</i> , 2013, 169, 329-337.	1.9	64
104	A promoter polymorphism in human interleukin-32 modulates its expression and influences the risk and the outcome of epithelial cell-derived thyroid carcinoma. <i>Carcinogenesis</i> , 2013, 34, 1529-1535.	1.3	32
105	Sorafenib therapy decreases the clearance of thyrotropin. <i>European Journal of Endocrinology</i> , 2013, 168, 163-167.	1.9	19
106	Effects of octreotide therapy in progressive head and neck paragangliomas: Case series. <i>Head and Neck</i> , 2013, 35, E391-6.	0.9	21
107	Chemotherapy for testicular cancer induces acute alterations in diastolic heart function. <i>British Journal of Cancer</i> , 2013, 109, 891-896.	2.9	18
108	Effects of Short-Term Nutritional Interventions on Right Ventricular Function in Healthy Men. <i>PLoS ONE</i> , 2013, 8, e76406.	1.1	3

#	ARTICLE	IF	CITATIONS
109	Sorafenib in locally advanced or metastatic patients with radioactive iodine-refractory differentiated thyroid cancer: The phase III DECISION trial.. Journal of Clinical Oncology, 2013, 31, 4-4.	0.8	48
110	Relationship between Carotid Intima Media Thickness and Helminth Infections on Flores Island, Indonesia. PLoS ONE, 2013, 8, e54855.	1.1	50
111	Cardioprotective Properties of Omentin-1 in Type 2 Diabetes: Evidence from Clinical and In Vitro Studies. PLoS ONE, 2013, 8, e59697.	1.1	87
112	Both Transient and Continuous Corticosterone Excess Inhibit Atherosclerotic Plaque Formation in APOE*3-Leiden.CETP Mice. PLoS ONE, 2013, 8, e63882.	1.1	14
113	Niacin Reduces Atherosclerosis Development in APOE*3Leiden.CETP Mice Mainly by Reducing NonHDL-Cholesterol. PLoS ONE, 2013, 8, e66467.	1.1	36
114	Increased myocardial fibrosis and left ventricular dysfunction in Cushing's syndrome. European Journal of Endocrinology, 2012, 166, 27-34.	1.9	62
115	Progression of acromegalic arthropathy despite long-term biochemical control: a prospective, radiological study. European Journal of Endocrinology, 2012, 167, 235-244.	1.9	46
116	Ectopic Fat and Insulin Resistance: Pathophysiology and Effect of Diet and Lifestyle Interventions. International Journal of Endocrinology, 2012, 2012, 1-18.	0.6	231
117	Distinct effects of pioglitazone and metformin on circulating sclerostin and biochemical markers of bone turnover in men with type 2 diabetes mellitus. European Journal of Endocrinology, 2012, 166, 711-716.	1.9	67
118	MR Imaging Evaluation of Cardiovascular Risk in Metabolic Syndrome. Radiology, 2012, 264, 21-37.	3.6	47
119	Association Between Diffuse Myocardial Fibrosis by Cardiac Magnetic Resonance Contrast-Enhanced T ₁ Mapping and Subclinical Myocardial Dysfunction in Diabetic Patients. Circulation: Cardiovascular Imaging, 2012, 5, 51-59.	1.3	109
120	Risk of malignant paraganglioma in SDHB-mutation and SDHD-mutation carriers: a systematic review and meta-analysis. Journal of Medical Genetics, 2012, 49, 768-776.	1.5	124
121	Fatigue and fatigue-related symptoms in patients treated for different causes of hypothyroidism. European Journal of Endocrinology, 2012, 167, 809-815.	1.9	39
122	Long-term analysis of the efficacy and tolerability of sorafenib in advanced radio-iodine refractory differentiated thyroid carcinoma: final results of a phase II trial. European Journal of Endocrinology, 2012, 167, 643-650.	1.9	113
123	2012 European Thyroid Association Guidelines for Metastatic Medullary Thyroid Cancer. European Thyroid Journal, 2012, 1, 5-14.	1.2	137
124	Intraoperative Detection of Ganglioneuromas With 123I-MIBG. Clinical Nuclear Medicine, 2012, 37, 768-771.	0.7	10
125	Is There a Role for Radioguided Surgery With Iodine-Labeled Metaiodobenzylguanidine in Resection of Neuroendocrine Tumors?. Clinical Nuclear Medicine, 2012, 37, 1083-1088.	0.7	15
126	The use of an early postoperative CRH test to assess adrenal function after transsphenoidal surgery for pituitary adenomas. Pituitary, 2012, 15, 436-444.	1.6	12

#	ARTICLE	IF	CITATIONS
127	Gender-dependent effects of high-fat lard diet on cardiac function in C57Bl/6J mice. <i>Applied Physiology, Nutrition and Metabolism</i> , 2012, 37, 214-224.	0.9	21
128	Risk of Hypothyroidism following Hemithyroidectomy: Systematic Review and Meta-Analysis of Prognostic Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 2243-2255.	1.8	162
129	New treatment modalities in advanced thyroid cancer. <i>Annals of Oncology</i> , 2012, 23, 10-18.	0.6	84
130	Short-Term Caloric Restriction Normalizes Hypothalamic Neuronal Responsiveness to Glucose Ingestion in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2012, 61, 3255-3259.	0.3	31
131	Levels of prolactin in relation to coagulation factors and risk of venous thrombosis. <i>Thrombosis and Haemostasis</i> , 2012, 108, 499-507.	1.8	11
132	Long-term Beneficial Effect of a 16-week Very Low Calorie Diet on Pericardial Fat in Obese Type 2 Diabetes Mellitus Patients. <i>Obesity</i> , 2012, 20, 1572-1576.	1.5	70
133	Oit1/Fam3D, a gut-secreted protein displaying nutritional status-dependent regulation. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1425-1433.	1.9	20
134	Regional approaches to the management of patients with advanced, radioactive iodine-refractory differentiated thyroid carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 1137-1147.	1.1	54
135	The effects of high fat diet on the basal activity of the hypothalamus-pituitary-adrenal axis in mice. <i>Journal of Endocrinology</i> , 2012, 214, 191-197.	1.2	48
136	Insulin Resistance and Risk of Incident Cardiovascular Events in Adults without Diabetes: Meta-Analysis. <i>PLoS ONE</i> , 2012, 7, e52036.	1.1	256
137	Urinary 5-HIAA Excretion is not Increased in Patients with Head and Neck Paragangliomas. <i>International Journal of Biological Markers</i> , 2012, 27, 160-163.	0.7	2
138	The effect of hypertension on aortic pulse wave velocity in type-1 diabetes mellitus patients: assessment with MRI. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 543-550.	0.7	13
139	Head-and-neck paragangliomas are associated with sleep-related complaints, especially in the presence of carotid body tumors. <i>Sleep and Breathing</i> , 2012, 16, 527-534.	0.9	2
140	Relationship between insulin-like growth factor-1 and radiographic disease in patients with primary osteoarthritis: a systematic review. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 79-86.	0.6	19
141	Surgery in adrenocortical carcinoma: Importance of national cooperation and centralized surgery. <i>Surgery</i> , 2012, 152, 50-56.	1.0	48
142	Changes within the thyroid axis after long-term TSH-suppressive levothyroxine therapy. <i>Clinical Endocrinology</i> , 2012, 76, 577-581.	1.2	10
143	Impact of moderate vs stringent TSH suppression on survival in advanced differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2012, 76, 586-592.	1.2	67
144	Changes in heart valve structure and function in patients treated with dopamine agonists for prolactinomas, a 2-year follow-up study. <i>Clinical Endocrinology</i> , 2012, 77, 99-105.	1.2	54

#	ARTICLE	IF	CITATIONS
145	Genome Haploidisation with Chromosome 7 Retention in Oncocytic Follicular Thyroid Carcinoma. PLoS ONE, 2012, 7, e38287.	1.1	63
146	Bone morphogenetic protein 7: A broad-spectrum growth factor with multiple target therapeutic potency. Cytokine and Growth Factor Reviews, 2011, 22, 221-229.	3.2	83
147	Effects of low doses of casein hydrolysate on post-challenge glucose and insulin levels. European Journal of Internal Medicine, 2011, 22, 245-248.	1.0	38
148	5 THE GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST EXENDIN-4 INHIBITS VLDL BIOSYNTHESIS AND SECRETION IN APOE*3-LEIDEN MICE. Atherosclerosis Supplements, 2011, 12, 2.	1.2	0
149	172 NIACIN, ATORVASTATIN AND FENOFIBRATE DECREASE PLASMA CETP BY REDUCTION OF THE HEPATIC MACROPHAGE CONTENT IN APOE*3-LEIDEN.CETP MICE. Atherosclerosis Supplements, 2011, 12, 38.	1.2	0
150	Blood pressure class and carotid artery intima-media thickness in a population at the secondary epidemiological transition. Journal of Hypertension, 2011, 29, 2194-2200.	0.3	8
151	Relationship between vascular stiffness and stress myocardial perfusion imaging in asymptomatic patients with diabetes. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 2050-2057.	3.3	10
152	Rationale and design of DECISION: a double-blind, randomized, placebo-controlled phase III trial evaluating the efficacy and safety of sorafenib in patients with locally advanced or metastatic radioactive iodine (RAI)-refractory, differentiated thyroid cancer. BMC Cancer, 2011, 11, 349.	1.1	84
153	Association of plasma osteoprotegerin and adiponectin with arterial function, cardiac function and metabolism in asymptomatic type 2 diabetic men. Cardiovascular Diabetology, 2011, 10, 67.	2.7	28
154	Low Incidence of Adrenal Insufficiency after Transsphenoidal Surgery in Patients with Acromegaly: A Long-Term Follow-Up Study. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1163-E1170.	1.8	17
155	Increased Aortic Stiffness Measured by MRI in Patients With Type 1 Diabetes Mellitus and Relationship to Renal Function. American Journal of Roentgenology, 2011, 196, 697-701.	1.0	21
156	Pituitary Dysfunction in Adult Patients after Cranial Radiotherapy: Systematic Review and Meta-Analysis. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 2330-2340.	1.8	126
157	Affected Illness Perceptions and the Association with Impaired Quality of Life in Patients with Long-Term Remission of Acromegaly. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 3550-3558.	1.8	69
158	Both Exogenous Subclinical Hyperthyroidism and Short-Term Overt Hypothyroidism Affect Myocardial Strain in Patients with Differentiated Thyroid Carcinoma. Thyroid, 2011, 21, 471-476.	2.4	35
159	Negative illness perceptions are associated with impaired quality of life in patients after long-term remission of Cushing's syndrome. European Journal of Endocrinology, 2011, 165, 527-535.	1.9	77
160	PL - 93. Effects of gastric bypass surgery and high-protein-low-calorie diet on postprandial plasma glucose, insulin and gut hormone levels in obese diabetic patients. Nederlands Tijdschrift Voor Diabetologie, 2011, 9, 155-155.	0.0	0
161	Low prevalence of hypopituitarism after traumatic brain injury: a multicenter study. European Journal of Endocrinology, 2011, 165, 225-231.	1.9	59
162	The Type 2 Deiodinase ORFa-Gly3Asp Polymorphism (rs12885300) Influences the Set Point of the Hypothalamus-Pituitary-Thyroid Axis in Patients Treated for Differentiated Thyroid Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E1527-E1533.	1.8	33

#	ARTICLE	IF	CITATIONS
163	Prolonged Caloric Restriction in Obese Patients With Type 2 Diabetes Mellitus Decreases Plasma CETP and Increases Apolipoprotein AI Levels Without Improving the Cholesterol Efflux Properties of HDL. <i>Diabetes Care</i> , 2011, 34, 2576-2580.	4.3	33
164	Effects of High Fat Diet on the Basal Activity of the Hypothalamus-Pituitary-Adrenal Axis in Mice: A Systematic Review. <i>Hormone and Metabolic Research</i> , 2011, 43, 899-906.	0.7	23
165	Cerebral Perfusion and Aortic Stiffness Are Independent Predictors of White Matter Brain Atrophy in Type 1 Diabetic Patients Assessed With Magnetic Resonance Imaging. <i>Diabetes Care</i> , 2011, 34, 459-463.	4.3	45
166	Increased amygdalar and hippocampal volumes in elderly obese individuals with or at risk of cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 2011, 93, 1190-1195.	2.2	54
167	Arthropathy in long-term cured acromegaly is characterised by osteophytes without joint space narrowing: a comparison with generalised osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 320-325.	0.5	43
168	Comparison of the cortisol responses to testing with two doses of ACTH in patients with suspected adrenal insufficiency. <i>European Journal of Endocrinology</i> , 2011, 164, 83-87.	1.9	16
169	GH replacement therapy in elderly GH-deficient patients: a systematic review. <i>European Journal of Endocrinology</i> , 2011, 164, 657-665.	1.9	50
170	CETP expression reverses the reconstituted HDL-induced increase in VLDL. <i>Journal of Lipid Research</i> , 2011, 52, 1533-1541.	2.0	7
171	Coping Strategies in Patients after Treatment for Functioning or Nonfunctioning Pituitary Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 964-971.	1.8	67
172	Aortic stiffness is associated with cardiac function and cerebral small vessel disease in patients with type 1 diabetes mellitus: assessment by magnetic resonance imaging. <i>European Radiology</i> , 2010, 20, 1132-1138.	2.3	60
173	Genetic association analysis of LARS2 with type 2 diabetes. <i>Diabetologia</i> , 2010, 53, 103-110.	2.9	10
174	The effect of changes in thyroxine and thyroid-stimulating hormone levels on the coagulation system. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 2823-2826.	1.9	23
175	Calcitonin and carcinoembryonic antigen doubling times as prognostic factors in medullary thyroid carcinoma: a structured meta-analysis. <i>Clinical Endocrinology</i> , 2010, 72, 534-542.	1.2	156
176	Pioglitazone Decreases Plasma Cholesteryl Ester Transfer Protein Mass, Associated With a Decrease in Hepatic Triglyceride Content, in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1625-1628.	4.3	20
177	Liver Fat Content in Type 2 Diabetes: Relationship With Hepatic Perfusion and Substrate Metabolism. <i>Diabetes</i> , 2010, 59, 2747-2754.	0.3	37
178	Cardiac dysfunction is reversed upon successful treatment of Cushing's syndrome. <i>European Journal of Endocrinology</i> , 2010, 162, 331-340.	1.9	87
179	Increased Carotid Intima-Media Thickness as a Predictor of the Presence and Extent of Abnormal Myocardial Perfusion in Type 2 Diabetes. <i>Diabetes Care</i> , 2010, 33, 372-374.	4.3	17
180	Hypopituitarism following traumatic brain injury: prevalence is affected by the use of different dynamic tests and different normal values. <i>European Journal of Endocrinology</i> , 2010, 162, 11-18.	1.9	112

#	ARTICLE	IF	CITATIONS
181	Increased Urinary Excretion of 3-Methoxytyramine in Patients with Head and Neck Paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 209-214.	1.8	105
182	Pioglitazone Compared with Metformin Increases Pericardial Fat Volume in Patients with Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 456-460.	1.8	84
183	Effects of Hepatic Triglyceride Content on Myocardial Metabolism in Type 2 Diabetes. <i>Journal of the American College of Cardiology</i> , 2010, 56, 225-233.	1.2	108
184	Acromegaly Is Associated with an Increased Prevalence of Colonic Diverticula: A Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 2073-2079.	1.8	46
185	Clinical osteoarthritis predicts physical and psychological QoL in acromegaly patients. <i>Growth Hormone and IGF Research</i> , 2010, 20, 226-233.	0.5	54
186	Myocardial Steatosis and Biventricular Strain and Strain Rate Imaging in Patients With Type 2 Diabetes Mellitus. <i>Circulation</i> , 2010, 122, 2538-2544.	1.6	179
187	The value of I-131 SPECT in the detection of recurrent differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , 2010, 31, 417-422.	0.5	10
188	Trauma Severity, but Not Hypopituitarism, Affects Cognitive Function after Traumatic Brain Injury: A Multi-Center Study in the Netherlands.. , 2010, , P1-260-P1-260.		0
189	Clinical outcomes after estimated versus calculated activity of radioiodine for the treatment of hyperthyroidism: systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2009, 161, 771-777.	1.9	84
190	Endothelial Dysfunction in Diabetic Patients with Abnormal Myocardial Perfusion in the Absence of Epicardial Obstructive Coronary Artery Disease. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1980-1986.	2.8	16
191	The Exon-3 Deleted Growth Hormone Receptor Polymorphism Predisposes to Long-Term Complications of Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 4671-4678.	1.8	33
192	Type 2 Iodothyronine Deiodinase in Skeletal Muscle: Effects of Hypothyroidism and Fasting. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2144-2150.	1.8	55
193	Pretreatment Insulin-Like Growth Factor-I Concentrations Predict Radiographic Osteoarthritis in Acromegalic Patients with Long-Term Cured Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2374-2379.	1.8	32
194	Physiological Thyroid Hormone Levels Regulate Numerous Skeletal Muscle Transcripts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 3487-3496.	1.8	67
195	Bexarotene Induces Dyslipidemia by Increased Very Low-Density Lipoprotein Production and Cholesteryl Ester Transfer Protein-Mediated Reduction of High-Density Lipoprotein. <i>Endocrinology</i> , 2009, 150, 2368-2375.	1.4	49
196	Retinoic acid receptor and retinoid X receptor subtype expression for the differential diagnosis of thyroid neoplasms. <i>European Journal of Endocrinology</i> , 2009, 160, 631-638.	1.9	23
197	High prevalence of arthropathy, according to the definitions of radiological and clinical osteoarthritis, in patients with long-term cure of acromegaly: a case-control study. <i>European Journal of Endocrinology</i> , 2009, 160, 357-365.	1.9	70
198	Pioglitazone Improves Cardiac Function and Alters Myocardial Substrate Metabolism Without Affecting Cardiac Triglyceride Accumulation and High-Energy Phosphate Metabolism in Patients With Well-Controlled Type 2 Diabetes Mellitus. <i>Circulation</i> , 2009, 119, 2069-2077.	1.6	210

#	ARTICLE	IF	CITATIONS
199	Usefulness of Carotid Intima-Media Thickness in Patients With Diabetes Mellitus as a Predictor of Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2009, 104, 1041-1046.	0.7	27
200	Findings from Left Ventricular Strain and Strain Rate Imaging in Asymptomatic Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2009, 104, 1398-1401.	0.7	261
201	Multiple genomic aberrations in a patient with mental retardation and hypogonadism: 45,X/46,X,psu dic(Y) karyotype, thyroid hormone receptor beta (<i>THR</i>B) mutation and heterozygosity for Wilson disease. <i>American Journal of Medical Genetics, Part A</i> , 2009, 149A, 2231-2235.	0.7	2
202	Phosphorus-31 magnetic resonance spectroscopy of skeletal muscle in maternally inherited diabetes and deafness A3243G mitochondrial mutation carriers. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 127-131.	1.9	8
203	Malignant pituitary corticotroph adenomas: report of two cases and a comprehensive review of the literature. <i>Pituitary</i> , 2009, 12, 57-69.	1.6	23
204	Pituitary-hormone secretion by thyrotropinomas. <i>Pituitary</i> , 2009, 12, 200-210.	1.6	14
205	Limited effects of growth hormone replacement in patients with GH deficiency during long-term cure of acromegaly. <i>Pituitary</i> , 2009, 12, 339-346.	1.6	39
206	Kinetic models for analysing myocardial [11C]palmitate data. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 966-978.	3.3	15
207	Thr92Ala polymorphism in the type 2 deiodinase is not associated with T4 dose in athyroid patients or patients with Hashimoto thyroiditis. <i>Clinical Endocrinology</i> , 2009, 71, 279-283.	1.2	48
208	Short-term overt hypothyroidism induces discrete diastolic dysfunction in patients treated for differentiated thyroid carcinoma. <i>European Journal of Clinical Investigation</i> , 2009, 39, 204-210.	1.7	17
209	Genetic association analysis of 13 nuclear-encoded mitochondrial candidate genes with type II diabetes mellitus: the DAMAGE study. <i>European Journal of Human Genetics</i> , 2009, 17, 1056-1062.	1.4	14
210	Long-term outcome of patients with macroprolactinomas initially treated with dopamine agonists. <i>European Journal of Internal Medicine</i> , 2009, 20, 387-393.	1.0	25
211	ACTH-producing pheochromocytoma: Clinical considerations and concise review of the literature. <i>European Journal of Internal Medicine</i> , 2009, 20, 682-685.	1.0	46
212	Altered Myocardial Substrate Metabolism and Decreased Diastolic Function in Nonischemic Human Diabetic Cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2009, 54, 1524-1532.	1.2	257
213	Non-invasive cardiac imaging techniques and vascular tools for the assessment of cardiovascular disease in type 2 diabetes mellitus. <i>Diabetologia</i> , 2008, 51, 1581-1593.	2.9	60
214	Stroke volume measurements with first-pass dynamic positron emission tomography: Comparison with cardiovascular magnetic resonance. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 218-224.	1.4	5
215	Radioiodine therapy after pretreatment with bexarotene for metastases of differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2008, 68, 605-609.	1.2	27
216	Patients cured from craniopharyngioma or nonfunctioning pituitary macroadenoma (NFMA) suffer similarly from increased daytime somnolence despite normal sleep patterns compared to healthy controls. <i>Clinical Endocrinology</i> , 2008, 69, 769-774.	1.2	33

#	ARTICLE	IF	CITATIONS
217	Disease-specific impairments in quality of life during long-term follow-up of patients with different pituitary adenomas. <i>Clinical Endocrinology</i> , 2008, 69, 775-784.	1.2	148
218	Prolonged Caloric Restriction in Obese Patients With Type 2 Diabetes Mellitus Decreases Myocardial Triglyceride Content and Improves Myocardial Function. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1006-1012.	1.2	226
219	Myocardial Steatosis Is an Independent Predictor of Diastolic Dysfunction in Type 2 Diabetes Mellitus. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1793-1799.	1.2	472
220	I-131 Accumulation in a Benign Cystic Mesothelioma in a Patient with Follicular Thyroid Cancer. <i>Thyroid</i> , 2008, 18, 369-371.	2.4	8
221	Short-Term Hyperglycemic Dysregulation in Patients With Type 1 Diabetes Does Not Change Myocardial Triglyceride Content or Myocardial Function. <i>Diabetes Care</i> , 2008, 31, 1613-1614.	4.3	12
222	Autonomic Nervous System Function in Chronic Exogenous Subclinical Thyrotoxicosis and the Effect of Restoring Euthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2835-2841.	1.8	24
223	The ageing male heart: myocardial triglyceride content as independent predictor of diastolic function. <i>European Heart Journal</i> , 2008, 29, 1516-1522.	1.0	114
224	Short-term flexibility of myocardial triglycerides and diastolic function in patients with type 2 diabetes mellitus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 295, E714-E718.	1.8	63
225	Reduced quality of life in patients with head-and-neck paragangliomas. <i>European Journal of Endocrinology</i> , 2008, 158, 247-253.	1.9	26
226	Recombinant human GH replacement increases CD34+ cells and improves endothelial function in adults with GH deficiency. <i>European Journal of Endocrinology</i> , 2008, 159, 105-111.	1.9	17
227	The success rate of I-131 ablation in differentiated thyroid cancer: comparison of uptake-related and fixed-dose strategies. <i>European Journal of Endocrinology</i> , 2008, 159, 301-307.	1.9	20
228	Cardiac manifestations of GH deficiency after treatment for acromegaly: a comparison to patients with biochemical remission and controls. <i>European Journal of Endocrinology</i> , 2008, 159, 705-712.	1.9	10
229	Effects of Short-Term High-Fat, High-Energy Diet on Hepatic and Myocardial Triglyceride Content in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2702-2708.	1.8	99
230	Aortic Valve Calcification and Mild Tricuspid Regurgitation But No Clinical Heart Disease after 8 Years of Dopamine Agonist Therapy for Prolactinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 3348-3356.	1.8	128
231	Influence of the d3-Growth Hormone (GH) Receptor Isoform on Short-Term and Long-Term Treatment Response to GH Replacement in GH-Deficient Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2828-2834.	1.8	49
232	Quality of Life in Cured Patients with Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 200-203.	1.8	129
233	Progressive Caloric Restriction Induces Dose-Dependent Changes in Myocardial Triglyceride Content and Diastolic Function in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 497-503.	1.8	97
234	Metabolic MRI of myocardial and hepatic triglyceride content in response to nutritional interventions. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2008, 11, 573-579.	1.3	24

#	ARTICLE	IF	CITATIONS
235	Increased aortic root diameters in patients with acromegaly. <i>European Journal of Endocrinology</i> , 2008, 159, 97-103.	1.9	33
236	The natural course of non-functioning pituitary macroadenomas. <i>European Journal of Endocrinology</i> , 2007, 156, 217-224.	1.9	175
237	Metabolic Imaging of Myocardial Triglyceride Content: Reproducibility of ¹ H MR Spectroscopy with Respiratory Navigator Gating in Volunteers. <i>Radiology</i> , 2007, 245, 251-257.	3.6	124
238	Bexarotene-Induced Hypothyroidism: Bexarotene Stimulates the Peripheral Metabolism of Thyroid Hormones. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2496-2499.	1.8	45
239	Associations of Serum Thyrotropin Concentrations with Recurrence and Death in Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2610-2615.	1.8	136
240	Administration route-dependent effects of estrogens on IGF-I levels during fixed GH replacement in women with hypopituitarism. <i>European Journal of Endocrinology</i> , 2007, 157, 709-716.	1.9	15
241	The prevalence of the metabolic syndrome is increased in patients with GH deficiency, irrespective of long-term substitution with recombinant human GH. <i>European Journal of Endocrinology</i> , 2007, 156, 455-462.	1.9	80
242	Short-Term Caloric Restriction Induces Accumulation of Myocardial Triglycerides and Decreases Left Ventricular Diastolic Function in Healthy Subjects. <i>Diabetes</i> , 2007, 56, 2849-2853.	0.3	520
243	A new functional parameter measured at the time of ablation that can be used to predict differentiated thyroid cancer recurrence during follow-up. <i>European Journal of Endocrinology</i> , 2007, 156, 41-47.	1.9	12
244	Comorbidity of anxiety and depression. <i>European Psychiatry</i> , 2007, 22, S333.	0.1	5
245	Progressive improvement of impaired visual acuity during the first year after transsphenoidal surgery for non-functioning pituitary macroadenoma. <i>Pituitary</i> , 2007, 10, 61-65.	1.6	53
246	Acromegaly caused by growth hormone-releasing hormone-producing tumors: long-term observational studies in three patients. <i>Pituitary</i> , 2007, 10, 237-249.	1.6	50
247	European consensus for the management of patients with differentiated thyroid carcinoma of the follicular epithelium. <i>European Journal of Endocrinology</i> , 2006, 154, 787-803.	1.9	1,804
248	Uncontrolled acromegaly is associated with progressive mitral valvular regurgitation. <i>Growth Hormone and IGF Research</i> , 2006, 16, 101-107.	0.5	42
249	Quality of life in longterm exogenous subclinical hyperthyroidism and the effects of restoration of euthyroidism, a randomized controlled trial. <i>Clinical Endocrinology</i> , 2006, 64, 284-291.	1.2	63
250	A bioluminescence assay for thyrotropin receptor antibodies predicts serum thyroid hormone levels in patients with de novo Graves' disease. <i>Clinical Endocrinology</i> , 2006, 64, 060222010233007.	1.2	8
251	Lithium as adjuvant to radioiodine therapy in differentiated thyroid carcinoma: clinical and in vitro studies. <i>Clinical Endocrinology</i> , 2006, 64, 617-624.	1.2	57
252	Glucose tolerance and lipid profile in longterm exogenous subclinical hyperthyroidism and the effects of restoration of euthyroidism, a randomised controlled trial. <i>Clinical Endocrinology</i> , 2006, 65, 737-744.	1.2	29

#	ARTICLE	IF	CITATIONS
253	Serum thyroglobulin concentrations predict disease-free remission and death in differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2006, 66, 061109020454001-???.	1.2	83
254	Efficacy of needle-free administration of recombinant human growth hormone in adults with growth hormone deficiency. <i>British Journal of Clinical Pharmacology</i> , 2006, 61, 451-455.	1.1	9
255	Acute Insulin Resistance in Myocardial Ischemia: Causes and Consequences. <i>Seminars in Cardiothoracic and Vascular Anesthesia</i> , 2006, 10, 215-219.	0.4	18
256	Bexarotene increases uptake of radioiodide in metastases of differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2006, 154, 525-531.	1.9	54
257	Quality of Life Is Decreased after Treatment for Nonfunctioning Pituitary Macroadenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3364-3369.	1.8	111
258	Observation Alone after Transsphenoidal Surgery for Nonfunctioning Pituitary Macroadenoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 1796-1801.	1.8	195
259	GH deficiency in patients irradiated for acromegaly: significance of GH stimulatory tests in relation to the 24 h GH secretion. <i>European Journal of Endocrinology</i> , 2006, 154, 851-858.	1.9	20
260	Quality of life in treated adult craniopharyngioma patients. <i>European Journal of Endocrinology</i> , 2006, 154, 483-489.	1.9	103
261	The incidence of second primary tumors in thyroid cancer patients is increased, but not related to treatment of thyroid cancer. <i>European Journal of Endocrinology</i> , 2006, 155, 801-806.	1.9	94
262	The Effects of Thyrotropin-Suppressive Therapy on Bone Metabolism in Patients with Well-Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2006, 16, 583-591.	2.4	111
263	Sustained effects of recombinant GH replacement after 7 years of treatment in adults with GH deficiency. <i>European Journal of Endocrinology</i> , 2006, 155, 701-708.	1.9	43
264	High prevalence of long-term cardiovascular, neurological and psychosocial morbidity after treatment for craniopharyngioma. <i>Clinical Endocrinology</i> , 2005, 62, 197-204.	1.2	182
265	Clinical application of rhTSH in differentiated thyroid cancer: the facts and the questions. <i>Clinical Endocrinology</i> , 2005, 62, 261-262.	1.2	2
266	A phase II study of raltitrexed and gemcitabine in patients with advanced pancreatic carcinoma. <i>British Journal of Cancer</i> , 2005, 92, 445-448.	2.9	24
267	Diabetic cardiomyopathy in uncomplicated type 2 diabetes is associated with the metabolic syndrome and systemic inflammation. <i>Diabetologia</i> , 2005, 48, 1669-1670.	2.9	43
268	Effects of Dehydroepiandrosterone, Superimposed on Growth Hormone Substitution, on Quality of Life and Insulin-Like Growth Factor I in Patients with Secondary Adrenal Insufficiency: A Randomized, Placebo-Controlled, Cross-Over Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3295-3303.	1.8	61
269	Reversible Diastolic Dysfunction after Long-Term Exogenous Subclinical Hyperthyroidism: A Randomized, Placebo-Controlled Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 6041-6047.	1.8	96
270	Morbidity after Long-Term Remission for Acromegaly: Persisting Joint-Related Complaints Cause Reduced Quality of Life. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 2731-2739.	1.8	182

#	ARTICLE	IF	CITATIONS
271	Persistent diastolic dysfunction despite successful long-term octreotide treatment in acromegaly. <i>European Journal of Endocrinology</i> , 2005, 153, 231-238.	1.9	24
272	Intravenous octreotide test predicts the long term outcome of treatment with octreotide-long-acting repeatable in active acromegaly. <i>Growth Hormone and IGF Research</i> , 2005, 15, 200-206.	0.5	32
273	Quality of Life in Patients after Long-Term Biochemical Cure of Cushing's Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3279-3286.	1.8	225
274	Pituitary Magnetic Resonance Imaging Is Not Required in the Postoperative Follow-Up of Acromegalic Patients with Long-Term Biochemical Cure after Transsphenoidal Surgery. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4320-4324.	1.8	27
275	Follow-up and management of differentiated thyroid carcinoma: a European perspective in clinical practice. <i>European Journal of Endocrinology</i> , 2004, 151, 539-548.	1.9	93
276	Decreased Quality of Life in Patients with Acromegaly Despite Long-Term Cure of Growth Hormone Excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5369-5376.	1.8	213
277	Differential effects of natural flavonoids on growth and iodide content in a human Na ⁺ /I ⁻ symporter-transfected follicular thyroid carcinoma cell line. <i>European Journal of Endocrinology</i> , 2004, 150, 557-564.	1.9	38
278	Genes differentially expressed in thyroid carcinoma identified by comparison of SAGE expression profiles. <i>FASEB Journal</i> , 2004, 18, 560-561.	0.2	24
279	Octreotide long-acting repeatable and lanreotide Autogel are equally effective in controlling growth hormone secretion in acromegalic patients. <i>European Journal of Endocrinology</i> , 2004, 150, 489-495.	1.9	65
280	Diagnostic value of serum thyroglobulin measurements in the follow-up of differentiated thyroid carcinoma, a structured meta-analysis. <i>Clinical Endocrinology</i> , 2004, 61, 61-74.	1.2	165
281	Mifepristone treatment in patients with surgically incurable sphenoid-ridge meningioma: a long-term follow-up. <i>Eye</i> , 2004, 18, 954-958.	1.1	13
282	Six-months of recombinant human GH therapy in patients with ischemic cardiac failure. <i>International Journal of Cardiovascular Imaging</i> , 2004, 20, 53-60.	0.7	8
283	Indium-111 octreotide scintigraphy for the detection of non-functioning metastases from differentiated thyroid cancer: diagnostic and prognostic value. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 950-7.	3.3	14
284	Radioiodine-131 in differentiated thyroid cancer: a retrospective analysis of an uptake-related ablation strategy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 499-506.	3.3	26
285	Increased Prevalence of Regurgitant Valvular Heart Disease in Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 71-75.	1.8	138
286	Six month follow-up after 111In-DTPA-octreotide therapy in patients with progressive radioiodine non-responsive thyroid cancer: a pilot study. <i>Nuclear Medicine Communications</i> , 2004, 25, 683-690.	0.5	18
287	Genetically defined hyperlipidemia. <i>Pharmacogenomics</i> , 2004, 5, 295-304.	0.6	2
288	Dietary flavonoids and iodine metabolism. <i>BioFactors</i> , 2003, 19, 171-176.	2.6	19

#	ARTICLE	IF	CITATIONS
289	Indium-111-Octreotide scintigraphy in differentiated thyroid carcinoma metastases that do not respond to treatment with high-dose I-131. <i>Journal of Cancer Research and Clinical Oncology</i> , 2003, 129, 287-294.	1.2	27
290	Sandostatin LAR in acromegaly: a 6-week injection interval suppresses GH secretion as effectively as a 4-week interval. <i>Clinical Endocrinology</i> , 2003, 58, 288-295.	1.2	42
291	Effects of low-iodide diet on postsurgical radioiodide ablation therapy in patients with differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2003, 58, 428-435.	1.2	120
292	Diastolic dysfunction is associated with altered myocardial metabolism in asymptomatic normotensive patients with well-controlled type 2 diabetes mellitus. <i>Journal of the American College of Cardiology</i> , 2003, 42, 328-335.	1.2	334
293	Intrinsic imperfections of endocrine replacement therapy. <i>European Journal of Endocrinology</i> , 2003, 149, 91-97.	1.9	77
294	Outcome of Palliative Embolization of Bone Metastases in Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3184-3189.	1.8	106
295	Long-Term Predictive Value of Postsurgical Cortisol Concentrations for Cure and Risk of Recurrence in Cushing's Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5858-5864.	1.8	161
296	Does radioiodine therapy have disadvantageous effects in non-iodine accumulating differentiated thyroid carcinoma?. <i>Clinical Endocrinology</i> , 2002, 57, 117-124.	1.2	25
297	Genetically defined pancreatic beta cell failure. <i>Pharmacogenomics</i> , 2002, 3, 669-678.	0.6	0
298	Elevated Numbers of Tissue-Factor Exposing Microparticles Correlate With Components of the Metabolic Syndrome in Uncomplicated Type 2 Diabetes Mellitus. <i>Circulation</i> , 2002, 106, 2442-2447.	1.6	331
299	Postoperative persistent thyrotrophin releasing hormone-induced growth hormone release predicts recurrence in patients with acromegaly. <i>Clinical Endocrinology</i> , 2002, 56, 313-319.	1.2	21
300	A novel chromosomal translocation t(3;5)(q12;p15.3) and loss of heterozygosity on chromosome 22 in a multifocal follicular variant of papillary thyroid carcinoma presenting with skin metastases. <i>Clinical Endocrinology</i> , 2001, 55, 543-548.	1.2	18
301	Marimastat therapy as adjuvant to selective embolization in skeletal metastases of differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2001, 55, 421-422.	1.2	1
302	Letters. <i>Diabetic Medicine</i> , 2001, 18, 423-424.	1.2	31
303	Expression of the human sodium/iodide symporter (hNIS) in xenotransplanted human thyroid carcinoma. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2001, 109, 52-55.	0.6	16
304	Clinical outcome after standardized versus dosimetric radioiodine treatment of hyperthyroidism: an equivalence study. <i>Nuclear Medicine Communications</i> , 2000, 21, 1071-1078.	0.5	35
305	Reestablishment of <i>In Vitro</i> and <i>In Vivo</i> Iodide Uptake by Transfection of the Human Sodium Iodide Symporter (hNIS) in a hNIS Defective Human Thyroid Carcinoma Cell Line. <i>Thyroid</i> , 2000, 10, 939-943.	2.4	53
306	Beneficial effects of retinoic acid on extracellular matrix degradation and attachment behaviour in follicular thyroid carcinoma cell lines. <i>Journal of Endocrinology</i> , 2000, 167, 229-238.	1.2	17

#	ARTICLE	IF	CITATIONS
307	Degradation of Extracellular Matrix by Metastatic Follicular Thyroid Carcinoma Cell Lines: Role of the Plasmin Activation System. <i>Thyroid</i> , 1999, 9, 913-919.	2.4	27
308	Combined hyperlipidemia is associated with increased exercise-induced muscle protein release which is improved by triglyceride-lowering intervention. <i>Metabolism: Clinical and Experimental</i> , 1999, 48, 1518-1523.	1.5	3
309	Inhibition of Various Steps in the Replication Cycle of Vesicular Stomatitis Virus Contributes to Its Photoinactivation by ALPcS4 or Pc4 and Red Light. <i>Photochemistry and Photobiology</i> , 1999, 69, 353.	1.3	14
310	Role of Integrins in the Attachment of Metastatic Follicular Thyroid Carcinoma Cell Lines to Bone. <i>Thyroid</i> , 1998, 8, 29-36.	2.4	12
311	Effects of HMG-CoA reductase inhibitors on growth and differentiation of cultured rat skeletal muscle cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1996, 1315, 217-222.	1.8	16
312	Does the HMG-CoA reductase inhibitor pravastatin influence nucleation of cholesterol crystals in supersaturated model bile?. <i>European Journal of Gastroenterology and Hepatology</i> , 1996, 8, 197-200.	0.8	2
313	Cholesterol Synthesis Inhibitors in Cholesterol Gallstone Disease. <i>Scandinavian Journal of Gastroenterology</i> , 1996, 31, 56-60.	0.6	6
314	Heterozygous familial hypercholesterolaemia is associated with pathological exercise-induced leakage of muscle proteins, which is not aggravated by simvastatin therapy. <i>European Journal of Clinical Investigation</i> , 1995, 25, 79-84.	1.7	23
315	Effects of simvastatin and cholestyramine on bile lipid composition and gall bladder motility in patients with hypercholesterolaemia.. <i>Gut</i> , 1995, 37, 654-659.	6.1	15
316	A comparison of the effects of simvastatin and pravastatin monotherapy on muscle histology and permeability in hypercholesterolaemic patients.. <i>British Journal of Clinical Pharmacology</i> , 1995, 39, 135-141.	1.1	10
317	Successful dissolution of cholesterol gallstone during treatment with pravastatin. <i>Gastroenterology</i> , 1992, 103, 1068-1070.	0.6	34
318	Six Months of Recombinant Human GH Therapy in Patients with Ischemic Cardiac Failure Does Not Influence Left Ventricular Function and Mass. , 0, .		10