

Marzieh Piryaee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7691228/publications.pdf>

Version: 2024-02-01

40
papers

532
citations

623734
14
h-index

677142
22
g-index

40
all docs

40
docs citations

40
times ranked

598
citing authors

#	ARTICLE	IF	CITATIONS
1	Determination of Polycyclic Aromatic Hydrocarbons by Coated Vial Solid-Phase Microextraction Followed by HPLC. <i>Polycyclic Aromatic Compounds</i> , 2023, 43, 317-327.	2.6	3
2	Hexagonal Ordered Mesoporous Silica-Coated by Polypyrrole as a Coating for Inside Needle Capillary Adsorption Trap of Polycyclic Aromatic Hydrocarbons. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 2834-2842.	2.6	3
3	Hierarchically Synthesis of Nanoflower Layered Double Hydroxide/Molybdenum Disulfide on Electrochemically Anodized HB Pencil Lead for Determination Trace Amounts of Polycyclic Aromatic Hydrocarbons. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 4078-4085.	2.6	2
4	Head space solid phase microextraction of 15 pesticides in water samples using MnO ₂ nanowires decorate on graphenized pencil lead fiber. <i>Separation Science and Technology</i> , 2022, 57, 419-425.	2.5	3
5	Immobilization Polyoxometalate/Ionic Liquid Nanocomposites on Hexagonally Ordered Silica as Solid Coating in Microextraction of Polycyclic Aromatic Hydrocarbons. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 4644-4650.	2.6	2
6	The New Simple and Manual Coated Serum Vial Solid-Phase Microextraction Method for Pre-Concentration of Polycyclic Aromatic Hydrocarbons in Water Samples. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 7247-7255.	2.6	1
7	Carbon nanotube/layered double hydroxide nanocomposite as a fibre coating for determination the essential oils of <i>Achillea eriophora</i> DC with the headspace solid-phase microextraction. <i>Natural Product Research</i> , 2021, 35, 1217-1220.	1.8	5
8	Synthesis of Ni-Ti Three-Dimensional Layered Double Hydroxide on the Surface of Graphene Oxide for Analysis of the Volatile Compounds. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2021, 45, 875-883.	1.5	3
9	The use of the headspace single drop microextraction and microwave distillation for determination of essential oil components of <i>Salvia hydrangea</i> DC. <i>Natural Product Research</i> , 2020, 34, 2996-2999.	1.8	4
10	Development of direct microwave desorption/gas chromatography mass spectrometry system for rapid analysis of volatile components in medicinal plants. <i>Journal of Separation Science</i> , 2020, 43, 782-787.	2.5	4
11	Deep eutectic solvents as extraction phase in head-space single-drop microextraction for determination of pesticides in fruit juice and vegetable samples. <i>Microchemical Journal</i> , 2020, 158, 105041.	4.5	47
12	Preconcentration of digoxin using a synthetic imprinted polymer deposited upon the surface of double-layered hydroxides on porous anodised aluminium wire a triple solid-phase microextraction fibre. <i>Phytochemical Analysis</i> , 2020, 31, 636-642.	2.4	3
13	Bio template route for fabrication of a hybrid material composed of hierarchical boehmite, layered double hydroxides (Mg-Al) and porous carbon on a steel fiber for solid phase microextraction of agrochemicals. <i>Mikrochimica Acta</i> , 2019, 186, 678.	5.0	16
14	Polyoxometalate-based ionic liquid coating for solid phase microextraction of triazole pesticides in water samples. <i>Separation Science and Technology</i> , 2019, 54, 1553-1559.	2.5	17
15	Direct thermal desorption technique as a very fast, easy and low-cost method for analysis of volatile components compounds by gas chromatography with mass spectrometry. <i>Separation Science Plus</i> , 2019, 2, 416-421.	0.6	3
16	Determination and analysis of volatile components from <i>Thymus kotschyianus</i> Boiss with a new solid-phase microextraction fibre and microwave-assisted hydrodistillation by periodic mesoporous organosilica based on alkylimidazolium ionic liquid. <i>Phytochemical Analysis</i> , 2019, 30, 193-197.	2.4	10
17	Determination of essential oils composition of blanket-leaf (<i>Stachys byzantina</i> C. Koch.) by microwave assisted extraction coupled to headspace single-drop microextraction. <i>Natural Product Research</i> , 2018, 32, 2621-2624.	1.8	3
18	A star-shaped polythiophene dendrimer coating for solid-phase microextraction of triazole agrochemicals. <i>Mikrochimica Acta</i> , 2018, 185, 179.	5.0	20

#	ARTICLE	IF	CITATIONS
19	Layered double hydroxide films on nanoporous anodic aluminum oxide/aluminum wire: a new fiber for rapid analysis of <i>Origanum vulgare</i> essential oils. <i>Natural Product Research</i> , 2018, 32, 243-245.	1.8	8
20	Fast analysis of volatile compounds from <i>Lippia citriodora</i> with nanoporous aluminum wire as solid-phase microextraction fibres. <i>Natural Product Research</i> , 2017, 31, 351-354.	1.8	1
21	Fabrication of polyaniline-coated halloysite nanotubes by in situ chemical polymerization as a solid-phase microextraction coating for the analysis of volatile organic compounds in aqueous solutions. <i>Journal of Separation Science</i> , 2016, 39, 956-963.	2.5	22
22	Fast analysis of volatile components of <i>Achillea tenuifolia</i> Lam with microwave distillation followed by headspace single-drop microextraction coupled to gas chromatography-mass spectrometry (GC-MS). <i>Natural Product Research</i> , 2016, 30, 991-994.	1.8	6
23	Preparation of a novel green optical pH sensor based on immobilization of red grape extract on bioorganic agarose membrane. <i>Sensors and Actuators B: Chemical</i> , 2016, 224, 391-395.	7.8	33
24	Ionic liquid-derived nano-fibrillated mesoporous carbon based on solid-phase microextraction fiber for the analysis of volatile organic compounds from aqueous solutions. <i>New Journal of Chemistry</i> , 2015, 39, 6085-6091.	2.8	12
25	Rapid analysis of <i>Achillea tenuifolia</i> Lam essential oils by polythiophene/hexagonally ordered silica nanocomposite coating as a solid-phase microextraction fibre. <i>Natural Product Research</i> , 2015, 29, 1789-1792.	1.8	9
26	Synthesis of carbon nanotube/layered double hydroxide nanocomposite as a novel fiber coating for the headspace solid-phase microextraction of phenols from water samples. <i>Journal of Separation Science</i> , 2015, 38, 1344-1350.	2.5	33
27	Synthesis of a metal-organic framework confined in periodic mesoporous silica with enhanced hydrostability as a novel fiber coating for solid-phase microextraction. <i>Journal of Separation Science</i> , 2015, 38, 1187-1193.	2.5	48
28	Double-charged ionic liquid-functionalized layered double hydroxide nanomaterial as a new fiber coating for solid-phase microextraction of phenols. <i>Mikrochimica Acta</i> , 2015, 182, 2155-2164.	5.0	23
29	Fast determination of <i>Ziziphora tenuior</i> L. essential oil by inorganic-organic hybrid material based on ZnO nanoparticles anchored to a composite made from polythiophene and hexagonally ordered silica. <i>Natural Product Research</i> , 2015, 29, 833-837.	1.8	13
30	Fabrication of a hierarchical dodecyl sulfate-layered double hydroxide nanocomposite on porous aluminum wire as an efficient coating for solid-phase microextraction of phenols. <i>Mikrochimica Acta</i> , 2015, 182, 1177-1186.	5.0	30
31	Antioxidant activity of <i>Ziziphora tenuior</i> methanolic extracts and comparison of the essential oil in two stages of growth. <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 505-511.	1.3	9
32	Rapid Analysis of Volatile Components from <i>Teucrium polium</i> L. by Nanoporous Silica-polyaniline Solid Phase Microextraction Fibre. <i>Phytochemical Analysis</i> , 2013, 24, 69-74.	2.4	22
33	Comparison of microwave-assisted headspace single-drop microextraction (MA-HS-SDME) with hydrodistillation for the determination of volatile compounds from <i>Prangos uloptera</i> . <i>Journal of Essential Oil Research</i> , 2013, 25, 49-54.	2.7	8
34	Analysis of volatile oil composition of <i>Citrus aurantium</i> L. by microwave-assisted extraction coupled to headspace solid-phase microextraction with nanoporous based fibers. <i>Journal of Separation Science</i> , 2013, 36, 872-877.	2.5	28
35	Microwave distillation followed by headspace single drop microextraction coupled to gas chromatography-mass spectrometry (GC-MS) for fast analysis of volatile components of <i>Echinophora platyloba</i> DC. <i>Food Chemistry</i> , 2013, 138, 251-255.	8.2	21
36	A method for fast analysis of volatile components of <i>Citrus aurantium</i> L. leaves. <i>Natural Product Research</i> , 2013, 27, 1315-1318.	1.8	8

#	ARTICLE	IF	CITATIONS
37	Evaluation effect of microwave irradiation on the amount of volatile compounds, monoterpenes and sesquiterpenoids from <i>Thymus kotschyianus</i> Boiss with four methods. Natural Product Research, 2013, 27, 1228-1231.	1.8	4
38	Anodized aluminum wire as a solid-phase microextraction fiber for rapid determination of volatile constituents in medicinal plant. Analytica Chimica Acta, 2011, 701, 1-5.	5.4	43
39	Molecularly Imprinted Polymer-Coated Vial Solid-Phase Microextraction as a Selective and Manual Method for Determination of Bisphenol a in Mineral and River Water Samples. Polycyclic Aromatic Compounds, 0, , 1-9.	2.6	1
40	Binder-Free Decorated Cu Cluster-Based Metal-Organic Framework on Copper Film for Thin-Film Microextraction of Polycyclic Aromatic Hydrocarbons Followed by High-Performance Liquid Chromatography-Photo Diode Array Detection. Polycyclic Aromatic Compounds, 0, , 1-9.	2.6	1