

Andrew M Naidech

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7691289/publications.pdf>

Version: 2024-02-01

151
papers

9,002
citations

81900

39
h-index

43889

91
g-index

156
all docs

156
docs citations

156
times ranked

7556
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidelines for the Management of Aneurysmal Subarachnoid Hemorrhage. <i>Stroke</i> , 2012, 43, 1711-1737.	2.0	2,820
2	Consensus Summary Statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care. <i>Neurocritical Care</i> , 2014, 21, 1-26.	2.4	339
3	Predictors and Impact of Aneurysm Rebleeding After Subarachnoid Hemorrhage. <i>Archives of Neurology</i> , 2005, 62, 410.	4.5	320
4	Phenytoin Exposure Is Associated With Functional and Cognitive Disability After Subarachnoid Hemorrhage. <i>Stroke</i> , 2005, 36, 583-587.	2.0	299
5	Cardiac Troponin Elevation, Cardiovascular Morbidity, and Outcome After Subarachnoid Hemorrhage. <i>Circulation</i> , 2005, 112, 2851-2856.	1.6	294
6	Clinical trial of a novel surface cooling system for fever control in neurocritical care patients*. <i>Critical Care Medicine</i> , 2004, 32, 2508-2515.	0.9	263
7	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care. <i>Intensive Care Medicine</i> , 2014, 40, 1189-1209.	8.2	258
8	Reduced Platelet Activity Is Associated With Early Clot Growth and Worse 3-Month Outcome After Intracerebral Hemorrhage. <i>Stroke</i> , 2009, 40, 2398-2401.	2.0	190
9	Anticonvulsant Use and Outcomes After Intracerebral Hemorrhage. <i>Stroke</i> , 2009, 40, 3810-3815.	2.0	188
10	Higher hemoglobin is associated with improved outcome after subarachnoid hemorrhage*. <i>Critical Care Medicine</i> , 2007, 35, 2383-2389.	0.9	183
11	A Human Depression Circuit Derived From Focal Brain Lesions. <i>Biological Psychiatry</i> , 2019, 86, 749-758.	1.3	158
12	Higher Hemoglobin is Associated with Less Cerebral Infarction, Poor Outcome, and Death after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2006, 59, 775-780.	1.1	147
13	Early Platelet Transfusion Improves Platelet Activity and May Improve Outcomes After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2012, 16, 82-87.	2.4	120
14	Blood Pressure Reduction, Decreased Diffusion on MRI, and Outcomes After Intracerebral Hemorrhage. <i>Stroke</i> , 2012, 43, 67-71.	2.0	115
15	Brain stimulation and brain lesions converge on common causal circuits in neuropsychiatric disease. <i>Nature Human Behaviour</i> , 2021, 5, 1707-1716.	12.0	113
16	Cardiac Arrhythmias after Subarachnoid Hemorrhage: Risk Factors and Impact on Outcome. <i>Cerebrovascular Diseases</i> , 2008, 26, 71-78.	1.7	109
17	Effect of Prior Statin Use on Functional Outcome and Delayed Vasospasm after Acute Aneurysmal Subarachnoid Hemorrhage: A Matched Controlled Cohort Study. <i>Neurosurgery</i> , 2005, 56, 476-484.	1.1	107
18	Automating Ischemic Stroke Subtype Classification Using Machine Learning and Natural Language Processing. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 2045-2051.	1.6	102

#	ARTICLE	IF	CITATIONS
19	Desmopressin Improves Platelet Activity in Acute Intracerebral Hemorrhage. <i>Stroke</i> , 2014, 45, 2451-2453.	2.0	99
20	Intracerebral Hemorrhage and Delirium Symptoms. Length of Stay, Function, and Quality of Life in a 114-Patient Cohort. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 188, 1331-1337.	5.6	94
21	Ischemic Brain Injury After Intracerebral Hemorrhage. <i>Stroke</i> , 2012, 43, 2258-2263.	2.0	90
22	Prospective, Randomized Trial of Higher Goal Hemoglobin after Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2010, 13, 313-320.	2.4	88
23	How Patients Die After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2009, 11, 45-49.	2.4	87
24	Left Ventricular Dysfunction and Cerebral Infarction from Vasospasm After Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2010, 13, 359-365.	2.4	83
25	Dobutamine versus Milrinone after Subarachnoid Hemorrhage. <i>Neurosurgery</i> , 2005, 56, 21-27.	1.1	81
26	Herniation Secondary to Critical Postcraniotomy Cerebrospinal Fluid Hypovolemia. <i>Neurosurgery</i> , 2005, 57, 286-292.	1.1	81
27	Platelet activity and outcome after intracerebral hemorrhage. <i>Annals of Neurology</i> , 2009, 65, 352-356.	5.3	79
28	FEVER BURDEN AND FUNCTIONAL RECOVERY AFTER SUBARACHNOID HEMORRHAGE. <i>Neurosurgery</i> , 2008, 63, 212-218.	1.1	65
29	Delayed intraventricular hemorrhage is common and worsens outcomes in intracerebral hemorrhage. <i>Neurology</i> , 2013, 80, 1295-1299.	1.1	65
30	Delirium Monitoring in Neurocritically Ill Patients: A Systematic Review*. <i>Critical Care Medicine</i> , 2018, 46, 1832-1841.	0.9	64
31	Moderate Hypoglycemia is Associated With Vasospasm, Cerebral Infarction, and 3-Month Disability After Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2010, 12, 181-187.	2.4	59
32	Quality of life in patients with TIA and minor ischemic stroke. <i>Neurology</i> , 2015, 85, 1957-1963.	1.1	55
33	Medical Complications Drive Length of Stay After Brain Hemorrhage: A Cohort Study. <i>Neurocritical Care</i> , 2009, 10, 11-9.	2.4	54
34	Magnesium, hemostasis, and outcomes in patients with intracerebral hemorrhage. <i>Neurology</i> , 2017, 89, 813-819.	1.1	54
35	REDUCED PLATELET ACTIVITY IS ASSOCIATED WITH MORE INTRAVENTRICULAR HEMORRHAGE. <i>Neurosurgery</i> , 2009, 65, 684-688.	1.1	51
36	Red blood cell transfusion in patients with subarachnoid hemorrhage: a multidisciplinary North American survey. <i>Critical Care</i> , 2011, 15, R30.	5.8	51

#	ARTICLE	IF	CITATIONS
37	Challenges in the Medical Management of Symptomatic Intracranial Stenosis in an Urban Setting. <i>Stroke</i> , 2017, 48, 2158-2163.	2.0	51
38	Leukoaraiosis on Magnetic Resonance Imaging Correlates With Worse Outcomes After Spontaneous Intracerebral Hemorrhage. <i>Stroke</i> , 2013, 44, 642-646.	2.0	50
39	Surveillance neuroimaging and neurologic examinations affect care for intracerebral hemorrhage. <i>Neurology</i> , 2013, 81, 107-112.	1.1	49
40	Intracranial Hemorrhage. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 998-1006.	5.6	46
41	Predictors of 30-Day Readmission After Intracerebral Hemorrhage. <i>Critical Care Medicine</i> , 2013, 41, 2762-2769.	0.9	39
42	Using Tweets to Understand How COVID-19-Related Health Beliefs Are Affected in the Age of Social Media: Twitter Data Analysis Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e26302.	4.3	37
43	Predictors of 30-Day Readmission After Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2013, 19, 306-310.	2.4	36
44	Refining Prognosis for Intracerebral Hemorrhage by Early Reassessment. <i>Cerebrovascular Diseases</i> , 2017, 43, 110-116.	1.7	36
45	Impact of Poststroke Medical Complications on 30-Day Readmission Rate. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1969-1977.	1.6	35
46	Prophylactic Seizure Medication and Health-Related Quality of Life After Intracerebral Hemorrhage. <i>Critical Care Medicine</i> , 2018, 46, 1480-1485.	0.9	35
47	The Story of Intracerebral Hemorrhage. <i>Stroke</i> , 2021, 52, 1905-1914.	2.0	34
48	Monitoring with the Somanetics INVOS 5100C After Aneurysmal Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2008, 9, 326-331.	2.4	31
49	Factors Disrupting Melatonin Secretion Rhythms During Critical Illness. <i>Critical Care Medicine</i> , 2020, 48, 854-861.	0.9	31
50	Cardiac Troponin I and Acute Lung Injury After Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2009, 11, 177-82.	2.4	30
51	Subarachnoid Extension of Primary Intracerebral Hemorrhage is Associated With Poor Outcomes. <i>Stroke</i> , 2013, 44, 653-657.	2.0	30
52	Pain, Sedation, and Delirium Management in the Neurocritically Ill: Lessons Learned from Recent Research. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013, 34, 236-243.	2.1	30
53	Anemia and Transfusion After Aneurysmal Subarachnoid Hemorrhage. <i>Journal of Neurosurgical Anesthesiology</i> , 2013, 25, 66-74.	1.2	29
54	Dichotomous "Good Outcome" Indicates Mobility More Than Cognitive or Social Quality of Life. <i>Critical Care Medicine</i> , 2015, 43, 1654-1659.	0.9	29

#	ARTICLE	IF	CITATIONS
55	Hematoma Locations Predicting Delirium Symptoms After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2016, 24, 397-403.	2.4	29
56	Use of Conivaptan (Vaprisol) for Hyponatremic Neuro-ICU Patients. <i>Neurocritical Care</i> , 2010, 13, 57-61.	2.4	28
57	Reduced Platelet Activity is More Common than Reported Anti-Platelet Medication Use in Patients with Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2009, 11, 307-310.	2.4	27
58	Agitation, Delirium, and Cognitive Outcomes in Intracerebral Hemorrhage. <i>Psychosomatics</i> , 2017, 58, 19-27.	2.5	27
59	Clinical characteristics and outcomes of methamphetamine-associated intracerebral hemorrhage. <i>Neurology</i> , 2019, 93, e1-e7.	1.1	27
60	Assessment and comparison of the max-ICH score and ICH score by external validation. <i>Neurology</i> , 2018, 91, e939-e946.	1.1	25
61	Packed Red Blood Cell Transfusion Causes Greater Hemoglobin Rise at a Lower Starting Hemoglobin in Patients with Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2008, 9, 198-203.	2.4	24
62	Evolving use of seizure medications after intracerebral hemorrhage. <i>Neurology</i> , 2017, 88, 52-56.	1.1	24
63	Reversal of the novel oral anticoagulants dabigatran, rivoraxaban, and apixaban. <i>Current Opinion in Critical Care</i> , 2015, 21, 127-133.	3.2	22
64	Osmotic Shifts, Cerebral Edema, and Neurologic Deterioration in Severe Hepatic Encephalopathy. <i>Critical Care Medicine</i> , 2018, 46, 280-289.	0.9	22
65	Web-Based Assessment of Outcomes After Subarachnoid and Intracerebral Hemorrhage: A New Patient Centered Option for Outcomes Assessment. <i>Neurocritical Care</i> , 2015, 23, 22-27.	2.4	21
66	Recombinant factor VIIa for hemorrhagic stroke treatment at earliest possible time (FASTEST): Protocol for a phase III, double-blind, randomized, placebo-controlled trial. <i>International Journal of Stroke</i> , 2022, 17, 806-809.	5.9	21
67	CLASSIFICATION OF CEREBRAL INFARCTION AFTER SUBARACHNOID HEMORRHAGE IMPACTS OUTCOME. <i>Neurosurgery</i> , 2009, 64, 1052-1058.	1.1	20
68	The 5 Ps of Acute Ischemic Stroke Treatment: Parenchyma, Pipes, Perfusion, Penumbra, and Prevention of Complications. <i>Southern Medical Journal</i> , 2003, 96, 336-342.	0.7	20
69	The safety of vasopressor-induced hypertension in subarachnoid hemorrhage patients with coexisting unruptured, unprotected intracranial aneurysms. <i>Journal of Neurosurgery</i> , 2015, 123, 862-871.	1.6	19
70	Neurochecks as a Biomarker of the Temporal Profile and Clinical Impact of Neurologic Changes after Intracerebral Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2026-2031.	1.6	19
71	Predicting Domain-Specific Health-Related Quality of Life Using Acute Infarct Volume. <i>Stroke</i> , 2017, 48, 1925-1931.	2.0	19
72	Identifying Modifiable Predictors of Patient Outcomes After Intracerebral Hemorrhage with Machine Learning. <i>Neurocritical Care</i> , 2021, 34, 73-84.	2.4	19

#	ARTICLE	IF	CITATIONS
73	A natural language processing algorithm to extract characteristics of subdural hematoma from head CT reports. <i>Emergency Radiology</i> , 2019, 26, 301-306.	1.8	18
74	Aspirin Use or Reduced Platelet Activity Predicts Craniotomy After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2011, 15, 442-446.	2.4	17
75	Prediction of 30-Day Readmission After Stroke Using Machine Learning and Natural Language Processing. <i>Frontiers in Neurology</i> , 2021, 12, 649521.	2.4	17
76	External carotid artery angioplasty and stenting to augment cerebral perfusion in the setting of subacute symptomatic ipsilateral internal carotid artery occlusion. <i>Journal of Neurosurgery</i> , 2007, 107, 1217-1222.	1.6	16
77	Subarachnoid Extension of Hemorrhage is Associated with Early Seizures in Primary Intracerebral Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2809-2813.	1.6	16
78	The Cosmos Collaborative: A Vendor-Facilitated Electronic Health Record Data Aggregation Platform. <i>ACI Open</i> , 2021, 05, e36-e46.	0.5	16
79	Pearls & Oysters: Bilateral thalamic involvement in West Nile virus encephalitis. <i>Neurology</i> , 2014, 83, e16-7.	1.1	15
80	Coagulopathy Disproportionately Predisposes to Lobar Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2013, 18, 166-169.	2.4	14
81	Admission Heart Rate Variability is Associated with Fever Development in Patients with Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2019, 30, 244-250.	2.4	14
82	Magnesium and Hemorrhage Volume in Patients With Aneurysmal Subarachnoid Hemorrhage. <i>Critical Care Medicine</i> , 2020, 48, 104-110.	0.9	14
83	Magnetic Resonance Imaging Versus Computed Tomography for Identification and Quantification of Intraventricular Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2036-2040.	1.6	13
84	23.4% Saline Decreases Brain Tissue Volume in Severe Hepatic Encephalopathy as Assessed by a Quantitative CT Marker. <i>Critical Care Medicine</i> , 2016, 44, 171-179.	0.9	13
85	National Institutes of Health StrokeNet During the Time of COVID-19 and Beyond. <i>Stroke</i> , 2020, 51, 2580-2586.	2.0	13
86	Reliability of the validated clinical diagnosis of pneumonia on validated outcomes after intracranial hemorrhage. <i>Journal of Critical Care</i> , 2012, 27, 527.e7-527.e11.	2.2	11
87	800: PREDICTING GASTROSTOMY AFTER INTRACEREBRAL HEMORRHAGE WITH MACHINE LEARNING. <i>Critical Care Medicine</i> , 2018, 46, 384-384.	0.9	11
88	Clinical Decision-Making for Thrombolysis of Acute Minor Stroke Using Adaptive Conjoint Analysis. <i>Neurohospitalist</i> , The, 2019, 9, 9-14.	0.8	11
89	Monitoring of Hematological and Hemostatic Parameters in Neurocritical Care Patients. <i>Neurocritical Care</i> , 2014, 21, 168-176.	2.4	10
90	Reducing catheter-associated urinary tract infections in a neurospine intensive care unit. <i>American Journal of Infection Control</i> , 2015, 43, 892-894.	2.3	10

#	ARTICLE	IF	CITATIONS
91	Fever Burden and Health-Related Quality of Life After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2018, 29, 189-194.	2.4	10
92	Impaired cognition predicts the risk of hospitalization and death in cirrhosis. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 2282-2290.	3.7	10
93	Early Stroke Recognition and Time-based Emergency Care Performance Metrics for Intracerebral Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104552.	1.6	10
94	Anaemia and its treatment in neurologically critically ill patients: being reasonable is easy without prospective trials. <i>Critical Care</i> , 2010, 14, 149.	5.8	9
95	Packed red blood cell age does not impact adverse events or outcomes after subarachnoid haemorrhage. <i>Transfusion Medicine</i> , 2011, 21, 130-133.	1.1	9
96	Disparities in the Use of Seizure Medications After Intracerebral Hemorrhage. <i>Stroke</i> , 2017, 48, 802-804.	2.0	9
97	Why Physicians Prescribe Prophylactic Seizure Medications after Intracerebral Hemorrhage: An Adaptive Conjoint Analysis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104628.	1.6	9
98	Treatment of Chronic Hypertension for the Prevention of Stroke. <i>Southern Medical Journal</i> , 2003, 96, 359-362.	0.7	9
99	Infarct Volume Predicts Delayed Recovery in Patients with Subarachnoid Hemorrhage and Severe Neurological Deficits. <i>Neurocritical Care</i> , 2013, 19, 293-298.	2.4	8
100	Acute changes in ventricular volume during treatment for hepatic and renal failure. <i>Neurology: Clinical Practice</i> , 2014, 4, 478-481.	1.6	8
101	Subarachnoid Extension of Primary Intracerebral Hemorrhage is Associated with Fevers. <i>Neurocritical Care</i> , 2014, 20, 187-192.	2.4	8
102	Critical Care Neurology Perspective on Delirium. <i>Seminars in Neurology</i> , 2016, 36, 601-606.	1.4	8
103	Communication, Leadership, and Decision-Making in the Neuro-ICU. <i>Current Neurology and Neuroscience Reports</i> , 2016, 16, 99.	4.2	8
104	Longer Time Before Acute Rehabilitation Therapy Worsens Disability After Intracerebral Hemorrhage. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 870-876.	0.9	8
105	Race, Socioeconomic Status, and Gastrostomy after Spontaneous Intracerebral Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104567.	1.6	8
106	Hypocapnia, ischemic lesions, and outcomes after intracerebral hemorrhage. <i>Journal of the Neurological Sciences</i> , 2020, 418, 117139.	0.6	8
107	Risk of stroke after emergency department visits for neurologic complaints. <i>Neurology: Clinical Practice</i> , 2020, 10, 106-114.	1.6	8
108	Elevated Cerebrospinal Fluid Protein Is Associated with Unfavorable Functional Outcome in Spontaneous Subarachnoid Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104605.	1.6	8

#	ARTICLE	IF	CITATIONS
109	tPA and warfarin. <i>Neurology</i> , 2013, 80, 514-515.	1.1	7
110	Impact of Multiple Daily Clinical Pharmacist-Enforced Assessments on Time in Target Sedation Range. <i>Journal of Pharmacy Practice</i> , 2018, 31, 445-449.	1.0	7
111	Improving the Accuracy of Scores to Predict Gastrostomy after Intracerebral Hemorrhage with Machine Learning. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 3570-3574.	1.6	7
112	Medication History versus Point-of-Care Platelet Activity Testing in Patients with Intracerebral Hemorrhage. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1167-1173.	1.6	6
113	Diagnosis and Management of Spontaneous Intracerebral Hemorrhage. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2015, 21, 1288-1298.	0.8	6
114	Depressive symptom prevalence after intracerebral hemorrhage: a multi-center study. <i>Journal of Patient-Reported Outcomes</i> , 2018, 2, 55.	1.9	5
115	Coagulopathy as a Surrogate of Severity of Injury in Penetrating Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 1821-1826.	3.4	5
116	Periprocedural MRI perfusion imaging to assess and monitor the hemodynamic impact of intracranial angioplasty and stenting for symptomatic atherosclerotic stenosis. <i>Journal of Clinical Neuroscience</i> , 2010, 17, 54-58.	1.5	4
117	Seizure frequency in patients with isolated subdural hematoma and preserved consciousness. <i>Brain Injury</i> , 2019, 33, 1059-1063.	1.2	4
118	Magnesium and Risk of Bleeding Complications From Ventriculostomy Insertion. <i>Stroke</i> , 2020, 51, 2795-2800.	2.0	4
119	Natural History of Infratentorial Intracerebral Hemorrhages: Two Subgroups with Distinct Presentations and Outcomes. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104920.	1.6	4
120	Early Seizures Are Predictive of Worse Health-Related Quality of Life at Follow-Up After Intracerebral Hemorrhage. <i>Critical Care Medicine</i> , 2021, 49, e578-e584.	0.9	4
121	Magnesium Sulfate and Hematoma Expansion: An Ancillary Analysis of the FAST-MAG Randomized Trial. <i>Stroke</i> , 2022, 53, 1516-1519.	2.0	4
122	Probing the Effective Treatment Thresholds for Alteplase in Acute Ischemic Stroke With Regression Discontinuity Designs. <i>Frontiers in Neurology</i> , 2020, 11, 961.	2.4	3
123	Serum osmolality, cerebrospinal fluid specific gravity and overt hepatic encephalopathy severity in patients with liver failure. <i>Liver International</i> , 2020, 40, 1977-1986.	3.9	3
124	Trade-Offs in Quality-of-Life Assessment Between the Modified Rankin Scale and Neuro-QoL Measures. <i>Value in Health</i> , 2020, 23, 1366-1372.	0.3	3
125	External Validation of a Tool to Predict Neurosurgery in Patients with Isolated Subdural Hematoma. <i>World Neurosurgery</i> , 2021, 147, e163-e170.	1.3	3
126	Sudden weakness in a patient with lymphoma.. <i>Cleveland Clinic Journal of Medicine</i> , 2002, 69, 337-341.	1.3	3

#	ARTICLE	IF	CITATIONS
127	Predicting Early Seizures After Intracerebral Hemorrhage with Machine Learning. <i>Neurocritical Care</i> , 2022, 37, 322-327.	2.4	3
128	Patients With Greater Stroke Severity and Premorbid Disability Are Less Likely to Receive Therapist Consultations and Intervention During Acute Care Hospitalization. <i>Physical Therapy</i> , 2019, 99, 1431-1442.	2.4	2
129	Differential Effects of Time to Initiation of Therapy on Disability and Quality of Life in Patients With Mild and Moderate to Severe Ischemic Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1515-1522.e1.	0.9	2
130	The five ps of acute ischemic stroke treatment: parenchyma, pipes, perfusion, penumbra, and prevention of complications. <i>Ochsner Journal</i> , 2003, 5, 5-11.	1.1	2
131	Labeling Noncontrast Head CT Reports for Common Findings Using Natural Language Processing. <i>American Journal of Neuroradiology</i> , 2022, 43, 721-726.	2.4	2
132	Adrenoreceptor Polymorphisms and Subarachnoid Hemorrhage. <i>Stroke</i> , 2006, 37, 1635-1635.	2.0	1
133	Response to Letter by Creutzfeldt et al. <i>Stroke</i> , 2009, 40, .	2.0	1
134	Early Platelet Transfusion Improves Platelet Activity and May Improve Outcomes After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2012, 17, 156-157.	2.4	1
135	Re: Confounding by Indication in Retrospective Studies of Intracerebral Hemorrhage: Antiepileptic Treatment and Mortality. <i>Neurocritical Care</i> , 2013, 18, 285-286.	2.4	1
136	Predictors of Intraventricular Extension of Intracerebral Hemorrhage Confounded by Antithrombotic Medication Exposure. <i>Critical Care Medicine</i> , 2013, 41, e394.	0.9	1
137	Prothrombin Complex Concentrate for Emergent Reversal of Intracranial Hemorrhage in Patients with Ventricular Assist Devices. <i>Neurocritical Care</i> , 2021, 35, 506-517.	2.4	1
138	Clusters Across Multiple Domains of Health-Related Quality of Life Reveal Complex Patient Outcomes After Subarachnoid Hemorrhage. , 2021, 3, e0533.		1
139	The Importance of Cardiac Derangements After SAH. <i>Neurocritical Care</i> , 2006, 4, 197-198.	2.4	0
140	PATIENT MANAGEMENT PROBLEM. <i>CONTINUUM Lifelong Learning in Neurology</i> , 2009, 15, 158-166.	0.8	0
141	Letter to the Editor. <i>Journal of Neurosurgery</i> , 2010, 112, 902-903.	1.6	0
142	530. <i>Critical Care Medicine</i> , 2014, 42, A1487.	0.9	0
143	Neuro-Intensivists as Effective Resource Managers. No, Really. <i>Neurocritical Care</i> , 2015, 23, 305-306.	2.4	0
144	782: SERUM OSMOLALITY IS ASSOCIATED WITH HEPATIC ENCEPHALOPATHY SEVERITY IN PATIENTS WITH LIVER FAILURE. <i>Critical Care Medicine</i> , 2016, 44, 271-271.	0.9	0

#	ARTICLE	IF	CITATIONS
145	Author response: Evolving use of seizure medications after intracerebral hemorrhage: A multicenter study. <i>Neurology</i> , 2017, 89, 520-520.	1.1	0
146	740: PROPHYLACTIC SEIZURE MEDICATION AND HEALTH-RELATED QUALITY OF LIFE AFTER INTRACEREBRAL HEMORRHAGE. <i>Critical Care Medicine</i> , 2018, 46, 356-356.	0.9	0
147	773: FEVER BURDEN AND HEALTH-RELATED QUALITY OF LIFE AFTER INTRACEREBRAL HEMORRHAGE. <i>Critical Care Medicine</i> , 2018, 46, 373-373.	0.9	0
148	From One-Size-Fits-All to Mechanism-Guided Treatment for Intracranial Hemorrhage*. <i>Critical Care Medicine</i> , 2019, 47, 1815-1816.	0.9	0
149	Hemostasis, Hematoma Expansion, and Outcomes after Intracerebral Hemorrhage. <i>Blood</i> , 2019, 134, 4886-4886.	1.4	0
150	Antiplatelet Medications and Biomarkers of Hemostasis May Explain the Association of Hematoma Appearance and Subsequent Hematoma Expansion After Intracerebral Hemorrhage. <i>Neurocritical Care</i> , 2021, , 1.	2.4	0
151	Correction of Coagulopathy. , 2022, , 147-163.		0