
Andrew M Naidech

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7691289/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Recombinant factor VIIa for hemorrhagic stroke treatment at earliest possible time (FASTEST): Protocol for a phase III, double-blind, randomized, placebo-controlled trial. International Journal of Stroke, 2022, 17, 806-809.	5.9	21
2	Predicting Early Seizures After Intracerebral Hemorrhage with Machine Learning. Neurocritical Care, 2022, 37, 322-327.	2.4	3
3	Magnesium Sulfate and Hematoma Expansion: An Ancillary Analysis of the FAST-MAG Randomized Trial. Stroke, 2022, 53, 1516-1519.	2.0	4
4	Labeling Noncontrast Head CT Reports for Common Findings Using Natural Language Processing. American Journal of Neuroradiology, 2022, 43, 721-726.	2.4	2
5	Correction of Coagulopathy. , 2022, , 147-163.		0
6	Identifying Modifiable Predictors of Patient Outcomes After Intracerebral Hemorrhage with Machine Learning. Neurocritical Care, 2021, 34, 73-84.	2.4	19
7	Coagulopathy as a Surrogate of Severity of Injury in Penetrating Brain Injury. Journal of Neurotrauma, 2021, 38, 1821-1826.	3.4	5
8	External Validation of a Tool to Predict Neurosurgery in Patients with Isolated Subdural Hematoma. World Neurosurgery, 2021, 147, e163-e170.	1.3	3
9	The Cosmos Collaborative: A Vendor-Facilitated Electronic Health Record Data Aggregation Platform. ACI Open, 2021, 05, e36-e46.	0.5	16
10	Using Tweets to Understand How COVID-19–Related Health Beliefs Are Affected in the Age of Social Media: Twitter Data Analysis Study. Journal of Medical Internet Research, 2021, 23, e26302.	4.3	37
11	Early Seizures Are Predictive of Worse Health-Related Quality of Life at Follow-Up After Intracerebral Hemorrhage. Critical Care Medicine, 2021, 49, e578-e584.	0.9	4
12	Prothrombin Complex Concentrate for Emergent Reversal of Intracranial Hemorrhage in Patients with Ventricular Assist Devices. Neurocritical Care, 2021, 35, 506-517.	2.4	1
13	The Story of Intracerebral Hemorrhage. Stroke, 2021, 52, 1905-1914.	2.0	34
14	Brain stimulation and brain lesions converge on common causal circuits in neuropsychiatric disease. Nature Human Behaviour, 2021, 5, 1707-1716.	12.0	113
15	Prediction of 30-Day Readmission After Stroke Using Machine Learning and Natural Language Processing. Frontiers in Neurology, 2021, 12, 649521.	2.4	17
16	Clusters Across Multiple Domains of Health-Related Quality of Life Reveal Complex Patient Outcomes After Subarachnoid Hemorrhage. , 2021, 3, e0533.		1
17	Antiplatelet Medications and Biomarkers of Hemostasis May Explain the Association of Hematoma Appearance and Subsequent Hematoma Expansion After Intracerebral Hemorrhage. Neurocritical Care, 2021, , 1.	2.4	0
18	Longer Time Before Acute Rehabilitation Therapy Worsens Disability After Intracerebral Hemorrhage. Archives of Physical Medicine and Rehabilitation, 2020, 101, 870-876.	0.9	8

#	Article	IF	CITATIONS
19	Race, Socioeconomic Status, and Gastrostomy after Spontaneous Intracerebral Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104567.	1.6	8
20	Early Stroke Recognition and Time-based Emergency Care Performance Metrics for Intracerebral Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104552.	1.6	10
21	Magnesium and Hemorrhage Volume in Patients With Aneurysmal Subarachnoid Hemorrhage. Critical Care Medicine, 2020, 48, 104-110.	0.9	14
22	Probing the Effective Treatment Thresholds for Alteplase in Acute Ischemic Stroke With Regression Discontinuity Designs. Frontiers in Neurology, 2020, 11, 961.	2.4	3
23	Hypocapnia, ischemic lesions, and outcomes after intracerebral hemorrhage. Journal of the Neurological Sciences, 2020, 418, 117139.	0.6	8
24	Serum osmolality, cerebrospinal fluid specific gravity and overt hepatic encephalopathy severity in patients with liver failure. Liver International, 2020, 40, 1977-1986.	3.9	3
25	Magnesium and Risk of Bleeding Complications From Ventriculostomy Insertion. Stroke, 2020, 51, 2795-2800.	2.0	4
26	National Institutes of Health StrokeNet During the Time of COVID-19 and Beyond. Stroke, 2020, 51, 2580-2586.	2.0	13
27	Trade-Offs in Quality-of-Life Assessment Between the Modified Rankin Scale and Neuro-QoL Measures. Value in Health, 2020, 23, 1366-1372.	0.3	3
28	Natural History of Infratentorial Intracerebral Hemorrhages: Two Subgroups with Distinct Presentations and Outcomes. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104920.	1.6	4
29	Factors Disrupting Melatonin Secretion Rhythms During Critical Illness. Critical Care Medicine, 2020, 48, 854-861.	0.9	31
30	Risk of stroke after emergency department visits for neurologic complaints. Neurology: Clinical Practice, 2020, 10, 106-114.	1.6	8
31	Why Physicians Prescribe Prophylactic Seizure Medications after Intracerebral Hemorrhage: An Adaptive Conjoint Analysis. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104628.	1.6	9
32	Elevated Cerebrospinal Fluid Protein Is Associated with Unfavorable Functional Outcome in Spontaneous Subarachnoid Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104605.	1.6	8
33	Differential Effects of Time to Initiation of Therapy on Disability and Quality of Life in Patients With Mild and Moderate to Severe Ischemic Stroke. Archives of Physical Medicine and Rehabilitation, 2020, 101, 1515-1522.e1.	0.9	2
34	Patients With Greater Stroke Severity and Premorbid Disability Are Less Likely to Receive Therapist Consultations and Intervention During Acute Care Hospitalization. Physical Therapy, 2019, 99, 1431-1442.	2.4	2
35	A Human Depression Circuit Derived From Focal Brain Lesions. Biological Psychiatry, 2019, 86, 749-758.	1.3	158
36	Clinical characteristics and outcomes of methamphetamine-associated intracerebral hemorrhage. Neurology, 2019, 93, e1-e7.	1.1	27

Andrew M Naidech

#	Article	IF	CITATIONS
37	Impaired cognition predicts the risk of hospitalization and death in cirrhosis. Annals of Clinical and Translational Neurology, 2019, 6, 2282-2290.	3.7	10
38	A natural language processing algorithm to extract characteristics of subdural hematoma from head CT reports. Emergency Radiology, 2019, 26, 301-306.	1.8	18
39	Clinical Decision-Making for Thrombolysis of Acute Minor Stroke Using Adaptive Conjoint Analysis. Neurohospitalist, The, 2019, 9, 9-14.	0.8	11
40	Automating Ischemic Stroke Subtype Classification Using Machine Learning and Natural Language Processing. Journal of Stroke and Cerebrovascular Diseases, 2019, 28, 2045-2051.	1.6	102
41	Seizure frequency in patients with isolated subdural hematoma and preserved consciousness. Brain Injury, 2019, 33, 1059-1063.	1.2	4
42	Admission Heart Rate Variability is Associated with Fever Development in Patients with Intracerebral Hemorrhage. Neurocritical Care, 2019, 30, 244-250.	2.4	14
43	From One-Size-Fits-All to Mechanism-Guided Treatment for Intracranial Hemorrhage*. Critical Care Medicine, 2019, 47, 1815-1816.	0.9	0
44	Hemostasis, Hematoma Expansion, and Outcomes after Intracerebral Hemorrhage. Blood, 2019, 134, 4886-4886.	1.4	0
45	740: PROPHYLACTIC SEIZURE MEDICATION AND HEALTH-RELATED QUALITY OF LIFE AFTER INTRACEREBRAL HEMORRHAGE. Critical Care Medicine, 2018, 46, 356-356.	0.9	0
46	Medication History versus Point-of-Care Platelet Activity Testing in Patients with Intracerebral Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 1167-1173.	1.6	6
47	Fever Burden and Health-Related Quality of Life After Intracerebral Hemorrhage. Neurocritical Care, 2018, 29, 189-194.	2.4	10
48	Impact of Multiple Daily Clinical Pharmacist-Enforced Assessments on Time in Target Sedation Range. Journal of Pharmacy Practice, 2018, 31, 445-449.	1.0	7
49	Osmotic Shifts, Cerebral Edema, and Neurologic Deterioration in Severe Hepatic Encephalopathy. Critical Care Medicine, 2018, 46, 280-289.	0.9	22
50	Depressive symptom prevalence after intracerebral hemorrhage: a multi-center study. Journal of Patient-Reported Outcomes, 2018, 2, 55.	1.9	5
51	773: FEVER BURDEN AND HEALTH-RELATED QUALITY OF LIFE AFTER INTRACEREBRAL HEMORRHAGE. Critical Care Medicine, 2018, 46, 373-373.	0.9	Ο
52	Delirium Monitoring in Neurocritically III Patients: A Systematic Review*. Critical Care Medicine, 2018, 46, 1832-1841.	0.9	64
53	Improving the Accuracy of Scores to Predict Gastrostomy after Intracerebral Hemorrhage with Machine Learning. Journal of Stroke and Cerebrovascular Diseases, 2018, 27, 3570-3574.	1.6	7
54	800: PREDICTING GASTROSTOMY AFTER INTRACEREBRAL HEMORRHAGE WITH MACHINE LEARNING. Critical Care Medicine, 2018, 46, 384-384.	0.9	11

#	Article	IF	CITATIONS
55	Assessment and comparison of the max-ICH score and ICH score by external validation. Neurology, 2018, 91, e939-e946.	1.1	25
56	Prophylactic Seizure Medication and Health-Related Quality of Life After Intracerebral Hemorrhage. Critical Care Medicine, 2018, 46, 1480-1485.	0.9	35
57	Refining Prognosis for Intracerebral Hemorrhage by Early Reassessment. Cerebrovascular Diseases, 2017, 43, 110-116.	1.7	36
58	Disparities in the Use of Seizure Medications After Intracerebral Hemorrhage. Stroke, 2017, 48, 802-804.	2.0	9
59	Predicting Domain-Specific Health-Related Quality of Life Using Acute Infarct Volume. Stroke, 2017, 48, 1925-1931.	2.0	19
60	Magnesium, hemostasis, and outcomes in patients with intracerebral hemorrhage. Neurology, 2017, 89, 813-819.	1.1	54
61	Author response: Evolving use of seizure medications after intracerebral hemorrhage: A multicenter study. Neurology, 2017, 89, 520-520.	1.1	0
62	Challenges in the Medical Management of Symptomatic Intracranial Stenosis in an Urban Setting. Stroke, 2017, 48, 2158-2163.	2.0	51
63	Evolving use of seizure medications after intracerebral hemorrhage. Neurology, 2017, 88, 52-56.	1.1	24
64	Agitation, Delirium, and Cognitive Outcomes in Intracerebral Hemorrhage. Psychosomatics, 2017, 58, 19-27.	2.5	27
65	23.4% Saline Decreases Brain Tissue Volume in Severe Hepatic Encephalopathy as Assessed by a Quantitative CT Marker. Critical Care Medicine, 2016, 44, 171-179.	0.9	13
66	Critical Care Neurology Perspective on Delirium. Seminars in Neurology, 2016, 36, 601-606.	1.4	8
67	Communication, Leadership, and Decision-Making in the Neuro-ICU. Current Neurology and Neuroscience Reports, 2016, 16, 99.	4.2	8
68	782: SERUM OSMOLALITY IS ASSOCIATED WITH HEPATIC ENCEPHALOPATHY SEVERITY IN PATIENTS WITH LIVER FAILURE. Critical Care Medicine, 2016, 44, 271-271.	0.9	0
69	Hematoma Locations Predicting Delirium Symptoms After Intracerebral Hemorrhage. Neurocritical Care, 2016, 24, 397-403.	2.4	29
70	Dichotomous "Good Outcome―Indicates Mobility More Than Cognitive or Social Quality of Life. Critical Care Medicine, 2015, 43, 1654-1659.	0.9	29
71	Reducing catheter-associated urinary tract infections in a neuro–spine intensive care unit. American Journal of Infection Control, 2015, 43, 892-894.	2.3	10
72	Web-Based Assessment of Outcomes After Subarachnoid and Intracerebral Hemorrhage: A New Patient Centered Option for Outcomes Assessment. Neurocritical Care, 2015, 23, 22-27.	2.4	21

#	Article	IF	CITATIONS
73	The safety of vasopressor-induced hypertension in subarachnoid hemorrhage patients with coexisting unruptured, unprotected intracranial aneurysms. Journal of Neurosurgery, 2015, 123, 862-871.	1.6	19
74	Impact of Poststroke Medical Complications on 30-Day Readmission Rate. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1969-1977.	1.6	35
75	Neurochecks as a Biomarker of the Temporal Profile and Clinical Impact of Neurologic Changes after Intracerebral Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 2026-2031.	1.6	19
76	Reversal of the novel oral anticoagulants dabigatran, rivoraxaban, and apixaban. Current Opinion in Critical Care, 2015, 21, 127-133.	3.2	22
77	Neuro-Intensivists as Effective Resource Managers. No, Really. Neurocritical Care, 2015, 23, 305-306.	2.4	0
78	Quality of life in patients with TIA and minor ischemic stroke. Neurology, 2015, 85, 1957-1963.	1.1	55
79	Diagnosis and Management of Spontaneous Intracerebral Hemorrhage. CONTINUUM Lifelong Learning in Neurology, 2015, 21, 1288-1298.	0.8	6
80	Pearls & Oy-sters: Bilateral thalamic involvement in West Nile virus encephalitis. Neurology, 2014, 83, e16-7.	1.1	15
81	Desmopressin Improves Platelet Activity in Acute Intracerebral Hemorrhage. Stroke, 2014, 45, 2451-2453.	2.0	99
82	Subarachnoid Extension of Hemorrhage is Associated with Early Seizures in Primary Intracerebral Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2809-2813.	1.6	16
83	Acute changes in ventricular volume during treatment for hepatic and renal failure. Neurology: Clinical Practice, 2014, 4, 478-481.	1.6	8
84	Subarachnoid Extension of Primary Intracerebral Hemorrhage is Associated with Fevers. Neurocritical Care, 2014, 20, 187-192.	2.4	8
85	Monitoring of Hematological and Hemostatic Parameters in Neurocritical Care Patients. Neurocritical Care, 2014, 21, 168-176.	2.4	10
86	Consensus Summary Statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care. Neurocritical Care, 2014, 21, 1-26.	2.4	339
87	Consensus summary statement of the International Multidisciplinary Consensus Conference on Multimodality Monitoring in Neurocritical Care. Intensive Care Medicine, 2014, 40, 1189-1209.	8.2	258
88	Magnetic Resonance Imaging Versus Computed Tomography for Identification and Quantification of Intraventricular Hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 2036-2040.	1.6	13
89	530. Critical Care Medicine, 2014, 42, A1487.	0.9	0
90	Infarct Volume Predicts Delayed Recovery in Patients with Subarachnoid Hemorrhage and Severe Neurological Deficits. Neurocritical Care, 2013, 19, 293-298.	2.4	8

#	Article	IF	CITATIONS
91	Coagulopathy Disproportionately Predisposes to Lobar Intracerebral Hemorrhage. Neurocritical Care, 2013, 18, 166-169.	2.4	14
92	Re: Confounding by Indication in Retrospective Studies of Intracerebral Hemorrhage: Antiepileptic Treatment and Mortality. Neurocritical Care, 2013, 18, 285-286.	2.4	1
93	Predictors of 30-Day Readmission After Subarachnoid Hemorrhage. Neurocritical Care, 2013, 19, 306-310.	2.4	36
94	tPA and warfarin. Neurology, 2013, 80, 514-515.	1.1	7
95	Leukoaraiosis on Magnetic Resonance Imaging Correlates With Worse Outcomes After Spontaneous Intracerebral Hemorrhage. Stroke, 2013, 44, 642-646.	2.0	50
96	Intracerebral Hemorrhage and Delirium Symptoms. Length of Stay, Function, and Quality of Life in a 114-Patient Cohort. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 1331-1337.	5.6	94
97	Subarachnoid Extension of Primary Intracerebral Hemorrhage is Associated With Poor Outcomes. Stroke, 2013, 44, 653-657.	2.0	30
98	Pain, Sedation, and Delirium Management in the Neurocritically Ill: Lessons Learned from Recent Research. Seminars in Respiratory and Critical Care Medicine, 2013, 34, 236-243.	2.1	30
99	Predictors of 30-Day Readmission After Intracerebral Hemorrhage. Critical Care Medicine, 2013, 41, 2762-2769.	0.9	39
100	Surveillance neuroimaging and neurologic examinations affect care for intracerebral hemorrhage. Neurology, 2013, 81, 107-112.	1.1	49
101	Delayed intraventricular hemorrhage is common and worsens outcomes in intracerebral hemorrhage. Neurology, 2013, 80, 1295-1299.	1.1	65
102	Anemia and Transfusion After Aneurysmal Subarachnoid Hemorrhage. Journal of Neurosurgical Anesthesiology, 2013, 25, 66-74.	1.2	29
103	Predictors of Intraventricular Extension of Intracerebral Hemorrhage Confounded by Antithrombotic Medication Exposure. Critical Care Medicine, 2013, 41, e394.	0.9	1
104	Blood Pressure Reduction, Decreased Diffusion on MRI, and Outcomes After Intracerebral Hemorrhage. Stroke, 2012, 43, 67-71.	2.0	115
105	Ischemic Brain Injury After Intracerebral Hemorrhage. Stroke, 2012, 43, 2258-2263.	2.0	90
106	Guidelines for the Management of Aneurysmal Subarachnoid Hemorrhage. Stroke, 2012, 43, 1711-1737.	2.0	2,820
107	Reliability of the validated clinical diagnosis of pneumonia on validated outcomes after intracranial hemorrhage. Journal of Critical Care, 2012, 27, 527.e7-527.e11.	2.2	11
108	Early Platelet Transfusion Improves Platelet Activity and May Improve Outcomes After Intracerebral Hemorrhage. Neurocritical Care, 2012, 17, 156-157.	2.4	1

#	Article	IF	CITATIONS
109	Early Platelet Transfusion Improves Platelet Activity and May Improve Outcomes After Intracerebral Hemorrhage. Neurocritical Care, 2012, 16, 82-87.	2.4	120
110	Red blood cell transfusion in patients with subarachnoid hemorrhage: a multidisciplinary North American survey. Critical Care, 2011, 15, R30.	5.8	51
111	Aspirin Use or Reduced Platelet Activity Predicts Craniotomy After Intracerebral Hemorrhage. Neurocritical Care, 2011, 15, 442-446.	2.4	17
112	Packed red blood cell age does not impact adverse events or outcomes after subarachnoid haemorrhage. Transfusion Medicine, 2011, 21, 130-133.	1.1	9
113	Intracranial Hemorrhage. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 998-1006.	5.6	46
114	Moderate Hypoglycemia is Associated With Vasospasm, Cerebral Infarction, and 3-Month Disability After Subarachnoid Hemorrhage. Neurocritical Care, 2010, 12, 181-187.	2.4	59
115	Use of Conivaptan (Vaprisol) for Hyponatremic Neuro-ICU Patients. Neurocritical Care, 2010, 13, 57-61.	2.4	28
116	Prospective, Randomized Trial of Higher Goal Hemoglobin after Subarachnoid Hemorrhage. Neurocritical Care, 2010, 13, 313-320.	2.4	88
117	Left Ventricular Dysfunction and Cerebral Infarction from Vasospasm After Subarachnoid Hemorrhage. Neurocritical Care, 2010, 13, 359-365.	2.4	83
118	Letter to the Editor. Journal of Neurosurgery, 2010, 112, 902-903.	1.6	0
119	Periprocedural MRI perfusion imaging to assess and monitor the hemodynamic impact of intracranial angioplasty and stenting for symptomatic atherosclerotic stenosis. Journal of Clinical Neuroscience, 2010, 17, 54-58.	1.5	4
120	Anaemia and its treatment in neurologically critically ill patients: being reasonable is easy without prospective trials. Critical Care, 2010, 14, 149.	5.8	9
121	Reduced Platelet Activity Is Associated With Early Clot Growth and Worse 3-Month Outcome After Intracerebral Hemorrhage. Stroke, 2009, 40, 2398-2401.	2.0	190
122	Platelet activity and outcome after intracerebral hemorrhage. Annals of Neurology, 2009, 65, 352-356.	5.3	79
123	Medical Complications Drive Length of Stay After Brain Hemorrhage: A Cohort Study. Neurocritical Care, 2009, 10, 11-9.	2.4	54
124	How Patients Die After Intracerebral Hemorrhage. Neurocritical Care, 2009, 11, 45-49.	2.4	87
125	Reduced Platelet Activity is More Common than Reported Anti-Platelet Medication Use in Patients with Intracerebral Hemorrhage. Neurocritical Care, 2009, 11, 307-310.	2.4	27
126	Cardiac Troponin I and Acute Lung Injury After Subarachnoid Hemorrhage. Neurocritical Care, 2009, 11, 177-82.	2.4	30

#	Article	IF	CITATIONS
127	Anticonvulsant Use and Outcomes After Intracerebral Hemorrhage. Stroke, 2009, 40, 3810-3815.	2.0	188
128	CLASSIFICATION OF CEREBRAL INFARCTION AFTER SUBARACHNOID HEMORRHAGE IMPACTS OUTCOME. Neurosurgery, 2009, 64, 1052-1058.	1.1	20
129	PATIENT MANAGEMENT PROBLEM. CONTINUUM Lifelong Learning in Neurology, 2009, 15, 158-166.	0.8	0
130	Response to Letter by Creutzfeldt et al. Stroke, 2009, 40, .	2.0	1
131	REDUCED PLATELET ACTIVITY IS ASSOCIATED WITH MORE INTRAVENTRICULAR HEMORRHAGE. Neurosurgery, 2009, 65, 684-688.	1.1	51
132	Monitoring with the Somanetics INVOS 5100C After Aneurysmal Subarachnoid Hemorrhage. Neurocritical Care, 2008, 9, 326-331.	2.4	31
133	Packed Red Blood Cell Transfusion Causes Greater Hemoglobin Rise at a Lower Starting Hemoglobin in Patients with Subarachnoid Hemorrhage. Neurocritical Care, 2008, 9, 198-203.	2.4	24
134	Cardiac Arrhythmias after Subarachnoid Hemorrhage: Risk Factors and Impact on Outcome. Cerebrovascular Diseases, 2008, 26, 71-78.	1.7	109
135	FEVER BURDEN AND FUNCTIONAL RECOVERY AFTER SUBARACHNOID HEMORRHAGE. Neurosurgery, 2008, 63, 212-218.	1.1	65
136	External carotid artery angioplasty and stenting to augment cerebral perfusion in the setting of subacute symptomatic ipsilateral internal carotid artery occlusion. Journal of Neurosurgery, 2007, 107, 1217-1222.	1.6	16
137	Higher hemoglobin is associated with improved outcome after subarachnoid hemorrhage*. Critical Care Medicine, 2007, 35, 2383-2389.	0.9	183
138	Higher Hemoglobin is Associated with Less Cerebral Infarction, Poor Outcome, and Death after Subarachnoid Hemorrhage. Neurosurgery, 2006, 59, 775-780.	1.1	147
139	The Importance of Cardiac Derangements After SAH. Neurocritical Care, 2006, 4, 197-198.	2.4	0
140	Adrenoreceptor Polymorphisms and Subarachnoid Hemorrhage. Stroke, 2006, 37, 1635-1635.	2.0	1
141	Effect of Prior Statin Use on Functional Outcome and Delayed Vasospasm after Acute Aneurysmal Subarachnoid Hemorrhage: A Matched Controlled Cohort Study. Neurosurgery, 2005, 56, 476-484.	1.1	107
142	Dobutamine versus Milrinone after Subarachnoid Hemorrhage. Neurosurgery, 2005, 56, 21-27.	1.1	81
143	Herniation Secondary to Critical Postcraniotomy Cerebrospinal Fluid Hypovolemia. Neurosurgery, 2005, 57, 286-292.	1.1	81
144	Phenytoin Exposure Is Associated With Functional and Cognitive Disability After Subarachnoid Hemorrhage. Stroke, 2005, 36, 583-587.	2.0	299

#	Article	IF	CITATIONS
145	Predictors and Impact of Aneurysm Rebleeding After Subarachnoid Hemorrhage. Archives of Neurology, 2005, 62, 410.	4.5	320
146	Cardiac Troponin Elevation, Cardiovascular Morbidity, and Outcome After Subarachnoid Hemorrhage. Circulation, 2005, 112, 2851-2856.	1.6	294
147	Clinical trial of a novel surface cooling system for fever control in neurocritical care patients*. Critical Care Medicine, 2004, 32, 2508-2515.	0.9	263
148	Treatment of Chronic Hypertension for the Prevention of Stroke. Southern Medical Journal, 2003, 96, 359-362.	0.7	9
149	The 5 Ps of Acute Ischemic Stroke Treatment: Parenchyma, Pipes, Perfusion, Penumbra, and Prevention of Complications. Southern Medical Journal, 2003, 96, 336-342.	0.7	20
150	The five ps of acute ischemic stroke treatment: parenchyma, pipes, perfusion, penumbra, and prevention of complications. Ochsner Journal, 2003, 5, 5-11.	1.1	2
151	Sudden weakness in a patient with lymphoma Cleveland Clinic Journal of Medicine, 2002, 69, 337-341.	1.3	3