Magalie A Ravier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/769326/publications.pdf

Version: 2024-02-01

49 papers

3,621 citations

30 h-index 233421 45 g-index

52 all docs 52 docs citations

52 times ranked 5879 citing authors

#	Article	IF	Citations
1	The nuclear receptor REV-ERBÎ \pm is implicated in the alteration of \hat{l}^2 -cell autophagy and survival under diabetogenic conditions. Cell Death and Disease, 2022, 13, 353.	6.3	3
2	Mechanisms of Beta-Cell Apoptosis in Type 2 Diabetes-Prone Situations and Potential Protection by GLP-1-Based Therapies. International Journal of Molecular Sciences, 2021, 22, 5303.	4.1	25
3	Methods to Study Roles of \hat{l}^2 -Arrestins in the Regulation of Pancreatic \hat{l}^2 -Cell Function. Methods in Molecular Biology, 2019, 1957, 345-364.	0.9	O
4	325-LB: Circadian Clock Nuclear Receptor REV-ERBa Is a Novel Regulator of Beta-Cell Function, Survival, and Autophagy under Diabetogenic Conditions. Diabetes, 2019, 68, .	0.6	2
5	Proteasomal degradation of the histone acetyl transferase p300 contributes to beta-cell injury in a diabetes environment. Cell Death and Disease, 2018, 9, 600.	6.3	16
6	ERK1 is dispensable for mouse pancreatic beta cell function but is necessary for glucose-induced full activation of MSK1 and CREB. Diabetologia, 2017, 60, 1999-2010.	6.3	21
7	RÃ1e clé de la β-arrestine 1 dans la préservation de la fonction et de la masse des cellules β pancréatiques in vivo. Diabetes and Metabolism, 2017, 43, A84-A85.	2.9	0
8	La Î ² -arrestine 2 joue un rÃ1e clé dans la signalisation du récepteur GLP-1 dans les cellules Î ² pancréatiques. Diabetes and Metabolism, 2017, 43, A25-A26.	2.9	0
9	Inhibition of the MAP3 kinase Tpl2 protects rodent and human \hat{l}^2 -cells from apoptosis and dysfunction induced by cytokines and enhances anti-inflammatory actions of exendin-4. Cell Death and Disease, 2016, 7, e2065-e2065.	6.3	20
10	Defects in mitophagy promote redoxâ€driven metabolic syndrome in the absence of <scp>TP</scp> 53 <scp>INP</scp> 1. EMBO Molecular Medicine, 2015, 7, 802-818.	6.9	38
11	\hat{l}^2 -Arrestin2 plays a key role in the modulation of the pancreatic beta cell mass in mice. Diabetologia, 2014, 57, 532-541.	6.3	51
12	Calcium signaling in pancreatic β-cells in health and in Type 2 diabetes. Cell Calcium, 2014, 56, 340-361.	2.4	158
13	Frequency-dependent mitochondrial Ca2+ accumulation regulates ATP synthesis in pancreatic \hat{l}^2 cells. Pflugers Archiv European Journal of Physiology, 2013, 465, 543-554.	2.8	73
14	Quercetin induces insulin secretion by direct activation of Lâ€type calcium channels in pancreatic beta cells. British Journal of Pharmacology, 2013, 169, 1102-1113.	5.4	92
15	Tolbutamide Controls Glucagon Release From Mouse Islets Differently Than Glucose. Diabetes, 2013, 62, 1612-1622.	0.6	78
16	The Mitochondrial Ca2+ Uniporter MCU Is Essential for Glucose-Induced ATP Increases in Pancreatic \hat{l}^2 -Cells. PLoS ONE, 2012, 7, e39722.	2.5	146
17	Emerging roles for \hat{l}^2 -arrestin-1 in the control of the pancreatic \hat{l}^2 -cell function and mass: New therapeutic strategies and consequences for drug screening. Cellular Signalling, 2011, 23, 522-528.	3.6	39
18	Mechanisms of Control of the Free Ca2+ Concentration in the Endoplasmic Reticulum of Mouse Pancreatic \hat{l}^2 -Cells. Diabetes, 2011, 60, 2533-2545.	0.6	85

#	Article	IF	CITATIONS
19	Subplasmalemmal Ca2+ measurements in mouse pancreatic beta cells support the existence of an amplifying effect of glucose on insulin secretion. Diabetologia, 2010, 53, 1947-1957.	6.3	24
20	Isolation and Culture of Mouse Pancreatic Islets for Ex Vivo Imaging Studies with Trappable or Recombinant Fluorescent Probes. Methods in Molecular Biology, 2010, 633, 171-184.	0.9	48
21	Glucose Controls Cytosolic Ca2+ and Insulin Secretion in Mouse Islets Lacking Adenosine Triphosphate-Sensitive K+ Channels Owing to a Knockout of the Pore-Forming Subunit Kir6.2. Endocrinology, 2009, 150, 33-45.	2.8	71
22	Shortcomings of current models of glucoseâ€induced insulin secretion. Diabetes, Obesity and Metabolism, 2009, 11, 168-179.	4.4	74
23	Insulin crystallization depends on zinc transporter ZnT8 expression, but is not required for normal glucose homeostasis in mice. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 14872-14877.	7.1	294
24	Imaging a target of Ca2+ signalling: Dense core granule exocytosis viewed by total internal reflection fluorescence microscopy. Methods, 2008, 46, 233-238.	3.8	20
25	SREBP1 is required for the induction by glucose of pancreatic \hat{l}^2 -cell genes involved in glucose sensing. Journal of Lipid Research, 2008, 49, 814-822.	4.2	28
26	MicroRNA-124a Regulates Foxa2 Expression and Intracellular Signaling in Pancreatic \hat{l}^2 -Cell Lines. Journal of Biological Chemistry, 2007, 282, 19575-19588.	3.4	318
27	Glucose-Dependent Regulation of \hat{l}^3 -Aminobutyric Acid (GABAA) Receptor Expression in Mouse Pancreatic Islet \hat{l} ±-Cells. Diabetes, 2007, 56, 320-327.	0.6	64
28	FoxO1 Is Required for the Regulation of Preproglucagon Gene Expression by Insulin in Pancreatic αTC1-9 Cells. Journal of Biological Chemistry, 2006, 281, 39358-39369.	3.4	36
29	Rapid three-dimensional imaging of individual insulin release events by Nipkow disc confocal microscopy. Biochemical Society Transactions, 2006, 34, 675-678.	3.4	22
30	Insulin secretion in health and disease: genomics, proteomics and single vesicle dynamics. Biochemical Society Transactions, 2006, 34, 247.	3.4	14
31	Ca2+ microdomains and the control of insulin secretion. Cell Calcium, 2006, 40, 539-551.	2.4	100
32	Dual mechanism of the potentiation by glucose of insulin secretion induced by arginine and tolbutamide in mouse islets. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E540-E549.	3.5	30
33	Glucose-induced mixed [Ca ²⁺] _c oscillations in mouse \hat{I}^2 -cells are controlled by the membrane potential and the SERCA3 Ca ²⁺ -ATPase of the endoplasmic reticulum. American Journal of Physiology - Cell Physiology, 2006, 290, C1503-C1511.	4.6	102
34	Sustained Exposure to High Glucose Concentrations Modifies Glucose Signaling and the Mechanics of Secretory Vesicle Fusion in Primary Rat Pancreatic Â-Cells. Diabetes, 2006, 55, 1057-1065.	0.6	62
35	Mammalian Exocyst Complex Is Required for the Docking Step of InsulinVesicle Exocytosis. Journal of Biological Chemistry, 2005, 280, 25565-25570.	3.4	62
36	Loss of Connexin36 Channels Alters β-Cell Coupling, Islet Synchronization of Glucose-Induced Ca2+ and Insulin Oscillations, and Basal Insulin Release. Diabetes, 2005, 54, 1798-1807.	0.6	328

3

#	Article	IF	CITATIONS
37	Glucose or Insulin, but not Zinc Ions, Inhibit Glucagon Secretion From Mouse Pancreatic Â-Cells. Diabetes, 2005, 54, 1789-1797.	0.6	247
38	40th EASD Annual Meeting of the European Association for the Study of Diabetes. Diabetologia, 2004, 47, A1-A464.	6.3	41
39	Hierarchy of the β-cell signals controlling insulin secretion. European Journal of Clinical Investigation, 2003, 33, 742-750.	3.4	151
40	Control Mechanisms of the Oscillations of Insulin Secretion In Vitro and In Vivo. Diabetes, 2002, 51, S144-S151.	0.6	147
41	Signals and Pools Underlying Biphasic Insulin Secretion. Diabetes, 2002, 51, S60-S67.	0.6	161
42	The Elevation of Glutamate Content and the Amplification of Insulin Secretion in Glucose-stimulated Pancreatic Islets Are Not Causally Related. Journal of Biological Chemistry, 2002, 277, 32883-32891.	3.4	104
43	Do Oscillations of Insulin Secretion Occur in the Absence of Cytoplasmic Ca2+ Oscillations in Â-Cells?. Diabetes, 2002, 51, S177-S182.	0.6	24
44	Time and amplitude regulation of pulsatile insulin secretion by triggering and amplifying pathways in mouse islets. FEBS Letters, 2002, 530, 215-219.	2.8	19
45	Disorganization of cytoplasmic Ca 2+ oscillations and pulsatile insulin secretion in islets from ob / ob mice. Diabetologia, 2002, 45, 1154-1163.	6.3	66
46	Inhibition of Protein Synthesis Sequentially Impairs Distinct Steps of Stimulus-secretion Coupling in Pancreatic Î ² Cells1. Endocrinology, 2001, 142, 299-307.	2.8	27
47	Inhibition of Protein Synthesis Sequentially Impairs Distinct Steps of Stimulus-secretion Coupling in Pancreatic Cells. Endocrinology, 2001, 142, 299-307.	2.8	9
48	The Oscillatory Behavior of Pancreatic Islets from Mice with Mitochondrial Glycerol-3-phosphate Dehydrogenase Knockout. Journal of Biological Chemistry, 2000, 275, 1587-1593.	3.4	33
49	Oscillations of insulin secretion can be triggered by imposed oscillations of cytoplasmic Ca2+ or metabolism in normal mouse islets. Diabetes, 1999, 48, 2374-2382.	0.6	48