
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7693941/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Neurology, The, 2021, 20, 795-820.	10.2	2,308
2	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	13.7	358
3	Correlates of symptoms of anxiety and depression and mental wellbeing associated with COVID-19: a cross-sectional study of UK-based respondents. Psychiatry Research, 2020, 291, 113138.	3.3	290
4	The relationship between physical activity and mental health in a sample of the UK public: A cross-sectional study during the implementation of COVID-19 social distancing measures. Mental Health and Physical Activity, 2020, 19, 100345.	1.8	162
5	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. Drug and Alcohol Dependence, 2021, 219, 108488.	3.2	159
6	Challenges in the Practice of Sexual Medicine in the Time of COVID-19 in the United Kingdom. Journal of Sexual Medicine, 2020, 17, 1229-1236.	0.6	154
7	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. British Journal of Sports Medicine, 2022, 56, 901-912.	6.7	120
8	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. Lancet Psychiatry,the, 2020, 7, 955-970.	7.4	103
9	Impact of the COVID-19 Pandemic on Cancer Diagnoses in General and Specialized Practices in Germany. Cancers, 2021, 13, 408.	3.7	90
10	Risk factors for dementia diagnosis in German primary care practices. International Psychogeriatrics, 2016, 28, 1059-1065.	1.0	79
11	Prevalence and correlates of physical activity in a sample of UK adults observing social distancing during the COVID-19 pandemic. BMJ Open Sport and Exercise Medicine, 2020, 6, e000850.	2.9	78
12	The association between screen time and mental health during COVID-19: A cross sectional study. Psychiatry Research, 2020, 292, 113333.	3.3	75
13	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. Lancet Rheumatology, The, 2021, 3, e698-e706.	3.9	73
14	Impact of tobacco smoking on the risk of developing 25 different cancers in the UK: a retrospective study of 422,010 patients followed for up to 30 years. Oncotarget, 2018, 9, 17420-17429.	1.8	67
15	Immunopathogenesis of ANCA-Associated Vasculitis. International Journal of Molecular Sciences, 2020, 21, 7319.	4.1	62
16	Sarcopenia in Autoimmune and Rheumatic Diseases: A Comprehensive Review. International Journal of Molecular Sciences, 2020, 21, 5678.	4.1	62
17	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. PLoS ONE, 2019, 14, e0215182.	2.5	60
18	Value of Molecular Classification for Prognostic Assessment of Adrenocortical Carcinoma. JAMA Oncology, 2019, 5, 1440.	7.1	57

#	Article	IF	CITATIONS
19	Correlations of Clinical and Laboratory Characteristics of COVID-19: A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 5026.	2.6	55
20	Use of dipeptidyl peptidase-4 inhibitors and risk of bone fracture in patients with type 2 diabetes in Germany—A retrospective analysis of real-world data. Osteoporosis International, 2017, 28, 2421-2428.	3.1	52
21	A comparative meta-analysis of the prevalence of exercise addiction in adults with and without indicated eating disorders. Eating and Weight Disorders, 2021, 26, 37-46.	2.5	49
22	COVID-19 dimensions are related to depression and anxiety among US college students: Findings from the Healthy Minds Survey 2020. Journal of Affective Disorders, 2021, 292, 270-275.	4.1	49
23	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. International Journal of Environmental Research and Public Health, 2020, 17, 1708.	2.6	47
24	Body mass index and complications following major gastrointestinal surgery: a prospective, international cohort study and metaâ€analysis. Colorectal Disease, 2018, 20, O215-O225.	1.4	46
25	The global case fatality rate of coronavirus disease 2019Âby continents and national income: A metaâ€analysis. Journal of Medical Virology, 2022, 94, 2402-2413.	5.0	46
26	Comparison of Pandemrix and Arepanrix, two pH1N1 ASO3-adjuvanted vaccines differentially associated with narcolepsy development. Brain, Behavior, and Immunity, 2015, 47, 44-57.	4.1	44
27	Consumption of Fish and ï‰-3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. Advances in Nutrition, 2020, 11, 1134-1149.	6.4	44
28	Prevalence of depression, anxiety and their risk factors in German women with breast cancer in general and gynecological practices. Journal of Cancer Research and Clinical Oncology, 2016, 142, 447-452.	2.5	42
29	Predictors of mortality in thrombotic thrombocytopenia after adenoviral COVID-19 vaccination: the FAPIC score. European Heart Journal, 2021, 42, 4053-4063.	2.2	42
30	Depression Risk in Patients with Rheumatoid Arthritis in the United Kingdom. Rheumatology and Therapy, 2017, 4, 195-200.	2.3	41
31	Low sensitivity and frequent crossâ€reactions in commercially available antibody detection <scp>ELISA</scp> assays for <i>Taenia solium</i> cysticercosis. Tropical Medicine and International Health, 2018, 23, 101-105.	2.3	41
32	Association Between the Use of Antihyperglycemic Drugs and Dementia Risk: A Case-Control Study. Journal of Alzheimer's Disease, 2018, 66, 725-732.	2.6	40
33	Estimation of global case fatality rate of coronavirus disease 2019 (COVID-19) using meta-analyses: Comparison between calendar date and days since the outbreak of the first confirmed case. International Journal of Infectious Diseases, 2020, 100, 302-308.	3.3	39
34	Prevalence of depression in type 2 diabetes patients in German primary care practices. Journal of Diabetes and Its Complications, 2016, 30, 432-437.	2.3	36
35	Sexual behavior and suicide attempts among adolescents aged 12–15 years from 38 countries: A global perspective. Psychiatry Research, 2020, 287, 112564.	3.3	34
36	Efficacy of Corticosteroids in Patients with SARS, MERS and COVID-19: A Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2020, 9, 2392.	2.4	34

#	Article	IF	CITATIONS
37	Unmet Rehabilitation Needs after Traumatic Brain Injury across Europe: Results from the CENTER-TBI Study. Journal of Clinical Medicine, 2021, 10, 1035.	2.4	34
38	Comparison of vaccine-induced thrombotic events between ChAdOx1 nCoV-19 and Ad26.COV.2.S vaccines. Journal of Autoimmunity, 2021, 122, 102681.	6.5	34
39	Comparative safety of mRNA COVIDâ€19 vaccines to influenza vaccines: A pharmacovigilance analysis using WHO international database. Journal of Medical Virology, 2022, 94, 1085-1095.	5.0	34
40	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. Journal of Affective Disorders, 2018, 232, 385-392.	4.1	33
41	Update of the current knowledge on genetics, evolution, immunopathogenesis, and transmission for coronavirus disease 19 (COVID-19). International Journal of Biological Sciences, 2020, 16, 2906-2923.	6.4	33
42	The impact of treatment compliance on fracture risk in women with breast cancer treated with aromatase inhibitors in the United Kingdom. Breast Cancer Research and Treatment, 2016, 155, 151-157.	2.5	32
43	Impact of the coronavirus 2019 (COVID-19) pandemic on anxiety diagnosis in general practices in Germany. Journal of Psychiatric Research, 2021, 143, 528-533.	3.1	32
44	Association Between Migraine Headaches and Dementia in More than 7,400 Patients Followed in General Practices in the United Kingdom. Journal of Alzheimer's Disease, 2019, 71, 353-360.	2.6	30
45	Fast food consumption and suicide attempts among adolescents aged 12–15 years from 32 countries. Journal of Affective Disorders, 2020, 266, 63-70.	4.1	30
46	Incidence of depression and anxiety among women newly diagnosed with breast or genital organ cancer in Germany. Psycho-Oncology, 2017, 26, 1535-1540.	2.3	28
47	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12–15 years from 6 high-income, 22 middle-income, and 4 low-income countries. Clinical Nutrition, 2020, 39, 886-892.	5.0	28
48	Impact of metformin on metastases in patients with breast cancer and type 2 diabetes. Journal of Diabetes and Its Complications, 2016, 30, 1056-1059.	2.3	27
49	Long-term use of benzodiazepines in older patients in Germany: a retrospective analysis. Therapeutic Advances in Psychopharmacology, 2017, 7, 191-200.	2.7	27
50	Absence of anti-hypocretin receptor 2 autoantibodies in post pandemrix narcolepsy cases. PLoS ONE, 2017, 12, e0187305.	2.5	27
51	Association between food insecurity and depression among older adults from low―and middleâ€income countries. Depression and Anxiety, 2021, 38, 439-446.	4.1	27
52	Prevalence of chronic diseases among older patients in German general practices. GMS German Medical Science, 2016, 14, Doc03.	2.7	27
53	Prevalence of vulvovaginal candidiasis in gynecological practices in Germany: A retrospective study of 954,186 patients. Current Medical Mycology, 2018, 4, 6-11.	0.8	26
54	Clinical characteristics and prognostic factors of myocarditis associated with the mRNA COVIDâ€19 vaccine. Journal of Medical Virology, 2022, 94, 1566-1580.	5.0	26

#	Article	IF	CITATIONS
55	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. Scientific Reports, 2019, 9, 12417.	3.3	25
56	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. Acta Psychiatrica Scandinavica, 2019, 139, 164-173.	4.5	24
57	Treatment of severe acute respiratory syndrome (SARS), Middle East respiratory syndrome (MERS), and coronavirus disease 2019 (COVID-19): a systematic review of <i>in vitro</i> , <i>in vivo</i> , and clinical trials. Theranostics, 2021, 11, 1207-1231.	10.0	24
58	Prescription patterns and drug costs in German patients with dementia in nursing homes and home-care settings. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 9-15.	0.6	24
59	Non-alcoholic Fatty Liver Disease and COVID-19 Susceptibility and Outcomes: a Korean Nationwide Cohort. Journal of Korean Medical Science, 2021, 36, e291.	2.5	24
60	Differences in limb alignment and femoral mechanical-anatomical angles using two dimension versus three dimension radiographic imaging. International Orthopaedics, 2017, 41, 2009-2016.	1.9	23
61	Impact of prior breast cancer on mode of delivery and pregnancy-associated disorders: a retrospective analysis of subsequent pregnancy outcomes. Journal of Cancer Research and Clinical Oncology, 2017, 143, 1069-1074.	2.5	22
62	Prevalence of depression, anxiety, and adjustment disorders in women with spontaneous abortion in Germany – A retrospective cohort study. Psychiatry Research, 2017, 258, 382-386.	3.3	22
63	Relationship between attention-deficit hyperactivity disorder symptoms and problem gambling: A mediation analysis of influential factors among 7,403 individuals from the UK. Journal of Behavioral Addictions, 2018, 7, 781-791.	3.7	22
64	Impact of Osteoporosis on the Risk of Dementia in Almost 60,000 Patients Followed in General Practices in Germany. Journal of Alzheimer's Disease, 2018, 65, 401-407.	2.6	22
65	COVID-19 and Adverse Pregnancy Outcome: A Systematic Review of 104 Cases. Journal of Clinical Medicine, 2020, 9, 3441.	2.4	22
66	Gender- and age-related treatment compliance in patients with osteoporosis in Germany. Patient Preference and Adherence, 2016, Volume 10, 2379-2385.	1.8	21
67	Adherence to antiepileptic drugs in children and adolescents: A retrospective study in primary care settings in Germany. Epilepsy and Behavior, 2017, 75, 36-41.	1.7	21
68	Prevalence of, and factors associated with, long-term COVID-19 sick leave in working-age patients followed in general practices in Germany. International Journal of Infectious Diseases, 2021, 109, 203-208.	3.3	21
69	Cardiovascular events and safety outcomes associated with remdesivir using a World Health Organization international pharmacovigilance database. Clinical and Translational Science, 2022, 15, 501-513.	3.1	21
70	Differential expression of MicroRNAs in Alzheimer's disease: a systematic review and meta-analysis. Molecular Psychiatry, 2022, 27, 2405-2413.	7.9	21
71	Impact of Disease Management Programs on HbA1c Values in Type 2 Diabetes Patients in Germany. Journal of Diabetes Science and Technology, 2017, 11, 117-122.	2.2	20
72	Depression risk in patients with late-onset rheumatoid arthritis in Germany. Quality of Life Research, 2017, 26, 437-443.	3.1	20

#	Article	IF	CITATIONS
73	Multimorbidity and polypharmacy among elderly people followed in general practices in Germany. European Journal of Internal Medicine, 2018, 55, 66-68.	2.2	20
74	Association between chronic somatic conditions and depression in children and adolescents: A retrospective study of 13,326 patients. Journal of Affective Disorders, 2019, 245, 697-701.	4.1	20
75	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1572-1578.	3.6	20
76	Impact of disease management programs on women with breast cancer in Germany. Breast Cancer Research and Treatment, 2015, 153, 391-395.	2.5	19
77	Depression risk in patients with coronary heart disease in Germany. World Journal of Cardiology, 2016, 8, 547.	1.5	19
78	Association between induced abortion, spontaneous abortion, and infertility respectively and the risk of psychiatric disorders in 57,770 women followed in gynecological practices in Germany. Journal of Affective Disorders, 2019, 251, 107-113.	4.1	19
79	Progression of mild cognitive impairment to dementia in German specialist practices. Dementia, 2019, 18, 380-390.	2.0	19
80	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. Nutrients, 2020, 12, 706.	4.1	19
81	A Comprehensive Review of Coronavirus Disease 2019: Epidemiology, Transmission, Risk Factors, and International Responses. Yonsei Medical Journal, 2021, 62, 1.	2.2	19
82	Association between Food Insecurity and Sarcopenia among Adults Aged ≥65 Years in Low- and Middle-Income Countries. Nutrients, 2021, 13, 1879.	4.1	19
83	Association between autism spectrum disorder and inflammatory bowel disease: A systematic review and metaâ€analysis. Autism Research, 2022, 15, 340-352.	3.8	19
84	Oral contraceptive use and fracture risk—a retrospective study of 12,970 women in the UK. Osteoporosis International, 2017, 28, 2349-2355.	3.1	18
85	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. Journal of Psychiatric Research, 2018, 98, 39-46.	3.1	18
86	Clinical Characteristics of Asymptomatic and Symptomatic Pediatric Coronavirus Disease 2019 (COVID-19): A Systematic Review. Medicina (Lithuania), 2020, 56, 474.	2.0	18
87	Consultations Decline for Stroke, Transient Ischemic Attack, and Myocardial Infarction during the COVID-19 Pandemic in Germany. Neuroepidemiology, 2021, 55, 70-78.	2.3	18
88	The use of proton pump inhibitors is positively associated with osteoporosis in postmenopausal women in Germany. Climacteric, 2016, 19, 478-481.	2.4	17
89	Hip fracture risk in patients with dementia in German primary care practices. Dementia, 2017, 16, 853-864.	2.0	17
90	Prevalence of pain medication prescriptions in France, Germany, and the UK - a cross-sectional study including 4,270,142 patients. Postgraduate Medicine, 2018, 130, 32-36.	2.0	17

#	Article	IF	CITATIONS
91	Association of laryngeal cancer with vocal cord leukoplakia and associated risk factors in 1,184 patients diagnosed in otorhinolaryngology practices in Germany. Molecular and Clinical Oncology, 2018, 8, 689-693.	1.0	17
92	Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. American Journal of Preventive Medicine, 2020, 58, 613-621.	3.0	17
93	Is loneliness associated with mild cognitive impairment in low―and middleâ€income countries?. International Journal of Geriatric Psychiatry, 2021, 36, 1345-1353.	2.7	17
94	A Review of Pre-Exposure Prophylaxis Adherence among Female Sex Workers. Yonsei Medical Journal, 2020, 61, 349.	2.2	17
95	Food insecurity and mental health among young adult college students in the United States. Journal of Affective Disorders, 2022, 303, 359-363.	4.1	17
96	Treatment of depression in cancer and non-cancer patients in German neuropsychiatric practices. Psycho-Oncology, 2016, 25, 1324-1328.	2.3	16
97	Association between sleep disorders and the presence of breast cancer metastases in gynecological practices in Germany: a case–control study of 11,412 women. Breast Cancer Research and Treatment, 2018, 171, 443-448.	2.5	16
98	Participation in work and leisure activities after stroke: A national study. Annals of Physical and Rehabilitation Medicine, 2019, 62, 351-355.	2.3	16
99	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. Journal of Psychiatric Research, 2021, 144, 45-53.	3.1	16
100	Potential delay in the diagnosis of vulvar cancer and associated risk factors in women treated in German gynecological practices. Oncotarget, 2018, 9, 8725-8730.	1.8	16
101	Clinical characteristics and mortality of patients with hematologic malignancies and COVID-19: a systematic review. European Review for Medical and Pharmacological Sciences, 2020, 24, 11926-11933.	0.7	16
102	Changes in Type 2 Diabetes Mellitus Patients in German Primary Care Prior to (2006) and After (2010,) Tj ETQqO	0 0 rgBT /	Overlock 10
103	Discrimination and Multimorbidity Among Black Americans: Findings from the National Survey of American Life. Journal of Racial and Ethnic Health Disparities, 2021, 8, 210-219.	3.2	15
104	Change in glucoseâ€lowering medication regimens in individuals with type 2 diabetes mellitus during the COVIDâ€19 pandemic in Germany. Diabetes, Obesity and Metabolism, 2021, 23, 910-915.	4.4	15
105	Decrease in the number of patients diagnosed with cancer during the COVID-19 pandemic in Germany. Journal of Cancer Research and Clinical Oncology, 2022, 148, 3117-3123.	2.5	15
106	Comorbid disorders associated with asthma in children in Germany – National analysis of pediatric primary care data. Pediatric Allergy and Immunology, 2016, 27, 861-866.	2.6	14
107	Compliance with vaccination against tick-borne encephalitis virus in Germany. Clinical Microbiology and Infection, 2017, 23, 460-463.	6.0	14
108	Relationship between induced abortion and the incidence of depression, anxiety disorder, adjustment disorder, and somatoform disorder in Germany. Journal of Psychiatric Research, 2019, 114, 75-79.	3.1	14

#	Article	IF	CITATIONS
109	Incidence of epilepsy and associated factors in elderly patients in Germany. Epilepsy and Behavior, 2019, 90, 107-111.	1.7	14
110	Trends in valproate use in patients in Germany between 2009 and 2017. Epilepsy and Behavior, 2019, 92, 26-30.	1.7	14
111	Age-related differences in persistence in women with breast cancer treated with tamoxifen or aromatase inhibitors in Germany. Journal of Geriatric Oncology, 2016, 7, 169-175.	1.0	13
112	The Relationship Between the Use of Antihypertensive Drugs and the Incidence of Dementia in General Practices in Germany. Journal of Alzheimer's Disease, 2019, 70, 91-97.	2.6	13
113	Associations between self-reported physical activity and oral health: a cross-sectional analysis in 17,777 Spanish adults. British Dental Journal, 2020, 228, 361-365.	0.6	13
114	Relationship between sexual orientation and psychotic experiences in the general population in England. Psychological Medicine, 2021, 51, 138-146.	4.5	13
115	Mild cognitive impairment is associated with fall-related injury among adults aged ≥65Âyears in low- and middle-income countries. Experimental Gerontology, 2021, 146, 111222.	2.8	13
116	Long-Term Evolution of Functional Limitations in Stroke Survivors Compared With Stroke-Free Controls: Findings From 15 Years of Follow-Up Across 3 International Surveys of Aging. Stroke, 2022, 53, 228-237.	2.0	13
117	Care transitions in the first 6 months following traumatic brain injury: Lessons from the CENTER-TBI study. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101458.	2.3	13
118	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. International Journal of Environmental Research and Public Health, 2021, 18, 138.	2.6	13
119	Association of multimorbidity with higher levels of urinary incontinence: a cross-sectional study of 23 089 individuals aged ≥15 years residing in Spain. British Journal of General Practice, 2021, 71, e71-e77.	1.4	13
120	Persistence with antipsychotics in dementia patients in Germany. International Journal of Clinical Pharmacology and Therapeutics, 2016, 54, 835-840.	0.6	13
121	Genome Editing Using CRISPR-Cas9 and Autoimmune Diseases: A Comprehensive Review. International Journal of Molecular Sciences, 2022, 23, 1337.	4.1	13
122	Psoriasis risk in patients with type 2 diabetes in German primary care practices. Primary Care Diabetes, 2017, 11, 52-56.	1.8	12
123	Prescription Patterns and the Cost of Antihyperglycemic Drugs in Patients With Type 2 Diabetes Mellitus in Germany. Journal of Diabetes Science and Technology, 2017, 11, 123-127.	2.2	12
124	Cancer risk in stroke survivors followed for up to 10Âyears in general practices in Germany. Journal of Cancer Research and Clinical Oncology, 2019, 145, 1013-1020.	2.5	12
125	Predictors of Access to Rehabilitation in the Year Following Traumatic Brain Injury: A European Prospective and Multicenter Study. Neurorehabilitation and Neural Repair, 2020, 34, 814-830.	2.9	12
126	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. Preventive Medicine, 2020, 132, 106007.	3.4	12

#	Article	IF	CITATIONS
127	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15 years from 54 low― and middleâ€income countries. Pediatric Obesity, 2021, 16, e12700.	2.8	12
128	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12–15 years from sixty-eight countries. British Journal of Nutrition, 2022, 127, 470-477.	2.3	12
129	Association between sleep disorders and osteoarthritis: A case–control study of 351,932 adults in the UK. Journal of Sleep Research, 2021, 30, e13367.	3.2	12
130	Risk factors for epistaxis in patients followed in general practices in Germany. Rhinology, 2017, 55, 312-318.	1.3	12
131	Evaluation of a multi-arm multi-stage Bayesian design for phase II drug selection trials – an example in hemato-oncology. BMC Medical Research Methodology, 2016, 16, 67.	3.1	11
132	How Different are Quality of Life Ratings for People with Dementia Reported byÂTheir Family Caregivers from Those Reported by the Patients Themselves?. Journal of Alzheimer's Disease, 2016, 55, 259-267.	2.6	11
133	Increased treatment persistence and its determinants in women with osteoporosis with prior fracture compared to those without fracture. Osteoporosis International, 2016, 27, 963-969.	3.1	11
134	Risk Factors for Mild Cognitive Impairment in German Primary Care Practices. Journal of Alzheimer's Disease, 2017, 56, 379-384.	2.6	11
135	Association between intelligence quotient and violence perpetration in the English general population. Psychological Medicine, 2019, 49, 1316-1323.	4.5	11
136	Association between cannabis use and sexual behavior among adolescents aged 12–15†years in 21 low- and middle-income countries. Addictive Behaviors, 2019, 99, 106073.	3.0	11
137	Risk Factors for Tinnitus in 37,692 Patients Followed in General Practices in Germany. Otology and Neurotology, 2019, 40, 436-440.	1.3	11
138	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. Clinical Gastroenterology and Hepatology, 2021, 19, 1970-1972.e3.	4.4	11
139	Induction and Maintenance Treatment of Lupus Nephritis: A Comprehensive Review of Meta-Analyses. Journal of Clinical Medicine, 2022, 11, 343.	2.4	11
140	Post-COVID-19 conditions in children and adolescents diagnosed with COVID-19. Pediatric Research, 2024, 95, 182-187.	2.3	11
141	Second-line therapy with biological drugs in rheumatoid arthritis patients in German rheumatologist practices: a retrospective database analysis. Rheumatology International, 2016, 36, 1113-1118.	3.0	10
142	Risk of stillbirth in pregnant women with obesity in the United Kingdom. Obesity Research and Clinical Practice, 2016, 10, 574-579.	1.8	10
143	Association between Anti-Dementia Treatment Persistence and Daily Dosage of the First Prescription: A Retrospective Analysis in Neuropsychiatric Practices in Germany. Journal of Alzheimer's Disease, 2017, 58, 37-44.	2.6	10
144	Risk of depression, anxiety, and adjustment disorders in women with a suspected but unconfirmed diagnosis of breast or genital organ cancer in Germany. Cancer Causes and Control, 2017, 28, 1021-1026.	1.8	10

#	Article	IF	CITATIONS
145	Impact of attention deficit hyperactivity disorder therapy on fracture risk in children treated in German pediatric practices. Osteoporosis International, 2017, 28, 1265-1269.	3.1	10
146	Low annual frequency of HbA _{1c} testing in people with Type 2 diabetes in primary care practices in Germany. Diabetic Medicine, 2018, 35, 249-254.	2.3	10
147	Urinary and fecal incontinence in stroke survivors followed in general practice: A retrospective cohort study. Annals of Physical and Rehabilitation Medicine, 2020, 63, 488-494.	2.3	10
148	Perceived skin tone discrimination and psychotic experiences among Black Americans: Findings from the National Survey of American Life. Schizophrenia Research, 2021, 228, 541-546.	2.0	10
149	Osteoarthritis and the incidence of fracture in the United Kingdom: a retrospective cohort study of 258,696 patients. Osteoarthritis and Cartilage, 2021, 29, 215-221.	1.3	10
150	Prevalence of and factors associated with COVID-19 diagnosis in symptomatic patients followed in general practices in Germany between March 2020 and March 2021. International Journal of Infectious Diseases, 2021, 111, 37-42.	3.3	10
151	Risk of dementia in German patients treated with antidepressants in general or psychiatric practices. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 322-328.	0.6	10
152	Impact of caesarean section on mode of delivery, pregnancy-induced and pregnancy-associated disorders, and complications in the subsequent pregnancy in Germany. GMS German Medical Science, 2016, 14, Doc06.	2.7	10
153	Effects of exogenous melatonin supplementation on health outcomes: An umbrella review of meta-analyses based on randomized controlled trials. Pharmacological Research, 2022, 176, 106052.	7.1	10
154	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged ≥50 years from low―and middleâ€income countries. Depression and Anxiety, 2022, 39, 37	76-386.	10
155	Association of food insecurity with suicidal ideation and suicide attempts in adults aged ≥50Âyears from low- and middle-income countries. Journal of Affective Disorders, 2022, 309, 446-452.	4.1	10
156	Prevalence of and Factors Associated With Post-Coronavirus Disease 2019 (COVID-19) Condition in the 12 Months After the Diagnosis of COVID-19 in Adults Followed in General Practices in Germany. Open Forum Infectious Diseases, 2022, 9, .	0.9	10
157	Caesarean section and its impact on fertility and time to a subsequent pregnancy in Germany: a database analysis in gynecological practices. Archives of Gynecology and Obstetrics, 2016, 294, 1005-1010.	1.7	9
158	Association between depression and persistence with oral antihyperglycemic drugs in type 2 diabetes mellitus patients in Germany. Psychiatry Research, 2018, 261, 90-93.	3.3	9
159	The Influence of Polypharmacy on the Initiation of Anti-Dementia Therapy in Germany. Journal of Alzheimer's Disease, 2018, 64, 827-833.	2.6	9
160	Associations between mental and oral health in Spain: a cross-sectional study of more than 23,000 people aged 15 years and over. Journal of Affective Disorders, 2020, 274, 67-72.	4.1	9
161	Osteoarthritis and incidence of stroke and transient ischemic attack in 320,136 adults followed in general practices in the United Kingdom. Joint Bone Spine, 2021, 88, 105104.	1.6	9
162	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. International Journal of Sexual Health, 2021, 33, 88-98.	2.3	9

#	Article	IF	CITATIONS
163	Revisiting the Immigrant Epidemiological Paradox: Findings from the American Panel of Life 2019. International Journal of Environmental Research and Public Health, 2021, 18, 4619.	2.6	9
164	Public Interest in Immunity and the Justification for Intervention in the Early Stages of the COVID-19 Pandemic: Analysis of Google Trends Data. Journal of Medical Internet Research, 2021, 23, e26368.	4.3	9
165	Sleep problems and mild cognitive impairment among adults aged ≥50Âyears from low- and middle-income countries. Experimental Gerontology, 2021, 154, 111513.	2.8	9
166	Patterns of benzodiazepine prescribing by neuropsychiatrists and general practitioners for elderly patients in Germany in 2014. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 466-471.	0.6	9
167	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany. Journal of Psychiatric Research, 2022, 147, 79-84.	3.1	9
168	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. Maturitas, 2022, 160, 23-31.	2.4	9
169	Persistence with antiepileptic drugs in epilepsy patients treated in neurological practices in Germany. Epilepsy and Behavior, 2017, 73, 204-207.	1.7	8
170	Prescription Patterns and the Cost of Migraine Treatments in German General and Neurological Practices. Pain Practice, 2017, 17, 747-752.	1.9	8
171	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. International Journal of Eating Disorders, 2018, 51, 942-952.	4.0	8
172	Persistence with biological drugs in patients treated in rheumatology practices in Germany. Rheumatology International, 2019, 39, 525-531.	3.0	8
173	Longâ€ŧerm risk of stroke and its predictors in transient ischaemic attack patients in Germany. European Journal of Neurology, 2020, 27, 723-728.	3.3	8
174	Objectively measured far vision impairment and sarcopenia among adults aged ≥ 65Âyears from six and middle-income countries. Aging Clinical and Experimental Research, 2021, 33, 2995-3003.	low- 2.9	8
175	Changes in dietary fat intake and associations with mental health in a UK public sample during the COVID-19 pandemic. Journal of Public Health, 2021, , .	1.8	8
176	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged ≥50 years in low/middle-income countries. British Journal of Ophthalmology, 2022, 106, 1610-1616.	3.9	8
177	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. Journal of Alzheimer's Disease, 2021, 82, 1745-1754.	2.6	8
178	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. Frontiers in Psychology, 2020, 11, 627980.	2.1	8
179	Increased Incidence of Stroke and Transient Ischemic Attack in Patients with Rheumatoid Arthritis and Ankylosing Spondylitis in Germany. Neuroepidemiology, 2021, 55, 162-170.	2.3	8
180	Risk factors for ectopic pregnancy in Germany: a retrospective study of 100,197 patients. GMS German Medical Science, 2017, 15, Doc19.	2.7	8

#	Article	IF	CITATIONS
181	Age-related differences in persistence with bisphosphonates in women with metastatic breast cancer. Journal of Bone Oncology, 2016, 5, 63-66.	2.4	7
182	Physical injury and depression in six low- and middle-income countries: A nationally representative study. Journal of Affective Disorders, 2019, 248, 99-107.	4.1	7
183	Analysis of the Effects of Selective Serotonin (and Noradrenaline) Reuptake Inhibitors on the Risk of Dementia in Patients with Depression. Journal of Alzheimer's Disease, 2019, 69, 577-583.	2.6	7
184	Serious physical injury and depressive symptoms among adolescents aged 12–15 years from 21 low- and middle-income countries. Journal of Affective Disorders, 2020, 264, 172-180.	4.1	7
185	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12–15ÂYears From 53 Countries: A Global Perspective. Journal of Sexual Medicine, 2020, 17, 2148-2155.	0.6	7
186	Violence and obesogenic behavior among adolescents aged 12–15Âyears from 62 countries: A global perspective. Preventive Medicine, 2020, 137, 106123.	3.4	7
187	Prescription of hormone replacement therapy prior to and after the diagnosis of gynecological cancers in German patients. Journal of Cancer Research and Clinical Oncology, 2020, 146, 1567-1573.	2.5	7
188	Cross-sectional associations between angiotensin-converting enzyme inhibitor use and cancer diagnosis in US adults. Clinical and Experimental Medicine, 2020, 20, 409-416.	3.6	7
189	Chocolate Consumption and Indicators of Adiposity in US Adults. American Journal of Medicine, 2020, 133, 1082-1087.	1.5	7
190	Burn injury and incidence of psychiatric disorders: A retrospective cohort study of 18,198 patients from Germany. Burns, 2021, 47, 1110-1117.	1.9	7
191	The association between objective vision impairment and mild cognitive impairment among older adults in low- and middle-income countries. Aging Clinical and Experimental Research, 2021, 33, 2695-2702.	2.9	7
192	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. Public Health, 2021, 193, 76-82.	2.9	7
193	Multimorbidity and Subjective Cognitive Complaints: Findings from 48 Low- and Middle-Income Countries of the World Health Survey 2002–2004. Journal of Alzheimer's Disease, 2021, 81, 1737-1747.	2.6	7
194	Association between type 2 diabetes and chronic low back pain in general practices in Germany. BMJ Open Diabetes Research and Care, 2021, 9, e002426.	2.8	7
195	Association between food insecurity and fall-related injury among adults aged ≥65 years in low- and middle-income countries: The role of mental health conditions. Archives of Gerontology and Geriatrics, 2021, 96, 104438.	3.0	7
196	Prevalence of depression, anxiety, adjustment disorders, and somatoform disorders in patients with age-related macular degeneration in Germany. GMS German Medical Science, 2017, 15, Doc04.	2.7	7
197	Prevalence and predictors of prescription of antibiotics in pregnant women treated by gynecologists in Germany. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 643-649.	0.6	7
198	Frequency of blood pressure and estimated glomerular filtration rate monitoring in patients affected by hypertension. Blood Pressure Monitoring, 2018, 23, 85-90.	0.8	6

#	Article	IF	CITATIONS
199	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. Schizophrenia Research, 2018, 201, 79-84.	2.0	6
200	Is There an Association Between Antiepileptic Drug Use and Dementia Risk? A Case-Control Study. Journal of Alzheimer's Disease, 2019, 68, 97-103.	2.6	6
201	Association between intelligence quotient and disability: The role of socioeconomic status. Annals of Physical and Rehabilitation Medicine, 2020, 63, 296-301.	2.3	6
202	Mass Spectrometric Characterization of Narcolepsy-Associated Pandemic 2009 Influenza Vaccines. Vaccines, 2020, 8, 630.	4.4	6
203	Relationship between physical conditions and attempted or completed suicide in more than 9,300 individuals from the United Kingdom: a case-control study. Journal of Affective Disorders, 2020, 274, 457-463.	4.1	6
204	A Multicountry Study of the Violence-Related Risk Factors for Early Sexual Debut and Risky Sexual Behavior in Adolescents. Journal of Interpersonal Violence, 2020, , 088626052092750.	2.0	6
205	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. Eye, 2021, 35, 791-798.	2.1	6
206	Multiple Sclerosis and Incidence of Urinary and Fecal Incontinence in Almost 9,000 Patients Followed Up for up to 10 Years in Germany. Neuroepidemiology, 2021, 55, 92-99.	2.3	6
207	Conflicts at work are associated with a higher risk of cardiovascular disease. GMS German Medical Science, 2017, 15, Doc08.	2.7	6
208	Neuropsychological adverse drug reactions of Remdesivir: analysis using VigiBase, the WHO global database of individual case safety reports European Review for Medical and Pharmacological Sciences, 2021, 25, 7390-7397.	0.7	6
209	Prevalence of Use of Cardiovascular Drugs in Dementia Patients Treated in General Practices in Germany. Journal of Alzheimer's Disease, 2017, 56, 1519-1524.	2.6	5
210	Prescription Patterns and Disease Control in Type 2 Diabetes Mellitus Patients in Nursing Home and Home Care Settings: A Retrospective Analysis in Germany. Journal of Diabetes Science and Technology, 2018, 12, 136-139.	2.2	5
211	Persistence With Oral Antihyperglycemic Drugs in Type 2 Diabetes Mellitus Patients With Dementia in Germany. Journal of Diabetes Science and Technology, 2018, 12, 140-144.	2.2	5
212	Psychotic experiences and accidents, injuries, and poisonings among adults in the United States. Psychiatry Research, 2019, 282, 112610.	3.3	5
213	The relationship of childhood sexual and physical abuse with adulthood disability. Annals of Physical and Rehabilitation Medicine, 2020, 63, 332-339.	2.3	5
214	Physical injury and psychotic experiences in 48 low- and middle-income countries. Psychological Medicine, 2020, 50, 2751-2758.	4.5	5
215	Association between skin disorders and depression in children and adolescents: A retrospective case-control study. Journal of Affective Disorders, 2021, 282, 939-944.	4.1	5
216	Hearing impairment and diverse health outcomes. Wiener Klinische Wochenschrift, 2021, 133, 1028-1041.	1.9	5

#	Article	IF	CITATIONS
217	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from low- and middle-income countries. Journal of Affective Disorders, 2021, 291, 57-64.	4.1	5
218	Prevalence and treatment of sexually transmitted infections in men followed by urologists in Germany - a cross sectional study with 347,090 men. GMS German Medical Science, 2018, 16, Doc03.	2.7	5
219	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany. International Archives of Occupational and Environmental Health, 2022, 95, 1549-1556.	2.3	5
220	Gender Differences in the Association Between Cataract and Mental Health in Adults With Diabetes: A Cross-Sectional Analysis From the Spanish National Health Survey 2017. Frontiers in Public Health, 2021, 9, 769155.	2.7	5
221	Cancer is associated with intraoperative and postprocedural complications and disorders. Journal of Cancer Research and Clinical Oncology, 2016, 142, 777-781.	2.5	4
222	Seasonality of Insulin Use in German Outpatients With Diabetes: A Retrospective Analysis. Journal of Diabetes Science and Technology, 2017, 11, 996-1000.	2.2	4
223	Persistence with Antihypertensive Drugs in Patients with Hypertension and Dementia in Germany. Journal of Alzheimer's Disease, 2017, 60, 505-510.	2.6	4
224	Leisure-Time Sedentary Behavior, Alcohol Consumption, and Sexual Intercourse Among Adolescents Aged 12-15 Years in 19 Countries From Africa, the Americas, and Asia. Journal of Sexual Medicine, 2019, 16, 1355-1363.	0.6	4
225	Perceived discrimination and psychotic experiences in the English general population. European Psychiatry, 2019, 62, 50-57.	0.2	4
226	Prescription patterns of antiepileptic drugs in Kazakhstan in 2018: A retrospective study of 57,959 patients. Epilepsy and Behavior, 2019, 99, 106445.	1.7	4
227	Frequency of Blood Pressure and Estimated Glomerular Filtration Rate Testing in Type 2 Diabetes Mellitus: A Retrospective Study with 43,509 Patients. Experimental and Clinical Endocrinology and Diabetes, 2019, 127, 455-460.	1.2	4
228	Violence victimization and suicide attempts among adolescents aged 12–15Âyears from thirty-eight low- and middle-income countries. General Hospital Psychiatry, 2020, 66, 147-153.	2.4	4
229	Incidence of and factors associated with manic episodes and bipolar disorder in the decade following depression onset in Germany. Journal of Affective Disorders, 2020, 266, 534-539.	4.1	4
230	Urban upbringing and psychiatric disorders in the United States: A racial comparison. International Journal of Social Psychiatry, 2021, 67, 307-314.	3.1	4
231	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. Journal of Clinical Medicine, 2021, 10, 1243.	2.4	4
232	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. European Journal of Public Health, 2021, 31, 835-840.	0.3	4
233	Ejaculation Disorders in Male Patients with Cancer: A Systematic Review and Meta-Analysis of Prevalence. Journal of Urology, 2021, 206, 1361-1372.	0.4	4
234	What have we learned in the past year? A study on pharmacy purchases of psychiatric drugs from wholesalers in the days prior to the first and second COVID-19 lockdowns in Germany. Journal of Psychiatric Research, 2021, 140, 346-349.	3.1	4

#	Article	IF	CITATIONS
235	Suspected cancer diagnoses made by general practitioners in a population with subsequently confirmed cancer diagnoses in Germany: a retrospective study of 31,628 patients. Oncotarget, 2017, 8, 84540-84545.	1.8	4
236	Compliance with vaccination against hepatitisÂA virus in Germany: a retrospective analysis. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 740-745.	0.6	4
237	Persistence with antihypertensive drugs in patients with depression in Germany. International Journal of Clinical Pharmacology and Therapeutics, 2018, 56, 162-168.	0.6	4
238	Sex-Differential Associations Between Body Mass Index and the Incidence of Dementia. Journal of Alzheimer's Disease, 2022, 88, 631-639.	2.6	4
239	Diagnoses of suspected cancer in�otolaryngology practices in Germany. Molecular and Clinical Oncology, 2018, 9, 459-463.	1.0	3
240	One-Year Persistence with Donepezil, Memantine, and Rivastigmine in More than 66,000 Elderly Patients Followed in Poland. Journal of Alzheimer's Disease, 2019, 70, 899-905.	2.6	3
241	Secondhand Smoking and Obesity Among Nonsmoking Adolescents Aged 12–15 Years From 38 Low- and Middle-Income Countries. Nicotine and Tobacco Research, 2020, 22, 2014-2021.	2.6	3
242	Physical activity and visual difficulties in 36 low- and middle-income countries. Eye, 2022, 36, 585-593.	2.1	3
243	Differences in baseline characteristics between type 2 diabetes mellitus patients treated with dipeptidyl peptidase-4 inhibitors in randomized controlled trials and those receiving the same treatment in real-world settings. International Journal of Clinical Pharmacology and Therapeutics, 2018. 56. 411-416.	0.6	3
244	Multimorbidity and Anxiety Symptoms among Adults Aged 50 Years and Over from Six Low- and Middle-Income Countries. Journal of Ageing and Longevity, 2021, 1, 36-47.	0.6	3
245	Age-Related Changes in the Association Between Traumatic Brain Injury and Dementia in Older Men and Women. Journal of Head Trauma Rehabilitation, 2021, 36, E139-E146.	1.7	3
246	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2022, 309, 71-76.	4.1	3
247	No effects of the COVID-19 pandemic on the prescription of insulin in Germany. Primary Care Diabetes, 2022, 16, 588-590.	1.8	3
248	Impact of comorbidities on the cost of depression drug therapy in general practices in Germany. Journal of Psychiatric Research, 2016, 83, 130-136.	3.1	2
249	Association between Arthritis and Migraine: A US Nationally Representative Study Including 2649 Adults. Journal of Clinical Medicine, 2021, 10, 342.	2.4	2
250	Is there an association between multiple sclerosis and osteoarthritis in Germany? A retrospective cohort study of 8,600 patients from Germany. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2021, 7, 205521732110227.	1.0	2
251	Association between inflammatory central nervous system diseases and epilepsy: A retrospective cohort study of 4252 patients in Germany. Epilepsy and Behavior, 2021, 117, 107879.	1.7	2
252	Incidence of antiepileptic drug therapy and factors associated with their prescribing in outpatients with diabetic polyneuropathy. Primary Care Diabetes, 2021, 15, 535-540.	1.8	2

#	Article	IF	CITATIONS
253	Association of objective and subjective far vision impairment with perceived stress among older adults in six low- and middle-income countries. Eye, 2022, 36, 1274-1280.	2.1	2
254	Relationship between chronic gingivitis and subsequent depression in 13,088 patients followed in general practices. Journal of Psychiatric Research, 2021, 138, 103-106.	3.1	2
255	Real world data in health technology assessments in kidney transplants in Germany: use of routinely collected data to address epidemiologic questions in kidney transplants in the AMNOG process in Germany. CMS German Medical Science, 2018, 16, Doc01.	2.7	2
256	Gender-based differences in the antidepressant treatment of patients with depression in German psychiatric practices. GMS German Medical Science, 2016, 14, Doc02.	2.7	2
257	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. Journal of Affective Disorders, 2022, 298, 532-539.	4.1	2
258	Clinical significance of hepatosplenic thrombosis in vaccine-induced immune thrombotic thrombocytopenia after ChAdOx1 nCoV-19 vaccination. International Journal of Infectious Diseases, 2022, 116, 114-121.	3.3	2
259	Immunologic and Genetic Aspects ofÂType 1 Narcolepsy. , 2016, , 635-652.		1
260	Frequency of Thyroid-Stimulating Hormone Monitoring in Patients After Thyroidectomy: A Retrospective Study in Primary Care Practices in Germany. Experimental and Clinical Endocrinology and Diabetes, 2018, 126, 640-644.	1.2	1
261	Time between suspected and confirmed diagnoses of Crohn's disease and ulcerative colitis in patients followed in gastroenterological practices in Germany. International Journal of Colorectal Disease, 2018, 33, 967-971.	2.2	1
262	Are data from general practices suitable for survival analyses in the field of breast cancer? A retrospective study conducted in the United Kingdom, France and Germany. Molecular and Clinical Oncology, 2019, 11, 177-180.	1.0	1
263	Persistence and treatment-free interval in patients being prescribed biological drugs in rheumatology practices in Germany. European Journal of Clinical Pharmacology, 2019, 75, 717-722.	1.9	1
264	Associations of physical and psychiatric conditions with chronic fatigue syndrome in Germany: an exploratory case-control study. Psychological Medicine, 2022, 52, 780-786.	4.5	1
265	Association between intelligence quotient and obesity in England. Lifestyle Medicine, 2020, 1, e11.	0.8	1
266	Associations between obesity and ocular health in Spanish adults. Lifestyle Medicine, 2020, 1, e5.	0.8	1
267	Associations in physical activity and sedentary behaviour among the immigrant and non-immigrant US population. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-213754.	3.7	1
268	Association between sexual orientation and subjective cognitive complaints in the general population in England. Journal of Psychiatric Research, 2021, 136, 1-6.	3.1	1
269	Association Between Problem Gambling and Functional Disability. Journal of Addiction Medicine, 2021, Publish Ahead of Print, .	2.6	1
270	Association between corticosteroid therapy and diagnosis of non-traumatic rotator cuff tear or rupture in patients followed in orthopedic practices in Germany. International Journal of Clinical Pharmacology and Therapeutics, 2021, 59, 713-720.	0.6	1

#	Article	IF	CITATIONS
271	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. Oral, 2021, 1, 281-289.	0.6	1
272	Lines of therapy with biological drugs inÂdermatology, gastroenterology, and rheumatology practices in Germany. International Journal of Clinical Pharmacology and Therapeutics, 2019, 57, 182-187.	0.6	1
273	Association between diabetes and edentulism and their joint effects on health status in 40 low and middle-income countries. BMJ Open Diabetes Research and Care, 2021, 9, e002514.	2.8	1
274	Body mass index categories and anxiety symptoms among adults aged ≥â€ [~] 50Âyears from low and middle income countries. Wiener Klinische Wochenschrift, 2021, , 1.	1.9	1
275	Treatment of depression in patients with cardiovascular diseases by German psychiatrists. International Journal of Clinical Pharmacology and Therapeutics, 2016, 54, 557-563.	0.6	1
276	Prevalence of bisphosphonate therapy in women with breast cancer treated with aromatase inhibitors in Germany. International Journal of Clinical Pharmacology and Therapeutics, 2017, 55, 394-396.	0.6	1
277	Changes in Health-Related Behaviours and Mental Health in a UK Public Sample during the First Set of COVID-19 Public Health Restrictions. International Journal of Environmental Research and Public Health, 2022, 19, 3959.	2.6	1
278	Risk Factors For Dementia Diagnosis In German Primary Care Practices. Value in Health, 2015, 18, A406.	0.3	0
279	Rheumatoid Arthritis is Associated with an Increased Risk of Depression in Elderly Patients in Germany. Value in Health, 2016, 19, A521.	0.3	0
280	Prescription Patterns And Costs Of Migraine Therapy In Germany. Value in Health, 2016, 19, A430.	0.3	0
281	Prescription Patterns and Drugs Costs in Patients with Dementia - A Retrsopective Database Analysis. Value in Health, 2016, 19, A439.	0.3	0
282	Incidence of Psychiatric Disorders in Women WITH a Suspected But Unconfirmed Diagnosis of Breast or Genital Organ Cancer. Value in Health, 2017, 20, A709-A710.	0.3	0
283	Factors Associated with an Adherence with Antiepileptic Drugs in Children Treated in Pediatric Practices in Germany. Value in Health, 2017, 20, A402.	0.3	0
284	Persistence in Hypertension Therapy in Patients with and Without Depression in Germany. Value in Health, 2017, 20, A620.	0.3	0
285	Spontaneous Abortion is Associated with an Increased Risk of Developing Psychiatric Diseases. Value in Health, 2017, 20, A716.	0.3	0
286	Chronic skin disease and levels of physical activity in 17Â777 Spanish adults: a crossâ€sectional study. Clinical and Experimental Dermatology, 2021, 46, 516-524.	1.3	0
287	Reply to Redsell etÂal. Lifestyle Medicine, 2021, 2, e26.	0.8	0
288	Sexual Orientation and Functional Limitations: Cross-sectional Analyses From the Adult Psychiatric Morbidity Survey. Archives of Physical Medicine and Rehabilitation, 2021, 102, 2117-2124.	0.9	0

LOUIS JACOB

#	Article	IF	CITATIONS
289	The Environment of Birthplace and Self-Reported Mental Health Conditions: Findings from the American Panel of Life. Epidemiologia, 2021, 2, 256-261.	2.2	0
290	Prevalence and treatment of sexually transmitted diseases in gynecological practices in Germany: A retrospective study with more than 1,000,000 patients. International Journal of Clinical Pharmacology and Therapeutics, 2018, 56, 212-216.	0.6	0
291	Persistence with biological drugs in psoriasis patients followed in dermatology practices in Germany: A retrospective cohort study of 1,201 patients. International Journal of Clinical Pharmacology and Therapeutics, 2020, 58, 74-81.	0.6	0
292	Reply by Authors. Journal of Urology, 2021, 206, 1372-1372.	0.4	0
293	Risk factors for epistaxis in patients followed in general practices in Germany. Rhinology, 2017, 55, 312-318.	1.3	Ο
294	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. Aging Clinical and Experimental Research, 2022, , 1.	2.9	0
295	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany. Journal of Psychiatric Research, 2022, 146, 87-91.	3.1	0
296	Physical multimorbidity and wish to die among adults aged ≥65Âyears: A cross-sectional analysis of the Irish Longitudinal Study on Ageing. Journal of Affective Disorders, 2022, 313, 263-269.	4.1	0