

Louis Jacob

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7693941/publications.pdf>

Version: 2024-02-01

296
papers

7,884
citations

136950

32
h-index

91884

69
g-index

309
all docs

309
docs citations

309
times ranked

8662
citing authors

#	ARTICLE	IF	CITATIONS
1	Post-COVID-19 conditions in children and adolescents diagnosed with COVID-19. <i>Pediatric Research</i> , 2024, 95, 182-187.	2.3	11
2	Associations of physical and psychiatric conditions with chronic fatigue syndrome in Germany: an exploratory case-control study. <i>Psychological Medicine</i> , 2022, 52, 780-786.	4.5	1
3	Physical activity and visual difficulties in 36 low- and middle-income countries. <i>Eye</i> , 2022, 36, 585-593.	2.1	3
4	Food insecurity (hunger) and fast-food consumption among 180 164 adolescents aged 12â€“15 years from sixty-eight countries. <i>British Journal of Nutrition</i> , 2022, 127, 470-477.	2.3	12
5	Association of objective visual impairment with suicidal ideation and suicide attempts among adults aged 18-50 years in low/middle-income countries. <i>British Journal of Ophthalmology</i> , 2022, 106, 1610-1616.	3.9	8
6	Association of objective and subjective far vision impairment with perceived stress among older adults in six low- and middle-income countries. <i>Eye</i> , 2022, 36, 1274-1280.	2.1	2
7	Physical activity and the risk of SARS-CoV-2 infection, severe COVID-19 illness and COVID-19 related mortality in South Korea: a nationwide cohort study. <i>British Journal of Sports Medicine</i> , 2022, 56, 901-912.	6.7	120
8	Long-Term Evolution of Functional Limitations in Stroke Survivors Compared With Stroke-Free Controls: Findings From 15 Years of Follow-Up Across 3 International Surveys of Aging. <i>Stroke</i> , 2022, 53, 228-237.	2.0	13
9	Comparative safety of mRNA COVID-19 vaccines to influenza vaccines: A pharmacovigilance analysis using WHO international database. <i>Journal of Medical Virology</i> , 2022, 94, 1085-1095.	5.0	34
10	Cardiovascular events and safety outcomes associated with remdesivir using a World Health Organization international pharmacovigilance database. <i>Clinical and Translational Science</i> , 2022, 15, 501-513.	3.1	21
11	Anxiety symptoms among informal caregivers in 47 low- and middle-income countries: A cross-sectional analysis of community-based surveys. <i>Journal of Affective Disorders</i> , 2022, 298, 532-539.	4.1	2
12	Sleep problems and subjective cognitive complaints among middle-aged and older adults in 45 low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2022, , 1.	2.9	0
13	Factor V Leiden and the 10-year incidence of depression: A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 146, 87-91.	3.1	0
14	No significant association between COVID-19 diagnosis and the incidence of depression and anxiety disorder? A retrospective cohort study conducted in Germany. <i>Journal of Psychiatric Research</i> , 2022, 147, 79-84.	3.1	9
15	Genome Editing Using CRISPR-Cas9 and Autoimmune Diseases: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1337.	4.1	13
16	Decrease in the number of patients diagnosed with cancer during the COVID-19 pandemic in Germany. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 3117-3123.	2.5	15
17	The global case fatality rate of coronavirus disease 2019 by continents and national income: A meta-analysis. <i>Journal of Medical Virology</i> , 2022, 94, 2402-2413.	5.0	46
18	Induction and Maintenance Treatment of Lupus Nephritis: A Comprehensive Review of Meta-Analyses. <i>Journal of Clinical Medicine</i> , 2022, 11, 343.	2.4	11

#	ARTICLE	IF	CITATIONS
19	Effects of exogenous melatonin supplementation on health outcomes: An umbrella review of meta-analyses based on randomized controlled trials. <i>Pharmacological Research</i> , 2022, 176, 106052.	7.1	10
20	Clinical significance of hepatosplenic thrombosis in vaccine-induced immune thrombotic thrombocytopenia after ChAdOx1 nCoV-19 vaccination. <i>International Journal of Infectious Diseases</i> , 2022, 116, 114-121.	3.3	2
21	Association between physical multimorbidity and sleep problems in 46 low- and middle-income countries. <i>Maturitas</i> , 2022, 160, 23-31.	2.4	9
22	Food insecurity and mental health among young adult college students in the United States. <i>Journal of Affective Disorders</i> , 2022, 303, 359-363.	4.1	17
23	Association between autism spectrum disorder and inflammatory bowel disease: A systematic review and meta-analysis. <i>Autism Research</i> , 2022, 15, 340-352.	3.8	19
24	Prevalence of and factors associated with long-term sick leave in working-age adults with chronic low back pain in Germany. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1549-1556.	2.3	5
25	Changes in Health-Related Behaviours and Mental Health in a UK Public Sample during the First Set of COVID-19 Public Health Restrictions. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3959.	2.6	1
26	Physical multimorbidity and depression: A mediation analysis of influential factors among 34,129 adults aged 50 years from low- and middle-income countries. <i>Depression and Anxiety</i> , 2022, 39, 376-386.	4.1	10
27	Differential expression of MicroRNAs in Alzheimer's disease: a systematic review and meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 2405-2413.	7.9	21
28	Clinical characteristics and prognostic factors of myocarditis associated with the mRNA COVID-19 vaccine. <i>Journal of Medical Virology</i> , 2022, 94, 1566-1580.	5.0	26
29	Association of food insecurity with suicidal ideation and suicide attempts in adults aged 50 years from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2022, 309, 446-452.	4.1	10
30	Physical multimorbidity predicts the onset and persistence of anxiety: A prospective analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 309, 71-76.	4.1	3
31	No effects of the COVID-19 pandemic on the prescription of insulin in Germany. <i>Primary Care Diabetes</i> , 2022, 16, 588-590.	1.8	3
32	Sex-Differential Associations Between Body Mass Index and the Incidence of Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 631-639.	2.6	4
33	Prevalence of and Factors Associated With Post-Coronavirus Disease 2019 (COVID-19) Condition in the 12 Months After the Diagnosis of COVID-19 in Adults Followed in General Practices in Germany. <i>Open Forum Infectious Diseases</i> , 2022, 9, .	0.9	10
34	Physical multimorbidity and wish to die among adults aged 65 years: A cross-sectional analysis of the Irish Longitudinal Study on Ageing. <i>Journal of Affective Disorders</i> , 2022, 313, 263-269.	4.1	0
35	Impact of the coronavirus 2019 (COVID-19) pandemic on anxiety diagnosis in general practices in Germany. <i>Journal of Psychiatric Research</i> , 2021, 143, 528-533.	3.1	32
36	Associations between cataract and multimorbidity: a cross-sectional study of 23,089 adults from Spain. <i>Eye</i> , 2021, 35, 791-798.	2.1	6

#	ARTICLE	IF	CITATIONS
37	Burn injury and incidence of psychiatric disorders: A retrospective cohort study of 18,198 patients from Germany. <i>Burns</i> , 2021, 47, 1110-1117.	1.9	7
38	Bullying victimization and obesogenic behaviour among adolescents aged 12 to 15 years from 54 low- and middle-income countries. <i>Pediatric Obesity</i> , 2021, 16, e12700.	2.8	12
39	Discrimination and Multimorbidity Among Black Americans: Findings from the National Survey of American Life. <i>Journal of Racial and Ethnic Health Disparities</i> , 2021, 8, 210-219.	3.2	15
40	Chronic skin disease and levels of physical activity in 17,777 Spanish adults: a cross-sectional study. <i>Clinical and Experimental Dermatology</i> , 2021, 46, 516-524.	1.3	0
41	Urban upbringing and psychiatric disorders in the United States: A racial comparison. <i>International Journal of Social Psychiatry</i> , 2021, 67, 307-314.	3.1	4
42	Perceived skin tone discrimination and psychotic experiences among Black Americans: Findings from the National Survey of American Life. <i>Schizophrenia Research</i> , 2021, 228, 541-546.	2.0	10
43	Osteoarthritis and incidence of stroke and transient ischemic attack in 320,136 adults followed in general practices in the United Kingdom. <i>Joint Bone Spine</i> , 2021, 88, 105104.	1.6	9
44	Change in glucose-lowering medication regimens in individuals with type 2 diabetes mellitus during the COVID-19 pandemic in Germany. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 910-915.	4.4	15
45	Treatment of severe acute respiratory syndrome (SARS), Middle East respiratory syndrome (MERS), and coronavirus disease 2019 (COVID-19): a systematic review of <i>in vitro</i> , <i>in vivo</i> , and clinical trials. <i>Theranostics</i> , 2021, 11, 1207-1231.	10.0	24
46	Relationship between sexual orientation and psychotic experiences in the general population in England. <i>Psychological Medicine</i> , 2021, 51, 138-146.	4.5	13
47	A comparative meta-analysis of the prevalence of exercise addiction in adults with and without indicated eating disorders. <i>Eating and Weight Disorders</i> , 2021, 26, 37-46.	2.5	49
48	Reply to Redsell et al. <i>Lifestyle Medicine</i> , 2021, 2, e26.	0.8	0
49	A Comprehensive Review of Coronavirus Disease 2019: Epidemiology, Transmission, Risk Factors, and International Responses. <i>Yonsei Medical Journal</i> , 2021, 62, 1.	2.2	19
50	Food Insecurity With Hunger and Sexual Behavior Among Adolescents From 53 Countries. <i>International Journal of Sexual Health</i> , 2021, 33, 88-98.	2.3	9
51	Association between Arthritis and Migraine: A US Nationally Representative Study Including 2649 Adults. <i>Journal of Clinical Medicine</i> , 2021, 10, 342.	2.4	2
52	Consultations Decline for Stroke, Transient Ischemic Attack, and Myocardial Infarction during the COVID-19 Pandemic in Germany. <i>Neuroepidemiology</i> , 2021, 55, 70-78.	2.3	18
53	Alcohol use and mental health during COVID-19 lockdown: A cross-sectional study in a sample of UK adults. <i>Drug and Alcohol Dependence</i> , 2021, 219, 108488.	3.2	159
54	Osteoarthritis and the incidence of fracture in the United Kingdom: a retrospective cohort study of 258,696 patients. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 215-221.	1.3	10

#	ARTICLE	IF	CITATIONS
55	Objectively measured far vision impairment and sarcopenia among adults aged ≥65 years from six low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2995-3003.	2.9	8
56	The association between objective vision impairment and mild cognitive impairment among older adults in low- and middle-income countries. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 2695-2702.	2.9	7
57	Association between food insecurity and depression among older adults from low- and middle-income countries. <i>Depression and Anxiety</i> , 2021, 38, 439-446.	4.1	27
58	Is loneliness associated with mild cognitive impairment in low- and middle-income countries?. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1345-1353.	2.7	17
59	Active Travel and Mild Cognitive Impairment among Older Adults from Low- and Middle-Income Countries. <i>Journal of Clinical Medicine</i> , 2021, 10, 1243.	2.4	4
60	Unmet Rehabilitation Needs after Traumatic Brain Injury across Europe: Results from the CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1035.	2.4	34
61	Association between skin disorders and depression in children and adolescents: A retrospective case-control study. <i>Journal of Affective Disorders</i> , 2021, 282, 939-944.	4.1	5
62	Changes in dietary fat intake and associations with mental health in a UK public sample during the COVID-19 pandemic. <i>Journal of Public Health</i> , 2021, , .	1.8	8
63	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 996-1009.	13.7	358
64	Revisiting the Immigrant Epidemiological Paradox: Findings from the American Panel of Life 2019. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4619.	2.6	9
65	Association between sexual orientation and subjective cognitive complaints in the general population in England. <i>Journal of Psychiatric Research</i> , 2021, 136, 1-6.	3.1	1
66	Is there an association between multiple sclerosis and osteoarthritis in Germany? A retrospective cohort study of 8,600 patients from Germany. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732110227.	1.0	2
67	Association between inflammatory central nervous system diseases and epilepsy: A retrospective cohort study of 4252 patients in Germany. <i>Epilepsy and Behavior</i> , 2021, 117, 107879.	1.7	2
68	Physical activity, sedentary behaviour and cannabis use in 15,822 US adults: cross-sectional analyses from NHANES. <i>Public Health</i> , 2021, 193, 76-82.	2.9	7
69	Mild cognitive impairment is associated with fall-related injury among adults aged ≥65 years in low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 146, 111222.	2.8	13
70	Association between sleep disorders and osteoarthritis: A case–control study of 351,932 adults in the UK. <i>Journal of Sleep Research</i> , 2021, 30, e13367.	3.2	12
71	Hepatobiliary Adverse Drug Reactions Associated With Remdesivir: The WHO International Pharmacovigilance Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1970-1972.e3.	4.4	11
72	Sexual Orientation and Functional Limitations: Cross-sectional Analyses From the Adult Psychiatric Morbidity Survey. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2117-2124.	0.9	0

#	ARTICLE	IF	CITATIONS
73	Gender differences in the association between physical activity and obesity in adults with vision and hearing losses. <i>European Journal of Public Health</i> , 2021, 31, 835-840.	0.3	4
74	Association between Food Insecurity and Sarcopenia among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>Nutrients</i> , 2021, 13, 1879.	4.1	19
75	Public Interest in Immunity and the Justification for Intervention in the Early Stages of the COVID-19 Pandemic: Analysis of Google Trends Data. <i>Journal of Medical Internet Research</i> , 2021, 23, e26368.	4.3	9
76	Incidence of antiepileptic drug therapy and factors associated with their prescribing in outpatients with diabetic polyneuropathy. <i>Primary Care Diabetes</i> , 2021, 15, 535-540.	1.8	2
77	Association Between Problem Gambling and Functional Disability. <i>Journal of Addiction Medicine</i> , 2021, Publish Ahead of Print, .	2.6	1
78	Multimorbidity and Subjective Cognitive Complaints: Findings from 48 Low- and Middle-Income Countries of the World Health Survey 2002–2004. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1737-1747.	2.6	7
79	Relationship between chronic gingivitis and subsequent depression in 13,088 patients followed in general practices. <i>Journal of Psychiatric Research</i> , 2021, 138, 103-106.	3.1	2
80	Hearing impairment and diverse health outcomes. <i>Wiener Klinische Wochenschrift</i> , 2021, 133, 1028-1041.	1.9	5
81	The Environment of Birthplace and Self-Reported Mental Health Conditions: Findings from the American Panel of Life. <i>Epidemiologia</i> , 2021, 2, 256-261.	2.2	0
82	Ejaculation Disorders in Male Patients with Cancer: A Systematic Review and Meta-Analysis of Prevalence. <i>Journal of Urology</i> , 2021, 206, 1361-1372.	0.4	4
83	Association between type 2 diabetes and chronic low back pain in general practices in Germany. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002426.	2.8	7
84	Association between corticosteroid therapy and diagnosis of non-traumatic rotator cuff tear or rupture in patients followed in orthopedic practices in Germany. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2021, 59, 713-720.	0.6	1
85	Anxiety symptoms and mild cognitive impairment among community-dwelling older adults from low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2021, 291, 57-64.	4.1	5
86	Prevalence of, and factors associated with, long-term COVID-19 sick leave in working-age patients followed in general practices in Germany. <i>International Journal of Infectious Diseases</i> , 2021, 109, 203-208.	3.3	21
87	What have we learned in the past year? A study on pharmacy purchases of psychiatric drugs from wholesalers in the days prior to the first and second COVID-19 lockdowns in Germany. <i>Journal of Psychiatric Research</i> , 2021, 140, 346-349.	3.1	4
88	Sarcopenia and Mild Cognitive Impairment in Older Adults from Six Low- and Middle-Income Countries. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1745-1754.	2.6	8
89	Comparison of vaccine-induced thrombotic events between ChAdOx1 nCoV-19 and Ad26.COV.2.S vaccines. <i>Journal of Autoimmunity</i> , 2021, 122, 102681.	6.5	34
90	Predictors of mortality in thrombotic thrombocytopenia after adenoviral COVID-19 vaccination: the FAPIC score. <i>European Heart Journal</i> , 2021, 42, 4053-4063.	2.2	42

#	ARTICLE	IF	CITATIONS
91	COVID-19 dimensions are related to depression and anxiety among US college students: Findings from the Healthy Minds Survey 2020. <i>Journal of Affective Disorders</i> , 2021, 292, 270-275.	4.1	49
92	Association between Diabetes and Dental Caries in Spanish Adults: A Cross-Sectional Study Including 23,089 Adults. <i>Oral</i> , 2021, 1, 281-289.	0.6	1
93	Association between food insecurity and fall-related injury among adults aged ≥65 years in low- and middle-income countries: The role of mental health conditions. <i>Archives of Gerontology and Geriatrics</i> , 2021, 96, 104438.	3.0	7
94	Sleep problems and mild cognitive impairment among adults aged ≥50 years from low- and middle-income countries. <i>Experimental Gerontology</i> , 2021, 154, 111513.	2.8	9
95	Autoimmune inflammatory rheumatic diseases and COVID-19 outcomes in South Korea: a nationwide cohort study. <i>Lancet Rheumatology</i> , The, 2021, 3, e698-e706.	3.9	73
96	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology</i> , The, 2021, 20, 795-820.	10.2	2,308
97	Prevalence of and factors associated with COVID-19 diagnosis in symptomatic patients followed in general practices in Germany between March 2020 and March 2021. <i>International Journal of Infectious Diseases</i> , 2021, 111, 37-42.	3.3	10
98	Care transitions in the first 6 months following traumatic brain injury: Lessons from the CENTER-TBI study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101458.	2.3	13
99	Prevalence and correlates of multiple suicide attempts among adolescents aged 12–15 years from 61 countries in Africa, Asia, and the Americas. <i>Journal of Psychiatric Research</i> , 2021, 144, 45-53.	3.1	16
100	Increased Incidence of Stroke and Transient Ischemic Attack in Patients with Rheumatoid Arthritis and Ankylosing Spondylitis in Germany. <i>Neuroepidemiology</i> , 2021, 55, 162-170.	2.3	8
101	Multiple Sclerosis and Incidence of Urinary and Fecal Incontinence in Almost 9,000 Patients Followed Up for up to 10 Years in Germany. <i>Neuroepidemiology</i> , 2021, 55, 92-99.	2.3	6
102	Impact of the COVID-19 Pandemic on Cancer Diagnoses in General and Specialized Practices in Germany. <i>Cancers</i> , 2021, 13, 408.	3.7	90
103	Hand-Washing Practices among Adolescents Aged 12–15 Years from 80 Countries. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 138.	2.6	13
104	Association of multimorbidity with higher levels of urinary incontinence: a cross-sectional study of 23 089 individuals aged ≥15 years residing in Spain. <i>British Journal of General Practice</i> , 2021, 71, e71-e77.	1.4	13
105	Non-alcoholic Fatty Liver Disease and COVID-19 Susceptibility and Outcomes: a Korean Nationwide Cohort. <i>Journal of Korean Medical Science</i> , 2021, 36, e291.	2.5	24
106	Multimorbidity and Anxiety Symptoms among Adults Aged 50 Years and Over from Six Low- and Middle-Income Countries. <i>Journal of Ageing and Longevity</i> , 2021, 1, 36-47.	0.6	3
107	Association between diabetes and edentulism and their joint effects on health status in 40 low and middle-income countries. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002514.	2.8	1
108	Body mass index categories and anxiety symptoms among adults aged ≥50 years from low and middle income countries. <i>Wiener Klinische Wochenschrift</i> , 2021, , 1.	1.9	1

#	ARTICLE	IF	CITATIONS
109	Reply by Authors. <i>Journal of Urology</i> , 2021, 206, 1372-1372.	0.4	0
110	Age-Related Changes in the Association Between Traumatic Brain Injury and Dementia in Older Men and Women. <i>Journal of Head Trauma Rehabilitation</i> , 2021, 36, E139-E146.	1.7	3
111	Gender Differences in the Association Between Cataract and Mental Health in Adults With Diabetes: A Cross-Sectional Analysis From the Spanish National Health Survey 2017. <i>Frontiers in Public Health</i> , 2021, 9, 769155.	2.7	5
112	Neuropsychological adverse drug reactions of Remdesivir: analysis using VigiBase, the WHO global database of individual case safety reports.. <i>European Review for Medical and Pharmacological Sciences</i> , 2021, 25, 7390-7397.	0.7	6
113	Consumption of carbonated soft drinks and suicide attempts among 105,061 adolescents aged 12–15 years from 6 high-income, 22 middle-income, and 4 low-income countries. <i>Clinical Nutrition</i> , 2020, 39, 886-892.	5.0	28
114	Sexual behavior and suicide attempts among adolescents aged 12–15 years from 38 countries: A global perspective. <i>Psychiatry Research</i> , 2020, 287, 112564.	3.3	34
115	Association between intelligence quotient and disability: The role of socioeconomic status. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 296-301.	2.3	6
116	The relationship of childhood sexual and physical abuse with adulthood disability. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 332-339.	2.3	5
117	Physical injury and psychotic experiences in 48 low- and middle-income countries. <i>Psychological Medicine</i> , 2020, 50, 2751-2758.	4.5	5
118	Serious physical injury and depressive symptoms among adolescents aged 12–15 years from 21 low- and middle-income countries. <i>Journal of Affective Disorders</i> , 2020, 264, 172-180.	4.1	7
119	Long-term risk of stroke and its predictors in transient ischaemic attack patients in Germany. <i>European Journal of Neurology</i> , 2020, 27, 723-728.	3.3	8
120	Immunopathogenesis of ANCA-Associated Vasculitis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7319.	4.1	62
121	Update of the current knowledge on genetics, evolution, immunopathogenesis, and transmission for coronavirus disease 19 (COVID-19). <i>International Journal of Biological Sciences</i> , 2020, 16, 2906-2923.	6.4	33
122	Environmental risk factors, protective factors, and peripheral biomarkers for ADHD: an umbrella review. <i>Lancet Psychiatry</i> , 2020, 7, 955-970.	7.4	103
123	Bullying Victimization and Sexual Behavior Among Adolescents Aged 12–15 Years From 53 Countries: A Global Perspective. <i>Journal of Sexual Medicine</i> , 2020, 17, 2148-2155.	0.6	7
124	Estimation of global case fatality rate of coronavirus disease 2019 (COVID-19) using meta-analyses: Comparison between calendar date and days since the outbreak of the first confirmed case. <i>International Journal of Infectious Diseases</i> , 2020, 100, 302-308.	3.3	39
125	Prevalence and correlates of physical activity in a sample of UK adults observing social distancing during the COVID-19 pandemic. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000850.	2.9	78
126	Correlations of Clinical and Laboratory Characteristics of COVID-19: A Systematic Review and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5026.	2.6	55

#	ARTICLE	IF	CITATIONS
127	Violence victimization and suicide attempts among adolescents aged 12–15 years from thirty-eight low- and middle-income countries. <i>General Hospital Psychiatry</i> , 2020, 66, 147-153.	2.4	4
128	Predictors of Access to Rehabilitation in the Year Following Traumatic Brain Injury: A European Prospective and Multicenter Study. <i>Neurorehabilitation and Neural Repair</i> , 2020, 34, 814-830.	2.9	12
129	Incidence of and factors associated with manic episodes and bipolar disorder in the decade following depression onset in Germany. <i>Journal of Affective Disorders</i> , 2020, 266, 534-539.	4.1	4
130	The relationship between physical activity and mental health in a sample of the UK public: A cross-sectional study during the implementation of COVID-19 social distancing measures. <i>Mental Health and Physical Activity</i> , 2020, 19, 100345.	1.8	162
131	The association between screen time and mental health during COVID-19: A cross sectional study. <i>Psychiatry Research</i> , 2020, 292, 113333.	3.3	75
132	Efficacy of Corticosteroids in Patients with SARS, MERS and COVID-19: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 2392.	2.4	34
133	Sarcopenia in Autoimmune and Rheumatic Diseases: A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5678.	4.1	62
134	Clinical Characteristics of Asymptomatic and Symptomatic Pediatric Coronavirus Disease 2019 (COVID-19): A Systematic Review. <i>Medicina (Lithuania)</i> , 2020, 56, 474.	2.0	18
135	Association between intelligence quotient and obesity in England. <i>Lifestyle Medicine</i> , 2020, 1, e11.	0.8	1
136	COVID-19 and Adverse Pregnancy Outcome: A Systematic Review of 104 Cases. <i>Journal of Clinical Medicine</i> , 2020, 9, 3441.	2.4	22
137	Mass Spectrometric Characterization of Narcolepsy-Associated Pandemic 2009 Influenza Vaccines. <i>Vaccines</i> , 2020, 8, 630.	4.4	6
138	Associations between obesity and ocular health in Spanish adults. <i>Lifestyle Medicine</i> , 2020, 1, e5.	0.8	1
139	Relationship between physical conditions and attempted or completed suicide in more than 9,300 individuals from the United Kingdom: a case-control study. <i>Journal of Affective Disorders</i> , 2020, 274, 457-463.	4.1	6
140	Consumption of Fish and ω -3 Fatty Acids and Cancer Risk: An Umbrella Review of Meta-Analyses of Observational Studies. <i>Advances in Nutrition</i> , 2020, 11, 1134-1149.	6.4	44
141	Challenges in the Practice of Sexual Medicine in the Time of COVID-19 in the United Kingdom. <i>Journal of Sexual Medicine</i> , 2020, 17, 1229-1236.	0.6	154
142	Associations in physical activity and sedentary behaviour among the immigrant and non-immigrant US population. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2020-213754.	3.7	1
143	Violence and obesogenic behavior among adolescents aged 12–15 years from 62 countries: A global perspective. <i>Preventive Medicine</i> , 2020, 137, 106123.	3.4	7
144	Correlates of symptoms of anxiety and depression and mental wellbeing associated with COVID-19: a cross-sectional study of UK-based respondents. <i>Psychiatry Research</i> , 2020, 291, 113138.	3.3	290

#	ARTICLE	IF	CITATIONS
145	Associations between mental and oral health in Spain: a cross-sectional study of more than 23,000 people aged 15 years and over. <i>Journal of Affective Disorders</i> , 2020, 274, 67-72.	4.1	9
146	A Multicountry Study of the Violence-Related Risk Factors for Early Sexual Debut and Risky Sexual Behavior in Adolescents. <i>Journal of Interpersonal Violence</i> , 2020, , 088626052092750.	2.0	6
147	Prescription of hormone replacement therapy prior to and after the diagnosis of gynecological cancers in German patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 1567-1573.	2.5	7
148	The Association Between Sedentary Behavior and Sarcopenia Among Adults Aged ≥65 Years in Low- and Middle-Income Countries. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1708.	2.6	47
149	Secondhand Smoking and Obesity Among Nonsmoking Adolescents Aged 12–15 Years From 38 Low- and Middle-Income Countries. <i>Nicotine and Tobacco Research</i> , 2020, 22, 2014-2021.	2.6	3
150	Cross-sectional associations between angiotensin-converting enzyme inhibitor use and cancer diagnosis in US adults. <i>Clinical and Experimental Medicine</i> , 2020, 20, 409-416.	3.6	7
151	Fruit and Vegetable Consumption and Sarcopenia among Older Adults in Low- and Middle-Income Countries. <i>Nutrients</i> , 2020, 12, 706.	4.1	19
152	Associations between self-reported physical activity and oral health: a cross-sectional analysis in 17,777 Spanish adults. <i>British Dental Journal</i> , 2020, 228, 361-365.	0.6	13
153	Secondhand Smoking and Depressive Symptoms Among In-School Adolescents. <i>American Journal of Preventive Medicine</i> , 2020, 58, 613-621.	3.0	17
154	Chocolate Consumption and Indicators of Adiposity in US Adults. <i>American Journal of Medicine</i> , 2020, 133, 1082-1087.	1.5	7
155	Informal Caregiving, Chronic Physical Conditions, and Physical Multimorbidity in 48 Low- and Middle-Income Countries. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1572-1578.	3.6	20
156	Fast food consumption and suicide attempts among adolescents aged 12–15 years from 32 countries. <i>Journal of Affective Disorders</i> , 2020, 266, 63-70.	4.1	30
157	Urinary and fecal incontinence in stroke survivors followed in general practice: A retrospective cohort study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2020, 63, 488-494.	2.3	10
158	Informal caregiving and physical activity among 204,315 adults in 38 low- and middle-income countries: A cross-sectional study. <i>Preventive Medicine</i> , 2020, 132, 106007.	3.4	12
159	Combined Vision and Hearing Difficulties Results in Higher Levels of Depression and Chronic Anxiety: Data From a Large Sample of Spanish Adults. <i>Frontiers in Psychology</i> , 2020, 11, 627980.	2.1	8
160	A Review of Pre-Exposure Prophylaxis Adherence among Female Sex Workers. <i>Yonsei Medical Journal</i> , 2020, 61, 349.	2.2	17
161	Persistence with biological drugs in psoriasis patients followed in dermatology practices in Germany: A retrospective cohort study of 1,201 patients. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2020, 58, 74-81.	0.6	0
162	Clinical characteristics and mortality of patients with hematologic malignancies and COVID-19: a systematic review. <i>European Review for Medical and Pharmacological Sciences</i> , 2020, 24, 11926-11933.	0.7	16

#	ARTICLE	IF	CITATIONS
163	Association between intelligence quotient and violence perpetration in the English general population. <i>Psychological Medicine</i> , 2019, 49, 1316-1323.	4.5	11
164	Association Between Migraine Headaches and Dementia in More than 7,400 Patients Followed in General Practices in the United Kingdom. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 353-360.	2.6	30
165	Association between cannabis use and sexual behavior among adolescents aged 12-15 years in 21 low- and middle-income countries. <i>Addictive Behaviors</i> , 2019, 99, 106073.	3.0	11
166	Leisure-Time Sedentary Behavior, Alcohol Consumption, and Sexual Intercourse Among Adolescents Aged 12-15 Years in 19 Countries From Africa, the Americas, and Asia. <i>Journal of Sexual Medicine</i> , 2019, 16, 1355-1363.	0.6	4
167	Value of Molecular Classification for Prognostic Assessment of Adrenocortical Carcinoma. <i>JAMA Oncology</i> , 2019, 5, 1440.	7.1	57
168	Are data from general practices suitable for survival analyses in the field of breast cancer? A retrospective study conducted in the United Kingdom, France and Germany. <i>Molecular and Clinical Oncology</i> , 2019, 11, 177-180.	1.0	1
169	One-Year Persistence with Donepezil, Memantine, and Rivastigmine in More than 66,000 Elderly Patients Followed in Poland. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 899-905.	2.6	3
170	Psychotic experiences and accidents, injuries, and poisonings among adults in the United States. <i>Psychiatry Research</i> , 2019, 282, 112610.	3.3	5
171	Physical multimorbidity and subjective cognitive complaints among adults in the United Kingdom: a cross-sectional community-based study. <i>Scientific Reports</i> , 2019, 9, 12417.	3.3	25
172	Perceived discrimination and psychotic experiences in the English general population. <i>European Psychiatry</i> , 2019, 62, 50-57.	0.2	4
173	Is There an Association Between Antiepileptic Drug Use and Dementia Risk? A Case-Control Study. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 97-103.	2.6	6
174	Physical injury and depression in six low- and middle-income countries: A nationally representative study. <i>Journal of Affective Disorders</i> , 2019, 248, 99-107.	4.1	7
175	Persistence and treatment-free interval in patients being prescribed biological drugs in rheumatology practices in Germany. <i>European Journal of Clinical Pharmacology</i> , 2019, 75, 717-722.	1.9	1
176	The Relationship Between the Use of Antihypertensive Drugs and the Incidence of Dementia in General Practices in Germany. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 91-97.	2.6	13
177	Participation in work and leisure activities after stroke: A national study. <i>Annals of Physical and Rehabilitation Medicine</i> , 2019, 62, 351-355.	2.3	16
178	Analysis of the Effects of Selective Serotonin (and Noradrenaline) Reuptake Inhibitors on the Risk of Dementia in Patients with Depression. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 577-583.	2.6	7
179	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. <i>PLoS ONE</i> , 2019, 14, e0215182.	2.5	60
180	Relationship between induced abortion and the incidence of depression, anxiety disorder, adjustment disorder, and somatoform disorder in Germany. <i>Journal of Psychiatric Research</i> , 2019, 114, 75-79.	3.1	14

#	ARTICLE	IF	CITATIONS
181	Association between induced abortion, spontaneous abortion, and infertility respectively and the risk of psychiatric disorders in 57,770 women followed in gynecological practices in Germany. <i>Journal of Affective Disorders</i> , 2019, 251, 107-113.	4.1	19
182	Cancer risk in stroke survivors followed for up to 10 years in general practices in Germany. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1013-1020.	2.5	12
183	Prescription patterns of antiepileptic drugs in Kazakhstan in 2018: A retrospective study of 57,959 patients. <i>Epilepsy and Behavior</i> , 2019, 99, 106445.	1.7	4
184	Risk Factors for Tinnitus in 37,692 Patients Followed in General Practices in Germany. <i>Otology and Neurotology</i> , 2019, 40, 436-440.	1.3	11
185	Incidence of epilepsy and associated factors in elderly patients in Germany. <i>Epilepsy and Behavior</i> , 2019, 90, 107-111.	1.7	14
186	Trends in valproate use in patients in Germany between 2009 and 2017. <i>Epilepsy and Behavior</i> , 2019, 92, 26-30.	1.7	14
187	Persistence with biological drugs in patients treated in rheumatology practices in Germany. <i>Rheumatology International</i> , 2019, 39, 525-531.	3.0	8
188	Association between chronic somatic conditions and depression in children and adolescents: A retrospective study of 13,326 patients. <i>Journal of Affective Disorders</i> , 2019, 245, 697-701.	4.1	20
189	The association of religiosity with suicidal ideation and suicide attempts in the United Kingdom. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 164-173.	4.5	24
190	Frequency of Blood Pressure and Estimated Glomerular Filtration Rate Testing in Type 2 Diabetes Mellitus: A Retrospective Study with 43,509 Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019, 127, 455-460.	1.2	4
191	Progression of mild cognitive impairment to dementia in German specialist practices. <i>Dementia</i> , 2019, 18, 380-390.	2.0	19
192	Lines of therapy with biological drugs in dermatology, gastroenterology, and rheumatology practices in Germany. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2019, 57, 182-187.	0.6	1
193	Post-traumatic stress symptoms are associated with physical multimorbidity: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Journal of Affective Disorders</i> , 2018, 232, 385-392.	4.1	33
194	Frequency of Thyroid-Stimulating Hormone Monitoring in Patients After Thyroidectomy: A Retrospective Study in Primary Care Practices in Germany. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2018, 126, 640-644.	1.2	1
195	Frequency of blood pressure and estimated glomerular filtration rate monitoring in patients affected by hypertension. <i>Blood Pressure Monitoring</i> , 2018, 23, 85-90.	0.8	6
196	The association between pain and suicidal behavior in an English national sample: The role of psychopathology. <i>Journal of Psychiatric Research</i> , 2018, 98, 39-46.	3.1	18
197	Association between depression and persistence with oral antihyperglycemic drugs in type 2 diabetes mellitus patients in Germany. <i>Psychiatry Research</i> , 2018, 261, 90-93.	3.3	9
198	Time between suspected and confirmed diagnoses of Crohn's disease and ulcerative colitis in patients followed in gastroenterological practices in Germany. <i>International Journal of Colorectal Disease</i> , 2018, 33, 967-971.	2.2	1

#	ARTICLE	IF	CITATIONS
199	Prescription Patterns and Disease Control in Type 2 Diabetes Mellitus Patients in Nursing Home and Home Care Settings: A Retrospective Analysis in Germany. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 136-139.	2.2	5
200	Persistence With Oral Antihyperglycemic Drugs in Type 2 Diabetes Mellitus Patients With Dementia in Germany. <i>Journal of Diabetes Science and Technology</i> , 2018, 12, 140-144.	2.2	5
201	Prevalence of pain medication prescriptions in France, Germany, and the UK - a cross-sectional study including 4,270,142 patients. <i>Postgraduate Medicine</i> , 2018, 130, 32-36.	2.0	17
202	Low annual frequency of HbA _{1c} testing in people with Type 2 diabetes in primary care practices in Germany. <i>Diabetic Medicine</i> , 2018, 35, 249-254.	2.3	10
203	Low sensitivity and frequent cross-reactions in commercially available antibody detection <sc>ELISA</sc> assays for <i>Taenia solium</i> cysticercosis. <i>Tropical Medicine and International Health</i> , 2018, 23, 101-105.	2.3	41
204	Impact of tobacco smoking on the risk of developing 25 different cancers in the UK: a retrospective study of 422,010 patients followed for up to 30 years. <i>Oncotarget</i> , 2018, 9, 17420-17429.	1.8	67
205	Prevalence of vulvovaginal candidiasis in gynecological practices in Germany: A retrospective study of 954,186 patients. <i>Current Medical Mycology</i> , 2018, 4, 6-11.	0.8	26
206	Diagnoses of suspected cancer in otolaryngology practices in Germany. <i>Molecular and Clinical Oncology</i> , 2018, 9, 459-463.	1.0	3
207	Association Between the Use of Antihyperglycemic Drugs and Dementia Risk: A Case-Control Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 725-732.	2.6	40
208	Relationship between attention-deficit hyperactivity disorder symptoms and problem gambling: A mediation analysis of influential factors among 7,403 individuals from the UK. <i>Journal of Behavioral Addictions</i> , 2018, 7, 781-791.	3.7	22
209	Attention deficit hyperactivity disorder symptoms and disordered eating in the English general population. <i>International Journal of Eating Disorders</i> , 2018, 51, 942-952.	4.0	8
210	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Schizophrenia Research</i> , 2018, 201, 79-84.	2.0	6
211	Association between sleep disorders and the presence of breast cancer metastases in gynecological practices in Germany: a case-control study of 11,412 women. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 443-448.	2.5	16
212	Multimorbidity and polypharmacy among elderly people followed in general practices in Germany. <i>European Journal of Internal Medicine</i> , 2018, 55, 66-68.	2.2	20
213	Association of laryngeal cancer with vocal cord leukoplakia and associated risk factors in 1,184 patients diagnosed in otorhinolaryngology practices in Germany. <i>Molecular and Clinical Oncology</i> , 2018, 8, 689-693.	1.0	17
214	Impact of Osteoporosis on the Risk of Dementia in Almost 60,000 Patients Followed in General Practices in Germany. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 401-407.	2.6	22
215	Body mass index and complications following major gastrointestinal surgery: a prospective, international cohort study and meta-analysis. <i>Colorectal Disease</i> , 2018, 20, O215-O225.	1.4	46
216	The Influence of Polypharmacy on the Initiation of Anti-Dementia Therapy in Germany. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 827-833.	2.6	9

#	ARTICLE	IF	CITATIONS
217	Potential delay in the diagnosis of vulvar cancer and associated risk factors in women treated in German gynecological practices. <i>Oncotarget</i> , 2018, 9, 8725-8730.	1.8	16
218	Real world data in health technology assessments in kidney transplants in Germany: use of routinely collected data to address epidemiologic questions in kidney transplants in the AMNOG process in Germany. <i>GMS German Medical Science</i> , 2018, 16, Doc01.	2.7	2
219	Differences in baseline characteristics between type 2 diabetes mellitus patients treated with dipeptidyl peptidase-4 inhibitors in randomized controlled trials and those receiving the same treatment in real-world settings. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 411-416.	0.6	3
220	Persistence with antihypertensive drugs in patients with depression in Germany. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 162-168.	0.6	4
221	Prevalence and treatment of sexually transmitted diseases in gynecological practices in Germany: A retrospective study with more than 1,000,000 patients. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2018, 56, 212-216.	0.6	0
222	Prevalence and treatment of sexually transmitted infections in men followed by urologists in Germany - a cross sectional study with 347,090 men. <i>GMS German Medical Science</i> , 2018, 16, Doc03.	2.7	5
223	Impact of Disease Management Programs on HbA1c Values in Type 2 Diabetes Patients in Germany. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 117-122.	2.2	20
224	Hip fracture risk in patients with dementia in German primary care practices. <i>Dementia</i> , 2017, 16, 853-864.	2.0	17
225	Compliance with vaccination against tick-borne encephalitis virus in Germany. <i>Clinical Microbiology and Infection</i> , 2017, 23, 460-463.	6.0	14
226	Impact of prior breast cancer on mode of delivery and pregnancy-associated disorders: a retrospective analysis of subsequent pregnancy outcomes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1069-1074.	2.5	22
227	Oral contraceptive use and fracture risk—a retrospective study of 12,970 women in the UK. <i>Osteoporosis International</i> , 2017, 28, 2349-2355.	3.1	18
228	Seasonality of Insulin Use in German Outpatients With Diabetes: A Retrospective Analysis. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 996-1000.	2.2	4
229	Use of dipeptidyl peptidase-4 inhibitors and risk of bone fracture in patients with type 2 diabetes in Germany—a retrospective analysis of real-world data. <i>Osteoporosis International</i> , 2017, 28, 2421-2428.	3.1	52
230	Incidence of depression and anxiety among women newly diagnosed with breast or genital organ cancer in Germany. <i>Psycho-Oncology</i> , 2017, 26, 1535-1540.	2.3	28
231	Persistence with antiepileptic drugs in epilepsy patients treated in neurological practices in Germany. <i>Epilepsy and Behavior</i> , 2017, 73, 204-207.	1.7	8
232	Depression Risk in Patients with Rheumatoid Arthritis in the United Kingdom. <i>Rheumatology and Therapy</i> , 2017, 4, 195-200.	2.3	41
233	Association between Anti-Dementia Treatment Persistence and Daily Dosage of the First Prescription: A Retrospective Analysis in Neuropsychiatric Practices in Germany. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 37-44.	2.6	10
234	Differences in limb alignment and femoral mechanical-anatomical angles using two dimension versus three dimension radiographic imaging. <i>International Orthopaedics</i> , 2017, 41, 2009-2016.	1.9	23

#	ARTICLE	IF	CITATIONS
235	Long-term use of benzodiazepines in older patients in Germany: a retrospective analysis. <i>Therapeutic Advances in Psychopharmacology</i> , 2017, 7, 191-200.	2.7	27
236	Risk Factors for Mild Cognitive Impairment in German Primary Care Practices. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 379-384.	2.6	11
237	Incidence of Psychiatric Disorders in Women WITH a Suspected But Unconfirmed Diagnosis of Breast or Genital Organ Cancer. <i>Value in Health</i> , 2017, 20, A709-A710.	0.3	0
238	Risk of depression, anxiety, and adjustment disorders in women with a suspected but unconfirmed diagnosis of breast or genital organ cancer in Germany. <i>Cancer Causes and Control</i> , 2017, 28, 1021-1026.	1.8	10
239	Adherence to antiepileptic drugs in children and adolescents: A retrospective study in primary care settings in Germany. <i>Epilepsy and Behavior</i> , 2017, 75, 36-41.	1.7	21
240	Depression risk in patients with late-onset rheumatoid arthritis in Germany. <i>Quality of Life Research</i> , 2017, 26, 437-443.	3.1	20
241	Psoriasis risk in patients with type 2 diabetes in German primary care practices. <i>Primary Care Diabetes</i> , 2017, 11, 52-56.	1.8	12
242	Prescription Patterns and the Cost of Antihyperglycemic Drugs in Patients With Type 2 Diabetes Mellitus in Germany. <i>Journal of Diabetes Science and Technology</i> , 2017, 11, 123-127.	2.2	12
243	Impact of attention deficit hyperactivity disorder therapy on fracture risk in children treated in German pediatric practices. <i>Osteoporosis International</i> , 2017, 28, 1265-1269.	3.1	10
244	Prescription Patterns and the Cost of Migraine Treatments in German General and Neurological Practices. <i>Pain Practice</i> , 2017, 17, 747-752.	1.9	8
245	Factors Associated with an Adherence with Antiepileptic Drugs in Children Treated in Pediatric Practices in Germany. <i>Value in Health</i> , 2017, 20, A402.	0.3	0
246	Persistence in Hypertension Therapy in Patients with and Without Depression in Germany. <i>Value in Health</i> , 2017, 20, A620.	0.3	0
247	Spontaneous Abortion is Associated with an Increased Risk of Developing Psychiatric Diseases. <i>Value in Health</i> , 2017, 20, A716.	0.3	0
248	Persistence with Antihypertensive Drugs in Patients with Hypertension and Dementia in Germany. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 505-510.	2.6	4
249	Prevalence of depression, anxiety, and adjustment disorders in women with spontaneous abortion in Germany – A retrospective cohort study. <i>Psychiatry Research</i> , 2017, 258, 382-386.	3.3	22
250	Absence of anti-hypocretin receptor 2 autoantibodies in post pandemrix narcolepsy cases. <i>PLoS ONE</i> , 2017, 12, e0187305.	2.5	27
251	Prevalence of Use of Cardiovascular Drugs in Dementia Patients Treated in General Practices in Germany. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 1519-1524.	2.6	5
252	Suspected cancer diagnoses made by general practitioners in a population with subsequently confirmed cancer diagnoses in Germany: a retrospective study of 31,628 patients. <i>Oncotarget</i> , 2017, 8, 84540-84545.	1.8	4

#	ARTICLE	IF	CITATIONS
253	Prevalence of depression, anxiety, adjustment disorders, and somatoform disorders in patients with age-related macular degeneration in Germany. <i>GMS German Medical Science</i> , 2017, 15, Doc04.	2.7	7
254	Conflicts at work are associated with a higher risk of cardiovascular disease. <i>GMS German Medical Science</i> , 2017, 15, Doc08.	2.7	6
255	Risk factors for epistaxis in patients followed in general practices in Germany. <i>Rhinology</i> , 2017, 55, 312-318.	1.3	12
256	Prescription patterns and drug costs in German patients with dementia in nursing homes and home-care settings. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 9-15.	0.6	24
257	Risk of dementia in German patients treated with antidepressants in general or psychiatric practices. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 322-328.	0.6	10
258	Patterns of benzodiazepine prescribing by neuropsychiatrists and general practitioners for elderly patients in Germany in 2014. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 466-471.	0.6	9
259	Prevalence and predictors of prescription of antibiotics in pregnant women treated by gynecologists in Germany. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 643-649.	0.6	7
260	Prevalence of bisphosphonate therapy in women with breast cancer treated with aromatase inhibitors in Germany. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 394-396.	0.6	1
261	Compliance with vaccination against hepatitis A virus in Germany: a retrospective analysis. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2017, 55, 740-745.	0.6	4
262	Risk factors for epistaxis in patients followed in general practices in Germany. <i>Rhinology</i> , 2017, 55, 312-318.	1.3	0
263	Risk factors for ectopic pregnancy in Germany: a retrospective study of 100,197 patients. <i>GMS German Medical Science</i> , 2017, 15, Doc19.	2.7	8
264	Gender- and age-related treatment compliance in patients with osteoporosis in Germany. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 2379-2385.	1.8	21
265	Evaluation of a multi-arm multi-stage Bayesian design for phase II drug selection trials – an example in hemato-oncology. <i>BMC Medical Research Methodology</i> , 2016, 16, 67.	3.1	11
266	Depression risk in patients with coronary heart disease in Germany. <i>World Journal of Cardiology</i> , 2016, 8, 547.	1.5	19
267	Treatment of depression in cancer and non-cancer patients in German neuropsychiatric practices. <i>Psycho-Oncology</i> , 2016, 25, 1324-1328.	2.3	16
268	How Different are Quality of Life Ratings for People with Dementia Reported by Their Family Caregivers from Those Reported by the Patients Themselves?. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 259-267.	2.6	11
269	Risk factors for dementia diagnosis in German primary care practices. <i>International Psychogeriatrics</i> , 2016, 28, 1059-1065.	1.0	79
270	Rheumatoid Arthritis is Associated with an Increased Risk of Depression in Elderly Patients in Germany. <i>Value in Health</i> , 2016, 19, A521.	0.3	0

#	ARTICLE	IF	CITATIONS
271	Prescription Patterns And Costs Of Migraine Therapy In Germany. Value in Health, 2016, 19, A430.	0.3	0
272	Prescription Patterns and Drugs Costs in Patients with Dementia - A Retrospective Database Analysis. Value in Health, 2016, 19, A439.	0.3	0
273	Age-related differences in persistence with bisphosphonates in women with metastatic breast cancer. Journal of Bone Oncology, 2016, 5, 63-66.	2.4	7
274	Impact of metformin on metastases in patients with breast cancer and type 2 diabetes. Journal of Diabetes and Its Complications, 2016, 30, 1056-1059.	2.3	27
275	Impact of comorbidities on the cost of depression drug therapy in general practices in Germany. Journal of Psychiatric Research, 2016, 83, 130-136.	3.1	2
276	Comorbid disorders associated with asthma in children in Germany – National analysis of pediatric primary care data. Pediatric Allergy and Immunology, 2016, 27, 861-866.	2.6	14
277	Caesarean section and its impact on fertility and time to a subsequent pregnancy in Germany: a database analysis in gynecological practices. Archives of Gynecology and Obstetrics, 2016, 294, 1005-1010.	1.7	9
278	Immunologic and Genetic Aspects of Type 1 Narcolepsy. , 2016, , 635-652.		1
279	Age-related differences in persistence in women with breast cancer treated with tamoxifen or aromatase inhibitors in Germany. Journal of Geriatric Oncology, 2016, 7, 169-175.	1.0	13
280	Increased treatment persistence and its determinants in women with osteoporosis with prior fracture compared to those without fracture. Osteoporosis International, 2016, 27, 963-969.	3.1	11
281	The use of proton pump inhibitors is positively associated with osteoporosis in postmenopausal women in Germany. Climacteric, 2016, 19, 478-481.	2.4	17
282	Cancer is associated with intraoperative and postprocedural complications and disorders. Journal of Cancer Research and Clinical Oncology, 2016, 142, 777-781.	2.5	4
283	Changes in Type 2 Diabetes Mellitus Patients in German Primary Care Prior to (2006) and After (2010.) Tj ETQq1 1 0.784314 rgBT /Ov	2.2	15
284	Second-line therapy with biological drugs in rheumatoid arthritis patients in German rheumatologist practices: a retrospective database analysis. Rheumatology International, 2016, 36, 1113-1118.	3.0	10
285	Prevalence of depression in type 2 diabetes patients in German primary care practices. Journal of Diabetes and Its Complications, 2016, 30, 432-437.	2.3	36
286	Risk of stillbirth in pregnant women with obesity in the United Kingdom. Obesity Research and Clinical Practice, 2016, 10, 574-579.	1.8	10
287	The impact of treatment compliance on fracture risk in women with breast cancer treated with aromatase inhibitors in the United Kingdom. Breast Cancer Research and Treatment, 2016, 155, 151-157.	2.5	32
288	Prevalence of depression, anxiety and their risk factors in German women with breast cancer in general and gynecological practices. Journal of Cancer Research and Clinical Oncology, 2016, 142, 447-452.	2.5	42

#	ARTICLE	IF	CITATIONS
289	Prevalence of chronic diseases among older patients in German general practices. <i>GMS German Medical Science</i> , 2016, 14, Doc03.	2.7	27
290	Persistence with antipsychotics in dementia patients in Germany. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 835-840.	0.6	13
291	Treatment of depression in patients with cardiovascular diseases by German psychiatrists. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2016, 54, 557-563.	0.6	1
292	Gender-based differences in the antidepressant treatment of patients with depression in German psychiatric practices. <i>GMS German Medical Science</i> , 2016, 14, Doc02.	2.7	2
293	Impact of caesarean section on mode of delivery, pregnancy-induced and pregnancy-associated disorders, and complications in the subsequent pregnancy in Germany. <i>GMS German Medical Science</i> , 2016, 14, Doc06.	2.7	10
294	Risk Factors For Dementia Diagnosis In German Primary Care Practices. <i>Value in Health</i> , 2015, 18, A406.	0.3	0
295	Comparison of Pandemrix and Arepanrix, two pH1N1 AS03-adjuvanted vaccines differentially associated with narcolepsy development. <i>Brain, Behavior, and Immunity</i> , 2015, 47, 44-57.	4.1	44
296	Impact of disease management programs on women with breast cancer in Germany. <i>Breast Cancer Research and Treatment</i> , 2015, 153, 391-395.	2.5	19