

# Alessandra Carvalho Goulart

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7696491/publications.pdf>

Version: 2024-02-01

197  
papers

68,289  
citations

76031

42  
h-index

3508

188  
g-index

205  
all docs

205  
docs citations

205  
times ranked

84551  
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of thermography to estimate respiratory rate in the emergency room: The journal <i>Temperature</i> toolbox. <i>Temperature</i> , 2023, 10, 159-165.	1.7	0
2	The impact of atrial fibrillation and long-term oral anticoagulant use on all-cause and cardiovascular mortality: A 12-year evaluation of the prospective Brazilian Study of Stroke Mortality and Morbidity. <i>International Journal of Stroke</i> , 2022, 17, 48-58.	2.9	13
3	Neck circumference as a marker of body adiposity in young to middle-aged adults. <i>Nutrition</i> , 2022, 93, 111496.	1.1	1
4	Headache disability, lifestyle factors, health perception, and mental disorder symptoms: a cross-sectional analysis of the 2013 National Health Survey in Brazil. <i>Neurological Sciences</i> , 2022, 43, 2723-2734.	0.9	3
5	Examining the impact of the COVID-19 pandemic through the lens of the network approach to psychopathology: Analysis of the Brazilian Longitudinal Study of Health (ELSA-Brasil) cohort over a 12-year timespan. <i>Journal of Anxiety Disorders</i> , 2022, 85, 102512.	1.5	8
6	Association between neck circumference and non-alcoholic fatty liver disease: cross-sectional analysis from ELSA-Brasil. <i>Sao Paulo Medical Journal</i> , 2022, 140, 213-221.	0.4	2
7	Chronic inflammatory diseases, subclinical atherosclerosis, and cardiovascular diseases: Design, objectives, and baseline characteristics of a prospective case-cohort study ' ELSA-Brasil. <i>Clinics</i> , 2022, 77, 100013.	0.6	1
8	Substantially elevated TSH, not traditional clinical subclinical thyroid disorder groupings, are associated with smaller LDL-P mean size: ELSA-Brasil. <i>Journal of Clinical Lipidology</i> , 2022, , .	0.6	0
9	Thyroid-Stimulating Hormone and Thyroid Hormones and Incidence of Diabetes: Prospective Results of the Brazilian Longitudinal Study of Adult Health (ELSA-BRASIL). <i>Thyroid</i> , 2022, 32, 694-704.	2.4	9
10	Anticholinergic burden and cognitive performance: cross-sectional results from the ELSA-Brasil study. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1527-1534.	0.8	2
11	Dimensions of Anger Reactions (DAR-5): a useful screening tool for anger in the general population. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 421-429.	1.2	3
12	Prediction of depression cases, incidence, and chronicity in a large occupational cohort using machine learning techniques: an analysis of the ELSA-Brasil study. <i>Psychological Medicine</i> , 2021, 51, 2895-2903.	2.7	13
13	Coffee consumption and risk of hypertension: A prospective analysis in the cohort study. <i>Clinical Nutrition</i> , 2021, 40, 542-549.	2.3	27
14	Normative Data for the ELSA-Brasil Neuropsychological Assessment and Operationalized Criterion for Cognitive Impairment for Middle-Aged and Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 293-303.	1.2	5
15	Ideal vascular health and cognitive performance in the Brazilian Longitudinal Study of Adult Health. <i>European Journal of Neurology</i> , 2021, 28, 71-80.	1.7	5
16	Unfavorable Triglyceride-rich Particle Profile in Subclinical Thyroid Disease: A Cross-sectional Analysis of ELSA-Brasil. <i>Endocrinology</i> , 2021, 162, .	1.4	4
17	Thyroid-stimulating hormone levels and incident depression: Results from the ELSA-Brasil study. <i>Clinical Endocrinology</i> , 2021, 94, 858-865.	1.2	7
18	Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Archives of Endocrinology and Metabolism</i> , 2021, 65, 468-478.	0.3	3

#	ARTICLE	IF	CITATIONS
19	Lack of association between proton pump inhibitor use and decline in cognitive performance in the ELSA-Brasil cohort. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1725-1735.	0.8	0
20	Anxiety, Depression, and Anger in Bruxism: A Cross-sectional Study among Adult Attendees of a Preventive Center. <i>Psychiatry Research</i> , 2021, 299, 113844.	1.7	9
21	Phytosterol consumption and markers of subclinical atherosclerosis: Cross-sectional results from ELSA-Brasil. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1756-1766.	1.1	4
22	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 2337-2360.	6.3	609
23	Physical inactivity and headache disorders: Cross-sectional analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2021, 41, 1467-1485.	1.8	4
24	O Prognóstico da Doença Arterial Coronariana em um Hospital Público no Brasil: Achado do Estudo ERICO. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 978-985.	0.3	2
25	Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet Neurology, The</i> , 2021, 20, 795-820.	4.9	2,308
26	Chagas disease is not associated with diabetes, metabolic syndrome, insulin resistance and beta cell dysfunction at baseline of Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Parasitology International</i> , 2021, 85, 102440.	0.6	2
27	Moderate coffee consumption is associated with lower risk of mortality in prior Acute Coronary Syndrome patients: a prospective analysis in the ERICO cohort. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 794-804.	1.3	4
28	Adherence to the Planetary Health Diet Index and Obesity Indicators in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2021, 13, 3691.	1.7	33
29	Incidence of TPOAb over a 4-year follow-up period: results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Archives of Endocrinology and Metabolism</i> , 2021, 65, .	0.3	0
30	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases, The</i> , 2020, 20, 37-59.	4.6	104
31	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases, The</i> , 2020, 20, 60-79.	4.6	95
32	Migraine and Arterial Stiffness in the Brazilian Longitudinal Study of Adult Health: ELSA-Brasil. <i>American Journal of Hypertension</i> , 2020, 33, 458-464.	1.0	3
33	Relationship between heart rate variability and carotid intima-media thickness in the Brazilian Longitudinal Study of Adult Health – ELSA-Brasil. <i>Clinical Physiology and Functional Imaging</i> , 2020, 40, 122-130.	0.5	4
34	Socio-demographic and psychiatric risk factors in incident and persistent depression: An analysis in the occupational cohort of ELSA-Brasil. <i>Journal of Affective Disorders</i> , 2020, 263, 252-257.	2.0	13
35	Anemia and Cognitive Performance in the ELSA-Brasil Cohort Baseline. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2020, 32, 227-234.	0.9	5
36	Differences in HDL particle size in the presence of subclinical thyroid dysfunctions: The ELSA-Brasil study. <i>Atherosclerosis</i> , 2020, 312, 60-65.	0.4	4

#	ARTICLE	IF	CITATIONS
37	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	6.3	7,664
38	Global burden of 87 risk factors in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	6.3	3,928
39	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950â€“2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	6.3	890
40	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	6.3	335
41	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1038-e1060.	2.9	23
42	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	1.2	44
43	<p>Systemic Solutions for Addressing Non-Communicable Diseases in Low- and Middle-Income Countries</p>. <i>Journal of Multidisciplinary Healthcare</i> , 2020, Volume 13, 693-707.	1.1	17
44	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000â€“17. <i>The Lancet Global Health</i> , 2020, 8, e1162-e1185.	2.9	91
45	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	1.2	103
46	Adiponectin and leptin levels in migraineurs: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia Reports</i> , 2020, 3, 251581632096696.	0.2	1
47	Moderate coffee consumption associated with lower risk of mortality in prior Acute Coronary Syndrome patients: prospective analysis in ERICO cohort. <i>Proceedings of the Nutrition Society</i> , 2020, 79, .	0.4	0
48	The association of waist-to-height ratio and other anthropometric measurements with subclinical atherosclerosis: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1989-1998.	1.1	7
49	Association between TSH levels within the reference range and adiposity markers at the baseline of the ELSAâ€“Brasil study. <i>PLoS ONE</i> , 2020, 15, e0228801.	1.1	12
50	Relationship between TSH Levels and the Advanced Lipoprotein Profile in the Brazilian Longitudinal Study of Adult Health (ELSAâ€“Brasil). <i>Endocrine Research</i> , 2020, 45, 163-173.	0.6	1
51	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2020, 271, 39-48.	2.0	13
52	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	15.2	47
53	Atrial fibrillation in low- and middle-income countries: a narrative review. <i>European Heart Journal Supplements</i> , 2020, 22, O61-O77.	0.0	22
54	Public policies in headache disorders: needs and possibilities. <i>Arquivos De Neuro-Psiquiatria</i> , 2020, 78, 50-52.	0.3	7

#	ARTICLE	IF	CITATIONS
55	Neck and waist circumference values according to sex, age, and body-mass index: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Brazilian Journal of Medical and Biological Research</i> , 2020, 53, e9815.	0.7	4
56	Níveis Elevados de Netrina-1 e IL-1 <sup>2</sup> em Mulheres Idosas com SCA: Pior Prognóstico no Acompanhamento de Dois Anos. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 507-514.	0.3	4
57	Frequência e Motivos para a Não Administração e Suspensão de Medicamentos durante um Evento de Síndrome Coronariana Aguda. Estudo ERICO. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 115, 830-839.	0.3	1
58	Title is missing!. , 2020, 15, e0228801.		0
59	Title is missing!. , 2020, 15, e0228801.		0
60	Title is missing!. , 2020, 15, e0228801.		0
61	Title is missing!. , 2020, 15, e0228801.		0
62	High-density Lipoprotein-cholesterol Subfractions and Coronary Artery Calcium: The ELSA-Brasil Study. <i>Archives of Medical Research</i> , 2019, 50, 362-367.	1.5	14
63	Association between ideal cardiovascular health and depression incidence: a longitudinal analysis of ELSA-Brasil. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 552-562.	2.2	13
64	Secondary prevention of coronary heart disease: a cross-sectional analysis on the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2019, 137, 223-233.	0.4	7
65	The National Institute for Health Research (NIHR) Global Health Research Group on Atrial Fibrillation management. <i>European Heart Journal</i> , 2019, 40, 3005-3007.	1.0	4
66	Prevalence of antithyroxidase antibodies in a multiethnic Brazilian population: The ELSA-Brasil Study. <i>Archives of Endocrinology and Metabolism</i> , 2019, 63, 351-357.	0.3	2
67	Does stroke laterality predict major depression and cognitive impairment after stroke? Two-year prospective evaluation in the EMMA study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109639.	2.5	16
68	Metabolomics biomarkers and the risk of overall mortality and ESRD in CKD: Results from the ProgreDir Cohort. <i>PLoS ONE</i> , 2019, 14, e0213764.	1.1	20
69	Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 439-458.	4.9	2,005
70	Global, regional, and national burden of neurological disorders, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , The, 2019, 18, 459-480.	4.9	2,625
71	Health effects of dietary risks in 195 countries, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2019, 393, 1958-1972.	6.3	3,062
72	The prognostic value of nitrotyrosine levels in coronary heart disease: long-term evaluation in the Acute Coronary Syndrome Registry Strategy (ERICO study). <i>Clinical Biochemistry</i> , 2019, 66, 37-43.	0.8	8

#	ARTICLE	IF	CITATIONS
73	Non-alcoholic fatty liver disease presence and severity are associated with aortic stiffness beyond abdominal obesity: The ELSA-Brasil. <i>Atherosclerosis</i> , 2019, 284, 59-65.	0.4	15
74	Mortality, morbidity, and hospitalisations due to influenza lower respiratory tract infections, 2017: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Respiratory Medicine</i> , 2019, 7, 69-89.	5.2	326
75	Low serum levels of CCL2 are associated with worse prognosis in patients with Acute Coronary Syndrome: 2-year survival analysis. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 1411-1416.	2.5	4
76	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology</i> , 2019, 18, 56-87.	4.9	1,064
77	Post-stroke depression and cognitive impairment: Study design and preliminary findings in a Brazilian prospective stroke cohort (EMMA study). <i>Journal of Affective Disorders</i> , 2019, 245, 72-81.	2.0	29
78	Abstract P029: Inflammation Measured by Glyc-A as a Mediating Factor Between Subclinical Thyroid and Cardiovascular Diseases. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Circulation</i> , 2019, 139, .	1.6	0
79	Abstract P203: Lipoprotein Particle Number and Particle Size Profile in Impaired Fasting Glucose or Impaired Glucose Tolerance Are Similar to Those With Diabetes: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Circulation</i> , 2019, 139, .	1.6	0
80	Abstract P419: Migraine and Arterial Stiffness in the Brazilian Longitudinal Study of Adult Health ELSA-Brasil. <i>Circulation</i> , 2019, 139, .	1.6	0
81	Abstract P199: Small HDL-C is Associated to Subclinical Hypothyroidism. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Circulation</i> , 2019, 139, .	1.6	0
82	Coffee Consumption and Coronary Artery Calcium Score: Cross-sectional Results of ELSA-Brasil (Brazilian Longitudinal Study of Adult Health). <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	17
83	The relationship between migraine and lipid sub-fractions among individuals without cardiovascular disease: A cross-sectional evaluation in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2018, 38, 528-542.	1.8	9
84	Migraine and cognitive function: Baseline findings from the Brazilian Longitudinal Study of Adult Health: ELSA-Brasil. <i>Cephalalgia</i> , 2018, 38, 1525-1534.	1.8	29
85	Elevated High-Sensitivity Troponin I in the Stabilized Phase after an Acute Coronary Syndrome Predicts All-Cause and Cardiovascular Mortality in a Highly Admixed Population: A 7-Year Cohort. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 230-237.	0.3	7
86	Stroke at baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): a cross-sectional analysis. <i>Sao Paulo Medical Journal</i> , 2018, 136, 398-406.	0.4	4
87	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2018, 392, 1684-1735.	6.3	716
88	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2018, 392, 1736-1788.	6.3	4,989
89	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2018, 392, 1923-1994.	6.3	3,269
90	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , 2018, 392, 1995-2051.	6.3	294

#	ARTICLE	IF	CITATIONS
91	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	6.3	8,569
92	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1859-1922.	6.3	2,123
93	Myeloperoxidase activity and acute coronary syndrome survival: long-term evaluation in the ERICO study. <i>Biomarkers in Medicine</i> , 2018, 12, 1219-1229.	0.6	1
94	Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. <i>New England Journal of Medicine</i> , 2018, 379, 2429-2437.	13.9	959
95	Global, regional, and national burden of migraine and tension-type headache, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018, 17, 954-976.	4.9	1,101
96	Diabetes alters the association between high-density lipoprotein subfractions and carotid intima-media thickness: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 541-547.	0.9	6
97	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	6.3	638
98	Association between high-density lipoprotein subfractions and low-grade inflammation, insulin resistance, and metabolic syndrome components: The ELSA-Brasil study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 1290-1297.e1.	0.6	10
99	Omega 3 Consumption and Anxiety Disorders: A Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrients</i> , 2018, 10, 663.	1.7	14
100	Burden of disease in Brazil, 1990–2016: a systematic subnational analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 760-775.	6.3	267
101	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	6.3	2,005
102	Prognostic value of carotid intima-media in the short- and long-term mortality in the Strategy of Registry of Acute Coronary Syndrome (ERICO) study. <i>Echocardiography</i> , 2018, 35, 1351-1361.	0.3	2
103	Transcranial direct current stimulation for the treatment of post-stroke depression: results from a randomised, sham-controlled, double-blinded trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 170-175.	0.9	66
104	Thyrotropin levels are associated with chronic kidney disease among healthy subjects in cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Clinical and Experimental Nephrology</i> , 2017, 21, 1035-1043.	0.7	13
105	Association Between Short-Term Systolic Blood Pressure Variability and Carotid Intima-Media Thickness in ELSA-Brasil Baseline. <i>American Journal of Hypertension</i> , 2017, 30, 954-960.	1.0	19
106	Insulin resistance is associated with carotid intima-media thickness in non-diabetic subjects. A cross-sectional analysis of the ELSA-Brasil cohort baseline. <i>Atherosclerosis</i> , 2017, 260, 34-40.	0.4	19
107	Multimorbidities Are Associated to Lower Survival in Ischaemic Stroke: Results from a Brazilian Stroke Cohort (EMMA Study). <i>Cerebrovascular Diseases</i> , 2017, 44, 232-239.	0.8	24
108	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1084-1150.	6.3	573

#	ARTICLE	IF	CITATIONS
109	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	6.3	1,589
110	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	6.3	3,565
111	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	6.3	5,578
112	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	6.3	1,879
113	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology, The</i> , 2017, 16, 877-897.	4.9	1,521
114	Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). <i>Journal of Affective Disorders</i> , 2017, 208, 448-454.	2.0	22
115	Lack of Association Between Subclinical Hypothyroidism and Carotid–Femoral Pulse Wave Velocity in a Cross-Sectional Analysis of the ELSA–Brasil. <i>American Journal of Hypertension</i> , 2017, 30, 81-87.	1.0	11
116	The effectiveness of aspirin for migraine prophylaxis: a systematic review. <i>Sao Paulo Medical Journal</i> , 2017, 135, 42-49.	0.4	12
117	Relationship between periodontal disease and cardiovascular risk factors among young and middle-aged Brazilians. Cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2017, 135, 226-233.	0.4	13
118	Coffee Consumption and Heart Rate Variability: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Cohort Study. <i>Nutrients</i> , 2017, 9, 741.	1.7	10
119	Chronic kidney disease - determinants of progression and cardiovascular risk. PROGREDIR cohort study: design and methods. <i>Sao Paulo Medical Journal</i> , 2017, 135, 133-139.	0.4	10
120	"EMMA Study: a Brazilian community-based cohort study of stroke mortality and morbidity". <i>Sao Paulo Medical Journal</i> , 2016, 134, 543-554.	0.4	12
121	Frequency of cholecystectomy and associated sociodemographic and clinical risk factors in the ELSA-Brasil study. <i>Sao Paulo Medical Journal</i> , 2016, 134, 240-250.	0.4	7
122	Relation of Anxiety and Depressive Symptoms to Coronary Artery Calcium (from the ELSA-Brasil) <i>Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 2</i>	0.7	14
123	Work–family conflict, lack of time for personal care and leisure, and job strain in migraine: Results of the Brazilian Longitudinal Study of Adult Health (ELSA–Brasil). <i>American Journal of Industrial Medicine</i> , 2016, 59, 987-1000.	1.0	20
124	Association between Cardiovascular Health Score and Carotid Intima-Media Thickness: Cross-Sectional Analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Baseline Assessment. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 1207-1216.e4.	1.2	14
125	Fasting glucose levels, incident diabetes, subclinical atherosclerosis and cardiovascular events in apparently healthy adults: A 12-year longitudinal study. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 429-437.	0.9	11
126	Subclinical hypothyroidism is associated with higher carotid intima-media thickness in cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 915-921.	1.1	32



#	ARTICLE	IF	CITATIONS
127	Neck circumference is associated with carotid intimal-media thickness but not with coronary artery calcium: Results from The ELSA-Brasil. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 216-222.	1.1	28
128	Major Depression as a Predictor of Poor Long-Term Survival in a Brazilian Stroke Cohort (Study of Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Diseases, 2016, 25, 618-625.	0.7	29
129	ST-segment abnormalities are associated with long-term prognosis in non-ST-segment elevation acute coronary syndromes: The ERICO-ECG study. <i>Journal of Electrocardiology</i> , 2016, 49, 411-416.	0.4	6
130	Neck Circumference Is Independently Associated with Cardiometabolic Risk Factors: Cross-Sectional Analysis from ELSA-Brasil. <i>Metabolic Syndrome and Related Disorders</i> , 2016, 14, 145-153.	0.5	24
131	Association between a healthy cardiovascular risk factor profile and coronary artery calcium score: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Heart Journal</i> , 2016, 174, 51-59.	1.2	32
132	Transcranial direct current stimulation for the treatment of post-stroke depression in aphasic patients: a case series. <i>Neurocase</i> , 2016, 22, 225-228.	0.2	19
133	Artificially Sweetened Beverage Consumption Is Positively Associated with Newly Diagnosed Diabetes in Normal-Weight but Not in Overweight or Obese Brazilian Adults. <i>Journal of Nutrition</i> , 2016, 146, 290-297.	1.3	12
134	Migraine and subclinical atherosclerosis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2016, 36, 840-848.	1.8	13
135	Urinary Retinol-Binding Protein: Relationship to Renal Function and Cardiovascular Risk Factors in Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0162782.	1.1	28
136	Validation of the Brazilian Portuguese version of the Modified Telephone Interview for cognitive status among stroke patients. <i>Geriatrics and Gerontology International</i> , 2015, 15, 1118-1126.	0.7	14
137	Diagnostic accuracy of a noninvasive hepatic ultrasound score for non-alcoholic fatty liver disease (NAFLD) in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Sao Paulo Medical Journal</i> , 2015, 133, 115-124.	0.4	19
138	One-year Mortality after an Acute Coronary Event and its Clinical Predictors: The ERICO Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 105, 53-64.	0.3	39
139	Inconsistency of Association between Coffee Consumption and Cognitive Function in Adults and Elderly in a Cross-Sectional Study (ELSA-Brasil). <i>Nutrients</i> , 2015, 7, 9590-9601.	1.7	23
140	Prevalence of stroke and associated disability in Brazil: National Health Survey - 2013. <i>Arquivos De Neuro-Psiquiatria</i> , 2015, 73, 746-750.	0.3	79
141	Coffee Consumption, Newly Diagnosed Diabetes, and Other Alterations in Glucose Homeostasis: A Cross-Sectional Analysis of the Longitudinal Study of Adult Health (ELSA-Brasil). <i>PLoS ONE</i> , 2015, 10, e0126469.	1.1	34
142	The association between mood and anxiety disorders, and coronary heart disease in Brazil: a cross-sectional analysis on the Brazilian longitudinal study of adult health (ELSA-Brasil). <i>Frontiers in Psychology</i> , 2015, 6, 187.	1.1	20
143	Subclinical carotid artery atherosclerosis and performance on cognitive tests in middle-aged adults: Baseline results from the ELSA-Brasil. <i>Atherosclerosis</i> , 2015, 243, 510-515.	0.4	25
144	Gender aspects of the relationship between migraine and cardiovascular risk factors: A cross-sectional evaluation in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Cephalalgia</i> , 2015, 35, 1103-1114.	1.8	12

#	ARTICLE	IF	CITATIONS
145	Anxiety and depressive symptoms are associated with higher carotid intima-media thickness. Cross-sectional analysis from ELSA-Brasil baseline data. <i>Atherosclerosis</i> , 2015, 240, 529-534.	0.4	37
146	Low Impact of Traditional Risk Factors on Carotid Intima-Media Thickness. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2054-2059.	1.1	65
147	Association between neck circumference and subclinical atherosclerosis â€” Longitudinal Study of Adult Health (ELSA-Brasil). <i>BBA Clinical</i> , 2015, 3, S9-S10.	4.1	0
148	Thyrotropin Levels, Insulin Resistance, and Metabolic Syndrome: A Cross-Sectional Analysis in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 362-369.	0.5	29
149	Obesity, abdominal obesity and migraine: A cross-sectional analysis of ELSA-Brasil baseline data. <i>Cephalalgia</i> , 2015, 35, 426-436.	1.8	21
150	Post-Acute Coronary Syndrome Alcohol Abuse: Prospective Evaluation in the ERICO Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 104, 457-67.	0.3	2
151	Arg16Gly and Gln27Glu Î²2 adrenergic polymorphisms influence cardiac autonomic modulation and baroreflex sensitivity in healthy young Brazilians. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 153-61.	0.0	8
152	Association between psoriasis and coronary calcium score. <i>Atherosclerosis</i> , 2014, 237, 847-852.	0.4	40
153	Migraine Headaches and Mood/Anxiety Disorders in the <sc>ELSA B</sc>razil. <i>Headache</i> , 2014, 54, 1310-1319.	1.8	39
154	Stroke in the Rain Forest: Prevalence in a &lt;b>&lt;i>&lt;/i>&lt;/b>Ribeirinha&lt;/i>&lt;/b> Community and an Urban Population in the Brazilian Amazon. <i>Neuroepidemiology</i> , 2014, 42, 235-242.	1.1	15
155	Neuropeptide Downregulation in Sepsis. <i>Inflammation</i> , 2014, 37, 142-145.	1.7	5
156	Job stress is associated with migraine in current workers: The <sc>B</sc>razilian Longitudinal Study of Adult Health (<sc>ELSA</sc>â€<sc>B</sc>rasil). <i>European Journal of Pain</i> , 2014, 18, 1290-1297.	1.4	32
157	Negative life events and migraine: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) baseline data. <i>BMC Public Health</i> , 2014, 14, 678.	1.2	11
158	A Reappraisal of Stroke Mortality Trends in Brazil (1979â€“2009). <i>International Journal of Stroke</i> , 2013, 8, 155-163.	2.9	41
159	Septic shock in older people: a prospective cohort study. <i>Immunity and Ageing</i> , 2013, 10, 21.	1.8	15
160	Predictors of long-term survival among first-ever ischemic and hemorrhagic stroke in a Brazilian stroke cohort. <i>BMC Neurology</i> , 2013, 13, 51.	0.8	27
161	The Sertraline vs Electrical Current Therapy for Treating Depression Clinical Study. <i>JAMA Psychiatry</i> , 2013, 70, 383.	6.0	489
162	THE SERTRALINE VERSUS ELECTRICAL CURRENT THERAPY FOR TREATING DEPRESSION CLINICAL STUDY (SELECT-TDCS): RESULTS OF THE CROSSOVER AND FOLLOW-UP PHASES. <i>Depression and Anxiety</i> , 2013, 30, 646-653.	2.0	68

#	ARTICLE	IF	CITATIONS
163	Cathelicidin LL-37 bloodstream surveillance is down regulated during septic shock. <i>Microbes and Infection</i> , 2013, 15, 342-346.	1.0	32
164	Impact of 5-HTTLPR and BDNF polymorphisms on response to sertraline versus transcranial direct current stimulation: Implications for the serotonergic system. <i>European Neuropsychopharmacology</i> , 2013, 23, 1530-1540.	0.3	58
165	Heart rate variability is a trait marker of major depressive disorder: evidence from the sertraline vs. electric current therapy to treat depression clinical study. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1937-1949.	1.0	118
166	The influence of the day of the week of hospital admission on the prognosis of stroke patients. <i>Cadernos De Saude Publica</i> , 2013, 29, 769-777.	0.4	5
167	Decreased Parathyroid Hormone Levels Despite Persistent Hypocalcemia in Patients with Kidney Failure Recovering from Septic Shock. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013, 13, 135-142.	0.6	8
168	HLA-A*31 as a marker of genetic susceptibility to sepsis. <i>Revista Brasileira De Terapia Intensiva</i> , 2013, 25, 284-9.	0.1	4
169	Design and baseline characteristics of a coronary heart disease prospective cohort: two-year experience from the strategy of registry of acute coronary syndrome study (ERICO study). <i>Clinics</i> , 2013, 68, 431-434.	0.6	23
170	The influence of the day of the week of hospital admission on the prognosis of stroke patients. <i>Cadernos De Saude Publica</i> , 2013, 29, 769-77.	0.4	3
171	The role of pneumonia scores in the emergency room in patients infected by 2009 H1N1 infection. <i>European Journal of Emergency Medicine</i> , 2012, 19, 200-202.	0.5	13
172	Low Education as a Predictor of Poor One-Year Stroke Survival in the EMMA Study (Study of Stroke) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	2.9	9
173	Early and One-Year Stroke Case Fatality in Sao Paulo, Brazil: Applying the World Health Organization's Stroke STEPS. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2012, 21, 832-838.	0.7	22
174	Early stroke case-fatality rates in three hospital registries in the Northeast and Southeast of Brazil. <i>Arquivos De Neuro-Psiquiatria</i> , 2012, 70, 869-873.	0.3	15
175	Educational levels and the functional dependence of ischemic stroke survivors. <i>Cadernos De Saude Publica</i> , 2012, 28, 1581-1590.	0.4	26
176	Cardiovascular risk factors in patients with first-episode psychosis in São Paulo, Brazil. <i>General Hospital Psychiatry</i> , 2012, 34, 268-275.	1.2	17
177	Sertraline vs. Electrical Current Therapy for Treating Depression Clinical Trial - SELECT TDCS: Design, rationale and objectives. <i>Contemporary Clinical Trials</i> , 2011, 32, 90-98.	0.8	57
178	A phase I randomized, double-blind, controlled trial of 2009 influenza A (H1N1) inactivated monovalent vaccines with different adjuvant systems. <i>Vaccine</i> , 2011, 29, 8974-8981.	1.7	17
179	Assessment scores in H1N1 infection. <i>Critical Care</i> , 2011, 15, 458.	2.5	1
180	Prevalence of thyroid disorders among older people: results from the São Paulo Ageing & Health Study. <i>Cadernos De Saude Publica</i> , 2011, 27, 155-161.	0.4	37

#	ARTICLE	IF	CITATIONS
181	Verbal fluency tests reliability in a Brazilian multicentric study, ELSA-Brasil. Arquivos De Neuro-Psiquiatria, 2011, 69, 814-816.	0.3	23
182	Stroke Prevalence in a Poor Neighbourhood of SÃ£o Paulo, Brazil: Applying a Stroke Symptom Questionnaire. International Journal of Stroke, 2011, 6, 33-39.	2.9	22
183	Cardiovascular risk factors associated with migraine among the elderly with a low income: The SÃ£o Paulo Ageing & Health Study (SPAH). Cephalalgia, 2011, 31, 331-337.	1.8	22
184	A Stepwise Approach to Stroke Surveillance in Brazil: the EMMA (Estudo de Mortalidade E Morbidade) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.9	34
185	Validation of a stroke symptom questionnaire for epidemiological surveys. Sao Paulo Medical Journal, 2010, 128, 225-231.	0.4	14
186	Application of the Spielberger's State-Trait Anger Expression Inventory in clinical patients. Arquivos De Neuro-Psiquiatria, 2010, 68, 231-234.	0.3	26
187	Associations of the Estrogen Receptors 1 and 2 Gene Polymorphisms With the Metabolic Syndrome in Women. Metabolic Syndrome and Related Disorders, 2009, 7, 111-117.	0.5	15
188	Interrelation Between Sex Hormones and Plasma Sex Hormone-Binding Globulin and Hemoglobin A1c in Healthy Postmenopausal Women. Metabolic Syndrome and Related Disorders, 2009, 7, 249-254.	0.5	26
189	Association of estrogen receptor 2 gene polymorphisms with obesity in women (obesity and estrogen) Tj ETQq1 1 0.784314 rgBT /Ov	1.0	17
190	Association of genetic variants with the metabolic syndrome in 20,806 white women: The women's health genome study. American Heart Journal, 2009, 158, 257-262.e1.	1.2	18
191	Estrogen receptor 1 gene polymorphisms and decreased risk of obesity in women. Metabolism: Clinical and Experimental, 2009, 58, 759-764.	1.5	31
192	The Prevalence of Headache Among Elderly in a Low-Income Area of SÃ£o Paulo, Brazil. Cephalalgia, 2008, 28, 329-333.	1.8	26
193	Polymorphisms in advanced glycosylation end product-specific receptor (AGER) gene, insulin resistance, and type 2 diabetes mellitus. Clinica Chimica Acta, 2008, 398, 95-98.	0.5	12
194	Race and parity as risk factors for obesity among low-income women in Brazil. Nutrition Research, 2007, 27, 27-32.	1.3	10
195	Race, gender and stroke subtypes mortality in SÃ£o Paulo, Brazil. Arquivos De Neuro-Psiquiatria, 2007, 65, 752-757.	0.3	26
196	Health consequences of obesity in the elderly: A review. Current Cardiovascular Risk Reports, 2007, 1, 340-347.	0.8	9
197	O efeito da atividade fÃsica nas comorbidades psiquiÃtricas de pessoas com cefaleias primÃrias: Um estudo transversal da coorte do ELSA-Brasil. Headache Medicine, 0, , 44.	0.1	0