
## Yu Sato

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7700352/publications.pdf Version: 2024-02-01



VII SATO

#	Article	IF	CITATIONS
1	Liver fibrosis score predicts mortality in heart failure patients with preserved ejection fraction. ESC Heart Failure, 2018, 5, 262-270.	1.4	88
2	Liver stiffness assessed by Fibrosis-4 index predicts mortality in patients with heart failure. Open Heart, 2017, 4, e000598.	0.9	72
3	Low T3 Syndrome Is Associated With High Mortality in Hospitalized Patients With Heart Failure. Journal of Cardiac Failure, 2019, 25, 195-203.	0.7	44
4	Plasma volume status predicts prognosis in patients with acute heart failure syndromes. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 330-338.	0.4	36
5	Subclinical Hypothyroidism Is Associated With Adverse Prognosis in Heart Failure Patients. Canadian Journal of Cardiology, 2018, 34, 80-87.	0.8	30
6	Association of Serum Zinc Level With Prognosis in Patients With Heart Failure. Journal of Cardiac Failure, 2018, 24, 375-383.	0.7	25
7	Intrarenal Doppler ultrasonography reflects hemodynamics and predicts prognosis in patients with heart failure. Scientific Reports, 2020, 10, 22257.	1.6	24
8	Relation of Testosterone Levels to Mortality in Men With Heart Failure. American Journal of Cardiology, 2018, 121, 1321-1327.	0.7	22
9	Utility of heart rate turbulence and Tâ€wave alternans to assess risk for readmission and cardiac death in hospitalized heart failure patients. Journal of Cardiovascular Electrophysiology, 2018, 29, 1257-1264.	0.8	21
10	Liver fibrosis marker, 7S domain of collagen type IV, in patients with pre-capillary pulmonary hypertension. International Journal of Cardiology, 2018, 258, 269-274.	0.8	19
11	Prognostic impact of chronic obstructive pulmonary disease on adverse prognosis in hospitalized heart failure patients with preserved ejection fraction – A report from the JASPER registry. Journal of Cardiology, 2019, 73, 459-465.	0.8	19
12	Usefulness of Urinary N-Terminal Fragment of Titin to Predict Mortality in Dilated Cardiomyopathy. American Journal of Cardiology, 2018, 121, 1260-1265.	0.7	18
13	Recovered Left Ventricular Ejection Fraction and Its Prognostic Impacts in Hospitalized Heart Failure Patients with Reduced Ejection Fraction. International Heart Journal, 2020, 61, 281-288.	0.5	17
14	Prognostic impacts of changes in left ventricular ejection fraction in heart failure patients with preserved left ventricular ejection fraction. Open Heart, 2020, 7, e001112.	0.9	16
15	Prior History and Incidence of Cancer Impacts on Cardiac Prognosis in Hospitalized Patients With Heart Failure. Circulation Journal, 2019, 83, 1709-1717.	0.7	14
16	Association between platelet distribution width and prognosis in patients with heart failure. PLoS ONE, 2020, 15, e0244608.	1.1	13
17	Better clinical outcome with direct oral anticoagulants in hospitalized heart failure patients with atrial fibrillation. BMC Cardiovascular Disorders, 2018, 18, 11.	0.7	11
18	Clinical Implications of Hepatic Hemodynamic Evaluation by Abdominal Ultrasonographic Imaging in Patients With Heart Failure. Journal of the American Heart Association, 2020, 9, e016689.	1.6	11

Yu Sato

#	Article	IF	CITATIONS
19	Prognostic factors in heart failure patients with cardiac cachexia. Journal of Geriatric Cardiology, 2020, 17, 26-34.	0.2	11
20	Association between sleepâ€disordered breathing and arterial stiffness in heart failure patients with reduced or preserved ejection fraction. ESC Heart Failure, 2018, 5, 284-291.	1.4	10
21	Renal Venous Stasis Index Reflects Renal Congestion and Predicts Adverse Outcomes in Patients With Heart Failure. Frontiers in Cardiovascular Medicine, 2022, 9, 772466.	1.1	10
22	Relation of Systolic Blood Pressure on the Following Day with Post-Discharge Mortality in Hospitalized Heart Failure Patients with Preserved Ejection Fraction. International Heart Journal, 2019, 60, 876-885.	0.5	9
23	Incidence and subsequent prognostic impacts of gastrointestinal bleeding in patients with heart failure. European Journal of Preventive Cardiology, 2020, 27, 664-666.	0.8	9
24	Hyponatremia at discharge is associated with adverse prognosis in acute heart failure syndromes with preserved ejection fraction: a report from the JASPER registry. European Heart Journal: Acute Cardiovascular Care, 2019, 8, 623-633.	0.4	8
25	Prognostic Impact of Worsening Renal Function in Hospitalized Heart Failure Patients With Preserved Ejection Fraction: A Report From the JASPER Registry. Journal of Cardiac Failure, 2019, 25, 631-642.	0.7	8
26	Bâ€ŧype natriuretic peptide is associated with postâ€discharge stroke in hospitalized patients with heart failure. ESC Heart Failure, 2020, 7, 2508-2515.	1.4	8
27	Liver Congestion Assessed by Hepatic Vein Waveforms in Patients With Heart Failure. CJC Open, 2021, 3, 778-786.	0.7	8
28	Decreased cardiac mortality with nicorandil in patients with ischemic heart failure. BMC Cardiovascular Disorders, 2017, 17, 141.	0.7	7
29	Shear Wave Dispersion Predicts Liver Fibrosis and Adverse Outcomes in Patients with Heart Failure. Journal of Clinical Medicine, 2020, 9, 3953.	1.0	7
30	Comprehensive clinical characteristics of hospitalized patients with mid-range left ventricular ejection fraction. European Journal of Preventive Cardiology, 2020, 27, 2084-2088.	0.8	6
31	Soluble fibrin monomer complex is associated with cardio- and cerebrovascular events in patients with heart failure. IJC Heart and Vasculature, 2021, 32, 100697.	0.6	5
32	Prognostic impact of moderate mitral regurgitation on hospitalized heart failure patients with preserved ejection fraction: A report from the JASPER registry. Heart and Vessels, 2020, 35, 1087-1094.	0.5	4
33	Cardio-Ankle Vascular Index Predicts Post-Discharge Stroke in Patients with Heart Failure. Journal of Atherosclerosis and Thrombosis, 2020, 28, 766-775.	0.9	4
34	B-type natriuretic peptide is associated with the occurrence of bleeding events in heart failure patients with a history of coronary artery disease. Journal of Cardiology, 2022, 80, 88-93.	0.8	4
35	Increases in Hepatokine Selenoprotein P Levels Are Associated With Hepatic Hypoperfusion and Predict Adverse Prognosis in Patients With Heart Failure. Journal of the American Heart Association, 2022, 11, .	1.6	4
36	Glasgow-Blatchford Score Predicts Post-Discharge Gastrointestinal Bleeding in Hospitalized Patients with Heart Failure. Journal of Clinical Medicine, 2020, 9, 4083.	1.0	3

Yu Sato

#	Article	IF	CITATIONS
37	Cardio-Ankle Vascular Index Reflects Impaired Exercise Capacity and Predicts Adverse Prognosis in Patients With Heart Failure. Frontiers in Cardiovascular Medicine, 2021, 8, 631807.	1.1	3
38	Decreases in hepatokine Fetuin-A levels are associated with hepatic hypoperfusion and predict cardiac outcomes in patients with heart failure. Clinical Research in Cardiology, 2022, 111, 1104-1112.	1.5	3
39	Prognostic Effects of Changes in Right Ventricular Fractional Area Change in Patients With Heart Failure. Circulation Journal, 2022, , .	0.7	3
40	Atrial fibrillation is associated with impaired exercise capacity and adverse prognosis in patients with heart failure with mid-range ejection fraction. European Journal of Preventive Cardiology, 2020, 27, 2322-2325.	0.8	2
41	Simplified Academic Research Consortium for High Bleeding Risk (ARC-HBR) Definition Predicts Bleeding Events in Patients With Heart Failure. Circulation Journal, 2021, 86, 147-155.	0.7	2
42	Temporal Trends in the Practice Pattern for Sleep-Disordered Breathing in Patients With Cardiovascular Diseases in Japan ― Insights From the Japanese Registry of All Cardiac and Vascular Diseases – Diagnosis Procedure Combination ―. Circulation Journal, 2022, , .	0.7	1
43	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
44	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
45	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
46	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
47	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0
48	Association between platelet distribution width and prognosis in patients with heart failure. , 2020, 15, e0244608.		0